

1. A symptom is
 - A. An objective abnormality
 - B. A diagnosis
 - C. The patient's problem
 - D. A subjective abnormality
 - E. The chief complaint

2. Not an indicator of acute respiratory distress
 - A. Retraction of intercostals and subcostal spaces ✓
 - B. Blue discoloration of tongue and finger tips
 - C. Use of sternocleidomastoid muscles ✓
 - D. Tachycardia and tachypnea ✓
 - E. Clubbing of fingers ✗

3. Not the characteristic odour one can smell in the following disease
 - A. Diabetic Ketoacidosis – acetone
 - B. Uremia – foul smelling
 - C. Liver failure – fetor hepaticus
 - D. Lung abscess – putrid ✗
 - E. Periodontitis – halitosis

4. Not true Regarding Lymphadenopathy
 - A. Lymphnodes of 1cm by 1cm or less are not usually significant ✓
 - B. Healthy adults can have palpable inguinal nodes of up to 2cm which are common.
 - C. Groin and axilla are the most common sites of regional lymphadenopathy.
 - D. Hard & fixed lymphnodes are usually due to malignant metastasis.
 - E. Matted lymphnodes with discharging sinus signifies lymphoma

5. In examination of the breast:
 - A. One should always start palpation from the affected breast ✗
 - B. Irregular fixed & hard masses usually tend to be benign ones
 - C. Masses of inflammatory origin aren't usually associated with changes in the overlying skin ✗
 - D. Nipple discharges may not always be pathological. ✗
 - E. Examination of the axilla is not part of breast examination ✗

6. Which one of the following physical finding is not the feature of hyperthyroidism?
 - A. Tachycardia ✓
 - B. Lid retraction ✓
 - C. Fine distal tremor ✓
 - D. Weight gain
 - E. Weight loss

7. Red or blue lesions of about 1 to 3 mm in diameter visible in the skin deep to the epidermis which are due to extravasated blood and fail to disappear on pressure are
- ☒ A. Petechiae - non blanch
 - B. Purpura
 - C. Ecchymosis
 - D. Papule
 - E. Macule.
8. Which of the following is less important in examining a patient with lower limb problem:
- A. Exposing both limbs ✓
 - ☒ B. Forceful palpation of fractured limb to test for crepitation
 - C. Check joints below and above the problem area ✓
 - D. Measurement ✓
 - E. Observing the patient walking in to the examination room.
9. False regarding the rate and rhythm of respiration
- ☒ A. Respiratory rate of 14 can never be present in a person with acute respiratory distress.
 - B. The normal respiratory rate of an adult is 14-18 per minute ✓ 14 ✓
 - C. Cheyne - stokes respiratory pattern can be seen in severely ill patients ✓
 - D. Apneustic breathing indicates brainstem lesion
 - E. The normal respiratory rate varies with age ✓
10. Identify the false statement
- A. The bifurcation of the trachea corresponds anteriorly to lower border of manubrium stern -
 - B. The right and left lungs have 3 & 2 lobes respectively ✓
 - C. Posteriorly the lower lobes compose much parts of the lungs.
 - D. The minor interlobar fissure lays along the 6th right rib
 - E. The lower margin of the lung during expiration reaches to 4th intercostal space anteriorly.
11. Not correctly matched is:
- ☒ A. Left sided tracheal deviation - Left sided lung collapse
 - B. Cavity - Amphoric breath sound ✓
 - C. Bronchial breath sound - Pneumonia ✓
 - D. Stridor - Lower respiratory tract obstruction ✓
 - E. Barrel chest - COPD.
12. Diseases likely to cause clubbing of digits include
- A. Pulmonary TB.
 - B. COPD.
 - C. Connective tissue diseases
 - ☒ D. Acyanotic heart diseases
 - E. Fungal nail infections ✓

13. Which of the following pathologies give increased tactile fremitus with dullness on percussion?
- A. Pleural effusion - *dull*
 - ☒ B. Consolidation
 - C. Pneumothorax - *dull*
 - D. Lung collapse
 - E. Pleural thickening - *dull*
14. Which one of the following findings is true about breath sounds?
- A. Bronchial breath sound can be heard normally
 - ☒ B. Vesicular breath sound has longer expiratory phase
 - C. All the three breath sounds have gaps
 - ☒ D. Absent breath sound is characteristics of lobar pneumonia
 - E. Amphoric breath sound is heard in pleural effusion
15. Which one is expected finding with pneumothorax on the affected side of the chest?
- A. Increased tactile fremitus
 - ☒ B. Dullness to percussion
 - C. Absent air entry on auscultation
 - D. Pleural friction rub
 - E. Increased chest expansion
16. Which of the following is true?
- ☒ A. The external jugular vein is the best vein to measure JVP
 - ☒ B. The normal JVP level is upto 3mmHg above the angle of Luis
 - C. Hepatojugular reflex help to assess for the JVP
 - D. Prominent elevation of JVP indicate left side heart failure
 - E. The level is not affected by the breathing cycle
17. Which one has a different pulse pressure among the following conditions?
- A. Anemia
 - B. Severe mitral stenosis
 - C. Aortic regurgitation
 - D. Fever
 - ☒ E. Arteriovenous fistula
18. Which one is correctly matched?
- A. Fixed splitting - Atrial septal defect
 - ☒ B. Accentuated S1 - Right ventricular hypertrophy
 - ☒ C. Erb's point - 2nd ICS left side
 - D. Decrescendo diastolic murmur - Aortic stenosis
 - E. Opening snap - mitral regurgitation

19. Which of the following features favors ascitis as opposed to an ovarian cyst
- Lateral tympany
 - Vertical umbilical slit.
 - Peripheral distension
 - Central dullness
 - Fluid trill
20. A soft and smooth but tender surface of an enlarged liver may be due to:
- Schistosomiasis
 - Cirrhosis
 - Hepatoma
 - Amoebic liver abscess
 - Granulomatous liver disease
21. The origin of intra- abdominal mass which is freely mobile could be:
- Liver
 - Kidney
 - Ascending colon
 - Pancreas
 - Abdominal aorta
22. Which of the following cannot be seen in gastric outlet obstruction
- Visible peristalsis from right upper quadrant to ^{left} lower quadrant ~~left~~
 - Succession splash ✓
 - Fullness in the epigastrium ✓
 - Cachexia
 - Bilous vomiting ✓
23. Which of the following signs does not belong to the signs of chronic liver disease
- Caput medusae ✓
 - Spider angioma ✓
 - Atrophy of the testis ✓
 - Gynecomastia ✓
 - Thenar hypertrophy.
24. Which of the following indicates the presence of organomegaly? ✓
- Palpable liver.
 - Palpable spleen.
 - Total vertical liver span of 12 cm along the midclavicular line
 - Supra pubic globular mass.
 - Palpable pulsation along the left paramedian line
25. Which one is suggestive of haematemesis rather than hemoptysis
- Blood mixed with sputum ^{blood vomiting}
 - Cough preceding blood ^{hemoptysis}
 - Associated melena ✓
 - Associated hematochezia ✓ ^{blood vomiting}
 - Anemia ✓

26. Which one is a typical finding in lower motor neuron lesion that help to differentiate the lesion from corticospinal tract lesions
- A. Weakness
 - B. Hyperreflexia
 - C. Hypertonia
 - ☒ D. Up going plantar reflex.
 - E. Muscle atrophy
27. Which one of the following is true about spinal cord
- ☒ A. Begins at foramen magnum and ends at L1 – L3
 - B. The spinal segments correspond exactly with the vertebrae overlying them
 - C. The umbilicus is found on the L1 dermatome
 - D. Sensory level at the knees corresponds to L4
 - E. Spinal cord disease manifest exclusively with lower motor neuron signs
28. Graphesthesia is a test for:
- ☒ A. Superficial sensation
 - B. Involuntary movement
 - C. Cortical sensation
 - D. Spinal cord lesion
 - E. Cerebellar lesion
29. Most sensitive sign of meningitis
- ☒ A. Neck stiffness
 - ☒ B. Brudzinski sign
 - C. Kerning's sign
 - D. Coma
 - E. Seizure
30. Which one of the following will be a finding in a right handed patient with left middle cerebral artery territory infarction?
- A. Left hemiparesis
 - B. Upper limb weakness more than the lower limb
 - C. Lower limb weakness more than the upper limb
 - ☒ D. Astereognosis
 - E. Truncal ataxia
31. Which is correct about mental status examination?
- A. Most evaluations can be done while interviewing the patient
 - B. Recent memory is an assessment of attention
 - C. Speech abnormality is an abnormality of speaking, it does not include understanding by written communication
 - D. A deeply comatous patient has a Glasgow Coma Scale of zero *
 - ☒ E. Level of consciousness can be assessed by minimal scoring ✓

32. Which one is the first step in examination of a critically sick patient?
- General appearance
 - Vital signs
 - C. Patency of airway
 - Assessment of the pulse
 - Asking the chief complaint
33. Transient loss of consciousness that reverse when a patient falls down is called
- Vertigo
 - Seizure
 - Dizziness
 - D. Syncope
 - Angina
34. A young girl presented with deviation of the mouth to the right and difficulty closing her left eye. What is the lesion?
- Left infranuclear facial palsy
 - Right infranuclear facial palsy
 - Left supranuclear facial palsy
 - Right supranuclear facial palsy
 - E. Left oculomotor palsy
35. Which one is not correctly matched?
- Pulsus parvus – anemia
 - Pulsus alternans – left ventricular failure ✓
 - Pulsus paradoxus – severe asthmatic attack ✓
 - Pulse deficit – atrial fibrillation ✓
 - E. Collapsing pulse – patent ductus arteriosus
36. Which one is correct concerning blood pressure (BP)?
- A. For some patients a blood pressure of 140/90 mmHg may be hypertension ✓ $\frac{140}{60} = 2.33$
 - Deflation of cuff should be at a rate of 10mmHg/second ✓ - 2-3 mmHg/sec
 - Cuff size is the same for all age group ✓
 - If the cuff size is small, it will falsely lower the BP of the patient ✓
 - BP is not affected by the posture of the patient ✓
37. Which one is correct about JVP waves?
- A. "a" wave is prominent in atrial fibrillation - absent a wave
 - "c" wave indicates ventricular contractions
 - C. "x" descent is venous return ✓
 - "v" wave is ventricular contraction
 - "y" is atrial contraction filling the ventricles
38. Which of the following lesions will give murmur that accentuates on standing? ✓
- Mitral stenosis - exercise & left lateral positioning
 - Aortic regurgitation - expiration & leaning forward
 - Tricuspid regurgitation - deep inspiration
 - D. Atrial septal defect
 - E. Mitral valve prolapse - late systolic

39. Which one of the following has a different murmur in terms of the cardiac cycle?
- Mitral regurgitation
 - Tricuspid regurgitation
 - Aortic regurgitation
 - Ventricular septal defect
 - Aortic stenosis
40. Which one of the following signs on hand examination is not a sign of infective endocarditis?
- Nail spooning
 - Janeway lesions
 - Osler's nodes
 - Splinter hemorrhage
 - Clubbing
41. Which one is correct about positive negative statements of history of present illness?
- It is a descriptive way of identifying the diagnosis from the differentials
 - It is an elaboration of the main complaint
 - Positive symptoms are more important than the negative ones
 - It is equivalent to review of systems
 - Private matters of the patient should not be asked
42. Which one is correct about components of history?
- The review of systems is part of the history of present illness
 - The chief complaint should always be expressed in terms of the patients words
 - The past medical history and past admissions are the same
 - The chief complaint is expressed with its duration
 - The functional inquiries are used only for critical patient
43. Small size spots of bleeds seen on the skin are described as:
- Ecchymosis
 - Papule
 - Macules
 - Petechie
 - Patch
44. Which one correctly shows the steps of per rectal examination?
- Inspection – palpation – percussion – auscultation
 - Inspection – palpation – inspection
 - Palpation – inspection – palpation
 - Inspection – palpation
 - Palpation – inspection
45. What type of examination should be done for pelvic assessment in a virgin girl?
- Speculum examination
 - Bimanual vaginal examination
 - Digital vaginal examination
 - Digital rectal examination
 - Rectovaginal exam

46. What are the cardinal steps of musculoskeletal examination
A. Palpation – percussion – auscultation – movement
B. Inspection – palpation – movement – measurement *look - feel - move - measure*
C. Measurement – inspection – movement – palpation
D. Auscultation – percussion – measurement – movement
E. Inspection – measurement – palpation – movement
47. Which one is a differential diagnosis for right iliac fossa mass?
A. Aortic aneurysm
B. Rectal carcinoma
C. Sigmoid volvulus
D. Crohn's disease *st.*
E. Gall bladder
48. Which one is a sign hyperlipidemia?
A. Moon face
B. Hypertension
C. Xanthomas
D. Melasma
E. Tophie
49. Which one is a non pathological finding on examination of the tongue?
A. Atrophied papillae.
B. Geographic tongue
C. Ulcer.
D. Beefy red tongue
E. Curdy lesions
50. Which of the following is true?
A. Rhinorrhea is discharge from the ear.
B. One should look the sclera and conjunctiva for pallor and icterus respectively.
C. Hyperemic conjunctiva can be due to polycythemia.
D. Whitish coat over the tongue is always oral candidiasis.
E. Mastoid tenderness suggest otitis externa.