

Question 11

A 65-year-old man presents to the emergency department with a fever of 39.5°C, a dry cough, tachypnea, and chest pain. A sputum sample isolated organisms that grew on charcoal yeast agar and stained weakly gram-negative. Which of the following properties is consistent with the above organism?

- a.No cell wall
- b.Optochin sensitive
- c.Requires iron and cysteine for growth
- d.Serpentine growth in vitro
- e.Capsule

Question 12

Factors increasing the strength of ventricular muscle include:

- a.Sympathetic inhibition
- b.The length of plateau phase
- c.Parasympathetic inhibition
- d.The stretch of ventricular muscle fibers

Question 13

The leading bacterial etiologic agent for subacute endocarditis is: -

- a.Viridans Streptococci
- b.Staphylococcus epidermidis
- c.Enterococcus faecalis
- d.Streptococcus bovis
- e.Streptococcus pneumoniae

Question 14

Pain originating from inflammation of parietal pleura referred to the abdomen as abdominal pain and misdiagnosed as acute abdomen. Which nerve/s are responsible for referring the pain to the abdomen?

- a.T4 to T6
- b.T1 and T2
- c.T3 to T6
- d.T7 to T11

Question 15

Which one of the following statements is incorrect regarding the development of the respiratory system?

- a.Recanalization of the larynx occurs by the tenth week
- b.The primordium of the tracheobronchial tree develops caudal to the 4th pair pharyngeal pouch
- c.The embryonic main left bronchus is longer than the right and is oriented more horizontal position
- d.Laryngeal cartilages develop from mesenchyme that is derived from the neural crest
- e.Visceral pleura is derived from the somatic mesoderm

Question 16

Which pneumonia causing pathogen occurs in a different setting than the rest

- a.*Moraxella catarrhalis*
- b.*Mycoplasma pneumoniae*

- c. Staphylococcus aureus, methicillin-resistant
- d. Streptococcus pneumonia

Question 17

The most specific of all biochemical markers for cardiac damage:

- a. Myoglobin
- b. CK-MB
- c. CK-MB mass
- d. Total CK
- e. Troponin I

Question 18

What is the commonest form of Atrial septal defect?

- a. Sinus venosus ASD
- b. Ostium primum ASD
- c. Patent foramina ovale
- d. Atrioventricular cushion defect
- e. Ostium secundum ASD

Question 19

Pressure in the pulmonary artery is:

- a. About 25 mmHg during systole
- b. Higher than that in the left ventricle
- c. Is regulated by parasympathetic innervation

- d.About 80 mmHg during diastole
- e.Is lower than that in the right ventricle

Question 20

Anti-hypertensive drugs which cause insignificant postural hypotension are

- a.Store depletors
- b.Release inhibitors
- c.Central alpha 2 agonists
- d.Non selective alpha blockers

Question 21

Incorrect about Internal intercostal –

- a.Fibers directed downwards, backwards and laterally
- b.Extends from the lateral border of the sternum to angle of the rib
- c.Posterior to the angle it becomes continuous with the internal intercostal membrane.
- d.It is inspiratory muscle

Question 22

Some premature newborns lack pulmonary surfactant; therefore,

- a.They have the largest airways resistance work
- b.Their lungs are difficult to re-inflate
- c.Their respiratory muscles atrophy
- d.Their work of breathing is reduced due to decreased surface tension
- e.Their lung compliance is increased

Question 23

A graph shown below depicts the effects of changing ventilation-perfusion ratio (V_A/Q) on alveolar partial pressure of CO_2 (y axis) vs O_2 (x axis) with 4 points labeled A to D and with E: None. Which level represents the condition whereby V_A/Q is marginally higher than normal? (The partial pressures are expressed in mm Hg)

Which of the following pulmonary function cannot be measured directly by spirometry?

- a. Inspiratory reserve volume
- b. Tidal volume
- c. Residual volume
- d. Expiratory reserve volume
- e. FEV1

Question 24

Which of the following statements is CORRECT regarding the circulatory system?

- a. Elastic fibers are scarce in myocardium of the atria
- b. Purkinje fibers (cells) possess few central myofibrils with scanty mitochondria
- c. Endocardium is continuous with parietal layer of pericardium
- d. Fenestrated capillaries with abundant fenestrae are found in the epidermis of the skin
- e. In sinusoidal capillaries pinocytotic vesicles are lacking

Question 25

One of the following bacteria is a small gram-negative rod that causes an important respiratory tract disease characterized by a great increase in lymphocytes.

- a. *Bordetella pertussis*
- b. *Mycobacterium tuberculosis*
- c. *Corynebacterium diphtheria*
- d. *Legionella pneumophila*
- e. *Streptococcus pneumoniae*

I Question 26

Where is the commonest site of foreign body aspiration in the respiratory tract

- a. Right lung
- b. Left lung
- c. Larynx
- d. Bilateral lunges
- e. Trachea/carina

Question 27

Not a reversible form of atelectasis

- a. Obstruction atelectasis
- b. Resorption atelectasis
- c. Compression atelectasis
- d. Contraction atelectasis

Question 28

A diuretic used in treatment of nephrogenic Diabetes insipidus

- a.Captopril
- b.Thiazides
- c.Frusemide
- d.Manitol

Question 29

Which of the following results in an increased stroke volume?

- a.An increase in the heart rate
- b.Parasympathetic stimulation
- c.An increase in end-diastolic volume
- d.An increased afterload

Question 30

Which of the following is not classified under the systemic (endemic) fungi ?

- a.Candida albicans
- b.Coccidioides immitis
- c.Blastomyces dermatitidis
- d.Paracoccidioides brasiliensis
- e.Histoplasma capsulatum

Question 31

An increased plasma concentration of cholesterol is most likely to be caused by a deficiency of which of the following?

- a.LDL receptors

- b. Insulin receptors
- c. HMG-CoA reductase
- d. Bile acid synthetic enzymes
- e. HDL receptors

Question 32

Blastomyces dermatitidis is

- a. Attached with a broad base to the parent budding cell
- b. Yeast that forms spherule in tissue
- c. Yeast with multiple budding yeast cells
- d. Mold that causes opportunistic infection
- e. Yeast that can not be grown on artificial media

Question 33

The highest coronary blood flow occurs:

- a. At the beginning of isovolumetric contraction
- b. At the beginning of diastole
- c. When the left ventricular pressure is high
- d. Early during systole

Question 34

A diuretic of choice for treatment of hypertension is

- a. Amiloride
- b. Chlorothizide

- c.Mannitol
- d.Torsamide

Question 35

Which bony land mark of the thoracic wall is used for detecting mediastinal shift?

- a.Manubrium of the sternum
- b.Xiphoid process
- c.Jugular notch
- d.Sternal angle

Question 36

The following are true about cardiac contraction:

- a.atrial contribution to ventricular filling is most effective at fast heart rate.
- b.atrial natriuretic peptide (ANP) is released when the atria are distended by increases in blood volume
- c.the P wave is due to the atrial contraction
- d.wave is generated by atrial contraction

Question 37

Which lung malignancy has the worst prognosis and usually fatal

- a.Adenocarcinoma insitu
- b.Adenocarcinoma
- c.Squamous cell carcinoma
- d.Small cell carcinoma

Question 38

Which of the following is true of the electrical activity of cardiac muscle?

- a. Increased K^+ efflux causes repolarization in all myocardial cell
- b. Initial repolarization is due to delayed K^+ efflux
- c. Repolarization is due to Na^+ current
- d. Efflux of Na^+ affects the pacemaker potential
- e. Plateau of action potential is due to Ca^{2+} efflux

Question 39

During plural fluid aspiration or needle thoracostomy which site of the intercostal space is the safest site to pass the needle and tap the pleural fluid?

- a. Close to the inferior border the rib above
- b. Close to the superior border of the rib below
- c. Any point of the ICS
- d. In the most upper part of the ICS

Question 40

There are four main sub-groups of coronaviruses, and human coronaviruses are grouped under

- a. Beta and delta
- b. Alpha and gamma
- c. Beta and gamma
- d. Delta and gamma
- e. Alpha and beta

Question 41

Which of the following is part of the reflex response to an increase in arterial pressure?

- a. Increased sympathetic activity to the ventricles
- b. Increased parasympathetic activity to the arterioles of skeletal muscles & skin
- c. Increased parasympathetic stimulation to the ventricles
- d. Increased parasympathetic activity to the SA Node
- e. Decreased firing of carotid sinus baroreceptors

Question 42

The conductive system of the heart does not include:

- a. Purkinje system of fibers
- b. Interventricular septum
- c. Internodal pathways
- d. Bundle of His & its branches

Question 43

The main stay of treatment of shock irrespective of its cause is

- a. Vasodilators
- b. Cardio stimulants
- c. IV fluid
- d. Vasoconstrictors

Question 44

Which respiratory virus is responsible for bronchiolitis in infants?

- a. Rhinovirus
- b. Rubella virus
- c. Respiratory syncytial virus
- d. Coxsackie virus
- e. Mumps virus

Question 45

The leading viral etiologic agent for myocarditis is: -

- a. Respiratory syncytial virus
- b. Mumps virus
- c. Parvovirus B19
- d. Adenovirus
- e. Coxsackie virus

Question 46

AV nodal cells:

- a. Exhibit increased permeability to Na^+ during the prepotential when exposed to acetylcholine
- b. Are capable of pacemaker activity at an intrinsic rate of 100 beat per minute
- c. Exhibit action potentials characterized by rapid depolarization
- d. Conduct impulses more slowly than either atrial or ventricular cells

Question 47

Which of the following layers provides a natural cleavage plane for surgical separation of the costal pleura from the thoracic wall?

- a. Transversus thoracis muscle fascia
- b. Endothoracic fascia
- c. Parietal pleura
- d. Visceral pleura
- e. Deep fascia

Question 48

The most important function of the Starling mechanism in the heart is:

- a. To decrease fluid loss from the cardiac capillaries
- b. To match the output of one ventricle to that of the other
- c. To couple the efficiency of muscle contraction to the heart rate
- d. To ensure that the ventricles operate at an optimum length
- e. To ensure that right and left atrial pressures are equal

Question 49

Identify the incorrect statement about mechanics of respiration

- a. Activation of phrenic nerve decreases front- to-back dimension of thoracic cavity
- b. Phrenic nerve contributes much broader than intercostal nerves for breathing
- c. Lung pressure is less than atmospheric pressure during inspiration
- d. Contraction of external intercostal muscles increases front-to-back dimension of chest cavity
- e. Increased work of breathing activates accessory muscles of breathing

Question 50

Which bacteria is responsible for pericarditis?

- a. *Corynebacterium diphtheriae*
- b. *Staphylococcus aureus*
- c. *Mycoplasma pneumoniae*
- d. *Mycobacterium tuberculosis*
- e. *Mycobacterium leprae*

Question 51

What is the mean electrical axis for individual who has negative QRS deflection in lead III

- a. between +150 and +180
- b. between +120 and -90
- c. between +30 and +60
- d. between 0 and -30

Question 52

A 54-year old male was rushed to emergency when he collapsed in the middle of a business meeting. Examination revealed excessive sweating and high blood pressure. Chest ECG was conclusive of Acute Myocardial infarction. Which biochemical investigation out of the following would be of no help in the confirmation of diagnosis?

- a. Creatine phosphor-kinase (CPK-MB)
- b. Cardiac Troponins
- c. Lactate dehydrogenase
- d. Serum myoglobin

e.Serum AST

Question 53

Correctly matched pleural content and nomenclature

- a.Air----pneumothorax
- b.Pus---Chylothorax
- c.Blood---Empyema
- d.Lymph---hydrothorax

Question 54

Which of the following statements doesn't describe about the usual function of Prostacyclins (PGI₂s)?

- a.Prostacyclins increase the cAMP level in plateletes
- b.Prostacyclins prevent platelet adherence to healthy blood vessel walls
- c.Prostacyclins produce vasoconstriction
- d.Prostacyclins impede thermogenesis
- e.Prostacyclins lower blood pressure

Question 55

Influenza virus

- a.The neuraminidase aids in attachment to host cells
- b.Influenza type B infects humans and animals
- c.Hemagglutinin aids in binding of the virus to the host cell
- d.Has three structural proteins and 7 non-structural proteins
- e.Influenza type A infects only humans

Question 56

One of the following is not the principal site of diuretics

- a.Descending limb of loop of Henle
- b.Distal tubule
- c.Glomerulus
- d.Proximal tubule

Question 57

Which of the following is false of Congestive heart failure?

- a.In left heart failure, blood backs up into the lungs.
- b.Painful hepatomegaly is predominantly a feature of Right sided heart failure.
- c.Non-compliant left ventricle with impaired relaxation defines systolic heart failure.
- d.Decreased left ventricular contraction defines left heart failure.
- e.Heart failure cells are macrophages within the lungs that ingested hemosiderin.

Question 58

All of the following laboratory methods can be used for diagnosis and characterization of coronaviruses, Except

- a.Sequencing of the viral genome
- b.Isolation by artificial media
- c.Nucleic acid amplification tests
- d.Isolation by Cell culture
- e.Antigen and antibody tests

Question 59

Identify the correct statement about autonomic innervations of the respiratory system

- a. Autonomic activation controls the smooth muscles of alveoli
- b. Sympathetic nerve supply arises from sacral segments of spinal cord
- c. ANS has extensive innervation to tracheal region to modify ventilation
- d. Parasympathetic decreases air way resistance work of breathing
- e. Sympathetic activation causes bronchodilation

Question 60

During postnatal period, cardiac muscle cells primarily uses _____ as an energy source.

- a. Lactate
- b. Glucose
- c. Fatty acids
- d. Amino acids
- e. Ketones

Question 61

A newborn child is noticed by his parents, ten days after they left the hospital, to be breathing fast. They went to the doctor the next day, and, during the physical examination, the doctor notices that the baby has blue fingernail beds, and, with strenuous crying, his lips become bluer. Of the following, which condition does this child most likely have in his heart?

- a. Atrial septal defect

- b. Tricuspid atresia
- c. Coarctation of the aorta
- d. Severe congenital aortic stenosis
- e. Ventricular septal defect

Question 62

What is the most important function of the capsule of *Streptococcus pneumoniae* to virulence?

- a. To prevent dehydration of the organisms on mucosal surfaces
- b. To retard phagocytosis by polymorphonuclear leukocytes
- c. To lyse RBCs
- d. To inhibit polymorphonuclear leukocyte chemotaxis
- e. To form clot

Question 63

In a normal ECG:

- a. The PR interval represents condition of the conductive system
- b. QRS complex is mainly negative due to spread of depolarization down
- c. The P wave indicates contractility of atria
- d. QRS is due to depolarization in the ventricular septum
- e. The T wave is a positive wave in all chest leads

Question 64

Which of the following vaso-active substances is the most potent endogenous vasoconstrictor?

- a. Angiotensin-II
- b. Nitric Oxide
- c. Endothelin
- d. Bradykinin
- e. Prostacyclin

Question 65

Concerning the respiratory system, select the statement that is CORRECT.

- a. The superior nasal concha is covered with olfactory epithelium
- b. Gas exchange takes place in terminal bronchioles
- c. Small granule cells are sensory receptors of the respiratory epithelium
- d. The middle and inferior conchae are covered with a specialized olfactory epithelium
- e. The paranasal sinuses are lined with non-keratinized stratified squamous epithelium

Question 66

A sample aspirated from a cavitary lung lesion shows sheets and sheets of neutrophils in a dirty degenerated background, which phenomenon can cause this pathology?

- a. Aspiration of infective material
- b. Antecedent primary lung infection
- c. Septic embolism
- d. All are possible antecedent events

Question 67

Which valves are commonly affected by infective endocarditis?

- a. Pulmonary and Aortic
- b. Mitral and Aortic
- c. Pulmonary and Tricuspid
- d. Tricuspid and Mitral
- e. Aortic valve and Tricuspid

Question 68

A part of the right anterior cardinal vein cranial to the right 7th intersegmental vein gives rise to which adult derivatives?

- a. Azygos vein
- b. Right internal jugular vein
- c. Hemiazygos vein
- d. Right brachiocephalic vein
- e. Superior vena cava

Question 69

The main objective of adding an aldosterone antagonist on loop diuretics to treat severe edema is to

- a. Augment the diuretic effect
- b. Avoid hypovolemia
- c. Correct metabolic alkalosis
- d. Prevent rebound edema

Question 70

All of the following are the conductive segment of the respiratory system EXCEPT

- a. Lobar bronchi
- b. Respiratory bronchioles
- c. Terminal bronchioles
- d. Type I alveolar pneumocytes
- e. C and D are correct

Question 71

A 68-year-old female with smoking history and a history of hypertension sustains an acute myocardial infarct. She is admitted to the hospital, and 10 days later, as she is talking to family, her left arm and leg suddenly weaken. She is diagnosed with a cerebral infarct. After two more weeks in the hospital, she leaves and enters rehabilitation. Which of the following complications of her acute myocardial infarct is the cause of this cerebral infarct?

- a. Rupture of the anterior wall of the left ventricle
- b. A ventricular arrhythmia
- c. Pericarditis
- d. A ventricular aneurysm
- e. A mural thrombus

Question 72

All human cells with exception of _____ can synthesize Prostacyclins (PGI₂s)?

- a. Platelets
- b. RBCs
- c. Endothelial cells

d.Hepatocytes

e.Cardiac myocytes

Question 73

Anterior intercostal arteries of 7 -9 intercostal spaces originate from

a.Superior epigastric artery

b.pericardiophrenic artery

c.Anterior intercostal arteries

d.Musculophrenic artery

Question 74

Which one of the following is a club-shaped, gram-positive rod that causes disease by producing an exotoxin that kills cells by inhibiting elongation factor-2, resulting in the inhibition of protein synthesis?

a.Bordetella pertussis

b.Streptococcus pneumoniae

c.Legionella pneumophila

d.Mycobacterium tuberculosis

e.Corynebacterium diphtheria

Question 75

A patient with hepatic edema is best treated with

a.Hydrochlorothiazide + ammonium chloride

b.Torsamide + spironolactone

c.Captopril + losartan

d. Hydrochlorothiazide + triametrine

Question 76

Identify the Incorrect statement about pulmonary circulation

- a. Hypercapnea causes bronchodilation
- b. Increased pulmonary pressure leads to cor pulmonale
- c. Hypoxia causes pulmonary vasoconstriction
- d. Oncotic pulmonary interstitial pressure is much lower than systemic counterpart
- e. Pulmonary capillaries have lower pressure than systemic capillaries

Question 77

A 60yrs old known alcoholic man diagnosed to have lung infection after complained of productive cough of whitish sputum, fever, Severe dyspnea and chest pain of 12days duration. Plural fluid aspiration showed purulent fluid and gram stain of positive bacteria. What do we call his condition?

- a. Hemopneumothorax
- b. Tension pneumothorax
- c. Hydrothorax
- d. Chylothorax
- e. Pyothorax or Empyema

Question 78

Which of the following statements concerning *Mycoplasma pneumoniae* is correct

- a. *M. pneumoniae* infections occurs primarily in immunocompetent individuals
- b. *M. pneumoniae* possesses cell membrane with sterols

- c.M. pneumoniae causes typical pneumonia
- d.M. pneumoniae cannot be cultured in vitro because it has no cell wall
- e.M. pneumoniae possess a cell wall without peptidoglycan

Question 79

Amount of air a person can breathe in or out during quite breathing is

- a.Functional residual capacity
- b.inspiratory reserve volume
- c.Vital capacity
- d.tidal volume
- e.inspiratory capacity

Question 80

Which one does not describe restrictive pulmonary diseases

- a.Results in decrease in total lung capacity
- b.Chest wall disorders in the presence of normal lungs could cause the disease
- c.Limitation of maximal airflow rates during forced expiration.
- d.Caused by Acute or chronic interstitial & infiltrative disorders

Question 81

Which abnormal shape of chest may be due COPD or emphysema?

- a.Barrell chest
- b.Pectus excavatum
- c.Pectus carinatum

d.Scoliosis

Question 82

The pulmonary function test of a 50years old known smoker for the last 8years who came to TASH with the complaint of chest tightness, cough and wheezing showed $FEV_1/FVC=60\%$, and $FEV_1=48\%$. His post bronchodilator increase of $FEV_1=250ml$. What is your impression about his pulmonary condition?

- a.He has impaired FEV_1/FVC ratio but normal FEV_1
- b.He has chronic bronchitis or emphysema
- c.He has bronchial Asthma
- d.He has marginally normal pulmonary function
- e.He has restrictive type pulmonary problem

Question 83

Not boundary of the safe triangle of the chest?

- a.Lateral boundary of pectoralis major
- b.Medial boundary of latissimus dorsi.
- c.5th intercostal space
- d.Lateral boundary of latissimus dorsi

Question 84

Acetazolamide

- a.Produces hyperkalemia
- b.Acts by blocking aldosterone receptor
- c.Has a self-limiting effect

d. Is a strong diuretic

Question 85

All vasodilators

- a. Help hair grow
- b. Dilate arterioles
- c. Produce significant postural hypotension
- d. Are used in hypertensive crises

Question 81

Which abnormal shape of chest may be due COPD or emphysema?

- a. Barrell chest
- b. Pectus excavatum
- c. Pectus carinatum
- d. Scoliosis

Question 81

The pulmonary function test of a 50years old known smoker for the last 8years who came to TASH with the complaint of chest tightness, cough and wheezing showed $FEV_1/FVC=60\%$, and $FEV_1=48\%$. His post bronchodilator increase of $FEV_1=250ml$. What is your impression about his pulmonary condition?

a.

He has impaired FEV_1/FVC ratio but normal FEV_1

b.

He has chronic bronchitis or emphysema

c.

He has bronchial Asthma

d.

He has marginally normal pulmonary function

e.

He has restrictive type pulmonary problem

Question 83

Not yet answered

Marked out of 1.00

Flag question

Question text

Not boundary of the safe triangle of the chest?

a.

Lateral boundary of pectoralis major

b.

Medial boundary of latissimus dorsi.

c.

5th intercostal space

Question 81

Not yet answered

Marked out of 1.00

Flag question

Question text

Which abnormal shape of chest may be due COPD or emphysema?

a.

Barrell chest

Question 81

Not yet answered

Marked out of 1.00

Flag question

Question text

Which abnormal shape of chest may be due COPD or emphysema?

a.

Barrell chest

b.

Pectus excavatum

c.

Pectus carinatum

d.

Scoliosis

Question 82

Not yet answered

Marked out of 1.00

Flag question

Question text

The pulmonary function test of a 50years old known smoker for the last 8years who came to TASH with the complaint of chest tightness, cough and wheezing showed $FEV_1/FVC=60\%$, and $FEV_1=48\%$. His post bronchodilator increase of $FEV_1=250ml$. What is your impression about his pulmonary condition?

a.

He has impaired FEV_1/FVC ratio but normal FEV_1

b.

He has chronic bronchitis or emphysema

c.

He has bronchial Asthma

d.

He has marginally normal pulmonary function

e.

He has restrictive type pulmonary problem

Question 83

Not yet answered

Marked out of 1.00

Flag question

Question text

Not boundary of the safe triangle of the chest?

a.

Lateral boundary of pectoralis major

b.

Medial boundary of latissimus dorsi.

c.

5th intercostal space

d.

Lateral boundary of latissimus dorsi

Question 84

Acetazolamide

- a. Produces hyperkalemia
- b. Acts by blocking aldosterone receptor
- c. Has a self-limiting effect
- d. Is a strong diuretic

Question 85

All vasodilators

- a. Help hair grow
 - b. Dilate arterioles
 - c. Produce significant postural hypotension
 - d. Are used in hypertensive crises
- Pectus carinatum
- d. Scoliosis

Question 82

The pulmonary function test of a 50-year-old known smoker for the last 8 years who came to TASH with the complaint of chest tightness, cough and wheezing showed $FEV_1/FVC=60\%$, and $FEV_1=48\%$. His post bronchodilator increase of $FEV_1=250\text{ml}$. What is your impression about his pulmonary condition?

- a. He has impaired FEV_1/FVC ratio but normal FEV_1

- b.He has chronic bronchitis or emphysema
- c.He has bronchial Asthma
- d.He has marginally normal pulmonary function
- e.He has restrictive type pulmonary problem

Question 83

Not boundary of the safe triangle of the chest?

- a.Lateral boundary of pectoralis major
- b.Medial boundary of latissimus dorsi.c.5th intercostal space
- d.Lateral boundary of latissimus dorsi

Question 84

Acetazolamide.

Produces hyperkalemia

- b.Acts by blocking aldosterone receptor
- c.Has a self-limiting effect
- d.Is a strong diuretic +Vebjara be said and segno

Question 85

All vasodilators

- a.Help hair grow
- b.Dilate arterioles
- c.Produce significant postural hypotension
- d.Are used in hypertensive crises

Question 84

- a. Produces hyperkalemia
- b. Acts by blocking aldosterone receptor
- c. Has a self-limiting effect
- d. Is a strong diuretic

Question 85

All vasodilators

- a. Help hair grow
- b. Dilate arterioles
- c. Produce significant postural hypotension
- d. Are used in hypertensive crises

Question 86

The following are the therapeutic objectives of shock treatment Except

- a. Improving cardiac output
- b. Increasing myocardial workload
- c. Counteracting release of vaso-active substances
- d. Improving perfusion of tissues supplied by end arteries

Question 87

Stimulation of parasympathetic supply to the heart results in

- a. An increase in Cl^- influx in cardiac muscle

- b. Decrease K⁺ efflux in cardiac muscle
- c. Increased delay in AV node
- d. Increases Ca²⁺ influx in SA node

Question 88

Which clinical condition or procedure is associated with transient bacteremia: -

- a. Infective endocarditis
- b. Pneumococcal pneumonia
- c. Intrabdominal abscess
- d. Gram negative sepsis
- e. Dental extraction

Question 89

The base of the heart is formed by which heart chamber?

- a. Right atrium
- b. Right ventricle
- c. Left atrium
- d. Left ventricle

Question 90

Which one of the following statements concerning Legionella pneumophila is correct?

- a. It is strict intracellular pathogen
- b. It causes atypical pneumonia, especially in those with reduced cell-mediated immunity

- c.It cannot be grown on laboratory media
- d.It is part of the normal flora of the colon
- e.It does not have a cell wall

Question 96

Vasopressors are recommended with IV fluid in the treatment of

- a.Cardiac shock
- b.Anaphylactic shock
- c.Neurogenic shock
- d.Traumatic shock

Question 97

Which of the following is characterized by fibrous and adipose tissue infiltration of the myocardium of the right free wall?

- a.False aneurysm
- b.Hypertrophic cardiomyopathy
- c.Arrhythmogenic cardiomyopathy
- d.Restrictive cardiomyopathy
- e.Dilated cardiomyopathy

Question 98

The coronary sinus is developmentally derived from which one of the following?

- a.The primordium of the pulmonary vein
- b.The left common cardinal vein
- c.Right horn of the sinus venosus

- d.The right sinuatrial valve
- e.Left horn of sinus venosus

Question 99

The following anatomic events occur at the level of the sternal angle (angle of Louis) except:

- a.The ascending aorta becomes continuous with the arch of the aorta
- b.The trachea bifurcates
- c.The second costal cartilages articulate with the sternum
- d.The right and left pulmonary arteries enter the lungs
- e.The right recurrent laryngeal nerve arises from the right vagus nerve