

CARDIOPULMONARY SYSTEM

FINAL EXAM

Question 1

A common cause of pneumonia in neonates is due to :

- a. Mycoplasma pneumonia
- b. Chlamydia trachomatis
- c. Respiratory syncytial virus
- d. Group B streptococcus
- e. Streptococcus pneumoniae

Question 2

A decrease in arterial baroreceptor firing rate will reflexly result in,

- a. An increase in mean arterial pressure
- b. A decrease in sympathetic activity to arterioles
- c. An increase in vagal activity to the heart
- d. A decrease in sympathetic activity to the heart

Question 3

A zoonotic disease caused by Coxiella burnetii

- a. Q fever
- b. Listeriosis
- c. Anthrax

d.Trachmoa

e.Rabies

Question 4

Accumulation of air with in thoracic cavity is termed as

a.Hemothorax

b.Hydrothorax

c.Pneumothorax

d.Chylothorax

Question 5

All of the following conditions increase cardiac output, except

a.Exercise

b.Increased End-diastolic volume

c.Sympathetic stimulation

d.Sleep

Question 6

All of the following diseases are the common a lower repository tract infection , except

a.Legionnaires' disease

b.Whooping cough

c.Pneumonias

d.Tuberculosis

e.Streptococcal pharyngitis

Question 7

All of the following laboratory methods can be used for diagnosis and characterization of coronaviruses, Except

- a. Sequencing of the viral genome
- b. Isolation by Cell culture
- c. Antigen and antibody test
- d. Isolation by artificial media
- e. Nucleic acid amplification tests

Question 8

All of the followings are disease caused by *Pseudomonas aeruginosa*, except

- a. Rheumatoid fever
- b. Ear and eye infections
- c. Urinary tract infections
- d. Respiratory infections
- e. Skin infections

Question 9

All the following are True about the pacemaker potential of the heart, except:

- a. The resting membrane potential is - 80 to - 90 mv
- b. Parasympathetic stimulation increases the slope of pacemaker potential
- c. Sympathetic stimulation decreases the slope of pacemaker potential
- d. The resting membrane potential is unstable

Question 10

Amiodarone belongs to:

- a.Subclass IC antiarrhythmics
- b.Class III antiarrhythmics
- c.Class IV antiarrhythmics
- d.Class II antiarrhythmics

Question 11

Among the major histological subtypes of primary lung cancer, the strongest association with tobacco smoking is

- a.Small cell carcinoma
- b.Atypical carcinoid
- c.Large cell carcinoma
- d.Adenocarcinoma

Question 12

Antiasthma drug that acts by neutralizing free IgE in circulation is:

- a.Montelukast
- b.Flunisolide
- c.Nedocromil
- d.Omalizumab

Question 13

Antigenic variation is a characteristic of Influenza viruses and presents as

- a.Antigenic drift with a major change in viral antigens
- b.Antigenic shiftwith small changes in viral antigens
- c.Influenza type B has both antigenic shifts and drift
- d.Antigenic driftwhich occurs only in type A

e. Antigenic shift with major changes in viral antigens

Question 14

Ascending to high altitude usually increases the rate of breathing or ventilation. Which regulatory system immediately respond to the decrease in PO₂ to cause the high rate of breathing:

- a. Peripheral chemoreceptors
- b. The pons in the medulla oblongata
- c. The J-receptors of the lung
- d. The Bain-bridge reflex
- e. Central chemoreceptors

Question 15

At any time, the greatest fraction of blood is present in the:

- a. Veins
- b. Capillaries
- c. Arteries
- d. Heart

Question 16

Atherosclerosis: One of the following is false:

- a. Hard plaques are also called vulnerable plaque
- b. Intimal thickening is always the response to endothelial injury
- c. Endothelial dysfunction is different from endothelial damage as a cause for atherosclerosis
- d. The most common location of atherosclerosis is at the site of arterial exit
- e. Atherosclerosis would result in eccentric thickening of blood vessels

Question 17

By comparing each other which of the following has the highest blood pressure?

a.Capillaries

b.Aorta

c.Venules

d.Arterioles

Question 18

Capsular swelling test is used for :

a.Klebsiella pneumonia

b.Streptococcus pneumonia

c.Hemophilus influenzae

d.Bordetella pertussis

e.Staphylococcus aureus

Question 19Carbonic anhydrase inhibitors

a.produce metabolic alkalosis

b.induce hyperkalemia

c.have self limiting effect

d.are used in treatment of severe hypertension

Question 20

Carnitine have the following properties EXCEPT:

a.It can be returned to the cytosol after the acyl group is transferred back to CoA by carnitine acyl transferase II.

b. It is transporter for short chain fatty acids

c. It is chemically β -hydroxy gamma -trimethyl amino butyrate

d. It can be converted to acyl carnitine and transported across the mitochondria membrane by translocase to the mitochondria matrix

e. It is synthesized from lysine and methionine in liver and kidney

Question 21

Cinchonism is associated with large doses of:

a. Amiodarone

b. Flecainide

c. Quinidine

d. Verapamil

Question 22

Concerning the development of the heart, which statement is CORRECT?

a. The venous end of the heart during the 3rd week is fixed by the septum transversum.

b. The truncus arteriosus forms the roots and proximal portion of the aorta and pulmonary artery.

c. The bulbus cordis forms the trabeculated part of the right ventricle.

d. Sinoatrial nodes are derived from cells of the atrioventricular canal during the 8th week.

e. The left horn of sinus venosus is incorporated into the wall of the right atrium.

Question 23

Coronary artery disease: Which of the following coronary artery occlusion has worse prognosis in the right dominant circulation

a. Complete obstruction of the diagonal branch of left anterior descending coronary artery

b. Complete obstruction of the right coronary artery

- c. Complete obstruction of the distal part of the left anterior descending coronary artery
- d. Complete obstruction of the left circumflex coronary artery
- e. Complete obstruction of the proximal part of the left anterior descending coronary artery

Question 24

Correct about Reticulate body of *C. trachomatis*

- a. Small (300-400 nm in diameter)
- b. Metabolically inert
- c. Infectious, non-reproductive particle
- d. Reproductive form
- e. Spherical body in case of *C. trachomatis*

Question 25

Costal cartilage of one of the following rib is articulated at sternal angle

- a. Rib 1
- b. Rib 4
- c. Rib 2
- d. Rib

Question 26

Drug of choice for reversing acute attacks of classical angina pectoris is:

- a. Propranolol orally
- b. Isosorbide dinitrate orally
- c. Nitroglycerin sublingually
- d. Nifedipine orally

Question 27

Frequent causes pneumonia is not dependent on:

- a. Location where the patient acquired the pneumonia
- b. Immune status of the patient
- c. Sex
- d. Type of pneumonia the patient manifests
- e. Age age of the patient

Question 28

Hypertension: One of the following statements is True:

- a. Renin is produced by the efferent arteries of the kidney
- b. The type of adaptive change in the heart associated with hypertension is concentric hypertrophy of left ventricle
- c. The cerebellum is the commonest site of hypertensive haemorrhage in the brain
- d. Obesity is one of the modifiable risk factors of atherosclerosis
- e. A and B

Question 29

If a patient had a progressive lung disease that required an ever increasing pressure to fill the same volume of lung, how would the lung's compliance be affected?

- a. It would stay the same.
- b. It would decrease initially and then increase beyond normal
- c. It would increase it.
- d. These variables do not affect lung compliance.
- e. It would decrease it.

Question 30

If a vessel were to dilate to twice its previous radius, and if pressure remained constant, blood flow through this vessel would

- ☒ a. Increase by a factor of 16
- ☐ b. Increase by a factor of 8
- ☐ c. Increase by a factor of 2
- ☐ d. Increase by a factor of 4

Question 31

In healthy individuals, the pulmonary and systemic circulations have essentially the same:

- ☐ a. Blood volume
- ☐ b. Leakiness to plasma proteins
- ☐ c. Mean vascular pressure
- ☐ d. Vascular resistance
- ☒ e. Flow per minute

Question 32

In one of the following the ejection fraction significantly reduced:

- ☐ a. Arrhythmogenic right ventricular cardiomyopathy
- ☐ b. Hypertrophic cardiomyopathy
- ☒ c. Dilated cardiomyopathy
- ☐ d. Restrictive cardiomyopathy
- ☐ e. None of the above

Question 33

Not a feature of end stage chronic diffuse interstitial lung disease

- a. Hyper inflated lungs with flattening of diaphragm
- b. Progressive worsening dyspnea
- c. Diffuse cystic changes
- d. Severe interstitial fibrosis

Question 34

Not a feature of Horner's syndrome as a clinical manifestation of primary apical lung carcinoma

- a. Weakness and wasting of the small muscles of the hands
- b. Pupillary constriction
- c. Ptosis of the eye lid
- d. Absent sweating on the side of the lesion

Question 35

Not a major consequence of primary pulmonary tuberculosis

- a. Presence of dormant tubercle bacilli
- b. Progressive primary tuberculosis
- c. Cavitary pulmonary tuberculosis
- d. Partial immunity to tuberculosis

Question 36

Not correct about Streptococcus pneumonia

- a. It is a single serotype
- b. Surrounded by a polysaccharide capsule
- c. It is an alpha hemolytic bacteria

d.has fastidious nutritional requirement

e.Arranged in pair

Question 37

One important function of nitric oxide (NO) is the induction of vascular smooth muscle relaxation in response to acetylcholine. The production of NO requires which amino acid?

a.Lysine

b.Asparagine

c.Cysteine. Arginine

e.Glutamine

Question 38

One of the following event does not takes place behind the sternal angle?

a.pulmonary trunk divides

b.SVC formed

c.trachea bifurcates

d.arch of the aorta begins and ends

Question 39

One of the following is false about the hilar structures of the lungs?

a.The bronchus is the most posterior organ on both lungs

b.The pulmonary vein is the most superior organ on the right lung

c.The pulmonary vein is the most inferior organ on the left lung

d.The pulmonary vein is most anterior organ on both lungs

e.The pulmonary artery is the most superior organ on the left lung

Question 40

One of the following is not functions of the lymphatic system?

- a.To return water and proteins from the interstitial fluid to the blood.
- b.To transport fat absorbed from the GIT to the blood
- c.Haemopoiesis
- d.None

Question 41

One of the following is not true during long period of adaptation (>1-year) to high altitude:

- a.Dehydration is manifested
- b.CO declines
- c.Venous return increases
- d.Stroke volume decreases
- e.Plasma Volume decreases

Question 42

One of the following statement is not true regardless of azygous veins system?

- a.The 1st posterior intercostal vein drains in to respective brachiocephalic vein
- b.Posterior superior intercostal vein drains in to brachiocephalic vein on both sides
- c.Azygous vein joins the superior vena cava
- d.None

Question 43

One of the following statement is not true regardless of the general feature of the lungs?

- a.heavier in the male than in the female

- b.occupies most of the thoracic cavity
- c.The apex directed inferiorly
- d.None

Question 44

One of the following structure pass through aortic opening?

- a.Vagus nerve
- b.Splanchnic nerves
- c.Left phrenic nerve
- d.Thoracic duct

Question 45

Regarding the standard bipolar limb leads of ECG, lead I represents:

- a.The potential difference between the left leg and the left arm
- b.The potential difference between the left leg and the right le
- ☒ c.The potential difference between the left arm and the right arm
- d.The potential difference between the left leg and the right arm

Question 46

Sample taken by bronchoalveolar lavage, yields long, branching hyaline septate hyphae in a 10% KOH preparation. Which is the most likelyfungus in this sample?

- a.Pneumocystis jirovecii.Cryptococcus neoformans
- c.Candida albicans
- d.Aspergillus species
- e.Blastomyces dermatitidis

Question 47

Select the incorrect statement with regard to the development of the respiratory system.

- a. Sacs analogous to alveoli are present at 32 weeks.
- b. Embryonic right main bronchus is slightly larger than the left and is oriented more vertically.
- c. Surfactant production begins by week 20.
- d. Cartilages of the larynx develop from the 4th and 6th pairs of pharyngeal arches.
- e. Epiglottis develops by mesenchymal proliferation of the 2nd pharyngeal arches.

Question 48

Select the statements which is NOT CORRECT with regard to the histology of the heart.

- a. Purkinje cells travel in subendocardial layer of the endocardium to the apex of the heart.
- b. Pectinate muscles are the sites of attachment of chordae tendinae.
- c. Cardiac muscle is more vascularized and has more mitochondria than does skeletal muscle.
- d. Epicardium is a serous covering of the heart, forming the visceral layer of the pericardium.
- e. Endocardium is the thickest in atria and the thinnest in ventricles, especially the left ventricle.

Question 49

Short term regulatory mechanisms of arterial blood pressure are concerned to adjust all, except

- a. Blood volume
- b. Heart rate
- c. Vascular resistance
- d. Capacity of blood vessels

Question 50

Some of the thoracic ribs are classified under typical ribs, because

- a.They are attached with vertebral column by their own costal cartilage
- b.They are attached with sternum by their own costal cartilage
- c.They are supplied by their independent arteries
- d.They are located on the top of thoracic cage
- e.All

Question 51

The abnormal rhythm of breathing characterized by Waxing and waning in a 50years old female patient with advanced heart failure is

- a.Biot's reathing
- b.Kusmaul's breathing
- c.Dyspnea
- d.Polypenea
- e.Cheyne-Stokes breathing

Question 52

The antianginal effect of organic nitrate is related with increased intracellular concentration of:

- a.Diacylglycerol
- b.cAMP
- c.cGMP
- d.Calcium

Question 53

The apex of the heart lies in

- a.left 2nd intercostal space just lateral to sternum

- b.right 5th intercostal space just medial to midclavicular line
- c.left 5th intercostal space just medial to midclavicular line
- d.right 2nd intercostal space just lateral to sternum

Question 54

The causative agent for Whooping cough

- a.Bordetella pertusis
- b.Enterobacter
- c.Pseudomonas aeruginosa
- d.CONs
- e.Enterococcus faecalis

Question 55

The following drugs are angiotensin converting enzyme inhibitors except:

- a.Enalapril
- b.Captopril
- c.Losartan
- d.Quinapril

Question 56

The following drugs have a positive impact on the survival of patients with heart failure except:

- a.Spironolactone
- b.Enalapril
- c.Digoxin
- d.Metoprolol

Question 57

The hallmark of chronic bronchial asthma is

- ☒ a. Chronic bronchial inflammation and increased mucus secretion
- ☐ b. Chronic persistent infection
- ☐ c. Loss of elastic tissue in the alveolar septa
- ☐ d. The ratio of the thickness of the sub mucosal gland to that of the bronchial wall is 1

Question 58

The high pitched, musical sound heard from the lungs of a 14years old boy who is suffering from acute exacerbation of bronchial asthma is

- ☐ a. Vesicular sound
- ☐ b. Bronchial breath sound
- ☒ c. Wheeze
- ☐ d. Stridor
- ☐ e. Rhonchi

Question 59

The leading causes of pneumonia in children is due to:

- ☐ a. Mycoplasma pneumonia
- ☐ b. Saphylococcus pneumonia
- ☐ c. Mycoplasma hominis
- ☐ d. Streptococcus pneumonia
- ☐ e. Klebsiella pnumonia

Question 60

The most characteristic findings in acute diffuse interstitial lung disease is

- a. Diffuse fibrosis
- b. Hyaline membranes lining the distended alveolar ducts
- c. Cystic dilatation of alveolar ducts and alveoli
- d. Alteration in diffusion perfusion ratio

Question 61

The pulmonary function test of a 30 years old man with pulmonary complaint was:- FEV1/FVC=60%, and FEV1=48%. His post bronchodilator increase of FEV1=300ml. What is your impression about his pulmonary condition?

- a. He has impaired FEV1/FVC ratio but normal FEV1
- b. He has bronchial Asthma
- c. He has marginally normal pulmonary function
- d. He has restrictive type pulmonary problem
- e. He has chronic bronchitis or emphysema

Question 62

The relations between cardiac output (CO), total peripheral resistance (TPR), mean arterial blood pressure (BP), stroke volume (SV) and heart rate (HR) can be approximated as follows, except

- a. $CO = SV \times HR$
- b. $CO = BP / TPR$
- c. $SV = HR / CO$
- d. $BP = CO \times TPR$

Question 63

There are four main sub-grouping of coronaviruses, and human coronaviruses are grouped under

- a. Beta and delta

- b.Alpha and beta
- c.Alpha and gamma
- d.Delta and gamma
- e.Beta and gamma

Question 64

Various samples can be used for demonstrating Pnuemocystisjiroveciin the laboratory, and

- a.the fluorescein-labeled monoclonal antibody test can not be used for all samples
- b.bronchioalveolar lavage gives a higher yield than induced sputum
- c.induced sputum has a higher yield than tracheal aspirate
- d.absence of Pneumocystis in an induced sputum sample excludes infection
- e.the expected yield of Pneumocystisin all samples is the same

Question 65

What is the role of Myoglobin in high altitude adaptation?

- a.It releases O₂ to cells in severe Oxygen depletion
- b.Myoglobin works together with 2-3-DPG to unload O₂-molecule
- c.It is similar to Hemoglobin in binding equal amount of O₂-molecule
- d.Its presence shifts the Oxy-Hb curve to the right which helps unload more O₂
- e.During inactivity (rest) at high altitude, it is myoglobin that unloads its O₂ to cells

Question 66

What structures work to prevent prolapse (eversion) of the atrioventricular valves?

- a.Pectinate muscles

- b. Autorhythmic cells
- c. Trabeculae carneae
- d. Papillary muscles

Question 67

When compared to the others the fastest conduction (velocity) occurs in:

- a. Ventricular muscle
- b. AV Node
- c. Purkinje Fibers
- d. Atrium

Question 68

Which glucose transporter responsible for transferring of glucose from extracellular to intracellular for cardiomyocyte cells during normalization?

- a. GLUT 3
- b. GLUT 2
- c. GLUT 1
- d. GLUT 4
- e. GLUT 5

Question 69

Which of the following antiarrhythmic drugs belongs to subclass IC?

- a. Flecainide
- b. Lidocaine
- c. Procainamide
- d. Amiodarone

Question 70

Which of the following antiasthma drug acts by inhibiting phosphodiesterase enzyme and blocking adenosine receptors?

- a.Theophylline
- b.Flunisolide
- c.Nedocromil
- d.Montelukast

Question 76

Which of the following concerning average lung volumes and capacities of a person at rest is TRUE?

- a.TLC>FRC>VC>TV
- b.TLC>FRC>TV>VC
- c.TLC>IC>TV>FRC
- d.TLC>VC>TV>FRC
- e.TLC>VC>FRC>TV**

Question 77

Which of the following conditions favor net absorption of fluid out of the interstitial space and into the capillary bed within an organ?

- a.Increased interstitial protein concentration
- b.Increased venous pressure
- c.Increased plasma protein concentration**
- d.Arteriolar dilatation

Question 78

Which of the following does NOT happen during inspiration?

- a. The scalene and sternocleidomastoid muscles can be recruited for inspiration.
- b. The ribs move upward.
- c. The antero-posterior dimensions of the chest are increased.
- d. The diaphragm lifts up.**
- e. The transverse dimensions of the thorax are increased.

Question 79

Which of the following drug is ineffective for atrial arrhythmias?

- a. Flecainide
- b. Quinidine
- c. Propranolol
- d. Lidocaine

Question 80

Which of the following drugs exhibits both positive inotropic and vasodilatory actions?

- a. Milrinone
- b. Digoxin
- c. Enalapril
- d. Dobutamine

Question 81

Which of the following drugs has antitussive action, is non-constipating and is devoid of addicting actions?

- a. Potassium citrate
- b. Dextromethorphan

c.Bromhexine

d.Codeine

Question 82

Which of the following factors will increase lymph flow?

a.Decreased capillary hydrostatic pressure

b.Decreased plasma colloid osmotic pressure

c.Decreased permeability of the capillaries

d.Decreased venous pressure

Question 83

Which of the following is characteristic of malignant hypertension?

a.Diastolic blood pressure is usually lower than 100

b.Benign nephrosclerosis

c.Hyperplastic arteriolosclerosis

d.Chronic hypertension

e.Hyaline arteriolosclerosis

Question 84

Which of the following is CORRECT regarding metabolism in myocardium cells?

a.Heart is the metabolic omnivore that gets majority of its energy from substrate near to it through substrate level phosphorylation or anaerobic means

b.Peroxisome proliferate activated receptor α (PPAR- α) in myocardium cells is a transcriptional regulator factor and a potent inducer of fatty acid oxidation.

c.Glucose transport 1 (GLUT 1) is highly expressed on adult myocardium cells and major contributors of glucose transporter in normal myocardium cells

d.During β -oxidation in myocardium cells, carnitine palmitoyltransferase-1

e. Heart as biological pump can convert mechanical energy to chemical energy that obeys the first law of thermodynamics

f. (CPT-1) required for transferring activated long chain fatty acids into inner mitochondrial membrane which is activated by malonyl CoA

Question 85

Which of the following is INCORRECT?

a. During atherosclerotic plaque formation, smooth muscle cells proliferate abnormally and secrete collagen, elastin and proteoglycan, which contributes to fibrous cap formation

b. Oxidized small LDL appears early in atherosclerotic plaque development and is a potent inducer of inflammation

c. Almost all 'vulnerable' plaque are prone to rupturing and causing myocardial infarction

d. Foam cells become apoptotic and contribute to necrotic centre of plaque during plaque formation and progression

e. Reactive oxygen species (ROS) contribute to plaque formation by converting LDL to oxidized LDL

Question 86

Which of the following is not associated with atherosclerotic plaque?

a. Proteoglycan

b. HDL-2

c. Elastin

d. Collagen

e. Cholesterol and cholesterol ester.

Question 87

Which of the following is NOT associated with Tetralogy of Fallot?

a. Ventricular septal defect

- b.Right ventricular hypertrophy
- c.Pulmonary stenosis
- d.Dextroposition of the Aorta (over riding aorta)
- e.Pulmonary atresia

Question 88

Which of the following largely determines the severity of Tetralogy of Fallot?

- a.the size of the ventricular septal defect
- b.the degree of right ventricular obstruction
- c.the gestational age of the neonate
- d.the degree of right ventricular hypertrophy
- e.All

Question 89

Which of the following mechanism is used to control hypercholesterolemia by administering Statin drugs?

- a.Decreasing the absorption of dietary cholesterol from the intestine
- b.Inhibiting the interaction of LDLs with the hepatic LDL receptor
- c.Increasing the elimination of bile acids, leading to increased diversion of cholesterol into bile acid production
- d.Increasing the synthesis of apolipoprotein B-100 (apo B100), resulting in increased elimination of cholesterol through the action of low-density lipoprotein (LDL) uptake by the liver
- e.Inhibiting the rate-limiting step in cholesterol biosynthesis

Question 90

Which of the following organisms are associated with blood culture negative septicemia?

- a.HACEK organisms

- b. Streptococcus bovis
- c. Staphylococcus epidermidis
- d. Viridans streptococci
- e. Enterococcus faecalis

Question 91

Which of the following statement is True regarding the classic pressure–volume loop of the left ventricle,

- a. The top right corner represents aortic valve opening
- b. The right-hand vertical line represents isovolumetric relaxation
- c. The top left corner represents mitral valve opening
- d. The width of the loop represents cardiac output

Question 92

Which of the following statement is True?

- a. Ventricular repolarization generates the P wave
- b. The QRS complex coincides with ventricular depolarization**
- c. Atrial repolarization generates the T wave
- d. The P–R interval is normally 350 milli seconds

Question 93

Which of the following statements is CORRECT regarding the respiratory system?

- a. There are seromucous glands and venous plexuses in the alveoli.
- b. The superior conchae are covered with stratified squamous nonkeratinized epithelium.
- c. Pulmonary surfactant prevents alveolar collapse by increasing surface tension.

- d. The lining of the pleural cavity is made up of pseudostratified ciliated columnar epithelium.
- e. Smooth muscle is present in the entire bronchiolar tree, including the respiratory bronchiole.

Question 94

Which of the following statements is NOT CORRECT with regard to the circulatory system?

- a. Lymphatic capillaries can penetrate the media of veins.
- b. Post-capillary venules are sites of exit of erythrocytes from blood into tissue by diapedesis.
- c. Pericytes are contractile mesenchymal cells that participate in repair processes.
- d. Vasa vasorum are more frequent in veins than in arteries.
- e. The tunica adventitia tends to be the thickest and the most prominent in veins than in arteries.

Question 95

Which of the following statements is NOT true about Oxy-Hb dissociation curve?

- a. An increase in temperature shifts the O₂ uptake curve to the right.
- b. An increase in 2,3-DPG shifts the O₂ uptake curve to the left.
- c. An increase in pH increases P₅₀.
- d. A higher P₅₀ than normal means that the O₂ binds less tightly to Hb.
- e. An increase in PCO₂ causes a right shift of the O₂ uptake curve.

Question 96

Which one of the following apolipoprotein activates lecithin-cholesterol acyltransferase?

- a. Apo B100

b.Apo-C-II

☒ c.Apo-I

d.Apo-E

e.Apo-A-II

Question 97

Which one of the following is not a feature of right atrium?

a.Cristaeterminalis

b.Fossaovalis

c.opening of coronary sinus

d.None

Question 98

Which part of the respiratory control system responsible for primarily monitoring the normal rhythm of breathing?

a.vasomotor center of medulla

b.apneustic center of pontine

☒ c.DRG of medullary center

d.Pneumotaxic center of pontine

e.VRG of medullary center

Question 99

Which respiratory virus is affecting the major glands of the body?

a.Mumps virus

b.Rubella virus

c.Enterocythopathic human orphan virus

d.Rhinovirus

e.Respiratory syncytial virus

Question 100

Which valves are commonly affected by infective endocarditis?

a.Pulmonary and aortic

b.Mitral and Aortic

c.Pulmonary and Tricuspid

d.Aortic valve and tricuspid

e.Tricuspid and mitral

ANSWERS

1. D

2. A

3. A

4. C

5. D

6. E

7. D

8. A

9. Correction neber, A, B & C are false

10. B

11. A

12. D

13. E

14. A

15. A

16. A

17. B

18. B

19. C

20. B

21. C

22. B

23. E

24. D

25. C

26. C

27. C

28. Correction B,..and D

29. E

30. A

31. Yetarwmew be A,...but E?¿

32. C

33. A

34. A

35. D?¿

36. A

37. D, arginine

- 38. B
- 39. B
- 40. D
- 41. C
- 42. B
- 43. C
- 44. A
- 45. C
- 46. D
- 47. E
- 48. B
- 49. A
- 50. B?¿
- 51. E
- 52. C
- 53. C
- 54. A
- 55. C
- 56. C
- 57. A
- 58. C
- 59. A
- 60. B
- 61. B
- 62. C

63. B

64. B

65. A

66. C

67. C

68. D

69. A

70. A

71-75

76. E

77. C

78. D

79. D

80. A

81. B

82. B

83. C

84. B

85. C?

86. B

87. E

88. B

89. E

90. A

91. A

92. B

93. E

94. B

95. B

96. C

97. D

98. C

99. A

100. B