

MELLINIUM MEDICAL COLLEGE
ANATOMY EXAM FOR YEAR TWO MEDICAL STUDENTS
DATE: JANUARY 9, 2013
TIME ALLOWED: 120 MINUTES

NAME-----ID-----

PART ONE: MULTIPLE CHOICE

INSTRUCTION: READ THE FOLLOWING QUESTIONS AND CHOOSE ONE APPROPRIATE ANSWER AND WRITE IT ON THE SPACE PROVIDED ON THE ANSWER SHEET(each one mark)

1. Sphenoid bone can make articulation with all the following bones except,
 - A. Temporal
 - B. Vomer
 - C. Zygomatic
 - D. Palatine
 - E. None
2. The zygomatic bones form all of the following parts of the bony orbit except,
 - A. Anterolateral rims
 - B. Lateral walls
 - C. Supraorbital margins
 - D. Infraorbital margins
 - E. Floor
3. Which of the following bony features could not be seen in norma basalis of the skull?
 - A. Maxillary arches
 - B. Pharyngeal tubercle
 - C. Groove for internal carotid artery
 - D. Zygomatic arches
 - E. Scaphoid fossa
4. Which of the following bony features is not found in the posterior cranial cavity?
 - A. Groove for greater petrosal sinus
 - B. Groove for lesser petrosal nerve
 - C. Internal acoustic meatus
 - D. Groove for inferior petrosal sinus
 - E. None
 - F.

5. Which of the following is wrong about features of typical cervical vertebrae?

- A. The vertebral body is small and longer anteroposteriorly
- B. Superior surface of the body is concave, and the inferior surface is convex.
- C. The vertebral foramen is large and triangular.
- D. All their transverse foramina are used for the passage of vertebral veins
- E. Superior facets of the articular processes are directed superoposteriorly.

6. One of the following muscles does not act on the angle of the mouth

- A. Buccinator
- B. Risorius
- C. Zygomaticus major
- D. Depressor anguli inferioris
- E. None

7. The investing cervical fascia is attached to all the following structures except,

- A. Spine of the scapula
- B. Zygomatic arch
- C. Body of mandible
- D. Inferior nuchal line
- E. None

8. Transverse cervical artery or its parts are related to all the following structures except,

- A. Cords of the brachial plexus
- B. Phrenic nerve
- C. Anterior scalene
- D. Rhomboidus major
- E. None

9. The wrong statement about the phrenic nerve is

- A. Phrenic nerve descends deep to transverse cervical artery
- B. It descends anterior to first part of subclavian artery on left side of the neck
- C. It descends anterior to second part of subclavian artery on right side of the neck
- D. If present, accessory phrenic nerve may descend anterior to subclavian vein.
- E. None

10. Which of the following muscles depresses medial end of eyebrow

- A. Corrugator supercilli
- B. Procerus
- C. Frontooccipitalis
- D. Levator labii superioris alaeque nasi
- E. None

11. One of the following is not related to the pretracheal fascia of the neck

- A. Sternohyoid muscle
- B. Sternocleidomastoid muscle**
- C. Fibrous pericardium
- D. Digastric muscle
- E. Omohyoid muscle
- F.

12. The wrong is a wrong association regarding lymphatic drainage of in the head

- A. Lateral part of face, scalp & eyelids → superficial parotid lymph nodes
- B. Deep parotid nodes → deep cervical lymph nodes
- C. Upper lip & lateral parts of lower lip → submandibular lymph nodes
- D. Chin & central part of lower lip → submental lymph nodes
- E. None**

13. The carotid sheath does not contain one of the following structures

- A. Internal jugular vein
- B. Deep cervical lymph nodes
- C. Carotid sinus nerve
- D. External carotid artery**
- E. Carotid periarterial plexuses

14. One of the following is wrong about the cervical plexus

- A. It lies anteromedial to levator scapulae and middle scalene muscles
- B. Superficial branches initially pass posteriorly
- C. Deep branches pass anteromedially
- D. All participating rami divide into ascending and descending branches.
- E. None**

15. Except one, all the following nerves are branches of the cervical plexus arising from the nerve loop between anterior rami of C2 & C3

- A. Lesser occipital nerve
- B. Great auricular nerve
- C. Transverse cervical nerve
- D. Supraclavicular nerves**
- E. None

16. Structures within the parotid gland arranged from superficial to deep are

- A) External carotid artery --- facial nerve ---- common facial vein
- B) Facial nerve ---- external carotid artery ---- common facial vein
- C) Common facial vein ----- external carotid artery ----- facial nerve
- D) Facial nerve ---- common facial vein ----- external carotid artery**

17. Duct of which major salivary gland opens into the vestibule of the mouth opposite the crown of the upper 2nd molar tooth?

- A) Sublingual gland
- B) Parotid gland**
- C) Submandibular gland
- D) Buccal gland
- E) None of the above

18. The wrong statement about innervations of the parotid gland is

- A) Its parasympathetic fibers originate from glossopharyngeal nerve
- B) Its sympathetic nerve is derived from plexus around the external carotid artery
- C) Otic ganglion is a relay station for its parasympathetic fibers
- D) Auriculotemporal nerve carries its postganglionic parasympathetic fibers
- E) None**

19. Concerning walls of the infratemporal fossa, one is false

- A) The lateral wall of the lateral pterygoid plate forms its medial wall
- B) The ramus of the mandible forms its lateral wall
- C) Its roof is continuous with temporal fossa
- D) Its inferior boundary is where lateral pterygoid muscle is attached**
- E) None of the above

20. Which one of the following branches of maxillary artery is wrongly matched with the area that it supplies?

- A) Sphenopalatine artery----- sphenoidal sinus
- B) Artery of pterygoid canal-----mucosa of pharyngotympanic tube
- C) Deep auricular artery -----external acoustic meatus
- D) Anterior tympanic branch -----temporomandibular joint
- E) None of the above**

21. The pterygopalatine fossa communicates:

- A) Laterally with the infratemporal fossa through the pterygomaxillary fissure.
- B) Medially with the nasal cavity through the sphenopalatine foramen.
- C) Anterosuperiorly with the orbit through the inferior orbital fissure.
- D) Posterosuperiorly with the middle cranial fossa through the foramen rotundum
- E) All of the above

22. The maxillary nerve leaves the middle cranial fossa and enters the _____ through the _____ foramen.

- A) Infratemporal fossa , foramen rotundum
- B) Pterygopalatine fossa , foramen rotundum
- C) Orbit , infraorbital fissure
- D) Nasal cavity, sphenopalatine foramen
- E) None of the above

23. Which suprahyoid muscle is wrongly matched with its nerve supply

- A) Mylohyoid ----- anterior division of mandibular nerve
- B) Geniohyoid-----C1 via hypoglossal nerve
- C) Stylohyoid----- facial nerve
- D) Digastric anterior belly-----mylohyoid nerve

24. All of the following structures are superficial to the mylohyoid muscle except one ?

- A) Geniohyoid muscle
- B) Anterior belly of digastric muscle
- C) Nerve to mylohyoid
- D) Submental branch of facial artery
- E) Long arm of submandibular gland

25. All of the following structures are superficial to Genioglossus except one:

- A) Submandibular gland,
- B) Lingual nerve,
- C) Submandibular ganglion
- D) Sublingual gland
- E) None of the above

26. Which nerve in the submandibular region loops under the submandibular duct?

- A) **Lingual nerve**
- B) Hypoglossal nerve
- C) Glossopharyngeal nerve
- D) Buccal nerve
- E) None of the above

27. All of the following are true about the innervations of the gums(gingivae) except

- A) Labial part of upper gum----- by maxillary nerve
- B) Lingual part of the upper gum-----by greater and lesser palatine nerves
- C) Lingual part of the lower gum-----by lingual nerve
- D) Labial part of the lower gum----- by buccal branch of mandibular nerve
- E) **None of the above**

28. All are true about the glossopharyngeal nerve except one

- A) It is motor to stylopharyngeus muscle
- B) It can be located between superior and inferior pharyngeal constrictor muscles
- C) Carries both general & special sensory fibers from the posterior 1/3 of the tongue
- D) It supplies sensory fibers to the pharyngeal plexus
- E) **None**

29. A tumor growing in the posterior part of semi lunar hiatus on the lateral wall of the nasal cavity would block opening of -----in to the cavity.

- A) Frontal sinus
- B) **Middle ethmoidal air cells**
- C) Maxillary sinus
- D) Sphenoidal sinus
- E) Posterior ethmoidal air cells

30. Correct match between the paranasal sinuses and their site of opening on the lateral wall of the nasal cavity is

- A) Maxillary sinus-----posterior to hiatus semilunaris in middle meatus
- B) Sphenoidal sinus-----sphenoidal recess
- C) Posterior ethmoidal sinus----- superior meatus
- D) Frontal sinus----- infundibulum of middle meatus
- E) **None**

31. The wrong statement about the palatine tonsil is

- A) Has the superior pharyngeal constrictor as a lateral relation
- B) Has paratonsillar vein as a medial relation
- C) Has mucous membrane on its oral surface supplied by glossopharyngeal nerve
- D) Lies between the palatoglossal and palatopharyngeal arches
- E) **None**

31. Which of the following part of the larynx is not correctly matched with its description?

- A) Laryngeal ventricle----- cavity between the vestibular and vocal folds
- B) True vocal fold----- lower free boarder of the quadrate membrane
- C) Laryngeal vestibule-----area between laryngeal inlet and vestibular fold
- D) Rima glottidis-----an aperture between the true vocal cords
- E) **None of the above**

32. The incorrect match between intrinsic muscles of the larynx and their action is

- A) Cricothyroid----- tense vocal ligaments
- B) Thyroarytenoid-----relax vocal ligaments
- C) Lateral cricoarytenoid----- adducts vocal ligaments
- D) Oblique arytenoid----- -abducts vocal ligaments
- E) **None**

33. Concerning nerves of the larynx one is wrong

- A) **All intrinsic muscles of larynx are supplied by recurrent laryngeal nerve**
- B) Internal laryngeal nerve supplies mucus membrane above the vocal folds
- C) Recurrent laryngeal nerve supplies mucus membrane below the vocal folds
- D) External laryngeal nerve supplies inferior pharyngeal constrictor muscle
- E) **None**

34. Which one of the following statements concerning the ear is incorrect?

- A. Tympanic cavity is connected with mastoid air cell via mastoid antrum
- B. Tensor tympani muscle reduces amplitude of oscilation of tympanic membrane by pulling the handle of the mallus medially
- C. **The promontory, lies on the tegmental wall of the tympanic cavity.**
- D. Maculae of the saccules is located on its medial wall
- E. **None**

35. The incorrect statement about action of the genioglossus muscle is

- A. Bilateral activity depresses tongue
- B. Posterior part pulls tongue anteriorly for protrusion
- C. Most anterior part retracts apex of protruded tongue
- D. Unilateral contraction deviates tongue to contralateral side
- E. **None**

36. The fascial layer that forms the floor of the posterior cervical triangle is

- A. Investing fascia
- B. Superficial fascia
- C. **Prevertebral fascia**
- D. Prevertebral fascia
- E. None

37. Which of the following structures does not pass through the superior orbital fissure?

- A. CN III
- B. CN IV
- C. **Ophthalmic artery**
- D. Superior ophthalmic vein
- E. CN VI

38. A nerve not involved in innervation of the scalp anterior to the auricle is

- A. **Zygomatico facial nerve**
- B. Supraorbital nerve
- C. Supratrochlear nerve
- D. Auriculotemporal nerve
- E. **None**

39. The muscle not involved in formation of the modiolus at the mouth is

- A. Risorius
- B. **Mentalis**
- C. Buccinator
- D. **Zygomaticus minor**
- E. Levator anguli oris

40. One of the following veins is not direct tributary of the inferior jugular vein

- A. Inferior thyroid vein
- B. Pharyngeal veins
- C. Lingual vein
- D. Middle thyroidal vein
- E. **None**

41. Anterior vertebral group of muscles includes all the following except

- A. Longus colli
- B. Middle scalene**
- C. Rectus capitis anterior
- D. Anterior scalene
- E. None

42. The artery not located at the root of the neck is

- A. Vertebral artery
- B. Internal thoracic artery
- C. Costocervical trunk
- D. Dorsal scapular artery
- E. Suprascapular artery**

43. Wrong statement about the course and location of vagus nerves or its branches is

- A. The right vagus nerve passes anterior to second part of subclavian artery**
- B. The left vagus nerve descends between left common carotid artery and left subclavian artery
- C. Right recurrent laryngeal nerve loops around subclavian artery at the level of T1 & T2 vertebrae
- D. The left recurrent laryngeal nerve loops around arch of aorta at the level of T4 & T5 vertebrae
- E. None

44. Incorrect about the sympathetic ganglia of the cervical region is

- A. Postsynaptic fibers from the inferior ganglion pass to C7 & C8 nerves
- B. Postsynaptic fibers from middle ganglion pass to C5 & C6 nerves
- C. Postsynaptic fibers from superior ganglion pass to C1- C4 nerves
- D. The inferior cervical ganglion forms a plexus around inferior thyroid artery**
- E. None

45. One of the following is wrong about the relation of the thoracic duct in the neck

- A. It ascends along left border of esophagus
- B. It arches laterally at root of the neck
- C. It is found anterior to the carotid sheath
- D. Ascends anterior to the sympathetic trunk, vertebral & subclavian arteries
- E. None**

46. About the pterygoid venous plexus and its anastomoses, one is incorrect

- A. It makes anastomoses anteriorly with facial vein via deep facial vein
- B. It makes anastomoses superiorly with cavernous sinus via emissary veins.
- C. It makes anastomoses posteriorly with retromandibular vein via maxillary vein
- D. It is an alternative venous route from the cranial cavity
- E. None**

47. Which of the following is correct about the submandibular duct

- A. Arises from the gland between mylohyoid and hyoglossus muscles
- B. Lingual nerve first is found medial to the gland**
- C. It opens on the sublingual papilla
- D. Its opening lies beside the base of lingual frenulum
- E. None

48. The wrong statement about the chorda tympani nerve is

- A. It is branch of CN VII
- B. It joins lingual nerve in the infratemporal fossa.
- C. It carries taste fibers from anterior two third of the tongue
- D. It carries secretomotor fibers for submandibular and sublingual glands
- E. None**

49. The artery which does not supply the medial and lateral walls of nasal cavities is

- A. Anterior ethmoidal
- B. Sphenopalatine
- C. Greater palatine
- D. Superior labial
- E. None**

50. One of the following nerves does not involve in innervations of the auricle

- A. Greater auricular nerve
- B. Auriculotemporal nerve
- C. Glossopharyngeal nerve**
- D. Vagus nerve
- E. None

51. Which of the following structures is not content of the infratemporal fossa

- A. Buccal nerve
- B. Inferior alveolar artery
- C. Chorda tympani
- D. Otic ganglion
- E. None**

52. An artery which is not a branch from pterygopalatine part of maxillary artery is

- A. Pterygoid arteries
- B. Posterior Superior Alveolar Artery
- C. Infraorbital Artery
- D. Artery of Pterygoid Canal
- E. None

53. The muscle not involved in elevation of the mandible at temporomandibular joint is

- A. Temporalis
- B. Masseter,
- C. Lateral Pterygoid
- D. Medial Pterygoid
- E. None

54. One of the following is a wrong association about relations of the cervical esophagus

- A. Trachea----- anteriorly
- B. Thoracic duct ----- on right side .
- C. Cervical vertebral column----- posteriorly
- D. Right lobe of thyroid gland----- on right side
- E. Right carotid sheath----- on right side

55. The fauces (throat) is bounded by all the following structures, except

- A. Soft palate
- B. Root of the tongue
- C. Palatoglossal arches
- D. Palatopharyngeal arches
- E. None

56. The wrong statement about the vertebral artery is

- A. The left vertebral artery is larger than the right.
- B. Its prevertebral part begins in the root of the neck
- C. It vertebral part passes through all transverse foramina
- D. Suboccipital parts perforate dura & arachnoid matter at foramen magnum
- E. Its intracranial parts unite at anterior surface of pons to form basilar artery.

57.