

answered

Marked out of
1.00

Flag question

- ☐ a. Taste acuity tastes
- ☐ b. Plasma zinc concentration
- ☐ c. Hair zinc concentration
- ☐ d. All
- ☐ e. Urine zinc concentration

Question 19

Not yet
answeredMarked out of
1.00

Flag question

which is not among the pillars of the safe motherhood?

- ☐ a. None
- ☒ b. PNC
- ☐ c. ANC
- ☐ d. Caesarean section
- ☐ e. SBA

Question 20

Not yet
answeredMarked out of
1.00

Flag question

Which nutritional assessment system uses a one-time data collection

- ☐ a. Active Nutrition surveillance
- ☒ b. Nutrition surveys
- ☐ c. B&C
- ☐ d. Passive nutrition surveillance

Question 21

Not yet
answered

Marked out of
1.00

Flag question

Which one of the following is a functional iron?

- ☐ a. Ferritin
- ☐ b. None
- ☒ c. Myoglobin
- ☐ d. Transferrin
- ☐ e. Hemosiderin

Question 22

Not yet
answered

Marked out of
1.00

Flag question

Which one of the following is not a factors Suggesting Zinc Deficiency in a Population?

- ☒ a. High intake of "flesh" food
- ☐ b. None
- ☐ c. Nutritional iron deficiency
- ☐ d. High phytate staple foods
- ☐ e. High rate of diarrhea

Question 23

Not yet
answered

Marked out of
1.00

Flag question

A research was conducted at AAU to assess iodine deficiency disorder among students .The finding of the research revealed that the goiter grade was >0 and 20% of the students had goiter grade >0 . What is the implication of this research?

- ☐ a. None
- ☐ b. B&C
- ☒ c. IDD is a public health problem in AAU
- ☐ d. The research doesn't have any implication on IDD
- ☐ e. IDD is not a public health problem in AAU

Question 24

The sense of being male or female is

answered

Marked out of
1.00

Flag question

- ... implication of this research?
- ☐ a. None
 - ☐ b. B&C
 - ☐ c. IDD is a public health problem in AAU
 - ☐ d. The research doesn't have any implication on IDD
 - ☐ e. IDD is not a public health problem in AAU

Question **24**

Not yet
answered

Marked out of
1.00

Flag question

The sense of being male or female is

- ☐ a. Sexual orientation
- ☐ b. Sexual relation
- ☐ c. Sensuality
- ☒ d. Sexual identity

Question **25**

Not yet
answered

Marked out of
1.00

Flag question

Which one of the following statements is true?

- ☒ a. Dietary reference intakes provide qualitative advice to the public about diet and chronic disease prevention
- ☐ b. None
- ☒ c. All
- ☐ d. Basal metabolism rate represents 45-70% of daily total energy expenditure
- ☐ e. Physical activity is the most variable and account for the second largest component of daily energy expenditure

DELL

Question 26

Not yet answered

Marked out of 1.00

Flag question

All are major nutritional problems of public health significance in low-income countries *except* (choose except)

- ☐ a. Nutritional Anemia
- ☐ b. Protein energy malnutrition (PEM)
- ☐ c. Pellagra
- ☐ d. Vitamin A deficiency
- ☐ e. Iodine deficiency disorders

Question 27

Not yet answered

Marked out of 1.00

Flag question

20 years old, married and pregnant woman can be considered as a youth.

- ☐ a. True
- ☐ b. False

Question 28

Not yet answered

Marked out of 1.00

Flag question

All of the following are a characteristic of primary failure to respond in IMR phase 1 management *except*

- ☐ a. Edema still present at Day 10
- ☐ b. Failure to regain appetite at Day 4
- ☐ c. Failure to start to lose edema at Day 4
- ☐ d. Failure to gain more than 1g/kg/d for three consecutive days
- ☐ e. None

Question 29

The largest contributor to the toll of maternal death globally is

Question 28

Not yet
answered

Marked out of
1.00

Flag question



All of the following are a characteristic of Primary failure to respond in SAM phase I management except :

- ☐ a. Edema still present at Day 10
- ☐ b. Failure to regain appetite at Day 4
- ☐ c. Failure to start to loss edema at Day 4
- ☐ d. Failure to gain more than 5g/kg/d for three consecutive days
- ☐ e. None

Question 29

Not yet
answered

Marked out of
1.00

Flag question

The largest contributor to the toll of maternal death globally is

- ☐ a. OL
- ☐ b. Anemia
- ☒ c. Bleeding
- ☐ d. RTA
- ☐ e. Poverty

Question 30

Not yet
answered

Marked out of
1.00

Flag question

One is not the reason for us to draw huge attention to children and women

- ☐ a. Voiceless
- ☒ b. Most problems affecting them needs attention as they are difficult to prevent
- ☐ c. Demography
- ☐ d. None
- ☐ e. Susceptibility to problem

Question 31

Not yet
answered

Marked out of
1.00

Flag question

One of the following does not belong to Public health consequences of Vitamin A deficiency disorders.

- ☒ a. Iodine deficiency disorder
- ☐ b. Iron Deficiency Anemia
- ☐ c. None of the above
- ☐ d. Stunting
- ☐ e. Increased risk of infection

Question 32

Not yet
answered

Marked out of
1.00

Flag question

A child with edematous malnutrition is presented with all of the following signs and symptoms except:

- ☒ a. None of the above
- ☐ b. Percentage of the median between 60-80% with pitting edema
- ☐ c. Low plasma albumin
- ☐ d. Extensive dermatosis
- ☐ e. Frequent occurrence of infection

Question 33

Not yet
answered

Marked out of
1.00

Flag question

Road traffic accidents are common health problems of adolescents in Ethiopia.

- ☐ a. False
- ☒ b. True

Question 34

Not yet
answered

Which is not the element of the safe motherhood initiative of the 1987?

answered

Marked out of
1.00

Flag question

- ☐ a. False
- ☐ b. True

Question 34

Not yet
answered

Marked out of
1.00

Flag question

Which is not the element of the safe motherhood initiative of the 1987?

- ☐ a. Advancing women's status
- ☐ b. Pregnancy risk assessment
- ☐ c. Emergency transport
- ☒ d. Treating that every pregnancy is at risk

So -

Question 35

Not yet
answered

Marked out of
1.00

Flag question

A median urinary iodine concentration of 100 – 200 ($\mu\text{g/L}$) in a population indicates

- ☐ a. None of the above
- ☐ b. Moderate iodine deficiency
- ☒ c. Optimal iodine intake
- ☐ d. Mild iodine deficiency
- ☐ e. Severe iodine deficiency

You are logged in as Eyosias Eyoel ug ([Log out](#))

[UG](#)

Question 36

Not yet answered

Marked out of 1.00

Flag question

Harmful Traditional Practices are problem of public health importance in all countries of the world.

- ☐ a. True
- ☒ b. False

Question 37

Not yet answered

Marked out of 1.00

Flag question

All of the following are possible interventions used in the prevention of iodine deficiency except :

- ☐ a. Iodination of drinking water
- ☐ b. Universal salt iodination(USI)
- ☐ c. None of the above
- ☒ d. Use of iodized oil supplemented with deworming
- ☐ e. Fortification of infant formulas

Question 38

Not yet answered

Marked out of 1.00

Flag question

Which of the following falls outside the dimension of healthy development of children?

- ☐ a. Capacitating children to effectively interact with their environment
- ☐ b. Empowering children to nurture their special talents
- ☐ c. Enabling children to satisfy their needs
- ☐ d. Enabling children to realize their potential

... feeding can reduce an estimated child mortality by ____

1.00

Flag question

- ☐ b. Universal salt iodination(USI)
- ☐ c. None of the above
- ☐ d. Use of iodized oil supplemented with deworming
- ☐ e. Fortification of infant formulas

Question 38

Not yet
answered

Marked out of
1.00

Flag question

Which of the following falls outside the dimension of healthy development of children?



- ☐ a. Capacitating children to effectively interact with their environment
- ☐ b. Empowering children to nurture their special talents
- ☒ c. Enabling children to satisfy their needs
- ☐ d. Enabling children to realize their potential

Question 39

Not yet
answered

Marked out of
1.00

Flag question



Exclusive breast feeding can reduce an estimated child mortality by ____



- ☐ a. None
- ☐ b. 4%
- ☐ c. 1%
- ☐ d. 0.4%
- ☐ e. 8%

Question 40

Not yet
answered

Marked out of
1.00

Flag question

The age ranges of childhood and adolescence are non-overlapping.

- ☐ a. True
- ☒ b. False

H and Nutrition exam

My courses / UG

tion

4	5	6	7	8
12	13	14	15	16
20	21	22	23	24
28	29	30	31	32
36	37	38	39	40
44	45	46	47	48
52	53	54	55	56
60	61	62	63	64
68	69	70	71	72
76	77	78	79	80
84	85	86	87	88
92	93	94	95	96
100				

Question 41

Not yet answered

Marked out of 1.00

Flag question

According to World Health Organization(WHO) , anemia is said to be severe public health problem when its prevalence is :

- ☐ a. Between 20 and 39%
- ☐ b. Between 5 and 19%
- ☐ c. None of the above
- ☒ d. Greater than 40%
- ☐ e. Less than 5%

Question 42

Not yet answered

Marked out of 1.00

Flag question

Increase in weight can be achieved with in a women's reproductive life by -----?

- ☒ a. Increasing birth intervals
- ☐ b. All
- ☐ c. Increasing caloric intake
- ☐ d. A and B
- ☐ e. Reducing energy expenditure

Question 43

Not yet answered

Marked out of 1.00

Flag question

Providing legal identity for all, including birth registration is one of the targets of Sustainable Development Agenda. Which SDG agenda does this target fall under?

- ☐ a. Develop
- ☐ b. Transform
- ☐ c. Survive
- ☐ d. Thrive

Question 44

Not yet answered

Which one of the following is not true about the initial stabilization phase of SAM management?

Not yet answered

Marked out of 1.00

Flag question

Providing legal identity for all, including birth registration is one of the targets of Sustainable Development Agenda. Which SDG agenda does this target fall under?

- ☐ a. Develop
- ☒ b. Transform
- ☐ c. Survive
- ☐ d. Thrive

Question 44

Not yet answered

Marked out of 1.00

Flag question

Which one of the following is not true about the initial stabilization phase of SAM management?

- ☐ a. B & D
- ☐ b. It requires up to seven days
- ☐ c. Involves restoring homeostasis while treating medical complications
- ☐ d. None
- ☒ e. Iron supplementation is added
- ☒ f. Includes rebuilding of wasted tissues

Question 45

Not yet answered

Marked out of 1.00

Flag question

The ambitious SDG aims to reduce the current GLOBAL neonatal, child and maternal mortality BY 2030 to respectively

- ☐ a. 12 per 1000 live birth, 25 per 1000 live birth and 140 per 100,000 live birth
- ☐ b. None.
- ☐ c. 20 per 1000 live birth, 50 per 1000 live birth and 70 per 100,000 live birth
- ☒ d. 12 per 1000 live birth, 25 per 1000 live birth and 70 per 100,000 live birth
- ☐ e. 29 per 1000 live birth, 48 per 1000 live birth and 226 per 100,000 live birth

You are logged in as Eyosias Eyoel ug ([Log out](#))

UG

DELL

igation

3	4	5	6	7	8
11	12	13	14	15	16
19	20	21	22	23	24
27	28	29	30	31	32
35	36	37	38	39	40
43	44	45	46	47	48
51	52	53	54	55	56
59	60	61	62	63	64
67	68	69	70	71	72
75	76	77	78	79	80
83	84	85	86	87	88
91	92	93	94	95	96
99	100				

mpt ...

08:53

Question 46

Not yet
answeredMarked out of
1.00

Flag question

Which of the following intervention prevents both pneumonia and diarrhea?

- ☐ a. Rota virus vaccination
- ☒ b. Prevention of HIV
- ☐ c. Hib vaccination
- ☐ d. PCV vaccination

Question 47

Not yet
answeredMarked out of
1.00

Flag question

The 2016 EDHS report has shown that neonatal and infant mortalities, per 1000 live birth, are respectively

- ☐ a. 37 and 44
- ☐ b. 12 and 64
- ☒ c. 29 and 48
- ☐ d. 32 and 64

Question 48

Not yet
answeredMarked out of
1.00

Flag question

The most commonest family planning delivery strategies in Ethiopia is

- ☐ a. Private wing services
- ☐ b. Community based distribution programs
- ☐ c. Commercial retail sales
- ☒ d. Health facility based services

Question 49

Not yet
answeredMarked out of
1.00

Flag question

Which one of the following statement is true?

- ☐ a. A 20% of low hemoglobin for age is considered mild
- ☐ b. A higher PH level enhance iron absorption
- ☐ c. All
- ☒ d. Heme iron is found from plant source
- ☐ e. None

Question 48

Not yet
answered

Marked out of
1.00

Flag question

The most commonest family planning delivery strategies in Ethiopia is

- ☐ a. Private wing services
- ☐ b. Community based distribution programs
- ☐ c. Commercial retail sales
- ☐ d. Health facility based services,

Question 49

Not yet
answered

Marked out of
1.00

Flag question

Which one of the following statement is true?

- ☐ a. A 20% of low hemoglobin for age is considered mild
- ☐ b. A higher PH level enhance iron absorption
- ☐ c. All
- ☐ d. Heme Iron is found from plant source
- ☐ e. None

Question 50

Not yet
answered

Marked out of
1.00

Flag question

In Ethiopia, on average, both urban and rural women start to engage in sexual intercourse while they are adolescents.

- ☐ a. False
- ☒ b. True

Question 51

Not yet
answered

Marked out of
1.00

Flag question

Which of the following theories in the causation of edematous malnutrition (Kwashiorkor) is said to be the golden theory?

- ☐ a. Free Radical theory
- ☒ b. Theory of Dys-adaptation
- ☐ c. None of the above
- ☐ d. Theory of aflatoxin
- ☐ e. Theory of Low Protein Intake

Question 52

Not yet
answered

Marked out of
1.00

Flag question

Reproductive health indicators don't be explained by

- ☐ a. It estimates services acceptability, accessibility and utilization
- ☐ b. It is an input to policies and programs
- ☐ c. It helps to evaluate programs
- ☒ d. It uses as a diagnostic tool
- ☐ e. None

Question 53

Not yet
answered

Marked out of
1.00

Flag question

Below are list of disease conditions and complications causing neonatal and child deaths

- I. Pneumonia
- II. Diarrhea
- III. Sepsis
- IV. Birth asphyxia
- V. Congenital anomalies
- VI. Prematurity
- VII. Injury
- VIII. Respiratory distress

- Which of the above three conditions are the leading cause of deaths among 1-59 months old children?
- ☐ a. III, V, VI
 - ☐ b. III, IV, VIII
 - ☒ c. I, III, & VII
 - ☐ d. II, III, & IV
 - ☐ e. I, II, & VII

Question **54**

Not yet
answered

Marked out of
1.00

🚩 Flag question

Which one of the following is a risk factor for Iron deficiency anemia?

- ☐ a. None
- ☐ b. All
- ☐ c. Low intake of phytates
- ☐ d. Deworming
- ☒ e. Infection
- ☐ f. A & C

Question **55**

Not yet
answered

Marked out of
1.00

🚩 Flag question

Which of the following does show a correct nutrition & development cycle?

- ☐ a. Direct losses from poor cognitive development
- ☐ b. Indirect losses in productivity from poor physical status
- ☐ c. All
- ☐ d. None
- ☒ e. Losses due to increased health care costs

Question 56

Not yet answered

Marked out of 1.00

Flag question

Which one of the following is not a Poor prognostic signs of PEM?

- ☐ a. Deficit in Wt for Ht $\geq$ 30%
- ☐ b. Petechiae or hemorrhagic tendencies
- ☐ c. A&B
- ☐ d. Age less than 6 months
- ☒ e. Total serum protein below 5 gm/dl

Question 57

Not yet answered

Marked out of 1.00

Flag question

The constellation of methods, techniques and services that contribute to reproductive health and well-being is referred to as

- ☐ a. Human sexuality
- ☐ b. Reproductive Health right
- ☐ c. Sexual Health
- ☐ d. None of the above
- ☒ e. Reproductive Health

Question 58

Not yet answered

Marked out of 1.00

Flag question

Choose the false alternative

- ☐ a. Abortion and early related deaths often go unreported
- ☒ b. Ectopic pregnancy related death is not maternal death
- ☐ c. Accident and incidents do not count towards maternal mortality
- ☐ d. Infection and unsafe abortion related deaths are widespread in Africa

Question 59

Not yet answered

If the current trend of neonatal mortality reduction continues how long will it take sub-Saharan African countries to reach same level of neonatal mortality despite new interventions?

☐ e. Reproductive Health

Question 58

Not yet answered

Marked out of 1.00

Flag question

Choose the false alternative

- ☐ a. Abortion and early related deaths often go unreported
- ☐ b. Ectopic pregnancy related death is not maternal death
- ☐ c. Accident and incidents do not count towards maternal mortality
- ☐ d. Infection and unsafe abortion related deaths are widespread in Africa

Question 59

Not yet answered

Marked out of 1.00

Flag question

If the current trend of neonatal mortality reduction continues how long will it take sub-Saharan African countries to reach same level of neonatal mortality rate developed regions had in 2015 despite new interventions?

- ☒ a. 55 years
- ☐ b. 110 years
- ☐ c. 220 years
- ☐ d. 210 years

Question 60

Not yet answered

Marked out of 1.00

Flag question

Which is true?

- ☐ a. One-stopping service does much benefit to satisfy health needs of RH clients
- ☐ b. Late maternal mortality can be measured through surveys
- ☒ c. The greatest disparity between developed and developing countries lies in MMR
- ☐ d. Abortion can be prevented through community-health care provider collaboration

Next page

Question 61

Not yet answered

Marked out of 1.00

Flag question

Among 15-19 years old adolescent females which of the following are the leading cause of death?

- ☐ a. Lower respiratory infection
- ☐ b. Road traffic injury
- ☒ c. Pregnancy related complications
- ☐ d. Drowning
- ☐ e. Diarrheal disease

Question 62

Not yet answered

Marked out of 1.00

Flag question

Which one of the following is not the Objective of nutrient reference level?

- ☐ a. Safe upper levels of intake
- ☐ b. None of the above
- ☐ c. Chronic disease reduction
- ☐ d. Deficiency disease reduction
- ☒ e. To ensure appropriate intakes of nutrients

Question 63

Not yet answered

Marked out of 1.00

Flag question

All of the following admission criteria can be used for severely acutely malnourished child aged 6-59 months with complication to be admitted for an inpatient management except:

- ☐ a. None of the above
- ☐ b. Presence of bilateral edema
- ☐ c. MUAC less than 11cm
- ☒ d. Failure to pass an appetite test
- ☐ e. WFL/H less than -3SD

Question 64

Not yet

If you want to apply an anthropometric measurement for children with age greater than 24 months, which one is not valid measure of the nutritional status

- ... disease reduction
- ☐ e. To ensure appropriate intakes of nutrients

Question 63

Not yet answered

Marked out of 1.00

Flag question

All of the following admission criteria can be used for severely acutely malnourished child aged 6-59 months with complication to be admitted for an inpatient management except:

- ☐ a. None of the above
- ☐ b. Presence of bilateral edema
- ☐ c. MUAC less than 11cm
- ☐ d. Failure to pass an appetite test
- ☐ e. WFL/H less than -3SD

Question 64

Not yet answered

Marked out of 1.00

Flag question

If you want to apply an anthropometric measurement for children with age greater than 24 months, which one is not valid measure of the nutritional status

- ☐ a. Height for age Z score
- ☐ b. None
- ☒ c. Head circumference for age Z score
- ☐ d. Weight for age Z score
- ☐ e. Weight for height Z score

Question 65

Not yet answered

Marked out of 1.00

Flag question

Which method is more effective to control vitamin A deficiency?

- ☒ a. Supplementation
- ☐ b. Diversification
- ☐ c. Fortification
- ☐ d. None

One of the following is an iodine deficiency disorder occurred in neonate?

- ☒ a. Deaf-mutism
- ☐ b. Dwarfism
- ☐ c. All
- ☐ d. Hypothyroidism
- ☐ e. Paraplegia

Suppose a three years old child was born at term, with no congenital anomalies. She is now only 70% of normal body weight. On examination, she has dependent edema of the lower extremities as well as an enlarged abdomen with palpable fluid wave. Her desquamating skin shows irregular areas of depigmentation, and hyperpigmentation. Which of the following nutritional problems is most likely present in this child?

- ☒ a. Kwashiorkor
- ☐ b. Marasmic kwashiorkor
- ☐ c. Vitamin A deficiency
- ☐ d. None of the above
- ☐ e. Nutritional marasmus

Which of the following statement is not true about maternal vitamin A supplementation?

- ☐ a. Vitamin A supplementation for mothers within 45 days of delivery is recommended
- ☐ b. A & B
- ☒ c. Vitamin A supplementation is given as a routine ANC service
- ☐ d. In areas where the prevalence of night blindness is $\geq 5\%$ 10,000 IU of vitamin A daily is recommended
- ☐ e. None

70	79	80
86	87	88
94	95	96

Question 68

Not yet answered

Marked out of 1.00

Flag question

Which of the following statement is not true about maternal vitamin A supplementation?

- ☐ a. Vitamin A supplementation for mothers within 45 days of delivery is recommended
- ☐ b. A & B
- ☐ c. Vitamin A supplementation is given as a routine ANC service
- ☐ d. In areas where the prevalence of night blindness is $\geq 5\%$ 10,000 IU of vitamin A daily is recommended
- ☐ e. None

Question 69

Not yet answered

Marked out of 1.00

Flag question

Which of the following is blinding ocular consequence of Vitamin A deficiency?

- ☒ a. Corneal xerosis
- ☐ b. Bitot's spot
- ☐ c. Night blindness
- ☐ d. Conjunctival xerosis

Question 70

Not yet answered

Marked out of 1.00

Flag question

WHO recommends early initiation of breast feeding? At what time shall the new born start to breast feed?

- ☐ a. In the first 6 hrs after delivery
- ☐ b. None
- ☐ c. In the first 24 hrs after delivery
- ☐ d. In the first 2 hrs after delivery
- ☒ e. In the first 1 hr after delivery

Next page

Nutrition exam

Eyosias Eyosiel ug

Question 71

Not yet answered

Marked out of 1.00

Flag question

One of the rationales for focusing on newborn and child health is because Early Child Development (ECD) is foundational to the health and development of societies. Below are reasons justifications on why ECD should be one of the rationales?

- I. About a quarter of a billion US children have risk of developmental delay
- II. There is scant impactful evidence based ECD interventions
- III. Healthy brain development is a mere product of genetic make-up of the child
- IV. More efforts are needed to bring about useful life skills and behaviors at older age
- V. Care given to children in the early life impact their health and productivity as adults

Which of the above justification are correct?

- ☐ a. All of them
- ☒ b. I, IV, V
- ☐ c. III, IV, V
- ☐ d. II, III, IV, V
- ☐ e. I, II, IV, V

Question 72

Not yet answered

Marked out of 1.00

Flag question

Which is true?

- ☐ a. Ethiopia fell short of achieving the maternal mortality reduction target in MDG
- ☐ b. Both quality and quantity related service problems exist in Ethiopia
- ☐ c. 810 women die of pregnancy related problems daily globally
- ☒ d. All

78	79	80
86	87	88
94	95	96

Question 72

Not yet answered

Marked out of 1.00

Flag question

☐ e. I, II, IV, V

Which is true?

- ☐ a. Ethiopia fell short of achieving the maternal mortality reduction target in MDG
- ☐ b. Both quality and quantity related service problems exist in Ethiopia
- ☐ c. 810 women die of pregnancy related problems daily globally
- ☐ d. All

Question 73

Not yet answered

Marked out of 1.00

Flag question

In the heart of the revised ANC model of the WHO is

- ☐ a. Risk assessment and classification
- ☐ b. The number of times the women visits a health facility for ANC reason
- ☐ c. All
- ☒ d. Ensuring the woman is attended by skilled doctors
- ☐ e. Birth preparedness and complication readiness

Question 74

Not yet answered

Marked out of 1.00

Flag question

Which is not considered as "live savers" in the safe motherhood

- ☒ a. Health education during pregnancy about breastfeeding
- ☐ b. Blood transfusion
- ☐ c. Parenteral administration of Antibiotics
- ☐ d. Assisted delivery
- ☐ e. Manual removal of placenta

Question 75

Not yet answered

Marked out of 1.00

Flag question

Mr. "X" has a visible thyroid gland at normal position and the doctor has graded Mr. X for goiter. What will be the grade of Mr. X's goiter?

- ☐ a. Grade 1
- ☐ b. Grade 0
- ☒ c. Grade 2
- ☐ d. Grade 3

nd Nutrition exam

es / UG

Question 76

Not yet
answeredMarked out of
1.00

Flag question

Below are list of disease conditions and complications causing neonatal and child deaths

I. Pneumonia

II. Diarrhea

III. Sepsis

IV. Birth asphyxia

V. Congenital anomalies

VI. Prematurity

VII. Injury

VIII. Respiratory distress

Which of the above three conditions are the leading cause of deaths prematurely born children?

☐ a. III, II, & VII☐ b. III, V, VI☒ c. III, IV, & VIII☐ d. II, IV, & VIII☐ e. II, III, & IV

Question 77

Not yet
answeredMarked out of
1.00

Flag question

Based on world health organization (WHO) classification, the current prevalence of underweight (WAZ) among under five children in Ethiopia can be labeled as:

☐ a. Normal/low☐ b. Poor/medium☒ c. Serious/high☐ d. Critical/very high

Question 77

Not yet answered

Marked out of 1.00

Flag question

Based on world health organization (WHO) classification, the current prevalence of underweight (WAZ) among under five children in Ethiopia can be labeled as:

- ☐ a. Normal/low
- ☐ b. Poor/medium
- ☐ c. Serious/high
- ☐ d. Critical/very high

Question 78

Not yet answered

Marked out of 1.00

Flag question



Global Hunger Index is composed of the following component indicators except:

- ☐ a. Child mortality
- ☐ b. Undernourishment
- ☒ c. None
- ☐ d. Child Wasting
- ☐ e. Child underweight

Question 79

Not yet answered

Marked out of 1.00

Flag question

Which is NOT TRUE?

- ☐ a. Facility related data source suffers omission problem
- ☐ b. Every pregnancy is assumed to be at risk
- ☒ c. ANC, PNC, and MMR are all process indicators
- ☐ d. Maternal health care services in Ethiopia have increased over time
- ☐ e. LFR is best suited to advocacy purpose

Question 80

Not yet answered

Marked out of 1.00

Flag question



All of the following can cause Iron Deficiency Anemia (IDA) except:

- ☒ a. Phytates in cereals and legumes
- ☐ b. Being a vegetarian
- ☒ c. Vitamin A deficiency
- ☐ d. None of the above
- ☐ e. Deficiency of ascorbic acid

DELL

ENG

3/47
3/20

Question 81

Not yet
answeredMarked out of
1.00

Flag question

Which one of the following statements is not true about Estimated average requirement (EAR)?

- ☐ a. Set instead of RDA/RNI if sufficient evidence is not available
- ☐ b. Used as the basis for developing the RDA
- ☒ c. None of the above
- ☐ d. It is the average daily nutrient intake level that meets the needs of 50% of the "healthy" individuals
- ☐ e. Used to measure usual intake

Question 82

Not yet
answeredMarked out of
1.00

Flag question

According to various national surveys, the least common form of undernutrition in Ethiopia tends to be:

- ☐ a. Stunting
- ☒ b. Underweight
- ☐ c. All of the above
- ☒ d. Wasting
- ☐ e. Nutritional Anaemia

Question 83

Not yet
answeredMarked out of
1.00

Flag question

Which of the following statement is false about changes in maternal weight gain?

- ☒ a. Weight gain of 0.9 kg per week is the target during the first trimester and 0.4 kg per week for the third trimester is the target for women with normal pre-pregnancy BMI.
- ☐ b. None
- ☐ c. A weight gain of 12.5 kg is the physiological norm for a full-term pregnancy of 40 weeks irrespective of their pre-pregnancy bodyweight
- ☐ d. Approximately 5% of the total weight gain occurs in the first 10–13 weeks of pregnancy
- ☐ e. Fat is stored most rapidly during mid-pregnancy while the fetus is small
- ☐ f. For women with a normal pre-pregnancy BMI, a weight gain of around 0.4 kg per week during the second and third trimesters

Question 84

Which of the following do not belong to behavioural/underlying causes of malnutrition?

Question 83

Not yet
answeredMarked out of
1.00

Flag question

Which of the following statement is false about changes in maternal weight gain?

- ☐ a. Weight gain of 0.9 kg per week is the target during the first trimester and 0.4 kg per week for the third trimester is the target for women with normal pre-pregnancy BMI.
- ☐ b. None
- ☐ c. A weight gain of 12.5 kg is the physiological norm for a full-term pregnancy of 40 weeks irrespective of their pre-pregnancy bodyweight
- ☐ d. Approximately 5% of the total weight gain occurs in the first 10–13 weeks of pregnancy
- ☐ e. Fat is stored most rapidly during mid-pregnancy while the fetus is small
- ☐ f. For women with a normal pre-pregnancy BMI, a weight gain of around 0.4 kg per week during the second and third trimesters

Question 84

Not yet
answeredMarked out of
1.00

Flag question



Which of the following do not belong to behavioral/underlying causes of malnutrition?

- ☐ a. Low Birth weight
- ☐ b. Multiple Birth
- ☐ c. None of the above
- ☐ d. Food insecurity
- ☐ e. Early stoppage of breast feeding

Question 85

Not yet
answeredMarked out of
1.00

Flag question

one of the following is an indirect method of nutritional assessment?

- ☐ a. Income levels
- ☐ b. Market price of foods
- ☐ c. Predominance of cash crops
- ☐ d. All
- ☐ e. None

Next page

Question 86

Not yet answered

Marked out of 1.00

Flag question

The definition for SBA does not include which of the following body?

- ☐ a. Diploma nurse
- ☐ b. Midwife
- ☐ c. Public health officer
- ☐ d. C & D
- ☒ e. TTBA

Question 87

Not yet answered

Marked out of 1.00

Flag question

Which of the following characterize the traditional (Pre-Cairo ICPD) focus of family Planning?

- ☐ a. Focus on married women fertility
- ☒ b. Emphasis on technology based top-down approach
- ☐ c. Addressing health needs of people while respecting their rights
- ☐ d. Contraceptive adoption (new users)

Question 88

Not yet answered

Marked out of 1.00

Flag question

Which is NOT true?

- ☐ a. Essential obstetric care comes between complications and deaths
- ☒ b. Delaying marriage up to until 35 years would decrease obstetric complications
- ☐ c. Complications are unpredictable
- ☐ d. Most maternal deaths would be averted via easy to do interventions

Question 89

Not yet answered

According to the 1993 of Population policy, it was targeted to bring the TFR to 2 children per woman and to increase the CPR by about 40% by the year 2015

- ☐ a. Not correct

DELL

71	72
79	80
87	88
95	96

Question 88

Not yet answered

Marked out of 1.00

Flag question

- ...ing health needs of people while respecting their rights
- ☐ d. Contraceptive adoption (new users)

Which is NOT true?

- ☐ a. Essential obstetric care comes between complications and deaths
- ☐ b. Delaying marriage up to until 35 years would decrease obstetric complications
- ☐ c. Complications are unpredictable
- ☐ d. Most maternal deaths would be averted via easy to do interventions

Question 89

Not yet answered

Marked out of 1.00

Flag question



According to the 1993 of Population policy, it was targeted to bring the TFR to 4 children per woman and to increase the CPR by about 40% by the year 2015

- ☐ a. Not correct
- ☐ b. Correct

Question 90

Not yet answered

Marked out of 1.00

Flag question

Which is true about Zn?

- ☐ a. None
- ☒ b. All
- ☐ c. Uses for growth & cell replication
- ☐ d. Uses for bone formation
- ☐ e. Uses for skin integrity

Next page

Question 91

Not yet
answeredMarked out of
1.00

Flag question

Nearly one third of Ethiopian population are young people.

- ☒ a. True
- ☐ b. False

Question 92

Not yet
answeredMarked out of
1.00

Flag question

What is the period of pregnancy which does not required an additional energy? Assume that the prevalence of under nutrition and adolescent pregnancy in Ethiopian population is high.

- ☒ a. None
- ☐ b. Third Trimester
- ☐ c. Second Trimester
- ☐ d. A and B
- ☐ e. First Trimester

Question 93

Not yet
answeredMarked out of
1.00

Flag question

Which of the following is true about child mortality burden and trend?

- ☐ a. The disparity in neonatal mortality burden across and within countries is proportional
- ☐ b. Reduction in neonatal and post-neonatal U5 mortality is proportional
- ☐ c. With current rate of mortality reduction, the world will meet SDG targets
- ☒ d. Globally comparable number of stillbirths and neonatal deaths occur each year

Question 94

Not yet
answered

The followings are major Family planning indicator

- ☐ a. Couples years of protection

Question 92
Not yet answered
Marked out of 1.00
Flag question

What is the period of pregnancy which does not required an additional energy? Assume that the prevalence of under nutrition and adolescent pregnancy in Ethiopian population is high.

- ☐ a. None
- ☐ b. Third Trimester
- ☐ c. Second Trimester
- ☐ d. A and B
- ☐ e. First Trimester

Question 93
Not yet answered
Marked out of 1.00
Flag question

Which of the following is true about child mortality burden and trend?

- ☐ a. The disparity in neonatal mortality burden across and within countries is proportional
- ☐ b. Reduction in neonatal and post-neonatal U5 mortality is proportional
- ☐ c. With current rate of mortality reduction, the world will meet SDG targets
- ☐ d. Globally comparable number of stillbirths and neonatal deaths occur each year

Question 94
Not yet answered
Marked out of 1.00
Flag question

The followings are major Family planning indicator

- ☐ a. Couples years of protection
- ☐ b. Knowledge of Family planning
- ☐ c. Contraceptive Prevalence Rate
- ☐ d. None one of the above
- ☒ e. All of the above

Question 95
Not yet answered
Marked out of 1.00
Flag question



The waist to hip ratio cut-off point which indicates an increased risk for non-communicable diseases in female is:

- ☐ a. ≥ 2
- ☒ b. ≥ 1
- ☐ c. ≥ 0.85
- ☐ d. ≥ 0.87

Question 96

Not yet
answeredMarked out of
1.00

Flag question

We are justified in drawing enough attention to women at delivery, why? Because



- ☒ a. delivery has a special ritual and cultural ties
- ☐ b. all except C
- ☐ c. all
- ☐ d. The period represents a time of intense vulnerability
- ☐ e. home delivery is a common practice in Ethiopia....

Question 97

Not yet
answeredMarked out of
1.00

Flag question

In the set of three interrelated strategies used to improve maternal health, the third strategy is

- ☐ a. FP
- ☒ b. EOC
- ☐ c. Basic maternity care
- ☐ d. RMC

Question 98

Not yet
answeredMarked out of
1.00

Flag question

Which Anthropometric measurement is important to measure fat-free mass

- ☒ a. Mid-upper arm circumference
- ☐ b. All
- ☐ c. Length/height
- ☐ d. Head circumference
- ☐ e. Hip circumference

Question 99

Not yet
answered

Which of the following is a limitation of Clinical methods of nutritional assessment?

Question 98

Not yet answered

Marked out of 1.00

Flag question

Which Anthropometric measurement is important to measure fat-free mass

- ☐ a. Mid-upper arm circumference
- ☐ b. All
- ☐ c. Length/height
- ☐ d. Head circumference
- ☐ e. Hip circumference

Question 99

Not yet answered

Marked out of 1.00

Flag question

Which of the following is a limitation of Clinical methods of nutritional assessment?

- ☒ a. The sign and symptoms are often non-specific
- ☐ b. Need sophisticated equipment
- ☐ c. None
- ☐ d. Requires highly trained staff
- ☐ e. Develops during the early stages of nutritional depletion

Question 100

Not yet answered

Marked out of 1.00

Flag question

Which one is TRUE about Contraceptive prevalence rate

- ☐ a. Calculated from all females in the given period of time
- ☐ b. All
- ☒ c. Difficult to be method specific
- ☐ d. Can be measured in any contraceptive users
- ☒ e. It is low in couples compared with singles

Question 13

Not yet
answered

Marked out of
1.00

Flag question

In the Ethiopia demographic and health survey (EDHS), which of the following data source is used?

- ☐ a. Models
- ☒ b. Vital statistics
- ☐ c. Indirect sisterhood
- ☐ d. Direct sisterhood

Clear my choice

Question 14

Not yet
answered

Marked out of
1.00

Flag question

Which one of the following is not true about zinc nutrient?

- ☐ a. Vegetarian diets are good sources of zinc
- ☐ b. Its deficiency could lead to night blindness
- ☒ c. Its deficiency could lead to chronic form of malnutrition
- ☐ d. None of the above
- ☐ e. It is component of many enzymes

Clear my choice

Question 15

Not yet
answered

Marked out of
1.00

Flag question

Not true statement about breast milk

- ☐ a. Breast milk can prevent cancer and DM for a child
- ☐ b. 88 % of breast milk content is water
- ☐ c. Leptin in breast milk is an important hormone to prevent obesity
- ☐ d. None
- ☐ e. All

Question 11

Not yet answered

Marked out of 1.00

Flag question



Based on the latest population-based estimates for Ethiopia which of the following interventions have lowest coverage?

- ☐ a. Proportion of population who use basic sanitation services
- ☐ b. Proportion of mothers who received skilled childbirth attendance
- ☒ c. Proportion of mothers who received postnatal care within two days after birth
- ☐ d. Proportion of pregnant women who received four or more antenatal care visits

Question 12

Not yet answered

Marked out of 1.00

Flag question

True about nutrition interventions over the past 30-40 years

- ☒ a. Focused on GM/P and nutrition counseling activities
- ☐ b. Integrated
- ☐ c. All
- ☐ d. Action oriented
- ☒ e. It was in competition with one another

Clear my choice

Question 13

Not yet answered

Marked out of 1.00

Flag question

In the Ethiopia demographic and health survey (EDHS), which of the following data source is used?

- ☐ a. Models
- ☒ b. Vital statistics
- ☐ c. Indirect sisterhood
- ☒ d. Direct sisterhood

Clear my choice

Question 14

Not yet answered

Marked out of 1.00

Flag question

Which one of the following is not true about zinc nutrient?

- ☐ a. Vegetarian diets are good sources of zinc
- ☐ b. Its deficiency could lead to night blindness
- ☒ c. Its deficiency could lead to chronic form of malnutrition

Question 16

Not yet
answered

Marked out of
1.00

Flag question

Nowadays, one of the following Family planning service delivery has been an obsolete strategy in the Country

- ☐ a. Facility based service approach
- ☐ b. None of the above
- ☐ c. Social marketing (commercial retail sales) on a subsidized pricing
- ☐ d. All are obsolete strategies
- ☒ e. Community based distribution strategy

Question 17

Not yet
answered

Marked out of
1.00

Flag question

All of the following are not common features of marasmic child except:

- ☐ a. Poor adaptation to low nutrient intake
- ☐ b. None of the above
- ☐ c. Rapid onset
- ☐ d. Enlarged fatty liver
- ☒ e. Voracious appetite

Question 18

Not yet
answered

Marked out of
1.00

Flag question

Which one of the following is the most widely used laboratory test to confirm severe zinc deficiency?

- ☐ a. Taste acuity tastes
- ☒ b. Plasma zinc concentration
- ☐ c. Hair zinc concentration
- ☐ d. All
- ☐ e. Urine zinc concentration

Question 19

which is not among the pillars of the safe motherhood?