

Question 2

Complete

Mark 0.00 out of 1.00

Flag question

Non-coding sequences in a gene are known as:

- ☐ a. Missense codons
- ☐ b. Cistrons
- ☒ c. Exons
- ☐ d. Nonsense codons
- ☐ e. Introns

Question 3

Complete

Mark 1.00 out of 1.00

Flag question

Which of the following is a cardinal metabolic defect that characterizes type 2 Diabetes Mellitus?

- ☐ a. Viral infection
- ☒ b. Insulin resistance
- ☐ c. Autoimmune destruction
- ☐ d. Dehydration
- ☐ e. Hypoglycemia

Question 4

Complete

Mark 1.00 out of 1.00

Flag question

Muscle glycogen CANNOT be converted into blood glucose because:

- ☐ a. glucokinase is absent
- ☐ b. hexokinase is absent
- ☐ c. glycogen synthase is absent
- ☐ d. glycogen phosphorylase is absent
- ☒ e. glucose -6-phosphatase is absent

Question 5

Complete

Mark 0.00 out of 1.00

Flag question

During prokaryotic transcription, the promoter region is recognized by:

- ☐ a. β subunit of RNA polymerase
- ☐ b. σ factor of RNA polymerase
- ☒ c. Rho factor
- ☐ d. γ subunit of RNA polymerase
- ☐ e. DNA binding proteins

Question 6

Complete

Mark 1.00 out of 1.00

Flag question

Choose the INCORRECT statement about glycogen metabolism:

- ☐ a. Its synthesis and storage decreases during fasting
- ☐ b. Its synthesis and degradation is hormonally regulated
- ☐ c. Its synthesis is increased after carbohydrate rich meal
- ☐ d. Its degradation plays role in regulation of blood glucose level
- ☒ e. It is stored in significant amounts in brain

Question 7

Complete

Mark 0.00 out of 1.00

Flag question

NAPQI is toxic metabolite of:

- ☐ a. Dichlofenac
- ☒ b. Aspirin
- ☐ c. Indomethacin
- ☐ d. Ibuprofen
- ☐ e. Paracetamol

Question 8

Complete

Mark 1.00 out of 1.00

Flag question

Which one of the following statement is CORRECT about an irreversible antagonist?

- ☐ a. It has intrinsic activity but not affinity
- ☐ b. It reduces the median effective concentration of agonists
- ☐ c. It has intrinsic activity and affinity
- ☐ d. It has no intrinsic activity and affinity
- ☒ e. Its effect cannot be overcome with increasing agonist concentration

Question 9

Complete

Mark 1.00 out of 1.00

Flag question

Which of the following is NOT a second messenger?

- ☐ a. Inositol triphosphate
- ☐ b. Cyclic GMP
- ☐ c. Cyclic AMP
- ☒ d. Triacylglycerol
- ☐ e. Diacylglycerol

Question 10

Complete

Mark 0.00 out of 1.00

Flag question

Which of the following is a problem of "lower motor neuron lesion"?

- ☐ a. clonus
- ☐ b. hyper-reflexia
- ☐ c. Positive Babinski sign
- ☐ d. muscle atrophy
- ☒ e. spasticity

Question 11

Complete

Mark 0.00 out of 1.00

Flag question

The process of chemotaxis involves?

- ☐ a. rolling transmigration pavementing
- ☐ b. pavementing transmigration rolling
- ☐ c. rolling pavementing transmigration
- ☐ d. transmigration rolling pavementing
- ☒ e. pavementing rolling transmigration

Question 12

Complete

Mark 0.00 out of 1.00

Flag question

The dose of a hypnotic administered is NOT affected by:

- ☐ a. Tolerance development
- ☐ b. Its volume of distribution
- ☐ c. General patient attitude to drugs
- ☒ d. Characteristics of patient's daily activity
- ☐ e. Past experience with medication

Question 13
Complete
0.00 out of 1.00
Flag question

Among the following, which one is a mismatch between the organelle and its function?

- ☒ a. Rough endoplasmic reticulum and protein synthesis
- ☐ b. Nucleus and controls the cell activities
- ☐ c. Mitochondria and energy production
- ☐ d. Lysosomes and catalase release
- ☐ e. Smooth endoplasmic reticulum and lipid synthesis

Question 14
Complete
0.00 out of 1.00
Flag question

The growth of a parasitic organism in or on the host is referred to as: -

- ☐ a. pathogenism
- ☒ b. colonization
- ☐ c. mutualism
- ☐ d. infection
- ☐ e. virulence

Question **15**

Complete

Mark 0.00 out of 1.00

🚩 Flag question

Autonomic reflex that control blood pressure is:

- ☐ a. Defecation reflex
- ☒ b. Baroreceptor reflex
- ☐ c. Enteric reflex
- ☐ d. Vagovagal reflex
- ☐ e. Micturition reflex

Question **16**

Complete

Mark 1.00 out of 1.00

🚩 Flag question

Which feature favors autosomal recessive disorder over autosomal dominant?

- ☐ a. Late onset (seen in adult)
- ☐ b. Exhibit pleiotropy
- ☐ c. Variable expressivity
- ☒ d. Mutation of gene coding enzyme
- ☐ e. Reduced penetrance

Question 17

Complete

Mark 0.00 out of 1.00

Flag question

Which parasitic stage is related to congenital toxoplasmosis?

- ☐ a. Tissue cyst
- ☐ b. Bradyzoites
- ☐ c. Oocyst
- ☐ d. Tachyzoite
- ☒ e. Cyst

Question 18

Complete

Mark 1.00 out of 1.00

Flag question

Among the virulence factors of *H. pylori*, one of the following neutralizes gastric acid:

- ☐ a. Flagella
- ☒ b. Urease
- ☐ c. Superoxide dismutase
- ☐ d. Heat shock protein
- ☐ e. CagA

Question 19

Complete

Mark 0.00 out of 1.00

Flag question

A 63-years old man has a history of atrial fibrillation. To reduce his risk of a stroke, you had given him an anticoagulant medication. The medication, the patient comes in frequently to have the laboratory check his prothrombin level. Which medication must this patient be taking?

- ☒ a. Aspirin
- ☐ b. Warfarin
- ☐ c. Protamine
- ☐ d. Heparin
- ☐ e. Vitamin -K

20

te

00 out of

question

Which of the following is a derivation of the excretory mesonephric tubules?

- ☒ a. Tunica albuginea
- ☐ b. Ductus afferents
- ☐ c. Tubules of rete testis
- ☐ d. Ductuli efferents
- ☐ e. Ductus deferens

Question 21

Complete

Mark 1.00 out of

1.00

Flag question

Concerning the development of the circulatory system, which statement is CORRECT?

- ☐ a. The fourth aortic arch forms the Pulmonary artery on the right side of the embryo.
- ☐ b. The distal part of the right 6th pharyngeal arch artery forms the ductus arteriosus.
- ☐ c. Pulmonary atresia is associated with Tetralogy of Fallot.
- ☐ d. Hepatic portal vein is derived from the subcardinal veins.
- ☒ e. Anastomotic shunt of the anterior cardinal veins becomes the left brachiocephalic vein.

Question 22

Complete

Mark 1.00 out of

1.00

Flag question

A Beta-hemolytic and facultative anaerobe bacteria causing neonatal pneumonia is:

- ☒ a. Group B streptococcus
- ☐ b. Mycoplasma pneumonia
- ☐ c. Streptococcus pneumoniae
- ☐ d. Chlamydia trachomatis
- ☐ e. Respiratory syncytial virus

Question 23

Complete

Mark 1.00 out of

1.00

Flag question

Which of the following organelles have DNA?

- ☐ a. Smooth endoplasmic reticulum
- ☒ b. Mitochondria
- ☐ c. Centrioles
- ☐ d. Rough endoplasmic reticulum
- ☐ e. Ribosomes

Question 24

Complete

Mark 0.00 out of 1.00

Flag question

Staining of sample taken by Bronchoalveolar lavage from an immune compromised patient reveals a cluster of cysts

- ☐ a. *Candida albicans*
- ☐ b. *Coccidioides immitis*
- ☒ c. *Aspergillus niger*
- ☐ d. *Cryptococcus neoformans*
- ☐ e. *Pneumocystis jiroveci*

Question 25

Complete

Mark 1.00 out of 1.00

Flag question

One of the following is NOT the function of pentose phosphate pathway:

- ☐ a. Provides reductant molecules for fatty acid synthesis
- ☒ b. It functions as source of ATP
- ☐ c. The activity of the pathway is increased during reductive biosynthesis
- ☐ d. Provides a molecule that become component of RNA
- ☐ e. Involved in protection of molecules from oxidation

Question 26

Complete

Mark 1.00 out of 1.00

Flag question

Which of the following is TRUE about phase I clinical trials?

- ☐ a. Both safety and efficacy of drugs are evaluated.
- ☐ b. It involves studies using non-human primates.
- ☐ c. In most cases, patients are study participants
- ☒ d. Normal volunteers are the study subjects
- ☐ e. Post-marketing surveillance is conducted.

Question 27

Complete

Mark 1.00 out of 1.00

Flag question

The REM sleep state of the brain functions using:

- ☐ a. Delta wave
- ☒ b. Beta wave
- ☐ c. Alpha wave
- ☐ d. Delta max
- ☐ e. Alpha wave with K-complex and spindles

Question 28

Complete

Mark 0.00 out of 1.00

Flag question

If an oocyte with a non-disjunction sex chromosomes during meiosis is fertilized by a normal spermatocyte the genetic sex is:

- ☐ a. XYY
- ☐ b. XXX
- ☐ c. Either XXX or XXY
- ☒ d. Either XXY or XYY
- ☐ e. XXY

Question 29

Complete

Mark 1.00 out of 1.00

Flag question

Long acting β_2 agonist used in management of asthma:

- ☐ a. Albuterol
- ☒ b. Salmeterol
- ☐ c. Ritodrine
- ☐ d. Epinephrine
- ☐ e. Isoetharine

Question 30

Complete

Mark 1.00 out of 1.00

Flag question

Plague is caused by:

- ☐ a. *Francisella tularensis*
- ☐ b. *Yersinia pseudotuberculosis*
- ☐ c. *Pasteurella multocida*
- ☒ d. *Yersinia pestis*
- ☐ e. *Yersinia enterocolitica*

Question 31

Complete

Mark 1.00 out of 1.00

Flag question

The hormone responsible for milk production is?

- ☐ a. ACTH
- ☐ b. Oxytocin
- ☐ c. Prolactin inhibiting hormone
- ☐ d. ADH
- ☒ e. Prolactin

Question 32

Complete

Mark 0.00 out of 1.00

Flag question

Which of the following statement is CORRECT?

- ☐ a. Annulospiral sensory fibers are responsible for dynamic stretch reflex
- ☒ b. Muscle pains are referred pain
- ☐ c. The ability to hear depends on ability to speak
- ☐ d. The lateral lemniscus crosses through medullary pyramid
- ☐ e. Kinetic tremor is the feature of basal ganglia lesions

Question 33

Complete

Mark 1.00 out of 1.00

Flag question

Which statement is CORRECT concerning urine concentration?

- ☒ a. the thick loop of Henle is mainly responsible for hyperosmotic medullary fluid
- ☐ b. in the presence of ADH, urine is dilute
- ☐ c. the tubular fluid that reaches the distal tubule is hypertonic
- ☐ d. desert rodents usually release dilute urine
- ☐ e. in the absence of ADH, urine is concentrated

Question 34

Complete

Mark 0.00 out of 1.00

Flag question

Causes of ACTH independent Cushing syndrome?

- ☐ a. Ectopic CRH
- ☒ b. Medullary carcinoma of the thyroid
- ☐ c. Small cell carcinoma of the lung
- ☐ d. Pituitary adenoma
- ☐ e. Adrenal cortical adenoma

Question 35

Complete

Mark 1.00 out of 1.00

Flag question

Which of the following describe micro invasive squamous cell carcinoma of the cervix correctly?

- ☐ a. Has higher risk of metastasis
- ☐ b. It belongs to low grade SIL
- ☒ c. Invasion is seen within 3mm of the basement membrane
- ☐ d. Koilocytosis is absent
- ☐ e. HPV 6 is the most commonly detected cause

Question 36

Complete

Mark 0.00 out of 1.00

Flag question

All of the following features can be seen on inspection of abdominal wall, EXCEPT:

- ☒ a. Linea nigra
- ☐ b. Umbilical folds
- ☐ c. Striae gravidarum:
- ☐ d. Umbilicus
- ☐ e. Caput medusae

Question 37

Complete

Mark 1.00 out of 1.00

Flag question

For vaccination against leishmaniasis, the most important type of the immune response to be stimulated is:

- ☒ a. Macrophage-activating cell-mediated immunity
- ☐ b. Neutrophils
- ☐ c. A high titer of antibody
- ☐ d. Antibody in the gut lumen
- ☐ e. Cytotoxic T-cells

Question 38

Complete

Mark 0.00 out of 1.00

Flag question

Which of the following carbohydrates is digestible by humans and made up of only one type of monosaccharide?

- ☐ a. Lactose
- ☐ b. Maltose
- ☐ c. Cellobiose
- ☐ d. Sucrose
- ☒ e. Inulin

Question 39

Complete

Mark 0.00 out of 1.00

Flag question

A hormone that inhibits parturition is:

- ☐ a. Estrogen
- ☒ b. Progesterone
- ☐ c. Relaxin
- ☐ d. Oxytocin
- ☐ e. Prostaglandin

Question 40

Complete

Mark 0.00 out of 1.00

Flag question

A 50 kg young Victim ingested phenobarbital tablets in attempt to commit suicide. Estimate the number of tabs of phenobarbital
blood conc.= 60mg/l Strength of phenobarbital tab= 100mg

- ☒ a. 45
- ☐ b. 23
- ☐ c. 10
- ☐ d. 30
- ☐ e. 05

Question 41
Complete
Mark 0.00 out of 1.00
Flag question

Which gland in the male is homologous to the greater vestibular gland in the female?

- ☐ a. Cowper's gland
- ☐ b. Prostate gland
- ☒ c. Bartholin's gland
- ☐ d. Brunner's gland
- ☐ e. Skene's gland

Question 42
Complete
Mark 0.00 out of 1.00
Flag question

Which of the following occurs before the others during skeletal muscle contraction-relaxation process?

- ☐ a. Influx of Ca^{2+} to the presynaptic terminal of the motor neuron
- ☒ b. Release of Ca^{2+} from the sarcoplasmic reticulum to the cytoplasm
- ☐ c. Influx of Na^{+} through ligand gated channels on the motor endplate
- ☐ d. Binding of Ca^{2+} to Troponin C
- ☐ e. Return of cytoplasmic Ca^{2+} to the sarcoplasmic reticulum

Question 43
Complete
Mark 1.00 out of 1.00
Flag question

The following antiasthma drugs are bronchodilators, EXCEPT:

- ☐ a. Salmeterol
- ☐ b. Ipratropium
- ☐ c. Aminophylline
- ☒ d. Budesonide
- ☐ e. Albuterol

Question 44

Complete

Mark 1.00 out of 1.00

0

Flag question

In normal human blood:

- ☒ a. The iron is mostly in hemoglobin.
- ☐ b. There are more white cells than red cells.
- ☐ c. There are more platelets than red cells.
- ☐ d. There are more lymphocytes than neutrophils.
- ☐ e. The eosinophil is the most common type of white blood cell.

Question 45

Complete

Mark 1.00 out of 1.00

Flag question

The leading etiologic agent for septic arthritis is: -

- ☒ a. *Staphylococcus aureus*
- ☐ b. *Pseudomonas aeruginosa*
- ☐ c. *Streptococcus pneumoniae*
- ☐ d. *Neisseria gonorrhoeae*
- ☐ e. *Staphylococcus epidermidis*

Question 46

Complete

Mark 0.00 out of 1.00

Flag question

Of the following one is NOT true about *Onchocerca volvulus*

- ☐ a. Symptoms include subcutaneous nodules, pruritus, dermatitis and adenopathy
- ☐ b. Diagnosis is done by finding the infective microfilariae stages in skin samples, the cornea, or the anterior chamber
- ☒ c. Blackflies (*Simulium* species) are responsible for the transmission
- ☐ d. Third-stage microfilariae are the infective stage
- ☐ e. Microfilariae is the diagnostic stage

Question 47

Complete

Mark 1.00 out of 1.00

Flag question

Which drug is tolerable and has a minimal drug interaction in the treatment of major depression:

- ☐ a. Amitriptyline
- ☐ b. Phenelzine
- ☐ c. Selegiline
- ☐ d. Clozapine
- ☒ e. Fluoxetine

Question 48

Complete

Mark 0.00 out of 1.00

Flag question

Which of the following two organelles are structurally related?

- ☐ a. Ribosomes and microtubules
- ☐ b. Ribosomes and intermediate filaments
- ☐ c. Centrioles and microtubules
- ☒ d. Centrioles and microfilaments
- ☐ e. Ribosomes and microfilaments

Question 49

Complete

Mark 0.00 out of 1.00

Flag question

Cells that are subjected to tension and stress contain many:

- ☒ a. Microfilaments
- ☐ b. Ribosomes
- ☐ c. Microtubules
- ☐ d. Peroxisomes
- ☐ e. Intermediate filaments

Question 50

Complete

Mark 1.00 out of 1.00

Flag question

Lymphoid organ/tissue specializing in killing aged erythrocytes is:

- ☐ a. Lymph node
- ☒ b. Spleen
- ☐ c. Pharyngeal tonsil
- ☐ d. Peyer's patch
- ☐ e. Thymus

Question 51

Complete

Mark 1.00 out of 1.00

Flag question

The two most important features to distinguish malignant tumors from benign ones are:

- ☒ a. Metastases and invasiveness
- ☐ b. Hyperchromatism and nucleolar changes
- ☐ c. Pleomorphism and nuclear cytoplasmic ratio
- ☐ d. Mitotic figures and differentiation
- ☐ e. Epigenetic and genetic changes

Question 52
Complete
Mark 1.00 out of 1.00
Flag question

Raloxifene is most suitable for treatment of a female patient who:

- ☒ a. Has postmenopausal osteoporosis and is at risk for breast cancer
- ☐ b. Needs postcoital contraception
- ☐ c. Decides to start using an oral contraceptive
- ☐ d. Suffers from hirsutism
- ☐ e. Wants a therapeutic abortion

Question 53
Complete
Mark 1.00 out of 1.00
Flag question

Which of the following statement is CORRECT regarding the respiratory system?

- ☐ a. There are seromucous glands and venous plexuses in the alveoli.
- ☐ b. Pulmonary surfactant prevents alveolar collapse by increasing surface tension.
- ☐ c. The superior conchae are covered with stratified squamous non-keratinized epithelium.
- ☐ d. The pleural cavity is lined by pseudostratified ciliated columnar epithelium.
- ☒ e. Smooth muscle is present in the entire bronchial tree

54

Complete

Mark 1.00 out of 1.00

Flag question

Which of the following statement is INCORRECT regarding the different muscle types?

- ☐ a. Unlike skeletal muscles, cardiac muscles cannot be tetanized
- ☐ b. The latch-bridge mechanism in smooth muscle is responsible for sustained muscle contraction
- ☐ c. Blockade of Na^+/K^+ pump on myocardium increases contraction of the cardiac muscle
- ☒ d. Fast glycolytic skeletal muscle fibers are more fatigue resistant
- ☐ e. Damage of upper motor neurons at first produces flaccid paralysis

Question 55

Complete

Mark 1.00 out of 1.00

Flag question

Which part of the paramesonephric duct forms the uterine tube?

- ☐ a. Central
- ☐ b. Middle
- ☐ c. Caudal
- ☐ d. The whole portion
- ☒ e. Cranial

Question 56

Complete

Mark 0.00 out of 1.00

Flag question

Which phase begins as the newly duplicated chromosomes aligning themselves on the equator of the mitotic spindle?

- ☐ a. Anaphase
- ☒ b. Telophase
- ☐ c. Metaphase
- ☐ d. Early prophase
- ☐ e. Late prophase

Question 57

Complete

Mark 1.00 out of 1.00

Flag question

Which polysaccharides share common glycosidic linkages?

- ☐ a. Cellulose and amylopectin
- ☒ b. Glycogen and amylopectin
- ☐ c. Amylose and glycogen
- ☐ d. Amylose and cellulose
- ☐ e. Cellulose and Inulin

Question 58

Complete

Mark 0.00 out of 1.00

Flag question

The stroma of the prostate is made up of:

- ☒ a. Smooth muscle
- ☐ b. Loose irregular connective tissue
- ☐ c. Dense irregular connective tissue
- ☐ d. Fibromuscular
- ☐ e. Adipose tissue

Question 59

Complete

Mark 1.00 out of 1.00

Flag question

In complete transposition of the great vessels, there is:

- ☒ a. AV concordance associated with ventriculoarterial discordance
- ☐ b. AV concordance associated with ventriculoarterial concordance
- ☐ c. The left ventricle becomes thick-walled (hypertrophied)
- ☐ d. Atrioventricular (AV) discordance with ventriculoarterial concordance
- ☐ e. AV discordance associated with ventriculoarterial discordance

Question 60

Complete

Mark 0.00 out of 1.00

Flag question

Intravascular hemolysis occurs in:

- ☐ a. Sickle cell disease
- ☒ b. Thalassemia
- ☐ c. Hereditary spherocytosis
- ☐ d. Hereditary Elliptocytosis
- ☐ e. Acute G6PD deficiency

Question 61

Complete

Mark 0.00 out of 1.00

Flag question

Which of the following forms the gray matter of the spinal cord in the closed neural tube?

- ☐ a. Mantle layer
- ☒ b. Neuroepithelial layer
- ☐ c. Primitive cells
- ☐ d. Neuroblasts
- ☐ e. Marginal layer

Question 62

Complete

Mark 1.00 out of 1.00

Flag question

Which of the following is CORRECT regarding Oxy-Hemoglobin dissociation curve?

- ☐ a. P-50 remains the same across the different states of metabolism
- ☐ b. Has similar slope with the CO₂-Hemoglobin dissociation curve
- ☒ c. During exercise the curve shifts to the right
- ☐ d. The curve shifts to the left in anemic patients
- ☐ e. Excess 2, 3-diphosphoglycerate shifts the curve to the left

Question 63

Complete

Mark 0.00 out of 1.00

Flag question

Oncogenic Ras is found in approximately 30% of all human tumors. What is the mechanism of oncogenic activation of Ras?

- ☒ a. Deletion of the gene
- ☐ b. Amplification of the gene
- ☐ c. Translocation of the gene
- ☐ d. Point mutation in the gene
- ☐ e. Methylation of the gene

Question 64

Complete

Mark 0.00 out of 1.00

Flag question

INCORRECT about appendix:

- ☐ a. Its base is mainly constant in position
- ☐ b. Subcecal position is more common
- ☐ c. Commonly inflamed organ
- ☐ d. Supplied from branch of posterior cecal artery
- ☒ e. Appendicitis can be a differential diagnosis for right ovarian tumor

Question 65

Complete

Mark 0.00 out of 1.00

Flag question

The morphologic feature of shrinkage of cell body, nuclear pyknosis and eosinophilia of the cytoplasm is seen in neurons.

- ☒ a. Sub-acute neuronal injury
- ☐ b. Lipofuscin accumulation
- ☐ c. Axoplasmic reaction
- ☐ d. Acute Neuronal Injury
- ☐ e. Gliosis

Question 66

Complete

Mark 1.00 out of 1.00

Flag question

The majority of macrophages of the early atherosclerotic lesion are derived from:

- ☐ a. Apoptotic cells
- ☐ b. Smooth muscles
- ☐ c. Neutrophils
- ☐ d. T cells
- ☒ e. Circulating monocytes

Question 67

Complete

Mark 0.00 out of 1.00

Flag question

Which one of the following is NOT an example of multi-enzyme complexes?

- ☐ a. Pyruvate dehydrogenase
- ☐ b. Fatty acid synthase
- ☒ c. Acetyl-CoA Carboxylase
- ☐ d. Phosphofructokinase - 1
- ☐ e. Alpha-keto glutarate dehydrogenase

on **68**

Complete

0.00 out of

Flag question

A 73-year-old man has an episode of hematemesis. Upper GI endoscopy reveals an irregular 4 cm gastric antral ulceration with gland-like collections of cells with hyperchromatism and pleomorphism. Molecular analysis shows DNA hypermethylation. This abnormal gene expression most likely occurred?

- ☐ a. Point mutation
- ☐ b. Reduced miRNA expression
- ☐ c. Chromosomal translocation
- ☐ d. Epigenetic alteration
- ☒ e. Amplification

Question **69**

Complete

Mark 0.00 out of 1.00

Flag question

The main barrier of albumin across the glomerular capillary wall is the:

- ☒ a. renal afferent arterioles
- ☐ b. fenestrated endothelium of glomerular capillary walls
- ☐ c. filtration slits of the podocytes
- ☐ d. glomerular basement membrane
- ☐ e. renal efferent arterioles

Question **70**

Complete

Mark 1.00 out of 1.00

Flag question

Concerning the respiratory system, select the statement that is CORRECT.

- ☒ a. Most of the larynx is lined by pseudostratified columnar epithelium.
- ☐ b. The middle and inferior conchae are covered with a specialized olfactory epithelium.
- ☐ c. Bronchioles possess well developed hyaline cartilage.
- ☐ d. Alveolar type I cells are cuboidal cells that secrete surfactant.
- ☐ e. The paranasal sinuses are lined with non-keratinized stratified squamous epithelium.

Question 70

Complete

Mark 0.00 out of 1.00

Flag question

Concerning the respiratory system, select the statement that is CORRECT.

- ☒ a. Most of the larynx is lined by pseudostratified columnar epithelium.
- ☐ b. The middle and inferior conchae are covered with a specialized olfactory epithelium.
- ☐ c. Bronchioles possess well developed hyaline cartilage.
- ☐ d. Alveolar type I cells are cuboidal cells that secrete surfactant.
- ☐ e. The paranasal sinuses are lined with non-keratinized stratified squamous epithelium.

Question 71

Complete

Mark 0.00 out of 1.00

Flag question

The urogenital diaphragm is formed by the following structures, EXCEPT:

- ☐ a. Parietal pelvic fascia covering the upper surface of the sphincter urethrae muscle.
- ☐ b. Colles' fascia (membranous layer of superficial fascia)
- ☒ c. Deep transverse perineal muscle
- ☐ d. Perineal membrane
- ☐ e. Sphincter urethrae

Question 72

Complete

Mark 1.00 out of 1.00

Flag question

A 51-year-old woman presents with right upper abdominal pain of two days duration. The pain typically radiates to her right shoulder. The most likely diagnosis is acute _____.

- ☐ a. Pyelonephritis
- ☐ b. Gastritis
- ☒ c. Cholecystitis
- ☐ d. Pancreatitis
- ☐ e. Hepatitis

Question 73

Complete

Mark 0.00 out of 1.00

Flag question

Which of the following proteins is highly associated with transformation of epithelial cells during anogenital neoplasia from normal to dysplastic?

- ☐ a. L1 protein
- ☐ b. E6 protein
- ☒ c. L2 protein
- ☐ d. E1 protein
- ☐ e. E2 protein

Question 74

Complete

Mark 0.00 out of 1.00

Flag question

Which of the following is characteristic of iron deficiency anemia?

- ☐ a. Decreased ferritin, decreased serum iron, increased TIBC
- ☐ b. Increased ferritin, increased serum iron, increased TIBC
- ☐ c. Increased ferritin, decreased serum iron, decreased TIBC
- ☒ d. Decreased ferritin, decreased serum iron, decreased TIBC
- ☐ e. Decreased ferritin, increased serum iron, decreased TIBC

Question 75

Complete

Mark 0.00 out of 1.00

Flag question

A 35-years old man suffering from diffuse non-Hodgkin lymphoma was in the hospital for bone marrow transplantation. Which of the following drugs is used to hasten neutrophil recovery?

- ☐ a. Oprelvekin
- ☐ b. Leucovorin
- ☒ c. Ondansetron
- ☐ d. Filgrastim
- ☐ e. Cyanocobalamin

Question **76**

Complete

Mark 1.00 out of 1.00

Flag question

When do NADH and lactic acid accumulate in cardiomyocytes?

- ☐ a. Uncontrolled diabetes
- ☐ b. Cardiac hypertrophy
- ☐ c. Prolonged starvation
- ☒ d. Ischemic conditions
- ☐ e. Aerobic exercises

Question **77**

Complete

Mark 1.00 out of 1.00

Flag question

A 35 years old woman suffering from chronic constipation routinely self-administered methylcellulose. Which of the following

- ☐ a. Retention of water in the vessels by osmosis
- ☒ b. Formation of a bulky emollient gel
- ☐ c. Inhibition of cholecystokinin release
- ☐ d. Lubrication of fecal material
- ☐ e. Stretching of the intestinal wall

78

0 out of

question

Which of the following statements is NOT associated with Hepatocellular Carcinoma?

- ☒ a. Infection with Hepatitis E Virus
- ☐ b. Infection with Hepatitis C virus
- ☐ c. Repeated exposure to Aflatoxin B-1
- ☐ d. Infection with Hepatitis B Virus
- ☐ e. Infection with Hepatitis D Virus

Question 79

Complete

Mark 0.00 out of

Flag question

Synaptic excitation in the central nervous system is the result of:

- ☐ a. Axodendritic synapse
- ☒ b. Plasticity
- ☐ c. Spatial and temporal summation
- ☐ d. Reverberating circuit
- ☐ e. Habituation

Question 80

Complete

Mark 1.00 out of 1.00

Flag question

All of the following are derivations of the paraxial mesoderm, EXCEPT:

- ☒ a. Neural crest cells
- ☐ b. Dermomyotome
- ☐ c. Sclerotome
- ☐ d. Somites
- ☐ e. Somitomeres

Question 81

Complete

Mark 1.00 out of 1.00

Flag question

Which of the following of the intra-uterine kidney systems forms the permanent kidney?

- ☒ a. Mesonephros
- ☐ b. Metanephros
- ☐ c. Cloaca
- ☐ d. Pronephros
- ☐ e. Mesodermal ridge

Question 82

Complete

Mark 1.00 out of 1.00

Flag question

Most common route of urinary tract infection is:

- ☒ a. Ascending route
- ☐ b. Direct inoculation of microbes
- ☐ c. Hematogenous route
- ☐ d. Inoculation during instrumentation
- ☐ e. Spread from nearby infection site

Question 83

Complete

Mark 1.00 out of 1.00

Flag question

Melaku is a 5-years old boy who complains of abdominal pain, flatulence, and diarrhea whenever he consumes milk in the last 6 months. The condition this boy suffering from is:

- ☐ a. Sucrose intolerance
- ☒ b. Lactose intolerance
- ☐ c. Celiac disease
- ☐ d. Hirschsprung's disease
- ☐ e. Secretory diarrhea

Question 84

Complete

Mark 1.00 out of 1.00

Flag question

The causative agent of German measles is:

- ☐ a. Rubeola virus
- ☐ b. Adenovirus
- ☐ c. Respiratory syncytial virus
- ☐ d. Coxsackie virus
- ☒ e. Rubella virus

Question 85

Complete

Mark 0.00 out of 1.00

Flag question

Which of the following is NOT a feature of acute drug-induced interstitial nephritis?

- ☐ a. Nephrotic range proteinuria
- ☐ b. Hematuria
- ☐ c. Leukocyturia
- ☐ d. Fever
- ☒ e. Skin rash

86

te

0.00 out of

g question

Subcutaneous mycoses

- ☐ a. Causative agents are introduced by trauma
- ☒ b. Causative agents are all dimorphic
- ☐ c. are acute infections leading to dissemination
- ☐ d. Are caused by dermatophytes
- ☐ e. Portal of entry is the lungs

Question 87

Complete

Mark 0.00 out of

0

Flag question

Which one of the following is a chain-breaking antioxidant?

- ☐ a. Glutathione peroxidase
- ☒ b. Catalase
- ☐ c. NADPH-Oxidase
- ☐ d. Iron
- ☐ e. Superoxide dismutase

Question 88

Complete

Mark 1.00 out of
1.00

Flag question

A 54 years old male with type II diabetes is taking rosiglitazone. This drug acts to:

- ☒ a. Increase insulin sensitivity in adipose and muscle
- ☐ b. Decrease glucose absorption in the small intestine
- ☐ c. Increase insulin secretion from β -cells
- ☐ d. Decrease somatostatin release from δ -cells
- ☐ e. Decrease renal reabsorption of glucose

on 89

lete

1.00 out of

ag question

Which of the following statement is TRUE regarding the pressure–volume loop of the left ventricle?

- ☐ a. The right-hand vertical line represents isovolumetric relaxation
- ☐ b. Pressure is made constant after valve opening
- ☐ c. The width of the loop represents stroke work
- ☐ d. The bottom right corner represents tricuspid valve closure
- ☒ e. The top left corner represents aortic valve closure

Question 90

Complete

Mark 0.00 out of 1.00

Flag question

Which leukocytes are engaged in killing helminthic parasites?

- ☐ a. Basophils
- ☒ b. Eosinophils
- ☐ c. Neutrophil
- ☐ d. Lymphocytes
- ☐ e. Monocytes

Question 91

Complete

Mark 1.00 out of 1.00

Flag question

One of the following statements is NOT true?

- ☒ a. Therapeutic agents are the main sources of environmental pollution
- ☐ b. Identification of acute poisoning require clinical investigation
- ☐ c. Managing seizure is a part of supporting care for a poisoned victim
- ☐ d. Chemical pneumonitis is a possible complication of aspiration in acute poisoning
- ☐ e. Suicide is the common cause of poisoning among young people

A 54 years old male with type II diabetes is taking rosiglitazone. This drug acts to:

- ☒ a. Increase insulin sensitivity in adipose and muscle
- ☐ b. Decrease glucose absorption in the small intestine
- ☐ c. Increase insulin secretion from β -cells
- ☐ d. Decrease somatostatin release from δ -cells
- ☐ e. Decrease renal reabsorption of glucose

Which of the following statement is TRUE regarding the pressure-volume loop of the left ventricle?

- ☐ a. The right-hand vertical line represents isovolumetric relaxation
- ☐ b. Pressure is made constant after valve opening
- ☐ c. The width of the loop represents stroke work
- ☐ d. The bottom right corner represents tricuspid valve closure
- ☒ e. The top left corner represents aortic valve closure

Which leukocytes are engaged in killing helminthic parasites?

- ☐ a. Basophils
- ☒ b. Eosinophils
- ☐ c. Neutrophil
- ☐ d. Lymphocytes
- ☐ e. Monocytes

One of the following statements is NOT true?

- ☒ a. Therapeutic agents are the main sources of environmental pollution
- ☐ b. Identification of acute poisoning require clinical investigation
- ☐ c. Managing seizure is a part of supporting care for a poisoned victim
- ☐ d. Chemical pneumonitis is a possible complication of aspiration in acute poisoning
- ☐ e. Suicide is the common cause of poisoning among young people

Question 92

Complete

Mark 1.00 out of 1.00

0

Flag question

TRUE concerning local anesthetics:

- ☐ a. Epinephrine enhances their systemic bioavailability
- ☐ b. Urine acidification increases their reabsorption hence reduce their excretion
- ☐ c. Their anionic form is important for the rapid penetration of axonal membrane
- ☐ d. Inflamed tissue is highly susceptible for the action of local anesthetics
- ☒ e. Their cationic form is the active form at the receptor site

Question 93

Complete

Mark 1.00 out of 1.00

1.00

Flag question

Which one of the following bony landmarks is NOT found on humerus?

- ☐ a. Greater tubercle
- ☐ b. Spiral groove
- ☐ c. Intertubercular groove
- ☐ d. Lesser tubercle
- ☒ e. Olecranon process

94

te

00 out of

g question

The term "resistance vessels" is applied to:

- ☐ a. Shunt vessels
- ☐ b. Veins and venules
- ☒ c. Arterioles
- ☐ d. Aorta
- ☐ e. Capillaries

Question 95

Complete

Mark 1.00 out of 1.00

Flag question

Which of the following is CORRECT regarding metabolism in myocardium cells?

- ☐ a. Carnitine palmitoyl transferase-1 (CPT-1) is required for transferring activated long chain fatty acids into inner mitochondria
- ☒ b. Peroxisome proliferate activated receptor α (PPAR- α) in myocardium cells is a transcriptional regulator and a potent
- ☐ c. Glucose transport 1 (GLUT 1) is highly expressed on adult myocardium cells
- ☐ d. Heart gets the majority of its energy anaerobically
- ☐ e. Heart as biological pump can convert mechanical energy to chemical energy

Question 96

Complete

Mark 1.00 out of 1.00

Flag question

Newly synthesized fatty acids are NOT immediately degraded because:

- ☐ a. Newly synthesized fatty acids cannot be converted to their CoA derivatives.
- ☒ b. Transport of fatty acids into mitochondria is inhibited under conditions in which fatty acids are being synthesized.
- ☐ c. Tissues that synthesize fatty acids do not contain the enzymes that degrade fatty acids.
- ☐ d. High NADPH levels inhibit β -oxidation.
- ☐ e. In the presence of insulin, the key fatty acid degrading enzyme is not induced.

Question 97

Complete

Mark 0.00 out of 1.00

Flag question

One of the following is correct about aseptic meningitis?

- ☐ a. Causative organisms can be cultured and isolated
- ☐ b. Occurs following aseptic surgical procedures
- ☐ c. Can be caused by viruses
- ☒ d. Mostly occur as an epidemic form of meningitis
- ☐ e. Are the most severe form of meningitis

Question 98

Complete

Mark 0.00 out of 1.00

Flag question

One of the following statements is INCORRECT about Trichomoniasis?

- ☐ a. It is unusual to get trichomoniasis without some sort of sexual contact
- ☒ b. It results in preterm delivery as a result of premature rupture of the membrane
- ☐ c. It increases vertical transmission of HIV due to a disruption of the vaginal mucosa
- ☐ d. Women usually have asymptomatic infections as compared to men
- ☐ e. Pre-pubertal children with trichomoniasis are suggestive of sexual abuse

Question 99

Complete

Mark 1.00 out of 1.00

Flag question

Pyrantelpamoate antagonizes the anti-helminthic action of the following drug:

- ☐ a. Mebendazole
- ☐ b. Albendazole
- ☐ c. Niclosamide
- ☒ d. Piperazine
- ☐ e. Praziquantel

Question **100**

Complete

Mark 0.00 out of 1.00

Flag question

The pathogenesis of cerebral malaria is explained by:

- ☐ a. ischemia
- ☐ b. anemia
- ☐ c. hypoglycemia
- ☒ d. hemolysis
- ☐ e. direct damage of neurons by the parasite

Question **101**

Complete

Mark 0.00 out of 1.00

Flag question

Which of the following statements best describes Actinomyces species?

- ☒ a. Gram negative rods that branch at acute angles
- ☐ b. Gram positive rods which are obligate aerobes
- ☐ c. Gram positive rods that branch at acute angles
- ☐ d. Gram negative filamentous rod like bacteria
- ☐ e. Belong to the aerobic actinomycetes group

102

Complete

Mark 1.00 out of 1.00

Flag question

If there is advanced liver disease, edema is manifested. This is because:

- ☐ a. The reduction of net filtration pressure
- ☐ b. The reduction of osmotic pressure
- ☒ c. The more circulating proteins in the blood
- ☐ d. The reduction of tissue hydrostatic pressure
- ☐ e. The increased osmotic pressure of the blood

Question 103

Complete

Mark 1.00 out of 1.00

Flag question

Which of the following sentence is TRUE about botulinum toxin?

- ☒ a. Inhibits the release of stimulatory neurotransmitters causing flaccid paralysis
- ☐ b. Stimulates adenylate cyclase and increases cellular cAMP level causing diarrhea
- ☐ c. Inhibits the release of inhibitory neurotransmitters causing spastic paralysis
- ☐ d. Stimulate the release inflammatory cytokines by B and T cells
- ☐ e. Inhibits eukaryotic proteins synthesis by ADP ribosylation of elongation factor-2

Question 104

Complete

Mark 1.00 out of 1.00

Flag question

Long term regulatory mechanisms of arterial blood pressure are responsible to adjust:

- ☒ a. Blood volume
- ☐ b. Heart rate
- ☐ c. Capacity of blood vessels
- ☐ d. Luminal diameter of vessels
- ☐ e. Vascular resistance

Question 105

Complete

Mark 1.00 out of 1.00

Flag question

Which of the following Immunoglobulin is increased in allergy?

- ☐ a. IgG
- ☐ b. IgA
- ☒ c. IgE
- ☐ d. IgD
- ☐ e. IgM

Question 106

Complete

Mark 0.00 out of 1.00

Flag question

Which of the following is INCORRECT about slow wave potentials of smooth muscles in the GIT?

- ☒ a. They have pacemaker activity
- ☐ b. They are modulated by the enteric neurons
- ☐ c. They are produced by interstitial cells of Cajal
- ☐ d. Sympathetic stimulation inhibits their activities
- ☐ e. They cause smooth muscle contractions

Question 107

Complete

Mark 0.00 out of 1.00

Flag question

Blood stream metastasis occurs EARLY in the course of which histologic type of primary lung cancer?

- ☐ a. Large cell undifferentiated carcinoma
- ☒ b. Squamous carcinoma
- ☐ c. Adenosquamous carcinoma
- ☐ d. Adenocarcinoma
- ☐ e. Small cell undifferentiated carcinoma

Question 108

Complete

Mark 0.00 out of 1.00

Flag question

Scanty, thick and viscous sputum forming casts of bronchioles is seen in:

- ☒ a. Bronchiectasis
- ☐ b. COPD
- ☐ c. Chronic obstructive bronchitis
- ☐ d. Emphysema
- ☐ e. Bronchial Asthma

Question 109

Complete

Mark 1.00 out of 1.00

Flag question

Which of the following statement is CORRECT regarding Motor endplate potential?

- ☐ a. A change in membrane potential caused by opening of voltage gated Na^+ channels
- ☐ b. A local decrease in the membrane potential caused by an increased permeability to Ca^{2+}
- ☒ c. A local change in the membrane potential caused by binding of Ach to nicotinic receptors
- ☐ d. A change in membrane potential capable of causing muscle contraction
- ☐ e. A local depolarization that is propagated throughout the muscle

Question 110

Complete

Mark 0.00 out of 1.00

Flag question

Which glands do NOT receive pre-ganglionic parasympathetic nerves from CN VII?

- ☐ a. Parotid glands
- ☐ b. Superior labial glands
- ☐ c. Palatine glands
- ☒ d. Inferior labial glands
- ☐ e. Lacrimal glands

Question **111**

Complete

Mark 1.00 out of 1.00

Flag question

Which type of cells act as antigen presenting cells in the epidermis?

- ☐ a. Mast cell
- ☒ b. Langerhan's cells
- ☐ c. Keratinocytes
- ☐ d. Merkel's cells
- ☐ e. Melanocytes

Question **112**

Complete

Mark 1.00 out of 1.00

Flag question

Accumulation of lymph within thoracic cavity is termed as:

- ☐ a. Ascites
- ☐ b. Hydrothorax
- ☒ c. Chylothorax
- ☐ d. Hemothorax
- ☐ e. Pneumothorax

Question **113**

Complete

Mark 0.00 out of 1.00

Flag question

A joint disease characterized by involvement of a single large joint is:

- ☐ a. Tuberculous arthritis
- ☐ b. Rheumatoid arthritis
- ☐ c. Congenital dislocation of the hip
- ☒ d. Osteoarthritis
- ☐ e. Gouty arthritis

Question **114**

Complete

Mark 1.00 out of 1.00

🚩 Flag question

Resistance to blood flow is inversely proportional to:

- ☐ a. Tube length
- ☐ b. Hematocrit value
- ☒ c. Radius of the tube
- ☐ d. Fluid viscosity
- ☐ e. Blood volume

Question 115

Complete

Mark 0.00 out of 1.00

Flag question

Which one of the following mainly stimulates aldosterone release?

- ☐ a. Increased angiotensin II concentration
- ☐ b. Increased Na^+ concentration
- ☐ c. Adrenocorticotrophic hormone
- ☐ d. Increased K^+ concentration
- ☒ e. Decreased Na^+ concentration

Question 116

Complete

Mark 0.00 out of 1.00

Flag question

The following is TRUE about catecholamines, EXCEPT:

- ☒ a. High concentration of catecholamines are found in vesicles
- ☐ b. They have catechol group on their ring structures
- ☐ c. Catecholamines exist in vesicles complexed with ATP and chromogranins
- ☐ d. The catecholamines are more concentrated in the cytosol than in the vesicles
- ☐ e. Catecholamines are transported into vesicles by vesicle membrane associated transporter 2

Question 117

Complete

Mark 1.00 out of 1.00

Flag question

Mr. Terefe was recently diagnosed with Stage IV lung cancer. Which of the following is TRUE regarding his cancer?

- ☐ a. He will not benefit from any treatment approach
- ☐ b. It has not grown in size
- ☐ c. It has not invaded the surrounding tissue
- ☐ d. It has stayed in one place
- ☒ e. It has spread to the distant lymph nodes and organs

Question **118**

Complete

Mark 1.00 out of 1.00

Flag question

A common benign neoplasm occurring in the small bones of the hands and feet:

- ☐ a. Osteoblastoma
- ☐ b. Giant cell tumor of the bone
- ☐ c. Chondromyxoid fibroma
- ☐ d. Osteochondroma
- ☒ e. Chondroma

Question **119**

Complete

Mark 1.00 out of 1.00

Flag question

One of the following is NOT TRUE concerning intravenous injection of Angiotensin II in kidney function:

- ☐ a. Increased distal Na^+ reabsorption
- ☐ b. increased ADH production that acts on collecting duct
- ☐ c. increased aldosterone production that acts on distal tubule
- ☐ d. vasoconstriction of efferent arteriole
- ☒ e. Increased distal K^+ reabsorption

Question 120

Complete

Mark 0.00 out of 1.00

Flag question

Damage to which one of the following arteries is the main cause of the "Lateral Medullary Syndrome":

- ☐ a. anterior spinal
- ☒ b. middle cerebral
- ☐ c. anterior cerebral
- ☐ d. anterior inferior cerebellar
- ☐ e. posterior inferior cerebellar

Question 121

Complete

Mark 1.00 out of 1.00

Flag question

Majority of cases of adenocarcinoma of the esophagus occur in:

- ☐ a. Upper and Middle third
- ☐ b. Lower and upper third
- ☒ c. Lower third
- ☐ d. Upper third
- ☐ e. Middle third

Question 122

Complete

Mark 1.00 out of 1.00

Flag question

Diuretics which act at the distal tubule and bring about hyperglycemia are:

- ☐ a. Osmotic diuretics
- ☐ b. Loop diuretics
- ☐ c. Potassium sparing diuretics
- ☐ d. Carbonic anhydrase inhibitors
- ☒ e. Thiazide diuretics

Question 123

Complete

Mark 1.00 out of 1.00

Flag question

One of the following metabolic process is NOT associated with removal of ammonia from our body.

- ☐ a. Synthesis of alanine in skeletal muscle
- ☐ b. Synthesis of aspartate from oxaloacetate in extrahepatic tissues
- ☐ c. Catabolism of glutamine by hepatocytes
- ☒ d. Generation of fumarate in urea cycle
- ☐ e. Synthesis of glutamate and glutamine in extrahepatic tissues

Question 124

Complete

Mark 1.00 out of 1.00

Flag question

Which part of the heart forms most of the heart's sternocostal surface?

- ☐ a. Left Ventricle
- ☐ b. Left Atrium
- ☒ c. Right Ventricle
- ☐ d. Right Atrium
- ☐ e. Left Auricle

Question 125

Complete

Mark 1.00 out of 1.00

Flag question

Antiarrhythmic drug that belongs to subclass I C is:

- ☐ a. Lidocaine
- ☐ b. Disopyramide
- ☒ c. Flecainide
- ☐ d. Mexiletine
- ☐ e. Amiodarone

126

e

00 out of

question

Which of the following is the end product of heme degradation?

- ☒ a. Bilirubin
- ☐ b. Protoporphyrin
- ☐ c. Hemin
- ☐ d. uroporphyrinogen III
- ☐ e. Porphobilinogen

Question 127

Complete

Mark 0.00 out of 1.00

Flag question

Which muscle does NOT rotate the arm at glenohumeral joint?

- ☐ a. Latissimus dorsi
- ☐ b. Subscapularis
- ☐ c. Supraspinatus
- ☒ d. Deltoid
- ☐ e. Pectoralis major

Question 128

Complete

Mark 0.00 out of 1.00

Flag question

Which of the followings is NOT TRUE about neurons?

- ☐ a. Sensory neurons are bipolar
- ☐ b. Integrative neurons are multipolar.
- ☒ c. Sensory neurons are unipolar
- ☐ d. Sensory neurons are cholinergic neurons
- ☐ e. Corticospinal neurons are Golgi type I

Question 128
Mark 0.00 out of 1.00
Flag question

Which of the followings is NOT TRUE about neurons?

- ☐ a. Sensory neurons are bipolar
- ☐ b. Integrative neurons are multipolar.
- ☒ c. Sensory neurons are unipolar
- ☐ d. Sensory neurons are cholinergic neurons
- ☐ e. Corticospinal neurons are Golgi type I

Question 129
Mark 0.00 out of 1.00
Flag question

Which cestode parasite has NO intermediate host to complete its life cycle?

- ☐ a. *Hymenolepis nana*
- ☐ b. *Taenia saginata*
- ☒ c. *Taenia solium*
- ☐ d. *Hymenolepis diminuta*
- ☐ e. *Diphyllobothrium latum*

Question 130

Marked correct

Score: 1.00 out of 1.00

Flag question

An enzyme that catalyzes the following reaction: Fructose-6-phosphate $\rightleftharpoons$ Glucose-6-phosphate is a/an?

- ☐ a. Ligase
- ☐ b. Lyase
- ☐ c. Hydrolase
- ☒ d. Transferase
- ☐ e. Isomerase

Question 131

Marked correct

Score: 1.00 out of 1.00

Flag question

Which one of the following is an example of excitable cells?

- ☐ a. Hepatocytes
- ☐ b. Adipocytes
- ☐ c. Purkinje cells
- ☐ d. Fibroblast cells
- ☒ e. Astrocytes

Question 132

Marked correct

Score: 1.00 out of 1.00

Flag question

Which of the following limb defects can be caused by amniotic bands?

- ☐ a. Congenital hip dislocation
- ☒ b. Amputation
- ☐ c. Cleft foot
- ☐ d. Amelia
- ☐ e. Polydactyl

Question 133
Complete
Mark 1.00 out of 1.00
Flag question

Which of the following could potentially be a normal flora of the stomach?

- ☐ a. Klebsiella
- ☒ b. Helicobacter
- ☐ c. Lactobacilli
- ☐ d. Enterococci
- ☐ e. Clostridium

Question 134
Complete
Mark 0.00 out of 1.00
Flag question

The commonest site for thrombotic occlusion of the vessels of CNS is:

- ☐ a. Carotid bifurcation
- ☐ b. Deep veins of Galen
- ☒ c. Middle meningeal artery
- ☐ d. Anterior cerebral artery
- ☐ e. Inferior cerebellar artery

Question 135
Complete
Mark 1.00 out of 1.00
Flag question

Acute neutrophilic inflammatory responses mediate defense against extracellular bacteria and fungi. Which of the following helper T cells is most involved in this response?

- ☒ a. Th17 cells
- ☐ b. Macrophages
- ☐ c. T follicular helper
- ☐ d. Cytotoxic T cells
- ☐ e. Th2 cells

Question **136**

Complete

Mark 1.00 out of 1.00

🚩 Flag question

The regulation of glycogen metabolic enzyme by addition or removal of phosphate is a type of :

- ☒ a. Covalent modifications
- ☐ b. Proteolytic cleavage
- ☐ c. Feedback regulations
- ☐ d. Allosteric regulations
- ☐ e. Isoenzyme regulations

37

out of

question

Combination of amoxicillin with clavulanic acid:

- ☒ a. Increases the spectrum of activity of amoxicillin
- ☐ b. Increases the duration of action of amoxicillin
- ☐ c. Decreases the toxicity of amoxicillin
- ☐ d. Increases the oral bioavailability of amoxicillin
- ☐ e. Delays the elimination of amoxicillin

Question 138

Complete

Mark 1.00 out of

Flag question

The type of epithelium lining of the stomach, where digestion in an acidic environment occurs is:

- ☐ a. Stratified squamous nonkeratinized
- ☐ b. Stratified squamous keratinized
- ☒ c. Simple columnar
- ☐ d. Simple cuboidal
- ☐ e. Transitional

Question 139

Complete

Mark 0.00 out of 1.00

Flag question

An enzyme involved in catabolism of catecholamines is:

- ☒ a. Aromatic amino acid decarboxylase
- ☐ b. Acetylcholine esterase
- ☐ c. Dopa decarboxylase
- ☐ d. Monoamine oxidase
- ☐ e. Catechol oxidase

40

0 out of

question

Which connective tissue cell is derived from B lymphocytes and produce antibodies against antigens?

- ☒ a. Plasma cell
- ☐ b. Mast cell
- ☐ c. Myofibroblast
- ☐ d. Histiocyte
- ☐ e. Fibroblast

Question 141

Complete

Mark 0.00 out of

0

Flag question

The conversion of nascent chylomicrons to mature chylomicrons requires:

- ☐ a. High-density lipoprotein
- ☐ b. Lymphatic system
- ☒ c. Bile salts
- ☐ d. 2-Monoacylglycerol
- ☐ e. Lipoprotein lipase

Question 142

Complete

Mark 0.00 out of

1.00

Flag question

The INCORRECT statement about a given spinal nerves is?

- ☐ a. There are more pairs of sacral spinal nerves than pairs of cervical spinal nerves.
- ☐ b. All thoracic spinal nerves contain preganglionic neurons of the sympathetic division.
- ☒ c. The ventral ramus of a given spinal nerve is thinner than the dorsal ramus.
- ☐ d. All cervical spinal nerves do not contain sympathetic nerves.
- ☐ e. A spinal nerve leaves the vertebral canal through the intervertebral foramen.

143

te

00 out of

g question

Majority of cases of squamous cell carcinomas of the esophagus occur in:

- ☐ a. Lower and upper third
- ☐ b. Lower third
- ☐ c. Upper third
- ☒ d. Upper and Middle third
- ☐ e. Middle third

Question 144

Complete

Mark 1.00 out of 1.00

Flag question

The pulmonary function test of a 60years old known smoker for the last 30years who came to hospital for worsening of dyspnea. The maximum post bronchodilator improvement of FEV1 is 122ml. What is your impression about pulmonary condition?

- ☐ a. He has restrictive type pulmonary problem
- ☐ b. He has neither obstructive nor restrictive disease
- ☐ c. His spirometric findings are characteristic of bronchial asthma
- ☐ d. He has marginally normal pulmonary function
- ☒ e. He has chronic obstructive pulmonary disease (COPD)

Question 145

Complete

Mark 0.00 out of 1.00

Flag question

One of the following hormones acts via intracellular receptor:

- ☐ a. Cortisol
- ☐ b. Growth hormone
- ☐ c. Epinephrine
- ☒ d. Insulin
- ☐ e. Glucagon

Question 146

Complete

Mark 1.00 out of 1.00

Flag question

Deficiency of vitamin B12 occurs in individuals due to:

- ☐ a. Lack of hydroxylation of the vitamin
- ☒ b. Lack of intrinsic factor for absorption
- ☐ c. Lack of protein binder in stomach
- ☐ d. Lack of dietary source
- ☐ e. Dissociation difficulty from the complex

Question 147

Complete

Mark 0.00 out of 1.00

Flag question

In the following pairs, which one shows a MISMATCH between the source and product during amino acid metabolism:

- ☐ a. Glutamate « γ -amino butyric acid
- ☐ b. Tryptophan « Nitric oxide
- ☐ c. Serine « Glycine
- ☒ d. Tyrosine « Melanin
- ☐ e. Histidine « Histamine

Question 148

Complete

Mark 0.00 out of 1.00

Flag question

Which of the following statement concerning the pericardium is INCORRECT?

- ☐ a. The pericardial cavity is the potential space between the parietal and visceral serous layers.
- ☒ b. The external layer of the sac is fibrous.
- ☐ c. The fibrous pericardium is attached to the diaphragm by the pericardiophrenic ligament.
- ☐ d. The internal layer is reflected onto the heart as the visceral serous layer (epicardium).
- ☐ e. The internal layer of the fibrous sac is the parietal serous layer.

Question 149

Complete

Mark 0.00 out of 1.00

Flag question

High cumulative doses of bleomycin used for cancer chemotherapy are associated with which of the following?

- ☐ a. Pulmonary fibrosis
- ☐ b. Hypoglycemia
- ☒ c. Cardiotoxicity
- ☐ d. Peripheral neuropathy
- ☐ e. Hemorrhagic cystitis

Question 150

Complete

Mark 0.00 out of 1.00

Flag question

The first cell types in the red cell series that appear in circulation are:

- ☐ a. Proerythrocytes
- ☐ b. Proerythroblasts
- ☒ c. Basophilic erythroblasts
- ☐ d. Reticulocytes
- ☐ e. CFU-S