

NANDA nursing diagnosis list is made by NANDA International which stands for North American Nursing Diagnosis Association. This association was founded in 1982 for the purpose of standardising the nursing terminology. The association develops, researches, disseminates and refines the nomenclature, criteria, and taxonomy of nursing diagnoses.

Nanda Nursing Diagnosis list – Domain 1: health Promotion

Class 1. Health awareness

Deficient diversional activity
Sedentary lifestyle

Class 2. Health management

Frail elderly syndrome
Risk for frail elderly syndrome
Deficient community
Risk-prone health behavior
Ineffective health maintenance
Ineffective health management
Readiness for enhanced health management
Ineffective family health management
Noncompliance
Ineffective protection

Nanda Nursing Diagnosis list – Domain 2: nutrition

Class 1. Ingestion

Insufficient breast milk
Ineffective breastfeeding
Interrupted breastfeeding
Readiness for enhanced breastfeeding
Ineffective infant feeding pattern
Imbalanced nutrition: less than body requirements
Readiness for enhanced nutrition
Obesity
Overweight
Risk for overweight
Impaired swallowing

Class 2. Metabolism

Risk for unstable blood glucose level
Neonatal jaundice
Risk for neonatal jaundice
Risk for impaired liver function

Class 3. Hydration

Risk for electrolyte imbalance
Readiness for enhanced fluid balance
Deficient fluid volume
Risk for deficient fluid volume
Excess fluid volume
Risk for imbalanced fluid volume

Nanda Nursing Diagnosis list – Domain 3: elimination and exchange

Class 1. Urinary function

Impaired urinary elimination
Readiness for enhanced urinary elimination

Functional urinary incontinence
Overflow urinary incontinence
Reflex urinary incontinence
Stress urinary incontinence
Urge urinary incontinence
Risk for urge urinary incontinence
Urinary retention

Class 2. Gastrointestinal function

Constipation
Risk for constipation
Chronic functional constipation
Risk for chronic functional constipation
Perceived constipation
Diarrhea
Dysfunctional gastrointestinal motility
Risk for dysfunctional gastrointestinal motility
Bowel incontinence

Class 3. Respiratory function

Impaired gas exchange

Nanda Nursing Diagnosis list – Domain 4: activity/rest

Class 1. Sleep/rest

Insomnia
Sleep deprivation
Readiness for enhanced sleep
Disturbed sleep pattern

Class 2. Activity/exercise

Risk for disuse syndrome
Impaired bed mobility
Impaired physical mobility
Impaired wheelchair mobility
Impaired sitting
Impaired standing
Impaired transfer ability
Impaired walking

Class 3. Energy balance

Fatigue
Wandering

Class 4. Cardiovascular/pulmonary responses

Activity intolerance
Risk for activity intolerance
Ineffective breathing pattern
Decreased cardiac output
Risk for decreased cardiac output
Risk for impaired cardiovascular function
Risk for ineffective gastrointestinal perfusion
Risk for ineffective renal perfusion
Impaired spontaneous ventilation
Risk for decreased cardiac tissue perfusion
Risk for ineffective cerebral tissue perfusion
Ineffective peripheral tissue perfusion
Risk for ineffective peripheral tissue perfusion
Dysfunctional ventilatory weaning response

Class 5. Self-care

Impaired home maintenance
Bathing self-care deficit
Dressing self-care deficit

Feeding self-care deficit
Toileting self-care deficit
Readiness for enhanced self-care
Self-neglect

Nanda Nursing Diagnosis list – Domain 5:

Perception/Cognition

Class 1. Attention

Unilateral neglect

Class 2. Cognition

Acute confusion
Risk for acute confusion
Chronic confusion
Labile emotional control
Ineffective impulse control
Deficient knowledge
Readiness for enhanced knowledge
Impaired memory

Class 3. Communication

Readiness for enhanced communication
Impaired verbal communication

Nanda Nursing Diagnosis list – Domain 6: self-Perception

Class 1. Self-concept

Readiness for enhanced hope
Hopelessness
Risk for compromised human dignity
Disturbed personal identity
Risk for disturbed personal identity
Readiness for enhanced self-concept

Class 2. Self-esteem

Chronic low self-esteem
Risk for chronic low self-esteem
Situational low self-esteem
Risk for situational low self-esteem

Class 3. Body image

Disturbed body image

Nanda Nursing Diagnosis list – Domain 7: role relationships

Class 1. Caregiving roles

Caregiver role strain
Risk for caregiver role strain
Impaired parenting
Readiness for enhanced parenting
Risk for impaired parenting

Class 2. Family relationships

Risk for impaired attachment
Dysfunctional family processes
Interrupted family processes
Readiness for enhanced family processes

Class 3. Role performance

Ineffective relationship
Readiness for enhanced relationship
Risk for ineffective relationship
Parental role conflict
Ineffective role performance
Impaired social interaction

Nanda Nursing Diagnosis list – Domain 8: sexuality

Class 1. Sexual function

Sexual dysfunction
Ineffective sexuality pattern

Class 2. Reproduction

Ineffective childbearing process
Readiness for enhanced childbearing process
Risk for ineffective childbearing process
Risk for disturbed maternal–fetal dyad

Nanda Nursing Diagnosis list – Domain 9: Coping/stress tolerance

Class 1. Post-trauma responses Post-trauma syndrome

Risk for post-trauma syndrome
Rape-trauma syndrome
Relocation stress syndrome
Risk for relocation stress syndrome

Class 2. Coping responses

Ineffective activity planning
Risk for ineffective activity planning
Defensive coping
Ineffective coping
Readiness for enhanced coping
Ineffective community coping
Readiness for enhanced community coping
Compromised family coping
Disabled family coping
Readiness for enhanced family coping
Death anxiety
Ineffective denial
Fear
Grieving
Complicated grieving
Risk for complicated grieving
Impaired mood regulation
Readiness for enhanced power
Powerlessness
Risk for powerlessness
Impaired resilience
Readiness for enhanced resilience
Risk for impaired resilience
Chronic sorrow
Stress overload

Class 3. Neurobehavioral stress

Decreased intracranial adaptive capacity
Autonomic dysreflexia
Risk for autonomic dysreflexia
Disorganized infant behavior
Readiness for enhanced organized infant behavior
Risk for disorganized infant behavior

Nanda Nursing Diagnosis list – Domain 10: life Principles

Class 1. Beliefs

Readiness for enhanced spiritual well-being

Class 2. Value/belief/action congruence

Readiness for enhanced decision-making
Decisional conflict
Impaired emancipated decision-making

Readiness for enhanced emancipated
Decision-making
Risk for impaired emancipated decision-making
Moral distress
Impaired religiosity
Readiness for enhanced religiosity
Risk for impaired religiosity
Spiritual distress
Risk for spiritual distress

**Nanda Nursing Diagnosis list – Domain 11:
safety/Protection**

Class 1. Infection

Risk for infection

Class 2. Physical injury

Ineffective airway clearance
Risk for aspiration
Risk for bleeding
Risk for dry eye
Risk for fallsRisk for injury
Risk for corneal injury
Risk for perioperative positioning injury
Risk for thermal injury
Risk for urinary tract injury
Impaired dentition
Impaired oral mucous membrane
Risk for impaired oral mucous membrane
Risk for peripheral neurovascular dysfunction
Risk for pressure ulcer
Risk for shock
Impaired skin integrity
Risk for impaired skin integrity
Risk for sudden infant death syndrome
Risk for suffocationDelayed surgical recovery
Risk for delayed surgical recovery
Impaired tissue integrity
Risk for impaired tissue integrity
Risk for trauma
Risk for vascular trauma

Class 3. Violence

Risk for other-directed violence
Risk for self-directed violence
Self-mutilation
Risk for self-mutilation
Risk for suicide

Class 4. Environmental hazards

Contamination
Risk for contamination
Risk for poisoning

Class 5. Defensive processes

Risk for adverse reaction to iodinated contrast media
Risk for allergy response
Latex allergy response
Risk for latex allergy response

Class 6. Thermoregulation

Risk for imbalanced body temperature
Hyperthermia
Hypothermia

Risk for hypothermia
Risk for perioperative hypothermia
Ineffective thermoregulation

Nanda Nursing Diagnosis list – Domain 12: Comfort

Class 1. Physical comfort

Impaired comfort
Readiness for enhanced comfort
Nausea
Acute pain
Chronic pain
Labor pain
Chronic pain syndrome

Class 2. Environmental comfort

Impaired comfort
Readiness for enhanced comfort

Class 3. Social comfort

Impaired comfort
Readiness for enhanced comfort
Risk for loneliness
Social isolation

**Nanda Nursing Diagnosis list – Domain 13:
growth/Development**

Class 1. Growth

Risk for disproportionate growth

Class 2. Development

Risk for delayed development