

Dire Dawa University, Department of Midwifery

Neonatology and Pediatrics Competency Mock exam for year – IV, regular Midwifery GC students.

Number of MCQ, 50%, Time Allowed; 70min, Maximum marks 100%

Name_____ ID_____ SIGN._____

Choice the correct answer from the given alternatives.

1. A 4 years old child presented to the hospital with bilateral pitting edema, Weight for height < -3 Z score, and no clinical sign of anemia. Finally you diagnose severe acute malnutrition. What will be the next management?
 - B. Treat as an outpatient treatment program and give Iron, amoxicillin and F-75
 - C. Admit to inpatient and give Vitamin A, Iron, amoxicillin and F-75
 - D. Admit to inpatient, give amoxicillin and F-75
 - E. Admit to inpatient and give Vitamin A, amoxicillin and F-100
2. Bekele is a 3 years old male child from rural area who came to the Pediatric ER with a complaint of cough and SOB more prominent at night of 2 days duration. He was treated for a similar complaint and improved after treatment with salbutamole puff. His father is an asthmatic and Bekele has history of egg allergy. P/E- diffuse wheeze all over the lung fields. What is the most likely Diagnosis of the case?
 - A. Bronchial asthma
 - B. Pneumonia
 - C. Tonsilitis
 - D. pharyngitis
3. Baby of Almaz is 13 weeks of life. This baby has an appointment at 14 weeks. He has been taking vaccination according to a routine schedule of immunization. What vaccines should be given to him?
 - A. Measles 1 and Vitamin A
 - B. Penta -1, PCV-1, Rota -1 and OPV - 1
 - C. Penta -2, PCV-2, Rota -2 and OPV - 2
 - D. Penta -3, PCV-3, IPV and OPV - 3
4. Which childhood vaccine provides some protection against bacterial meningitis & bacterial pneumonia?
 - A. Hib vaccine
 - B. Hepatitis B vaccine
 - C. Varicella vaccine
 - D. Influenza vaccine

- 11.** In the SGH Obstetrics ward delivery room mother was born term 3000g male neonate with SVD and the midwife gave immediate newborn care and followed for short periods, unfortunately, the neonate still does not cry or initiate normal breathing. On Physical examination, his APGAR score in the first 5th minute is 3. There is no Crying, Pulse Rate, Central blush skin color and the Muscle tone is floppy. Based On the above information which following is/are statement correct?

12. The term neonate was admitted to Sabian General Hospital at the NICU ward with a developed yellow skin color after 12 hours of birth. On physical examination, neonatology observed, yellowish discoloration on skin, mucosal and palm sole, seizure signs, and weak suck of his gloved fingers. After sending a laboratory sample, the result revealed that the peak total serum bilirubin was 13 mg/dl and the level of conjugated bilirubin level is >5mg/dl per 24hrs. Based on the above information. Based on the above information, correct about the above cases?

- A. It is categorized under physiologic jaundice
- B. It is categorized under pathologic jaundice
- C. The neonate developed kernicterus syndrome
- D. Treatment action changes from Conjugated to Unconjugated form

13. A 34-week gestational age Neonate was born at Sabian General Hospital labor ward and the neonate had Gastrointestinal, Umbilical, and Intracranial bleeding within 24 hours. What do you think about this neonate the best management?

- A. Vit K 1mg and 10-20ml/kg blood transfusion
- B. Vit K 0.5 mg and 20-30ml/kg blood transfusion
- C. 10-20ml/kg Blood transfusion and Vit K 0.5mg IM
- D. 20-30 ml/kg Blood transfusion and Vit K 1mg IM

14. A mother had a successful home delivery history for her first baby and did not have any ANC follow-up. But for the second pregnancy, she had a peaked ultrasound in the third trimester and the result showed that the fetus had developed Fetal Hydrops. Based on the above data which of the following is the most likely risk factor?

- A. Chromosomal abnormalities
- B. Intrauterine infections
- C. Rh factor isoimmunization
- D. Congenital hematological disorders

15. In the first 6 hours of the Postnatal visit, the midwife identified a fluctuation mass on the occipital bone area and has hematoma on the head while conducting a physical examination. What will be the most likely type of newborn head injury?

- A. Subgaleal Hemorrhage
- B. Cephalhematoma
- C. Caput succedaneum
- D. None

16. Nasal Continuous Positive Airway Pressure Ventilation (nCPAP) is a very important procedure for premature neonates having respiratory-related problems. What do think about not indicating to use this procedure?

- A. Upper airway abnormalities
- B. Apnea of prematurity
- C. Respiratory distress
- D. Atelectasis

17. Two weeks 2500-gram male neonate was admitted to Sabian General Hospital at NICU ward. The mother said the newborn had repeated vomiting, skin rash, and Irritable. On physical examination, the neonatologist finds a bulged anterior fontanel, lethargy, and baby arched backward. The CSF laboratory result indicates there is a bacterium and a decrease in the amount of glucose and Protein. The neonate temperature was 38oC and the respiratory rate was 60 breath per minute. based on the above information what is most likely the new-born diagnosis?

- A. Tetanus
- B. Meningitis
- C. Poliomyelitis
- D. Measle

18. A pediatric nurse wants to give routine immunization in an EPI room for a Ten-week-old infant in the Health Facility. What is the correct vaccine name?

- A. Penta 2, PCV 1, OPV 2, Rota 2
- B. Penta 1, PCV 1, DPT1, OPV1
- C. Penta3, PCV 3, OPV 3, Rota 1
- D. Penta 2, OPV 2, PCV2, Rota 1

19. A 3-year-old boy has a 3-day history of intermittent abdominal pain. The parent reports small amounts of liquid stools in the boy's pull-up diaper pants for the last 10 days. For several minutes every day the boy bends over, crosses his legs, and holds his stomach in pain. He has also had cold symptoms for the past week but has not had fever, vomiting, or a change in appetite. Physical examination reveals a well-appearing child with normal vital signs and clear rhinorrhea. The abdomen is slightly distended, but there are no masses or tenderness. Firm stool is palpable on rectal examination. The stool tests negative for occult blood. Which of the following is the most likely diagnosis?

- A. Constipation
- B. Gastroenteritis
- C. Mesenteric lymphadenitis
- D. Intussusception

20. A 8-year-old child with a history of pneumonia presents to the emergency room with fever, cough, chest pain and difficulty of breathing. On examination, the child has decreased breath sounds on the affected side and dullness to percussion. The chest X-ray also shows a patchy infiltrate and pleural effusion. What is the most likely complication of pneumonia in this child?

- A. CHF
- B. Empyema
- C. Lung abscess
- D. Acute respiratory distress syndrome

21. A 3-month-old infant presents with fever, cough, and poor feeding. On physical examination, the infant appears lethargic and has nasal flaring and grunting. Finally, the child was clinically diagnosed as having pneumonia. What is the most appropriate initial management?

- A. Administering antibiotics
- B. Obtaining blood cultures
- C. Performing a lumbar puncture
- D. Providing supportive care and monitoring closely

22. A 24-month-old boy is brought for a well-child evaluation. He began walking at 18 months of age and falls frequently. He has been unable to climb up on the couch or get down without help from his parents. He is able to stack six cubes and roll a ball to the examiner. He is unable to kick a ball. He has a vocabulary of more than 50 words and can combine them in two-word phrases. He follows simple two-step commands. Which of the following best describes this child's developmental status?

- A. Global developmental delay
- B. Gross motor delay
- C. Language delay
- D. Normal development

23. During a routine clinical visit, a healthy asymptomatic 5-year-old boy is found to have fasting blood glucose of 116 mg/dl; oral glucose tolerance test of 144mg/dl, and HgbA1c of 6.4%. This child is MOST likely considered to have:

- | | |
|-------------------------------|-----------------------------|
| A. Impaired glucose tolerance | B. Sporadic hyperglycemia |
| C. Type 1 diabetes mellitus | D. Type 2 diabetes mellitus |

24. Worku, a 3 years old baby presented to Sabian General hospital with a chief complain of watery diarrhea of 02hrs duration after drinking contaminated water. This diarrhea is rice water like in color, and flecked with mucus. His mother told you that associated to the above complain he has vomiting, skin pinch goes slowly, sunken eye, irritability, but has no fever. She also told you that almost all of Genda Kore population is currently complaining the same thing. His weight is checked and reported to be 21 kg. What will be the most probable infection?

- A. Typhoid fever
- B. Shigellosis
- C. Cholera
- D. Amebiasis

25. A 5years old male baby is brought to the emergency department with a chief complaint of diarrhea and vomiting for 2 days' duration. His mother describes stools as liquid and foul smelling, with no mucous, slime or blood. He reportedly is unable to keep anything down, vomiting after every feeding, even water. He has about 6 episodes of diarrhea and 4 episodes of vomiting per day. His mother reports that he is not feeding well and his activity level is decreased. He seems weak and tired. On physical exam: T: 37, P: 100, RR: 22, BP: 100/75, weight: 16 kg. He is alert, in mother's arms, crying at times, and looks tired. HEENT: anterior fontanel closed, minimal tears, lips dry, mucous membranes tacky, no oral lesions or erythema, tympanic membrane normal. Heart exam reveals mild tachycardia, no murmur. His abdomen is flat, soft, and non-tender with hyperactive bowel sounds. His diaper is dry. His capillary refill time is less than 3 seconds and his skin turgor is slightly diminished. What can be the diagnosis for this patient?

- A. Severe dehydration
- B. No dehydration
- C. Some dehydration
- D. None

26. A 4 years old child presented to Dilchora hospital with the chief complains of loss of appetite and lower legs swelling of 4days duration. The nurse at the triage performed physical examination and detected edema 3+, MUAC <11cm, and WFH<70%. Associated to this complaint he has also intractable vomiting and fast breathing. What will be the phase of SAM management?

- | | |
|-------------|---------------------|
| A. Phase I | C. Transition phase |
| B. Phase II | D. OTP |

27. _____ is abrupt, purposeless movement which resembles dancing and its presence is diagnostic for Acute Rheumatic Fever

- A. Polyarthrititis
- B. Arthralgia
- C. Erythema marginatum
- D. Sydenham chorea

28. Which one is **not** true about Subtle seizure?

- A. More common in term than preterm
- B. Most common type of neonatal seizure
- C. Fixed stare is its characteristic in preterm
- D. None

29. The most common cardiac malformation is:

- A. Ventricular Septal Defect
- B. Atrial septal defect
- C. Patent ductus arteriosus
- D. Coarctation of the aorta

30. Chala is a 3 years old male child from rural area who came to the Pediatric emergency room with a complaint of cough and Shortness of Breath (SOB), more prominent at night of 2 days' duration. He was treated for a similar complaint and improved after treatment with salbutamol puff. His father is an asthmatic and Chala has history of egg allergy. On physical examination: - diffuse wheeze all over the lung fields. What is the most likely Diagnosis of the case?

- A. Bronchial asthma
- B. Pneumonia
- C. Tonsilitis
- D. pharyngitis

31. A 4-year-old child complains of ear pain for 3 days' duration. He has a temperature of 38.9°C and has had a cold for several days, but he has been eating well and his activity has been essentially normal. On examination with otoscopy, the ear drum was red, inflamed, bulging and opaque. **What is the most likely diagnosis?**

- A. Acute otitis media
- B. Mastoiditis
- C. Chronic otitis media
- D. Diphtheria

32. A 6-year-old child presents with bone pain, muscle weakness, and difficulty walking. On examination, the child has bowed legs and a prominent forehead. What is the most likely cause of these symptoms?

- A. Iron deficiency anemia
- B. Vitamin D deficiency
- C. Protein-energy malnutrition
- D. Zinc deficiency

33. The disorder that is characterized by repeated passing of urine in places other than the toilet is one of the psychopathologic disorder in children. Which of the following describe the above statement?

A. Vandalism

C. Nightmares

B. Enuresis

D. Encopresis

34. A 4-year-old boy presents with a fever, cough, and difficulty breathing. On examination, he has increased respiratory rate, nasal flaring, and intercostal retractions. What is the most likely diagnosis?

A. Pneumonia

B. Bronchiolitis

C. Asthma

D. Croup

35. A 3-year-old presents with a high fever, irritability, and a bulging fontanelle. On examination, there is nuchal rigidity and photophobia. What is the most likely diagnosis?

A. Meningitis

B. Encephalitis

C. Hydrocephalus

D. Sinusitis

36. A 3-year-old child presents with poor growth, delayed development, and frequent infections. On examination, the child has a distended abdomen and thin, sparse hair. What is the most likely cause of these symptoms?

A. Iron deficiency anemia

B. Vitamin D deficiency

C. Protein-energy malnutrition

D. Zinc deficiency

37. A 4-year-old child is brought to the clinic with complaints of frequent infections, slow wound healing, and easy bruising. On examination, the child has pale skin and brittle nails. What is the most likely cause of these symptoms?

A. Iron deficiency anemia

B. Vitamin D deficiency

C. Protein-energy malnutrition

D. Zinc deficiency

- 38.** A 2-year-old child presents with fever, rapid breathing, and lethargy. On examination, the child has cool, mottled skin and a weak pulse. What is the most likely cause of these symptoms?
- A. Pneumonia
 - B. Urinary tract infection
 - C. Meningitis
 - D. Sepsis
- 39.** A 10-year-old child is brought to the emergency department after falling into a cold lake. The child is lethargic, with slurred speech and difficulty walking. On examination, the child has a weak pulse and low body temperature. What is the most likely cause of these symptoms?
- A. Drowning
 - B. Hypothermia
 - C. Concussion
 - D. Dehydration
- 40.** A 8-year-old child presents to the emergency department of Sabian General hospital with high grade fever, chills, headache, vomiting and body aches. On examination, the child has enlarged spleen, low red blood cell count, jaundice and an enlarged liver. What is the most likely cause of these symptoms?
- A. Hepatitis
 - B. Malaria
 - C. Encephalitis
 - D. Gastroenteritis
- 41.** A 10-year-old child presents to the Dilchora general hospital with fever, abdominal pain, and diarrhea. On examination, the child has an enlarged spleen, low blood pressure, a rose-colored rash on the chest and abdomen. What is the most likely diagnosis?
- A. Gastroenteritis
 - B. Typhoid fever
 - C. Influenza
 - D. Dengue fever

42. A 8-year-old child presents to the clinic with redness, itching, and discharge in both eyes. The child also complains of sensitivity to light, excessive tearing, a yellowish-green discharge and blurred vision. On examination, the child has swollen and red conjunctiva. What is the most likely diagnosis?

- A. Allergic conjunctivitis
- B. Bacterial conjunctivitis
- C. Viral conjunctivitis
- D. Chemical conjunctivitis

43. A 6-year-old child presents to the clinic with a sore throat, difficulty swallowing, and fever. On examination, the child has swollen and red tonsils with white or yellow patches, as well as swollen lymph nodes in the neck. What is the most likely diagnosis?

- A. Bacterial tonsillitis
- B. Viral tonsillitis
- C. Allergic tonsillitis
- D. Tonsillar abscess

44. A 3-year-old child presents to the clinic with a high fever, cough, runny nose, and red, watery eyes. On examination, the child has small white spots inside the mouth and a red, blotchy rash that starts on the face and spreads down the body. What is the most likely diagnosis?

- A. Chickenpox
- B. Measles
- C. Rubella
- D. Scarlet fever

45. GII PII Mother give birth full term baby and the New born's baby APGAR score is < 3 at 10th minute ,weak muscle tone , Skin color bluish and Umbilical cord blood (PH < 7). What is the possible condition of new born baby ?

- A. Respiratory distress syndrome
- B. Perinatal asphyxia
- C. Meconium Aspiration Syndrome
- D. Apnea

46. At delivery room mother give birth 3.2 KG female neonate with SVD, but the neonate still does not initiate normal breathing. On initial Assessments APGAR score in the first 5th minute is 4. there is no crying blush discoloration and muscle tone flaccid. what is the first action for resuscitation ?

- A. chest compression
- B. Dry and clean then observes
- C. Give 5 slow ventilation
- D. Positioning head, clean & suction

47. 30 years old G1 P1 mother who does remember her last menstrual period .gestational age 33 week complain of rupture of membrane . Midwife confirmed rupture of membrane. what condition used for prevent of respiratory distress?

- A. Betamethasone
- B. Caffeine
- C. Aminophylline
- D. Ampicillin

48. 25 Years old G1 P1 lady give birth before 2 hrs ago. The midwife ask permission to do physical examination and when it is assessed on the neonate head it is found that swelling cross suture line .what is abnormal finding ?

- A. Subgaleal hemorrhage
- B. Molding
- C. Cephalohematoma
- D. Caput succedaneum

49. Baby boy "X" has a heart rate of 90b/m, with slow, irregular respirations. He sneeze when stimulated. He has some flexion in his extremities and his body color is pink with blue extremity. what is the fifth minute APGAR score ?

- | | |
|-----|-----|
| A.5 | B.6 |
| C.7 | D.8 |

50. A male new born is born at 33 weeks gestation. After delivery his respiratory rate is 90 breaths per minute with recession and expiratory grunting. The infant's tongue is change to blue with theirs normal room temperature. What is the condition of baby?

- A. Perinatal asphyxia
- B. Respiratory distress syndrome
- C. Meconium Aspiration Syndrome
- D. Apnea