

1. During an exploratory surgical procedure, the surgeon dissects through the jejunal wall into the lumen. The correct order of layers of the jejunal wall from outer to inner is?

- A. Outer longitudinal - myenteric plexus - submucosa – circular
- B. Outer longitudinal - myenteric plexus – circular – submucosa
- C. myenteric plexus – circular – submucosa - Outer longitudinal
- D. Outer longitudinal – circular – submucosa - myenteric plexus

11

2. Which of the following agents have a relatively short duration of action?

- A) Pancuronium
- B) Cisatracurium
- C) Vancuronium
- D) Rocuronium
- E) Suxamethonium

8

3. Diuretics are recommended for all symptoms except?

Glaucoma

Shock

Hypertension

edema

10

4. Which one of the following is a beta lactam

- A. Amoxicillin
- B. Streptomycin
- C. Gentamicin
- D. Doxycycline

15

5. Wrong pair of innervations of the muscles of the back

- A. Serratus posterior muscle dorsal scapular nerve
- B. Rhomboid muscle dorsal scapular nerve
- C. Teres minor axillary nerve
- D. Levator scapulae muscle dorsal scapular nerve
- E. Trapezius muscle accessory nerve

2

6. The correct combination of the muscles and its innervation?

- A. pronator quadratus anterior interosseous nerve
- B. extensor carpi radialis longus-----deep branch of radial nerve

2

- C. anconeus-----deep branch of radial nerve
- D. abductor pollicis longus-----superficial branch of radial nerve
- E. teres major-----upper subscapular nerve

7. a 28 year old pregnant mother has deep vein thrombosis. Which drug is most appropriate for her treatment.

- A. low molecular weight heparin
- B. warfarin
- C. heparin
- D. ticlopidine

10

8. polysaccharide capsule vaccine

- A. treponema pallidum
- B. mycobacterium tuberculosis
- C. streptococcus pneumonia
- D. Corynebacterium diphtheriae
- E. Hemophilus influenzae

15

9. The least common type cells found in blood?

- A. eosinophil
- B. lymphocyte
- C. neutrophil
- D. basophil
- E. monocytes

7

10. True about botulinum toxin

- A. inhibits stimulant neurotransmitter release causing flaccid paralysis
- B. Stimulate Adenylate cyclase to increase cellular cAMP to cause diarrhea
- C. inhibits inhibitor neurotransmitter release causing spastic paralysis
- D. Stimulate B and T cell cytokine release
- E. Inhibit Eukaryote protein synthesis by ADP-ribosylation of Elongation Factor-2

11

11. A 40 year old man complained of persistent fever and headache, his symptoms progressed over the next two months, he started throwing stones. On Ct scan he showed necrotic lesion on the left hemisphere of the cerebrum that spreads through the corpus callosum to the right hemisphere. The characteristic feature resembles

- A. glioblastoma
- B. diffuse astrocytoma
- C. medulloblastoma
- D. pilocytic astrocytoma

14

12. A patient recovered from a urinary kidney stone. After some years the patient was admitted to the hospital and a biopsy from the bladder is most likely to show?

- A. squamous cell carcinoma
- B. adenocarcinoma

12

- C. urothelial carcinoma
- D. myosarcoma

13. the tumor suppressor gene associated with poor prognosis in most tumors

- A. p53
- B. KRas
- C. Rb and RAS
- D. C – myc

6

14. a female patient suffering from chronic pulmonary disease is taking inhaled glucocorticoids. The possible complication of her treatment?

- A. oral candidiasis
- B. acute adrenal insufficiency
- C. buffalo hump
- D. hyperglycemia

10

15. all are the symptoms of a typical bronchial asthma except

- A. bronchiolar wall remodeling
- B. hyperreactivity of the walls
- C. reversible bronchodilation
- D. chronic inflammation
- E. wheezing

10

16. when the prostacyclin PGI₂ is inhibited, what function is inhibited

- A. vascular dilation
- B. platelet aggregation in the blood vessels
- C. neutrophil adhesion to the vascular walls
- D. bronchoconstriction

17. immature granulocytes increased wbc

Philadelphia chromosome t(9,22)

No chromosomal damage

C – myc translocation

7

18. a common circumscribed tumor resembling fibroadenoma of the breast

- A. medullary carcinoma
- B. clear cell carcinoma
- C. tubular carcinoma
- D. lobular carcinoma
- E. invasive ductal adenocarcinoma non typeable

13

19. skin cancer that develops in unhealing burn scars and unhealing skin ulcer:

basal cell carcinoma

8

squamous cell carcinoma

melanoma

20. a type of thyroid inflammation that induces pain

- A. deQuervain thyroiditis
- B. hashimoto's thyroiditis
- C. reidel thyroiditis
- D. silent sporadic thyroiditis
- E. drug induced thyroiditis

13

21. the incorrect statement among the following

- A. bartonella hensellae - cat scratch fever
- B. rickettsia prowazeki – scrub typhus
- C. oreintia tsutsugamushi – epidemic typhus
- D. rickettsia typhi – epidemic typhus
- E. rickettsia typhi – scrub typhus

15

22. common embolic thrombosis area

heart mural thrombi

carotid artery bifurcation

deep veins of the leg

middle cerebral artery thrombi

10

23. based on your current knowhow of gravity, which of the vessels have the highest pressure?

- A. pulmonary artery
- B. bronchial artery
- C. femoral artery
- D. femoral vein
- E. coronary artery

10

24. myosin light chain kinase

serves as the regulatory protein in skeletal muscles

phosphorylates myosin light chain

8

25. most immune cells have double functional activity in the body: their ability to illicit a specific response towards pathogens and their ability to form a memory of their actions in events of reoccurrence. Which one of the following immune cells possess both?

- A. B cells
- B. neutrophils
- C. natural killer cells
- D. eosinophils
- E. basophils

7

26. Which of the following patients is most likely to be treated with intravenous glucagon?

- (A) An 18-year-old woman who took an overdose of cocaine and now has a blood pressure of 190/110 mm Hg
- (B) A 27-year-old woman with severe diarrhea caused by a flare in her inflammatory bowel disease
- (C) A 57-year-old woman with type 2 diabetes who has not taken her glyburide for the last 3 d
- (D) A 62-year-old man with severe bradycardia and hypotension resulting from ingestion of an overdose of atenolol
- (E) A 74-year-old man with lactic acidosis as a complication of severe infection and shock

27. The type of anemia manifested in a malarial infected patients?

- A. normocytic normochromic
- B. microcytic normochromic
- C. normocytic hypochromic
- D. microcytic; hypochromic
- E. no abnormal changes are observed

15

28. Which of the following is CORRECT regarding Oxy-Hemoglobin dissociation curve?

- A. P-50 remains the same across the different states of metabolism
- B. Has similar slope with the CO₂-haemoglobin dissociation curve
- C. During exercise, the curve shifts to the right
- D. The curve shifts to the left in anemic patients
- E. Excess 2,3-diphosphoglycerate shifts the curve to the left

10

29. A fever caused in a malarial infected individual occurs during:

- A. the release of merozoites from the erythrocytes
- B. the release of merozoites from the hepatic schizonts
- C. the release of gametocytes from the erythrocytes
- D. the release of merozoites from extrahepatic tissues

15

30. The unique side effect of procainamide administration

- A. lupus like syndrome
- B. dry mouth
- C. conchonism
- D. vomiting
- E. rash

10

31. which one of the following molecules can't act as a second messenger

- A. cgmp
- B. camp
- C. calmodulin
- D. calcium
- E. ip3

8

32. cycle wedko

- A. median meningeal artery
- B. anterior meningeal artery
- C. middle cerebral artery
- D. anterior cerebral artery
- E. posterior meningeal artery

14

33. the correct statement regarding the nasal cavity and its epithelial coverings

superior conchae is covered by special olfactory epithelium

inferior conchae is covered by special olfactory epithelium

the maxillary sinuses are lined by non-keratinized stratified squamous epithelium

8

34. hiv patients'

oral candidiasis

35. non opioid antitussive

dextromethorphan

codeine

36. neuronal excitability decreases by

- A. tetrodotoxin
- B. alkalosis
- C. hypernatremia
- D. increased temperature
- E. increased sodium conductance through the sarcolemma

14

37. the correct statement regarding resting membrane potential is?

- A. all cells have it
- B. only found in excitable tissues
- C. is relatively constant and unchanged in tissue
- D. has the same value for all types of cells

2

38. the primary channel responsible for maintaining the resting membrane potential relatively constant?

- A. leaky K^+ channels
- B. ligand gated ion channels
- C. light gated ion channels
- D. voltage gated ion channels
- E. voltage gated

2

39. which of the following is required for a child with chronic renal insufficiency

- A. oprelvekin

- B. cyanocobalamin
- C. filgrastim
- D. deferoxamine
- E. erythropoietin

12

40. plasma protein that helps to maintain blood volume by exerting plasma colloid osmotic pressure
- A. beta globulin
 - B. alpha globulin
 - C. albumin
 - D. fibrinogen
 - E. Gama globulin

10

41. colchicine inhibits
- A. microtubule
 - B. microfilament
 - C. protein synthesis
 - D. mRNA synthesis
 - E. cytokinesis

42. rem sleep not true
- A. active muscle inactive brain
 - B. active brain
 - C. the brain is actively measured by beta waves
 - D. re-collectable dreams

14

43. a 23-year-old female is newly diagnosed with type 2 dm and is on medications. she started manifesting symptoms of fatigue, headache and rash after attending a cocktail party in the previous day. Which of the following therapeutic drug results in the mentioned symptoms

metformin

glitaazine

tolbutamide

13

44. hormone derived mayhoned
- A. fatty acids
 - B. nucleic acids
 - C. carbohydrate
 - D. glycerol
 - E. proteins

3

45. the nutrient in our body that is not utilized for energy production
- A. carbohydrates
 - B. fatty acids
 - C. proteins
 - D. vitamins
 - E. starch

3

46. leishmania prevention yalhonew

- A. environmental insecticides to kill the larval stage of sand fly
- B. environmental insecticides to kill the adult stage of sand fly
- C. control of sand flies around running waters

15

47. serous eosinophilic

- A. serous cells have a centrally located spherical nuclei; eosinophilic cytoplasm
- B. serous cells have a centrally located spherical nuclei; translucent cytoplasm
- C. mucous cells have a centrally located spherical nuclei; eosinophilic cytoplasm
- D. serous cells have a basally located spherical nuclei; translucent cytoplasm

48. uv radiation

pyrimidine dimers

reactive oxygen species

49. recognition mimaetaw pathogen

- A. lipoteichoic acids
- B. LPS
- C. Peptidoglycan layer
- D. Phospholipid bilayer
- E. Presence of long methylated CpG

50. all of the following structures can be palpated during rectal examination except:

- A. ischial tuberosity
- B. sacrum
- C. posterior lobe of prostate
- D. ampulla of vas deferens
- E. tip of coccyx

51. the glomerular filtration rate of the kidney per day:

- A. 125L/ day
- B. 180L/ day
- C. 25L/ day
- D. 600L/ day
- E. 300L/ day

12

52. one is not the boundary of the inferior temporal fossa?

- A. Medial pterygoid muscle makes up the inferior boundary
- B. The roof is continuous with the temporal fossa
- C. The lateral pterygoid plate forms the medial wall
- D. The mandibular condyle forms the lateral wall
- E. The greater wing of sphenoid makes part of the roof of the fossa

8

53. the nerve that doesn't carry parasympathetic neuronal fibers?

- A. oculomotor
- B. fascial

- C. trochlear
- D. glossopharyngeal
- E. vagus

14

54. both the proximal and the distal part of the right 6th aortic arch persist in the adult. The distal end of the arch forms the?

- A. Ductus arteriosus
- B. Right pulmonary artery
- C. Right subclavian artery
- D. The descending aorta
- E. The common carotid artery

10

55. one of the following is not a secondary cause of glomerulonephritis?

- A. Minimal change disease
- B. Post- streptococcal glomerulonephritis
- C. Systemic lupus syndrome
- D. Diabetes mellites
- E. Amyloidosis

12

56. Meckel's diverticulum yalhonew

Half meter proximal junction

Jejuno ileal junction

Cecum

Transverse colon

11

57. Miosis 1

Achieving bipolar homologous chromosome

Separation at the centromere

1

58. The unpaired muscle causing adduction of the true vocal cords?

- A. Transverse arytenoid
- B. Oblique arytenoid
- C. Thyroarytenoid
- D. Cricothytenoid
- E. Lateral cricoarytenoid

8

59. The enzyme that links the TCA cycle with the electron transport chain in the matrix of the mitochondria

- A. Succinate dehydrogenase
- B. Alpha ketoacid dehydrogenase
- C. Acyl CoA esterase

3

D. Xanthine oxidase

60. The drug that doesn't belong to the family of beta-lactam drugs?

- A. Streptomycin
- B. Aztreonam
- C. Imipenem
- D. Ceftriaxone
- E. Ampicillin

15

61. the type of bond in between the monomers of RNA and DNA molecules?

- A. Phosphodiesterase bond
- B. Hydrogen bond
- C. Ionic bond
- D. Vander wall bond
- E. Covalent bond

1

65.. antioxidants

Superoxide dismutase converts superoxide into H_2O_2

Superoxides are the most damaging ROS

H_2O_2 can cross the lipid membrane barrier of a cell

8

62. Melanin

Ear conduction

Protection of the skin against damage induced by UV - radiation

63. Acoustic attenuation

- A. Tensor tympani
- B. Organ of corti
- C. Malleus
- D. Oval window
- E. Incus

8

64. Adipokine true yalhone

Adiponectin is decreased in obesity

adiponectin is increased in type2 diabetes

are proteins released into the circulation

65. Phase 1 miwesdew intermediate

Pentose phosphate pathway

Gluconeogenesis

TCA cycle

Fatty acid synthesis

3

66. Gastric epithelium lining the acidic digestion site:

- A. Stratified squamous non-keratinized
- B. Stratified squamous keratinized
- C. Simple columnar
- D. Simple cuboidal
- E. Transitional

11

67. Cervical carcinoma

- A. Hpv
- B. Hsv
- C. Ebv
- D. Vzv
- E. Polio

68. Aflatoxin b1

Hepatocellular carcinoma

Squamous cell carcinoma

Papillary carcinoma

6

69. upper parathyroid

70. Which of the following statements is CORRECT with regard to the histology of the heart?

Purkinje fibers travel in subepicardial layer of the epicardium to apex of the heart

adipose tissue that generally surrounds the heart accumulates in the myocardium

endocardium is thinnest in the ventricles and thickest in the atria

10

71. coarse face, ring size atre,

octreotide

72. tsh high ena gn t4 low candidate for

levothyroxine

iodide

73. posterior perforation

omental bursa

13

74. functional layer eroded

- A. functional layer
- B. basal layer
- C. myometrium
- D. perimetrium
- E. placental attachment

13

75. predictive functional toxicity

strychnine

aspirin peptic ulcer

76. catalase le staph enastrept

- A. indole test
- B. catalase test
- C. capsule test
- D. gram stain

8

77. esophagea; varices sewyew tamo alcholic hemoptysis

peptic ulcer

Barret esophagus

esophageal varices

Mallory Weiss tear

11

78. vagina non keratinized

- A. non keratinized stratified epithelium
- B. non keratinized cuboidal epithelium
- C. simple columnar
- D. pseudostratified columnar epithelium
- E. simple cuboidal

13

79. The bleeding phase of the uterine cycle occurs due to:

- A. Withdrawal of sex hormones
- B. Estrogen
- C. Progesterone
- D. Follicle stimulating hormone
- E. Luteinizing hormone surge

13

80. prog and estrog

granulosa cells

corona radiata

13

theca cells

zona pellucida

81. Semen analysis includes all except:

- A. sperm count
- B. sperm motility
- C. Semen volume
- D. sperm morphology
- E. sperm weight

13

82. arteriolar constriction miyametaw

- A. low hydrostatic pressure
- B. increase blood flow through the capillary bed
- C. increased glomerular filtration rate
- D. increase in blood flow volume
- E. decreased peripheral resistance

10

83. Which one of the following factors increases GFR?

- A. Renal efferent vasoconstriction
- B. Increased voiding of urine
- C. Renal afferent vasoconstriction
- D. Increase Bowman's interstitial capillary pressure
- E. Sympathetic stimulation of renal afferent arteriole

12

84. Oligohydramnios is commonly caused by

- A. A. Urinary bladder exstrophy
- B. B. Congenital biliary atresia
- C. C. Bilateral renal agenesis
- D. Absence of thymus
- E. Cystic renal dysplasia

12

85. kidney involved yalhonew

adh involved

acid base balance

12

86. excitation contraction coupling yalhonew

- A. calcium calmodulin binding in smooth muscle
- B. depolarization of the t tubules in the skeletal muscle
- C. conformational change of dihydropyridine receptors
- D. ATP hydrolysis
- E. depolarization of the sarcolemma

8

87. The activity of muscle glycogen synthesis in resting muscle is increased by the action of which of the following?

- A. Norepinephrine
- B. Cortisol
- C. Epinephrine
- D. Glucagon
- E. Insulin

88. acute inflammation pharyngitis chill exudate 3 days

acute inflammation

chronic inflammation

granulomatous inflammation

reversible inflammation

purulent inflammation

89. tuberculosis lymphocytosis, fibroblasts macrophage wedge epithelioid

mycobacterium tuberculosis

legionella pneumophila

mycoplasma pneumoniae

klebsiella pneumoniae

90. brown fat hydrogen leakage

increase in fat concentration

presence of hydrogen leak channels on the mitochondrial membrane

91. _____ is caused due to excess production of dopamine in the brain while _____ is caused due to damage of dopamine producing cells and their pathway, respectively.

- A. schizophrenia; Parkinson's disease
- B. Parkinson's disease; schizophrenia
- C. myasthenia gravis; Parkinson's disease
- D. Lambert-Eaton syndrome; myasthenia gravis

14

92. substantia nigra wedge basal ganglia

dopamine

norepinephrine

epinephrine

14

serotonin

93. yellow fever belongs to the family

- A. Togaviridae
- B. Flaviviridae
- C. Bunyaviridae
- D. Calciviridae
- E. Filoviridae

15

94. Cerebellum

Preprogramming of the voluntary movement

Initiating voluntary movement

Maintaining equilibrium and posture

Correcting the equilibrium of the our body

14

95. Methotrexate resistance yalhonew

Dhfr mekeyer

Polyglutamate

15

96. Commonest cause of esophagitis in immune competent individuals is:

- A. Achalasia
- B. Reflux disease
- C. Congenital
- D. Chemicals
- E. Infections

11

97. Chronic bronchoitis with restrictive

Functional residual capacity is increased

Fev1/Fvc ratio is markedly increased

The air volume intake capacity of the lungs is decreased

10

98. Gamma motor

Increased stimulation from center

99. Hearing and memory interpretation

14

22

100. Which one of the following statement is false

Km determines the affinity of the enzyme for the substrate

Aspirin is a reversible inhibitor of cox

101. The most outer cerebral layer containing horizontal cells of cajal and Golgi type 2 cells

- A. Plexiform layer
- B. Outer granular layer
- C. Outer pyramidal layer
- D. Inner granular layer
- E. Granulocyte layer

102. Most common Cause of infectious blindness

- A. Onchocerciasis
- B. Echinococcosis
- C. Elephantiasis
- D. Dracunculosis
- E. Loiasis

15

103. Classical symptom of meningitis

- A. Stiff neck fever headache
- B. Diarrhea, vomiting, dizziness
- C. Fever, rash, tremor
- D. Hyperventilation, headache, rash

14

104. Transmission route for scabies

15

Skin contact

105. Porphyrria's are caused due to damage of which pathways?

- A. Heme synthesis
- B. Fatty acid oxidation
- C. Gluconeogenesis
- D. Lipid synthesis
- E. Protein degradation

3

106. Super antigen

- A. Causes Toxic shock syndrome
- B. B cells are activated in response to their binding
- C. Cause cytokine storm
- D. Bacterial cell derived

107. False concerning acute contact dermatitis

The dose doesn't affect the reaction

Type Iv hypersensitivity reaction

Photoecsematous

Atopic contact dermatitis is commonest type of eczematous dermatitis.

108. 6th pharyngeal

Ductus arteriosus

109. Laxatives are contraindicated in all except:

- A. Undiagnosed abdominal pain
- B. To clear bowel for surgical procedure
- C. Obstructed bowel
- D. For laxative abusers

11

110. Muscle fatigue is caused due to lack of:

- A. ATP
- B. Magnesium
- C. Lactic acid
- D. AMP
- E. Calcium

8

111. If a slide shows diffusely packed lymphoid cells organized into cortex and medulla with no lymphoid nodules, which type of lymphoid tissue is it?

- A. Lymph nodes
- B. Thymus
- C. Palatine tonsils
- D. Spleen
- E. Peyer's patches

7

112. The false statement regarding the histology of the blood vessels

- A. The tunica intima is thicker in arteries than veins
- B. Vasavasorum is abundant in large veins than in arteries
- C. Tunica media in the vessels is replaced with pericytes in the capillaries and the postcapillary venules
- D. The tunica adventitia in veins is thicker in veins than in arteries

10

113. Which one of the following functions is provided by aerobic bacteria for anaerobic bacteria's in polymicrobial infection

Increase oxygen tension

Decrease fe+2 level

Cause mucosal damage

114. Which one of the following statements is incorrect regarding salmonella

- A. Non typhoidal species have wider spectrum of host while the typhoidal ones are restricted to humans.
- B. Enterobacteriaceae family, Gram negative and facultative anaerobe
- C. Enteric fever is caused by s.typhi and s. paratyphi

11

- D. Vi positive strains are more virulent than vi negative salmonella typhi strains
- E. Non typhoidal salmonella spp. Cause meningitis and blood dissemination in immunocompromised patients.

115. The symptom resulting from continuous bacteremia?

- A. Infective endocarditis
- B. Dental procedure
- C. Gram negative sepsis
- D. Abdominal abscess

15

116. The ion responsible for release of neurotransmitter vesicles at the presynaptic terminal

- A. Calcium
- B. Magnesium
- C. Potassium
- D. Sodium
- E. Selenium

117. Symptoms occurring in a patient with blood loss and dehydration

- A. Increased Skin turgidity
- B. Increased skin perfusion
- C. Reduced body temperature
- D. Increased heart rate
- E. Increased urination

118. The systemic effect of muscarinic agonists?

- A. Mydriasis
- B. Constipation
- C. urinary urgency
- D. bradycardia
- E. dry mouth

8

119. Which one of the following is true regarding gluconeogenesis from the molecule pyruvate, to form glucose

the ATP is obtained from fatty acid oxidation

acetyl CoA is an intermediate molecule

the process exclusively occurs in the cytoplasm

3

120. Which group of hormones are classified as amine type of hormone:

- A. Pancreatic hormones
- B. Adrenal medullary hormones
- C. Posterior Pituitary hormones
- D. Thyroid hormones
- E. Adrenal cortex hormones

13

121. The main Source of cholesterol for arteriolar smooth muscle

- A. LDL
- B. Chylomicrons
- C. IDL
- D. HDL
- E. VLDL

122. Chylomicron mainly contains

- A. TAG
- B. Cholesterol
- C. Phospholipid
- D. Cholesterol ester
- E. Vitamin K

11

123. Select the correct order of leukocyte migration to the interstitial space

- A. Rolling pavementing transmigration
- B. Pavementing Rolling transmigration
- C. transmigration Rolling pavementing
- D. Rolling transmigration pavementing
- E. pavementing transmigration Rolling

124. An infant with congenital malformation results in the stenosis of the cerebral aqueduct.
The resulting effect causes dilation of?

- A. All the ventricles are dilated
- B. The lateral and the third ventricle
- C. The lateral, the third and the fourth ventricle
- D. There is no abnormality in the ventricles.
- E. The dilatation of the third and lateral ventricles

14

125. Common mechanism of protein degradation

- A. Ubiquitination
- B. Calcification
- C. Glucuronidation
- D. Acetylation
- E. Hydroxylation

3

126. The structure of the embryo on the side of the decidua capsularis

- A. Chorionic leave
- B. Chorionic villi
- C. Cytotrophoblastic shell
- D. Chorionic frondosum
- E. Primary villi

127. Which one is the correct sequence of onset of general anesthesia?

- A. Motor -- pain -- inhibitory -- excitatory neurons
- B. Inhibitory -- excitatory -- pain -- motor neurons

8

- C. Excitatory -- pain -- motor -- inhibitory neurons
- D. Inhibitory -- pain -- motor -- excitatory neurons
- E. Pain -- inhibitory -- excitatory -- motor neurons

128. Which one of the following techniques is used to kill all germinative pathogens while their spores remain?

- A. Sanitizer
- B. Pasteurization
- C. Sterilization
- D. Preservation

129. Defect in glucuronidation in the liver results in:

- A. Hepatic jaundice
- B. obstructive jaundice
- C. hemolytic jaundice
- D. cerebral jaundice

11

130. The endoderm lining the laryngotracheal vestibule distal to the larynx is a derivative for?

- A. The epithelium and the submucosal glands of trachea
- B. The cartilage in the walls of the trachea
- C. The skeletal muscle in the posterior trachea
- D. Connective tissue in the bronchiolar tree

131. Cri du chat syndrome

- A. Deletion at the short arm of chromosome 5
- B. Point mutation at the short arm of chromosome 5
- C. Reverse translocation at the long arm of chromosome 5
- D. Point mutation at the long arm of chromosome 5

132. Which of the following organelles have DNA?

- A. Smooth endoplasmic reticulum
- B. Mitochondria
- C. Centrioles
- D. Rough endoplasmic reticulum
- E. Ribosomes

1

133. A 5 year old child sleeps all Saturday. The concerned mother takes her to the hospital where she was experiencing drowsiness, lethargy and high fever. A csf sample was taken and was found to be cloudy and decrease glucose

- A. Streptococcus pneumoniae
- B. Hemophilus influenzae
- C. Listeria monocytogens
- D. Cytomegalovirus
- E. Varicella zoster virus

14

134. Which of the following is a problem of "lower motor neuron lesion"?

- A. Clonus
- B. Hyper-reflexia
- C. Positive Babinski sign
- D. Muscle atrophy
- E. Spasticity

19

135. Leukocytes involved in helminth killing?

- A. Basophil
- B. Eosinophil
- C. Neutrophil
- D. Lymphocyte
- E. Macrophage

136. Majority esophageal adenocarcinoma cases occur in?

- A. Upper and middle third
- B. Lower and upper third
- C. Lower third
- D. upper third
- E. Middle third

11

137. Doesn't rotate the arm at glenohumeral joint

- A. Latissimus dorsi
- B. Subscapularis
- C. Supraspinatus
- D. Deltoid
- E. Pectoralis major

2

138. Endoscopic examination revealed tortuous dilated submucosal veins of distal esophagus.
This is typical for:

- A. Barret esophagus
- B. Esophageal varices
- C. Caput medusa
- D. Adenocarcinoma
- E. Mallory weiss tear

11

139. Which layer of the uterus undergoes profound changes(sheds) during menstrual cycle?

- A. Basal layer of endometrium
- B. Myometrium
- C. Functional layer of endometrium
- D. Perimetrium
- E. Epimetrium

13

140. Gastric intrinsic factor which binds to vitamin B12 is produced by which type of cells of the gastric glands?

- A. oxyntic cells
- B. Zymogenic cells

11

- C. Basket cells
- D. Mucous neck cells
- E. Paneth cells

141. Acidophilic cells making the most abundant cells of pars distalis of pituitary gland with an effect of stimulating growth of long bones are:

- A. Folliculostellate cells
- B. Somatotrophs
- C. Chromaffin cells
- D. Mammothrophs
- E. Corticotrophs

1

142. Which of the following is the most common cause of poisoning in children?

- A. Occupation
- B. Accident
- C. Homicide
- D. Suicide
- E. Therapy

12

143. One of the following is not content of the deep perineal pouch in females?

- A. Sphincter urethrae
- B. Bulbourethral glands
- C. Deep transverse perineal muscle
- D. Membranous urethra
- E. Greater vestibular glands

13