

QUESTION 1

A client is to take one daily dose of ranitidine (Zantac) at home to treat her peptic ulcer. The nurse knows that the client understands proper drug administration of ranitidine when she says that she will take the drug at which of the following times?

☐

a.

When pain occurs

☒

b.

With meals

☐

c.

At bedtime

☐

d.

Before meals

FEEDBACK

The correct answer is: At bedtime

QUESTION 2

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

Abebe, a 6-month-old infant, presents with fever, maculopapular rash, conjunctivitis, and Koplik spots. What crucial micronutrient supplement should be given?

☐

a.

Iron

☐

b.

Folic Acid



c.

Zinc



d.

Vitamin A

FEEDBACK

The correct answer is: Vitamin A

QUESTION 3

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A female client went to the emergency department stating that she is having burning and intense itching on the skin. A further assessment made by the nurse notes that the client is having red and white patches in the mouth. Based on this, the nurse understands that the client is most likely suffering from?



a.

Shingles



b.

Erysipelas



c.

Candida albicans



d.

Eczema

FEEDBACK

The correct answer is: *Candida albicans*

QUESTION 4

Incorrect

Mark 0.00 out of 1.00

[Flag question](#)

QUESTION TEXT

A 4-year-old boy presents to the clinic with periorbital edema, scrotal swelling, and decreased urine output. His mother reports that his urine has been “foamy.” On examination, he has generalized edema. Laboratory results show significant proteinuria, hypo-albuminemia, hyperlipidemia, and normal blood pressure. The nurse anticipates which of the following initial interventions for this patient?

☐

a.

Administration of broad-spectrum antibiotics

☒

b.

Aggressive intravenous fluid resuscitation

☐

c.

Corticosteroid therapy

☐

d.

Initiation of dialysis

FEEDBACK

The correct answer is: *Corticosteroid therapy*

QUESTION 5

Correct

Mark 1.00 out of 1.00

[Flag question](#)

QUESTION TEXT

A 9-month-old infant presents to the emergency department with a 24-hour history of fever (103°F/39.4°C), irritability, poor feeding, and a bulging fontanelle. Which diagnostic test is crucial for confirming a diagnosis of meningitis?



a.

Blood culture



b.

Complete blood count (CBC)



c.

Urine analysis



d.

Lumbar puncture (spinal tap)

FEEDBACK

The correct answer is: Lumbar puncture (spinal tap)

QUESTION 6

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

Birhanu, a 35-year-old patient, was admitted with dull abdominal pain, unexplained anemia, anorexia, weight loss, and fatigue. An occult blood test is ordered. What specimen will you collect?



a.

Blood



b.

Urine

☐

c.

Stool

☐

d.

Gastric juice

FEEDBACK

The correct answer is: Stool

QUESTION 7

Incorrect

Mark 0.00 out of 1.00

[Flag question](#)

QUESTION TEXT

Which of the following conditions is associated with a predictable level of pain that occurs as a result of physical or emotional stress?

☐

a.

Variant angina

☐

b.

Stable angina

☐

c.

Unstable angina

☒

d.

Anxiety

FEEDBACK

The correct answer is: Stable angina

QUESTION 8

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A physician has prescribed propylthiouracil (PTU) for a client with hyperthyroidism and the nurse develops a plan of care for the client. A priority nursing assessment to be included in the plan regarding this medication is to assess for:

☐

a.

Signs and symptoms of hyperglycemia

☒

b.

Relief of pain

☐

c.

Signs and symptoms of hypothyroidism

☐

d.

Signs of renal toxicity

FEEDBACK

The correct answer is: Signs and symptoms of hypothyroidism

QUESTION 9

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

An 18-year-old client who recently had an URI is admitted with suspected rheumatic fever. Which assessment findings confirm this diagnosis?



a.

Dyspnea, cough, and palpitations



b.

Erythema marginatum, subcutaneous nodules, and fever



c.

Dyspnea, fatigue, and syncope



d.

Tachycardia, finger clubbing, and a loud S3

FEEDBACK

The correct answer is: Erythema marginatum, subcutaneous nodules, and fever

QUESTION 10

Incorrect

Mark 0.00 out of 1.00

[Flag question](#)

QUESTION TEXT

The nurse is planning care for a newly admitted bed-bound elderly client. Which nursing diagnosis would be most appropriate?



a.

Disturbed Body Image



b.

Risk of Constipation



c.

Risk of Bowel Incontinence



d.

Risk of Diarrhea

FEEDBACK

The correct answer is: Risk of Constipation

QUESTION **11**

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

Genet, a 2-month-old infant, had a mild fever and runny nose yesterday but is now active and feeding well. Is she eligible for immunization today?



a.

Yes, mild illness is not a contraindication for vaccination.



b.

Only if her temperature is below 37°C



c.

No, because she had a fever yesterday.



d.

No, because she has a runny nose.

FEEDBACK

The correct answer is: Yes, mild illness is not a contraindication for vaccination.

QUESTION **12**

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A nurse notes 2+ bilateral edema in a client with myocardial infarction admitted two days ago. What should the nurse do next?



a.

Review intake and output records



b.

Order daily weights starting tomorrow



c.

Request sodium restriction



d.

Change diuretic administration time

FEEDBACK

The correct answer is: Review intake and output records

QUESTION 13

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

A 45-years-old severely ill looking patient brought to hospital for the first time. On assessment he has all suggestive sign of TB and on lab test; CD4 count of 250 cells/ml. Finally, diagnosed with HIV positive and smear positive TB. He has no previous history of TB treatment and the ART provider nurse-initiated treatment for the patient. What is the management approach most likely the ART focal nurse should follow?



a.

Start with ART and anti-TB treatment at the same time



b.

Start with 1st line anti-TB treatment for the 1st 8 weeks then ART



c.

Start treatment for all cases at the same time as soon as possible



d.

Start with ART for the 1st 2 weeks then anti-TB treatment

FEEDBACK

The correct answer is: Start with 1st line anti-TB treatment for the 1st 8 weeks then ART

QUESTION 14

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

A G-II P-I mother comes to your Hospital with pushing down pain and admitted to labor ward. She doesn't remember her LNMP but as confirmed by abdominal ultrasound during admission her gestational age was 38 weeks. V/S=BP-90/60mmhg, PR-126 beat/minute, RR-22 breath/minute, Temp=36°C. Abdominal examination=term sized uterus, FHB=136, cephalic presentation, longitudinal lie and 2 uterine contraction per ten minute that lasts for 20-30 seconds. At admission time per vaginal examination shows that cervix dilated-5cm, membrane ruptured, station=0, cephalic presentation and effacement=40%. After 4hrs per vaginal examination shows the same result as during admission time except effacement 50%. What is your possible diagnosis?



a.

Protracted cervical dilatation



b.

Poor uterine contraction



c.

Precipitate labor



d.

Cervical Arrest

FEEDBACK

The correct answer is: Cervical Arrest

QUESTION 15

Correct

Mark 1.00 out of 1.00

[Flag question](#)

QUESTION TEXT

A 28-year-old female with a suspected spinal injury opens her eyes to verbal commands, responds with incoherent speech, and withdraws from painful stimuli. What is her Glasgow Coma Scale score?



a.

11/15



b.

7/15



c.

13/15



d.

9/15

FEEDBACK

The correct answer is: 9/15

QUESTION 16

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

The nursing instructor conducting a lecture on alterations in urination would identify the need for further instruction when a student nurse makes which statement?

☐

a.

A client who has a urinary output of 1,300 mL/day is experiencing oliguria.

☒

b.

A client who is up several times at night is experiencing nocturia.

☐

c.

A client who has no urinary output is experiencing anuria.

☐

d.

A client suffering from difficulty or painful urination is experiencing dysuria.

FEEDBACK

The correct answer is: A client who has a urinary output of 1,300 mL/day is experiencing oliguria.

QUESTION 17

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A 30-year-old woman with infertility has completed three cycles of clomiphene citrate without success. What is the next step in assessment?

☐

a.

Perform a hysterosalpingogram to assess tubal patency

☒

b.

Refer for in vitro fertilization

☐

c.

Switch to another ovulation-inducing drug

☐

d.

Increase the dose of clomiphene citrate

FEEDBACK

The correct answer is: Perform a hysterosalpingogram to assess tubal patency

QUESTION 18

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

A 42-year-old woman diagnosed with complete mole underwent suction curettage. Which factor puts her at high risk for postmolar trophoblastic tumor?

☐

a.

Her hCG level

☒

b.

Her age

☐

c.

Her preeclampsia



d.

Her gestational age pre-evacuation

FEEDBACK

The correct answer is: Her age

QUESTION 19

Correct

Mark 1.00 out of 1.00

[Flag question](#)

QUESTION TEXT

A 6-month-old infant presents with sudden onset of severe, intermittent abdominal pain, drawing his knees to his chest, and crying inconsolably. The mother reports “currant jelly” stools. On examination, a sausage-shaped mass is palpable in the right upper quadrant. The nurse recognizes these classic signs and symptoms as indicative of which condition?



a.

Intussusception



b.

Volvulus



c.

Appendicitis



d.

Gastroenteritis

FEEDBACK

The correct answer is: Intussusception

QUESTION 20

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

A public health team wants to quickly assess the burden of Type 2 Diabetes Mellitus in a specific urban community at the beginning of 2024 to plan for local healthcare services. Which study design is most appropriate for a rapid assessment to measure the prevalence of the disease?



a.

Cohort study



b.

Cross-sectional study



c.

Ecological study



d.

Case-control study

FEEDBACK

The correct answer is: Cross-sectional study

QUESTION 21

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A 26-year-old woman presents with heavy menstrual bleeding with no pelvic pathology. What is the best treatment option?



a.

Tranexamic acid

☐

b.

Hormonal contraceptives

☒

c.

NSAIDs

☐

d.

Hysterectomy

FEEDBACK

The correct answer is: Tranexamic acid

QUESTION 22

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

Fantu feels that she must pray for 2 hours everyday before she leaves for work or else someone she loves will get hurt. Which of the following best describes her disturbance?

☒

a.

Obsession

☐

b.

Compulsion

☐

c.

Fear

☐

d.

Anxiety

FEEDBACK

The correct answer is: Compulsion

QUESTION 23

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A client comes into the adult OPD with acute shortness of breath and a cough that produces pink, frothy sputum. Admission assessment reveals crackles and wheezes, a BP of 85/46, a HR of 122 BPM, and a respiratory rate of 38 breaths/minute. The client's medical history included DM, Hypertension, and heart failure. Which of the following disorders should the nurse suspect?



a.

Cardiac tamponade



b.

Pneumothorax



c.

Pulmonary edema



d.

Pulmonary embolism

FEEDBACK

The correct answer is: Pulmonary edema

QUESTION 24

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A 45-year-old woman presents with amenorrhea for 7 months and desires pregnancy. Pregnancy has been excluded. What is the next indicated test?

☐

a.

Thyroid function tests

☐

b.

LH and FSH levels

☐

c.

Hysterosalpingogram

☒

d.

Endometrial biopsy

FEEDBACK

The correct answer is: LH and FSH levels

QUESTION **25**

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A 43-year-old woman with uterine fibroids has completed childbearing. What is the best treatment option?

☐

a.

Uterine artery embolization

☐

b.

Hysterectomy



c.

Myomectomy



d.

GnRH agonists

FEEDBACK

The correct answer is: Hysterectomy

QUESTION 26

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A 32-year-old man is seen in the psychiatry outpatient clinic after “going crazy.” He states that 4 months ago he was involved in an automobile accident and was trapped in his car for several hours. Since then he has not been able to drive and has nightmares about the accident. He also complains of difficulty sleeping and inability to concentrate at work; he says he feels nervous and on edge all the time. The diagnosis is



a.

Acute stress disorder



b.

Post-Traumatic Stress Disorder



c.

Dissociative disorder



d.

Adjustment Disorders

FEEDBACK

The correct answer is: Post-Traumatic Stress Disorder

QUESTION **27**

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

The nurse is attempting to place a urinary catheter in a 96-year-old female client and is unable to visualize the urinary meatus. An alternate position to facilitate insertion would be:



a.

Side-lying, lifting up the buttock.



b.

Supine, with the head of bed elevated at 45°.



c.

Supine, with the head of bed elevated at 30°.



d.

Supine, with the bed flat, legs bent and apart in stirrups.

FEEDBACK

The correct answer is: Side-lying, lifting up the buttock.

QUESTION **28**

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

A 27-years-old sexually active male client presented at OPD with painless open sore with a hard and round edge and a clean base in his genital area. After further evaluation, the physician diagnosed syphilis. Based on the clinical feature, what is the most likely stage of syphilis in this patient?



a.

Secondary syphilis (2nd stage)



b.

Early latent syphilis



c.

Latent syphilis (3rd stage)



d.

Primary syphilis (1st stage)

FEEDBACK

The correct answer is: Primary syphilis (1st stage)

QUESTION 29

Correct

Mark 1.00 out of 1.00

[Flag question](#)

QUESTION TEXT

A 7-year-old boy presents to the emergency department with sudden onset of severe abdominal pain, fever (39.5°C), and vomiting. On examination, his abdomen is rigid and distended, and he exhibits rebound tenderness and guarding. His parents report he had a recent history of appendicitis symptoms that seemed to resolve spontaneously a few days ago. Which of the following is the most likely diagnosis for this patient's current condition?



a.

Pyloric stenosis



b.

Peritonitis

☐

c.

Intussusception

☐

d.

Acute gastroenteritis

FEEDBACK

The correct answer is: Peritonitis

QUESTION **30**

Correct

Mark 1.00 out of 1.00

[Flag question](#)

QUESTION TEXT

A 38 years old para-6 woman was brought to the hospital after she gave birth and bleeds massively at a local health center. Upon evaluation, the midwife noticed that there was a protruding mass through the cervical ring, and down to the introitus. What degree of uterine inversion in this woman?

☐

a.

First degree

☒

b.

Third degree

☐

c.

Second degree

☐

d.

Fourth degree

FEEDBACK

The correct answer is: Third degree

QUESTION 31

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A 6-year-old girl is admitted to the pediatric intensive care unit with severe dehydration secondary to gastroenteritis. Over the past 24 hours, her urine output has significantly decreased, and her serum creatinine has risen from 0.4 mg/dL to 1.8 mg/dL. Her blood pressure is 80/40 mmHg. The child is diagnosed with Pre-renal Acute Kidney Injury (AKI). After fluid resuscitation, which finding would indicate fluid overload?

☐

a.

Crackles in the lungs

☐

b.

Decreased central venous pressure

☒

c.

Improved urine output

☐

d.

Decreased body weight

FEEDBACK

The correct answer is: Crackles in the lungs

QUESTION 32

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

A nurse is working in the emergency department and has just received a client with an asthma exacerbation. Which of the following positions would be the most conducive to effective gas exchange for this client?



a.

Prone



b.

Trendelenburg



c.

High-Fowler's



d.

Dorsal Recumbant

FEEDBACK

The correct answer is: High-Fowler's

QUESTION **33**

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A 4-week-old infant presents with projectile vomiting after every feeding, hunger immediately afterward, and a palpable olive-shaped mass. What is the most likely diagnosis?



a.

Intestinal obstruction



b.

Pyloric stenosis



c.

Milk protein allergy



d.

Gastroesophageal reflux

FEEDBACK

The correct answer is: Pyloric stenosis

QUESTION 34

Incorrect

Mark 0.00 out of 1.00

[Flag question](#)

QUESTION TEXT

If this child has recurrent UTIs, what diagnostic test might the physician order to investigate underlying anatomical abnormalities?



a.

Urinalysis



b.

Voiding cysto-urethrogram



c.

Renal biopsy



d.

Serum creatinine

FEEDBACK

The correct answer is: Voiding cysto-urethrogram

QUESTION 35

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

A 45-years-old female patient admitted in medical ward with a working medical diagnosis of complicated urinary tract infection secondary to urinary stones. Besides the clinical features of UTI, laboratory investigations indicate increased uric acid level (8 mg/dl), normal serum creatinine (0.8 mg/dl), and nearly normal blood urea nitrogen (20 mg/dl).

Which of the following is most likely important in discharge nursing instruction for this patient?



a.

Limit intake of oxalate like spinach, strawberries, chocolate



b.

Restriction of protein and sodium diets



c.

Acidification of the urine with ammonium chloride



d.

Low-purine diet consumption and avoiding foods high in purine

FEEDBACK

The correct answer is: Low-purine diet consumption and avoiding foods high in purine

QUESTION 36

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

During recovery from a cerebrovascular accident (CVA), a female client is given nothing by mouth to help prevent aspiration. To determine when the client is ready for a liquid diet, the nurse assesses the client's swallowing ability once each shift. This assessment evaluates:

☐

a.

Cranial nerve VI and VIII

☒

b.

Cranial nerve III and V

☐

c.

Cranial nerve I and II

☐

d.

Cranial nerve IX and X

FEEDBACK

The correct answer is: Cranial nerve IX and X

QUESTION **37**

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

Assume you are working at medical ward of Dilchora referral hospital as a nurse professional and then a 50-year-old client was being treated for nephrotic syndrome. As per the physician's order, the client's medical regimen consists of furosemide (Lasix) 20 mg IV BID.

Which of the following laboratory tests should you most likely monitor for the patient?

☐

a.

Monitor serum magnesium (Mg⁺) level

☒

b.

Monitor fluid intake and output

☐

c.

Monitor serum calcium (Ca⁺) level

☐

d.

Monitor serum potassium (K⁺) level

FEEDBACK

The correct answer is: Monitor serum potassium (K⁺) level

QUESTION **38**

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A 32-year-old patient is being interviewed in his physician's office. He eventually answers each question, but he gives long answers with a great deal of tedious and unnecessary detail before doing so. Which of the following symptoms best describes this patient's presentation?

☐

a.

Circumstantiality

☐

b.

Blocking

☐

c.

Tangentiality



d.

Looseness of associations

FEEDBACK

The correct answer is: Circumstantiality

QUESTION 39

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

The nurse finds that a urinary drainage bag is lying on the floor. Which nursing diagnosis would be appropriate?



a.

Self-Care Deficit related to presence of a retention catheter



b.

Urinary Incontinence related to an obstruction



c.

Risk for Impaired Skin Integrity related to catheter placement



d.

Risk for Infection related to improper handling

FEEDBACK

The correct answer is: Risk for Infection related to improper handling

QUESTION 40

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

At an ophthalmologic unit, an examiner holds his/her fingers at an angle equidistant between his/her eye and the patient, and then moves his/her fingers in different quadrants as long as the patient can see them. According to tests of vision, which of the following test is being tested by the examiner?



a.

Visual field test



b.

Newspaper test



c.

Visual acuity test



d.

Color vision test

FEEDBACK

The correct answer is: Visual field test

QUESTION 41

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

Suppose you are the district health office director in a region with a catchment of around 130,000 people who are now showing interest in having a health facility. Which kind of healthcare institution would you advise for this community?



a.

Primary hospital



b.

Specialized hospital



c.

General hospital



d.

Health center

FEEDBACK

The correct answer is: Primary hospital

QUESTION 42

Correct

Mark 1.00 out of 1.00

[Flag question](#)

QUESTION TEXT

A nurse notes bilateral edema (2+) in the lower extremities of a client with myocardial infarction who was admitted two days ago. The nurse would plan to do which of the following next?



a.

Request a sodium restriction of one (1) g/day from the physician.



b.

Review the intake and output records for the last two days.



c.

Change the time of diuretic administration from morning to evening.



d.

Order daily weight starting the following morning

FEEDBACK

The correct answer is: Review the intake and output records for the last two days.

QUESTION 43

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A 20-year-old student collapses and is unresponsive and not breathing. What is the first step you should take?



a.

Check her pulse for no more than 10 seconds



b.

Call emergency services before doing anything



c.

Start chest compressions immediately



d.

Shake her gently and shout to see if she responds

FEEDBACK

The correct answer is: Shake her gently and shout to see if she responds

QUESTION 44

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

To determine the correct length of a nasogastric tube to be inserted, the nurse should:

☐

a.

Measure from nose to earlobe to sternum.

☐

b.

Measure from nose to chin to xiphoid process.

☒

c.

Measure from nose to earlobe to xiphoid process.

☐

d.

Measure from base of nose to earlobe to sternum.

FEEDBACK

The correct answer is: Measure from nose to earlobe to xiphoid process.

QUESTION 45

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A 7-year-old boy is admitted with facial edema, dark-colored urine (“cola-colored”), and decreased urine output. His mother reports he had a “strep throat” infection about two weeks ago. His blood pressure is elevated at 140/90 mmHg. The child is diagnosed with Acute Post-Streptococcal Glomerulonephritis (APSGN). Which laboratory finding would be consistent with this diagnosis?

☐

a.

Elevated Antistreptolysin O (ASO) titer

☐

b.

Negative urine dipstick for blood



c.

Hypoalbuminemia



d.

Significant proteinuria (>3.5 g/day)

FEEDBACK

The correct answer is: Elevated Antistreptolysin O (ASO) titer

QUESTION 46

Incorrect

Mark 0.00 out of 1.00

[Flag question](#)

QUESTION TEXT

A G-III P-0 mother appointed for elective induction of labor secondary to post term pregnancy. Induction was started with oxytocin according to protocol. After reaching 60 drops/minute, there are 3 uterine contractions per 10 minutes lasting 50-60 seconds with FHB=136. What will be the next step in your management?



a.

Add the 2nd dose of oxytocin after 30 minute as protocol



b.

Prepare for cesarean section delivery after 30 minute



c.

Change drop from 60 drop/minute to 80 drop/minute as protocol



d.

Maintain by 60 drop/minute and follow the labor as protocol

FEEDBACK

The correct answer is: Maintain by 60 drop/minute and follow the labor as protocol

QUESTION 47

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

A patient with newly diagnosed type 2 diabetes mellitus asks the nurse what “type 2” means in relation to diabetes. The nurse explains to the patient that type 2 diabetes differs from type 1 diabetes primarily in that with type 2 diabetes:



a.

There is decreased insulin secretion and cellular resistance to insulin produced.



b.

The insulin precursor secreted by the pancreas is not activated by the liver.



c.

The immune system destroys the pancreatic insulin-producing cells.



d.

The patient is totally dependent on an outside source of insulin.

FEEDBACK

The correct answer is: There is decreased insulin secretion and cellular resistance to insulin produced.

QUESTION 48

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

Chaltu, a 9-month-old infant, has watery diarrhea for 4 days, sunken eyes, slow skin pinch, and drinks eagerly. Based on IMNCI guidelines, what is her dehydration classification?



a.

Some Dehydration



b.

No Dehydration



c.

Very Severe Dehydration



d.

Severe Dehydration

FEEDBACK

The correct answer is: Some Dehydration

QUESTION 49

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

Which of the following blood tests is most indicative of cardiac damage?



a.

Complete blood count (CBC)



b.

Lactate dehydrogenase



c.

Troponin I



d.

Creatine kinase (CK)

FEEDBACK

The correct answer is: Troponin I

QUESTION **50**

Correct

Mark 1.00 out of 1.00

[Flag question](#)

QUESTION TEXT

The nurse is teaching the parents about preventing future UTIs. Which instruction is most important?



a.

Encourage bubble baths.



b.

Wipe from back to front after toileting.



c.

Encourage adequate fluid intake and frequent voiding.



d.

Avoid cotton underwear.

FEEDBACK

The correct answer is: Encourage adequate fluid intake and frequent voiding.

QUESTION **51**

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

Ana is 45 years old and has a bleeding ulcer. Despite multiple blood transfusions, her HGB is 7.5 g/dl and HCT is 27%. Her doctor determines that surgical intervention is necessary and she undergoes partial gastrectomy. Postoperative nursing care includes:



a.

Keeping her NPO until the return of peristalsis.



b.

Positioning her in high Fowler's position.



c.

Giving pain medication every six hours.



d.

Flushing the NG tube with sterile water.

FEEDBACK

The correct answer is: Keeping her NPO until the return of peristalsis.

QUESTION 52

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

What is the diameter of the fetal skull that presents at the vulva during normal labour?



a.

Mentovertical



b.

Suboccipitobregmatic



c.

Suboccipitofrontal



d.

Occipitofrontal

FEEDBACK

The correct answer is: Suboccipitobregmatic

QUESTION 53

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

Dawit, a 4-month-old infant, has difficulty breathing, stridor, barking cough, severe chest indrawing, and is restless. Based on IMNCI guidelines, what is the most likely classification?



a.

Cough or Cold



b.

Very Severe Disease



c.

Pneumonia



d.

Severe Pneumonia

FEEDBACK

The correct answer is: Very Severe Disease

QUESTION 54

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

A burn client has hypotension, tachycardia, and low urine output 12 hours after injury. Which prescription does the nurse anticipate?



a.

Administer a diuretic



b.

Transfuse 1 unit of packed RBCs



c.

Change IV solution to D5W



d.

Increase IV lactated Ringer's solution

FEEDBACK

The correct answer is: Increase IV lactated Ringer's solution

QUESTION 55

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A woman with microinvasive cervical cancer (stage IA1) is diagnosed after cone biopsy. What is the best recommended treatment?



a.

Radical hysterectomy



b.

Simple hysterectomy



c.

Simple hysterectomy with pelvic lymphadenectomy



d.

External beam radiation

FEEDBACK

The correct answer is: Simple hysterectomy

QUESTION 56

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

A 65-year-old woman with heart failure and decreased ejection fraction presents with dyspnea and edema. Which nursing action is most appropriate?



a.

Encourage strenuous activity



b.

Limit fluids only at night



c.

Elevate the legs to reduce edema



d.

Keep the patient supine at all times

FEEDBACK

The correct answer is: Elevate the legs to reduce edema

QUESTION 57

Correct

Mark 1.00 out of 1.00

[Flag question](#)

QUESTION TEXT

Which of the following conditions is most commonly responsible for myocardial infarction?



a.

Heart failure



b.

Renal failure



c.

Aneurysm



d.

Coronary artery thrombosis

FEEDBACK

The correct answer is: Coronary artery thrombosis

QUESTION 58

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

During a surgical procedure, the circulating nurse prepares the operating room, ensuring all necessary equipment is available, and positioning the patient safely on the operating table. What is the primary goal of the circulating nurse in this situation?



a.

Protecting the patient from any potential injuries during the process



b.

Maintaining a sterile environment for the procedure



c.

Facilitating effective communication among the surgical team



d.

Ensuring adequate lighting for the surgical team

FEEDBACK

The correct answer is: Protecting the patient from any potential injuries during the process

QUESTION 59

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

A client is in distress with a diagnosis of acute pulmonary edema. Which of the following actions by the nurse is contraindicated?



a.

Monitor for changes to lung sounds



b.

Monitor vital signs



c.

Administer a fluid bolus as ordered



d.

Apply continuous pulse oximetry

FEEDBACK

The correct answer is: Administer a fluid bolus as ordered

QUESTION **60**

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

Assume you will be president of Dire Dawa University in 2025, and one of your plans is to be among the top five universities in East Africa by 2030. This type of plan is



a.

Tactical Planning



b.

Short Planning



c.

Strategic Planning



d.

Single-use Planning

FEEDBACK

The correct answer is: Strategic Planning

QUESTION 61

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

The nurse at a health fair is educating clients on risk factors associated with urinary incontinence. Which is a non-modifiable risk factor?



a.

Smoking



b.

Age



c.

Diabetes



d.

Obesity

FEEDBACK

The correct answer is: Age

QUESTION 62

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A 51-year-old woman has invasive cervical cancer involving the parametrium and upper vagina, with normal IVP and sigmoidoscopy. This patient is classified as stage:



a.

IIIB



b.

IIIA



c.

IIA



d.

IIB

FEEDBACK

The correct answer is: IIB

QUESTION **63**

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

The Parkland (Baxter) formula recommends which fluid administration guideline?



a.

Half of the total 24-hour fluid in the first 8 hours



b.

Half in the first 4 hours

☐

c.

One-third in the first 4 hours

☐

d.

All fluids in first 8 hours

FEEDBACK

The correct answer is: Half of the total 24-hour fluid in the first 8 hours

QUESTION 64

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A 26-year-old woman presents with irregular menstrual cycles, hirsutism, acne, and ultrasound showing multiple small ovarian cysts. What are the most likely diagnosis and first-line treatment?

☐

a.

Endometriosis; laparoscopic excision

☒

b.

Cervical cancer; chemotherapy and radiotherapy

☐

c.

Polycystic ovary syndrome (PCOS); weight loss and exercise

☐

d.

Uterine fibroids; hysterectomy

FEEDBACK

The correct answer is: Polycystic ovary syndrome (PCOS); weight loss and exercise

QUESTION 65

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

Kebede, a 1-month-old infant, has pus draining from the umbilical stump, feeds well, and has no fever. Based on IMNCI guidelines, what is the classification?



a.

Serious Bacterial Infection



b.

Very Severe Disease



c.

Local Bacterial Infection



d.

No Infection

FEEDBACK

The correct answer is: Local Bacterial Infection

QUESTION 66

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

Three days after a burn injury, the client develops a temperature of 100°F, white blood cell count of 15,000/mm³, and a white, foul-smelling discharge from the wound. The nurse recognizes that the client is most likely exhibiting symptoms of which condition?



a.

Granulation of burned tissue



b.

Wound infection



c.

Autodigestion of collagen



d.

Acute phase of the injury

FEEDBACK

The correct answer is: Wound infection

QUESTION 67

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

A 30-year-old G5P4 at 32 weeks gestation presents with abdominal pain, mild vaginal bleeding, hypertension, tense tender abdomen, and absent fetal heart sounds. What is the most likely diagnosis?



a.

Preterm labour



b.

Abruptio placenta



c.

Vasa praevia



d.

Placenta praevia

FEEDBACK

The correct answer is: Abruptio placenta

QUESTION **68**

Correct

Mark 1.00 out of 1.00

[Flag question](#)

QUESTION TEXT

A 6-month-old infant has a soft, reducible protrusion at the umbilicus, which is more noticeable when the infant cries. The parents are concerned about its appearance. What is the most appropriate nursing advice for the parents regarding this type of hernia?



a.

"You should try to tape a coin over the hernia to push it back in."



b.

"This indicates a serious underlying abdominal problem."



c.

"Your baby will need surgery immediately to repair this."



d.

"Most umbilical hernias close spontaneously by 1-2 years of age and rarely require intervention unless they become symptomatic or persist."

FEEDBACK

The correct answer is: "Most umbilical hernias close spontaneously by 1-2 years of age and rarely require intervention unless they become symptomatic or persist."

QUESTION 69

Correct

Mark 1.00 out of 1.00

[Flag question](#)

QUESTION TEXT

A 20-year-old woman, 38 weeks pregnant, comes to the clinic for her antenatal appointment. She is accompanied by her partner. She tells the midwife that she does not want any pain relief during labor and delivery. The midwife is concerned about the woman's welfare and the potential for pain and suffering. What ethical principle should the midwife consider in this situation?



a.

Autonomy



b.

Justice



c.

Beneficence



d.

Non-maleficence

FEEDBACK

The correct answer is: Autonomy

QUESTION 70

Incorrect

Mark 0.00 out of 1.00

[Flag question](#)

QUESTION TEXT

A hypertensive patient attends a follow-up clinic. Which assessment finding best indicates successful blood pressure therapy?

☐

a.

Weight decreased by 3 pounds

☐

b.

Reports walking 30–40 minutes daily

☐

c.

Blood pressure less than 120/80 mmHg

☒

d.

Diet diary within suggested intake

FEEDBACK

The correct answer is: Blood pressure less than 120/80 mmHg

QUESTION 71

Correct

Mark 1.00 out of 1.00

[Flag question](#)

QUESTION TEXT

Which dietary modification is most appropriate for a child with nephrotic syndrome during the edematous phase?

☐

a.

High calorie, unrestricted fluids

☒

b.

Low sodium, fluid restriction

☐

c.

High protein, low sodium

☐

d.

High potassium, low fat

FEEDBACK

The correct answer is: Low sodium, fluid restriction

QUESTION 72

Correct

Mark 1.00 out of 1.00

[Flag question](#)

QUESTION TEXT

Selam, a 3-month-old infant, has fast breathing (65 breaths/min), poor feeding, no chest indrawing, and no stridor. Based on IMNCI guidelines, what is the classification?

☐

a.

Cough or Cold

☐

b.

Very Severe Disease

☒

c.

Pneumonia

☐

d.

Severe Pneumonia

FEEDBACK

The correct answer is: Pneumonia

QUESTION 73

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

Which is the priority nursing diagnosis during the first 24 hours for a client with chemical burns to the legs and arms that are red in color, edematous, and without pain?

☐

a.

Risk for disuse syndrome

☒

b.

Risk for ineffective breathing pattern

☐

c.

Disturbed body image

☐

d.

Decreased tissue perfusion

FEEDBACK

The correct answer is: Decreased tissue perfusion

QUESTION 74

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

Selam is a nurse working at pediatric ward of black lion hospital. She always tells the truth about her patients diagnosis and treatment progress. She gives clear information and

feedback for her patients question and condition and has a good understanding with her patient and patient's family. Which of the following alternatives describe nurse selam's behavior?

☐

a.

Fidelity

☒

b.

Veracity

☐

c.

Confidentiality

☐

d.

Privacy

FEEDBACK

The correct answer is: Veracity

QUESTION 75

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A 45-year-old man with heavy drinking presents with tremors, sweating, and anxiety 12 hours after stopping alcohol. Best management?

☐

a.

Benzodiazepine

☐

b.

Antipsychotic



c.

Naltrexone



d.

Haloperidol

FEEDBACK

The correct answer is: Benzodiazepine

QUESTION **76**

Incorrect

Mark 0.00 out of 1.00

[Flag question](#)

QUESTION TEXT

A family member is exhibiting disruptive behavior following the death of a loved one. The nurse's initial response should be:



a.

Tell the family member to calm down.



b.

Acknowledge the family's grief and offer support.



c.

Ask security to escort the family member out.



d.

Ignore the behavior.

FEEDBACK

The correct answer is: Acknowledge the family's grief and offer support.

QUESTION 77

Incorrect

Mark 0.00 out of 1.00

[Flag question](#)**QUESTION TEXT**

A 25 years old woman took 200 mg Mifepristone orally and after 48 hours 800 mcg Misoprostol buccally for termination of pregnancy due to rape. The pregnancy failed to expel. What is the next management option?

☐

a.

Dilatation and curettage

☐

b.

Manual vacuum aspiration

☐

c.

Repeating only Misoprostol (800 mcg)

☒

d.

Repeating Mifepristone and Misoprostol

FEEDBACK

The correct answer is: Repeating only Misoprostol (800 mcg)

QUESTION 78

Incorrect

Mark 0.00 out of 1.00

[Flag question](#)**QUESTION TEXT**

A 74-year-old retired farmer has had progressive memory decline for 3 years. His daughter notes he repeats questions, forgets names of grandchildren, and struggles with simple tasks like using the coffee maker. He recently got lost walking to a nearby shop he has visited for decades. He appears disoriented to date but recognizes family. Diagnosis is:



a.

schizophrenia



b.

Dementia



c.

Delirium



d.

Depression

FEEDBACK

The correct answer is: Dementia

QUESTION 79

Incorrect

Mark 0.00 out of 1.00

[Flag question](#)

QUESTION TEXT

If you assist the patient to advance both crutches and the weaker leg forward together, then move the stronger leg forward, even with the crutches, the type of crutch walking is:



a.

Two-point gait



b.

Three-point gait



c.

Swing-to gait



d.

Four-point gait

FEEDBACK

The correct answer is: Three-point gait

QUESTION **80**

Correct

Mark 1.00 out of 1.00

[Flag question](#)

QUESTION TEXT

A researcher wants to study the association between exposure to a specific rare industrial chemical (Exposure X) and the development of a rare form of liver cancer (Disease Y). The historical records of chemical exposure are available for employees. Which study design would be the most efficient and practical for investigating this rare disease following a rare exposure?



a.

Randomized Controlled Trial (RCT)



b.

Cohort study



c.

Case-control study



d.

Cross-sectional study

FEEDBACK

The correct answer is: Cohort study

QUESTION **81**

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

A nurse has been exposed to tuberculosis (TB) during care of a patient with TB and has a TB skin test performed. When is the nurse considered infected?



a.

A negative skin test is followed by a negative chest x-ray.



b.

There is no redness or induration at the injection site.



c.

Testing causes a 10-mm red, indurated area at the injection site



d.

There is an induration of only 5 mm at the injection site.

FEEDBACK

The correct answer is: Testing causes a 10-mm red, indurated area at the injection site

QUESTION 82

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A 71-year-old man, is recovering from major surgery. On the second post-operative night, he becomes acutely confused, disoriented, and agitated. He is picking at the air and seeing "bugs on the walls." His level of consciousness fluctuates throughout the shift. What is the most likely diagnosis?



a.

Depression

☐

b.

Dementia

☐

c.

Delirium

☐

d.

Schizophrenia

FEEDBACK

The correct answer is: Delirium

QUESTION 83

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

The client is having a lumbar puncture performed. The nurse would plan to place the client in which position for the procedure?

☐

a.

Side lying with leg pulled up and head bent down to the chest

☐

b.

Prone with pillow under the abdomen

☒

c.

Prone in slight Trendelenburg's position



d.

Side lying with pillow under the hips

FEEDBACK

The correct answer is: Side lying with leg pulled up and head bent down to the chest

QUESTION 84

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A diabetic patient is admitted with ketoacidosis and the health care provider writes all of the following orders. Which order should the nurse implement first?



a.

Infuse 1 liter of normal saline per hour.



b.

Start an infusion of regular insulin at 50 U/hr.



c.

Give sodium bicarbonate 50 mEq IV push.



d.

Administer regular IV insulin 30 U.

FEEDBACK

The correct answer is: Infuse 1 liter of normal saline per hour.

QUESTION 85

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

The client starts passing foul-smelling flatus from the colostomy stoma two days after insertion. What is the correct interpretation?



a.

It is an expected outcome.



b.

The nasogastric tube should remain inserted.



c.

It is a sign of ischemic bowel disease.



d.

The bowel preparation was inadequate.

FEEDBACK

The correct answer is: It is an expected outcome.

QUESTION **86**

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

A client with acute pulmonary edema is in distress. Which nursing action is contraindicated?



a.

Apply continuous pulse oximetry



b.

Monitor lung sounds



c.

Administer a fluid bolus as ordered



d.

Monitor vital signs

FEEDBACK

The correct answer is: Administer a fluid bolus as ordered

QUESTION **87**

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A 24-year-old G2P1 presents with bleeding, passage of tissue, and abdominal pain at 9 weeks gestation. What is the most likely diagnosis?



a.

Threatened abortion



b.

Inevitable abortion



c.

Incomplete abortion



d.

Ectopic pregnancy

FEEDBACK

The correct answer is: Incomplete abortion

QUESTION **88**

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

The nurse is preparing a discharge teaching plan for the male client who had umbilical hernia repair. What should the nurse include in the plan?



a.

Restricting pain medication



b.

Maintaining bed rest



c.

Avoiding coughing



d.

Irrigating the drain

FEEDBACK

The correct answer is: Avoiding coughing

QUESTION **89**

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

A client with subdural hematoma was given mannitol to decrease intracranial pressure (ICP). Which of the following results would best show the mannitol was effective?

☐

a.

Systolic pressure remains at 150 mmHg

☐

b.

Pupils are 8 mm and non-reactive

☒

c.

Urine output increases

☐

d.

BUN and creatinine return to normal

FEEDBACK

The correct answer is: Urine output increases

QUESTION 90

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

A nurse is assessing a client with chronic airflow limitation and notes that the client has a “barrel chest.” The nurse interprets that this client has which of the following forms of chronic airflow limitation?

☐

a.

Bronchial asthma and bronchitis

☐

b.

Chronic obstructive bronchitis



c.

Emphysema



d.

Bronchial asthma

FEEDBACK

The correct answer is: Emphysema

QUESTION **91**

Correct

Mark 1.00 out of 1.00

[Flag question](#)

QUESTION TEXT

The General Social Survey asked respondents to assess their own health as excellent, good, fair, or poor. What is the level of measurement of this variable?



a.

Ordinal.



b.

Nominal.



c.

Ratio.



d.

Interval

FEEDBACK

The correct answer is: Ordinal.

QUESTION **92**

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A 58-year-old woman presents with uterovaginal prolapse. What is the first-line treatment for her condition?

☐

a.

Surgery

☐

b.

Pessary use

☒

c.

Pelvic floor muscle exercises

☐

d.

Hormonal therapy

FEEDBACK

The correct answer is: Pessary use

QUESTION **93**

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

A patient is 6 days post-opt from abdominal surgery. The patient is to be discharged later today. Approximately 2 inches of internal organs are protruding through the incision. What intervention would you NOT do?

☐

a.

Notify the MD and administer antiemetic as prescribed



b.

Put the patient in prone position with knees extended to put pressure on the site



c.

Monitor for signs of shock



d.

Cover the wound with sterile normal saline dressing

FEEDBACK

The correct answer is: Put the patient in prone position with knees extended to put pressure on the site

QUESTION 94

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

What is the most appropriate initial nursing intervention during the acute seizure event?



a.

Administer oral anti-epileptic medication immediately.



b.

Restrain the child to prevent injury.



c.

Insert a tongue depressor to prevent tongue biting.



d.

Position the child on their side, protect the head, and loosen tight clothing.

FEEDBACK

The correct answer is: Position the child on their side, protect the head, and loosen tight clothing.

QUESTION 95

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A 5-year-old child presents with chronic abdominal pain, intermittent diarrhea, weight loss, and anal itching, especially at night. Stool samples are collected for analysis. Based on the symptoms, the nurse suspects which type of intestinal parasitosis?



a.

Ascariasis



b.

Enterobiasis



c.

Amebiasis



d.

Giardiasis

FEEDBACK

The correct answer is: Enterobiasis

QUESTION 96

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

Out of 50 people who ate at a restaurant, 20 became ill with gastroenteritis. Of the 30 people who did not eat the suspected dish (fried oysters), 2 became ill. All 20 who became ill ate the fried oysters. What is the attack rate for people who ate the fried oysters?



a.

20%



b.

6.7%



c.

40 %



d.

100%

FEEDBACK

The correct answer is: 100%

QUESTION **97**

Correct

Mark 1.00 out of 1.00

Flag question

QUESTION TEXT

A 66-years-old patient admitted to medical ward for in-patient treatment. On history, he has been hypertensive for 10 years and taking captopril daily. He states that he has been using two pillows at night for sleep. As he talks, the nurse notes intermittent dry cough. On assessment, his baseline V/S are BP: 140/78mmHg, PR: 106 beats/minute, RR: 24 breath/minute, height 66 cm and weight 65 kg and bilateral crackles in the lung bases.

What is the first prioritized nursing intervention for this case?



a.

Anxiety related to breathlessness



b.

Ineffective airway clearance related to fluid congestion



c.

Activity intolerance related to imbalance between oxygen supply and demand



d.

Excessive fluid volume related to excess retention of fluid

FEEDBACK

The correct answer is: Ineffective airway clearance related to fluid congestion

QUESTION 98

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A gravida 3, para 1, and abortion 1 woman comes to the delivery ward with a complaint of pushing down pain for the last 4 hours. Her last menstrual period was normal and stayed from Pagume 1-4, 2017 E.C. The visiting date is 18/02/2018 E.C. When is her EDD?



a.

10/10/2018 E.C



b.

11/10/2018 E.C



c.

06/10/2018 E.C



d.

09/10/2018 E.C

FEEDBACK

The correct answer is: 10/10/2018 E.C

QUESTION 99

Incorrect

Mark 0.00 out of 1.00

Flag question

QUESTION TEXT

A nurse is watching the cardiac monitor and notices that the rhythm suddenly changes. There are no P waves, the QRS complexes are wide, and the ventricular rate is regular but over 100. The nurse determines that the client is experiencing:



a.

Premature ventricular contractions



b.

Sinus tachycardia



c.

Ventricular tachycardia



d.

Ventricular fibrillation

The correct answer is: Ventricular tachycardia

QUESTION 100

The nurse is educating the parents on preventing future episodes of diarrheal disease. Which statement indicates effective teaching?



a.

"Frequent handwashing, especially after diaper changes and before preparing food, is very important."



b.

"We should always dilute our baby's formula to make it easier to digest."



c.

"It's okay to give our baby untreated well water if we boil it first."



d.

"We should avoid breastfeeding if our baby has diarrhea."

FEEDBACK

The correct answer is: "Frequent handwashing, especially after diaper changes and before preparing food, is very important."