

**1. A patient is brought to the emergency department after a bee sting. The family reports a history of severe allergic reaction, and the patient appears to have some oral swelling. Which of the following is the most urgent nursing action?**

- A. Consult a physician.
- B. Maintain a patent airway.
- C. Administer epinephrine subcutaneously.
- D. Administer diphenhydramine (Benadryl) orally.

**2. When planning care for a male client with burns on the upper trunk, which nursing diagnosis should take the highest priority?**

- A. Ineffective airway clearance related to edema of the respiratory passages
- B. Impaired physical mobility related to the disease process
- C. Disturbed sleep pattern related to facility environment
- D. Risk for infection related to breaks in the skin

**3. A female client is brought to the emergency department with second-and third-degree burns on the Right upper extremity, left anterior lower extremity, and anterior trunk. Using the Rule of Nines, what is the total body surface area that has been burned?**

- A. 18%
- B. 27%
- C. 30%
- D. 36%

**4. In an industrial accident, a male client that weighs 70 kgs sustained full-thickness burns over 40% of his body. He's in the burn unit receiving fluid resuscitation. Which observation shows that the fluid resuscitation is benefiting the client?**

- A. A urine output consistently above 100 ml/hour.
- B. A weight gain of 4 lb (2 kg) in 24 hours.
- C. Body temperature readings all within normal limits.
- D. An electrocardiogram (ECG) showing no arrhythmias.

**5. A male client visits the physician's office for treatment of a skin disorder. As a primary treatment, the nurse expects the physician to prescribe:**

- A. An I.V. corticosteroid

- B. An I.V. antibiotic
- C. An oral antibiotic
- D. A topical agent

**6. A male client with a solar burn of the chest, back, face, and arms is seen in urgent care. The nurse's primary concern should be:**

- A. Fluid resuscitation
- B. Infection
- C. Body image
- D. Pain management

**7. Nurse X is changing a dressing and providing wound care. Which activity should she perform first?**

- A. Assess the drainage in the dressing.
- B. Slowly remove the soiled dressing.
- C. Wash hands thoroughly.
- D. Put on latex gloves.

**8. The nurse is assessing for the presence of cyanosis in a male dark-skinned client. The nurse understands which body area would provide the best assessment?**

- A. Lips
- B. Sacrum
- C. Earlobes
- D. Back of the hands

**9. A patient with extensive burns develops confusion, hypotension, and oliguria. Which complication should the nurse suspect?**

- A. Hypovolemic shock
- B. Sepsis
- C. Acute kidney injury
- D. Hyperkalemia

**10. The nurse is assessing a patient with cellulitis of the lower leg. Which clinical finding is most concerning?**

- A. Warmth and redness at the affected site.

- B. Localized swelling with pain.
- C. Red streaks extending toward the groin.
- D. Fever of 100.8°F (38.2°C).

**11. During the rehabilitation phase, which goal is most important for a burn patient?**

- A. Preventing contractures and maintaining mobility
- B. Minimizing fluid loss through wound care
- C. Monitoring for signs of infection
- D. Providing adequate pain relief

**12. A patient with cellulitis presents to the emergency department. Which intervention should the nurse anticipate first?**

- A. Blood culture collection.
- B. Administration of oral antibiotics.
- C. Application of a topical steroid.
- D. Surgical drainage of the affected area.

**13. The nurse is preparing to change the dressing on a burn wound. Which action should the nurse take first?**

- A. Apply topical antibiotics.
- B. Cleanse the wound with sterile saline.
- C. Administer prescribed pain medication.
- D. Remove old dressings carefully.

**14. The nurse is caring for a patient with shingles. Which isolation precaution is appropriate?**

- A. Droplet precautions
- B. Contact precautions
- C. Airborne precautions
- D. Standard precautions

**15. A patient with burns to the chest and neck is becoming restless and has difficulty breathing. What is the nurse's priority action?**

- A. Administer oxygen via nasal cannula.
- B. Prepare for endotracheal intubation.
- C. Reassess pain levels and adjust medications.
- D. Elevate the head of the bed.

**16. A patient has sustained burns to the anterior trunk and both anterior upper extremities. Using the Rule of Nines, what percentage of the patient's total body surface area (TBSA) is affected?**

- A. 9%
- B. 18%
- C. 27%
- D. 36%

**17. A nurse is caring for a hospitalized child with impetigo. Which action is most effective in preventing the spread of the infection?**

- A. Isolating the child in a private room.
- B. Washing hands before and after providing care.
- C. Wearing a mask when entering the child's room.
- D. Cleaning the child's toys with alcohol-based wipes.

**18. A patient with untreated cellulitis is at risk for which serious complication?**

- A. Psoriasis
- B. Deep vein thrombosis (DVT)
- C. Sepsis
- D. Herpes zoster

**19. A patient weighing 70 kg has sustained burns to 30% of their TBSA. Using the Parkland formula, how much fluid should the nurse administer in the first 8 hours?**

- A. 4,200 mL
- B. 8,400 mL
- C. 2,100 mL
- D. 6,300 mL

**20. A patient with chronic dermatitis reports frequent itching. Which intervention should the nurse recommend?**

- A. Take hot baths to soothe the skin.
- B. Wear loose, cotton clothing.
- C. Apply alcohol-based creams to the area.
- D. Use a scented moisturizer daily.

**21. Which description is most consistent with a third-degree (full-thickness) burn?**

- A. Skin that is moist, red, and extremely painful.

- B. Skin that is dry, leathery, and painless.
- C. Skin that is red, swollen, and has blisters.
- D. Skin with visible tendons and bone.

**22. The nurse is teaching a patient about herpes simplex virus (HSV). Which statement is correct?**

- A. "HSV-1 only causes oral lesions, while HSV-2 only causes genital lesions."
- B. "HSV-1 and HSV-2 can both cause oral and genital infections."
- C. "HSV-2 is spread through airborne droplets."
- D. "HSV-1 is cured after the first outbreak."

**23. The nurse is assessing a patient with a circular, red, scaly lesion with central clearing on their arm. The nurse suspects which condition?**

- A. Psoriasis
- B. Contact dermatitis
- C. Tinea corporis
- D. Herpes zoster

**24. The nurse is caring for a patient with partial-thickness burns. Which intervention is most appropriate to prevent infection?**

- A. Administer prophylactic antibiotics.
- B. Perform wound debridement and apply a topical antimicrobial ointment.
- C. Cover the wounds with non-sterile gauze.
- D. Leave the wounds exposed to air to promote drying.

**25. The nurse notes a reddened area on a patient's sacrum that does not blanch with pressure. How should the nurse document this finding?**

- A. Stage 1 pressure ulcer
- B. Stage 2 pressure ulcer
- C. Deep tissue injury
- D. Suspected infection