

*All India Institute Of  
Medical Science*

---

**AIIMS**

# **NORCET MCQ's**

**vol.1**

*NORCET (AIIMS) Nursing  
Officer MCQ's E-Book*

Q.1 Diagnosis of beta thalassemia is established by:

- (a) NESTROFT test
- (b) Hb A C estimation
- (c) Hb electrophoresis
- (d) Target cells in peripheral smear

**Answer - (c) Hb electrophoresis**

Q.2 NESTROFT test is used for screening of:

- (a) Thalassemia
- (b) Autoimmune Hemolytic Anemia
- (c) Hereditary Spherocytosis
- (d) G6PD deficiency

**Answer - (a) Thalassemia**

Q.3 Which of the following is a Quantitative defeat in globin synthesis: -

- (a) Thalassemia
- (b) Sickle cell Hemoglobinopathy
- (c) G6PD deficiency
- (d) Diamond - blackfan Syndrome

**Answer - (b) Sickle cell Hemoglobinopathy**

Q.4 In beta thalassemia, there is:

- (a) Increase beta chain, decrease alpha chain
- (b) Decrease beta chain, increase alpha chain

- (c) Decrease beta chain, decrease alpha chain
- (d) Increase beta chain, increase alpha chain

**Answer - (b) Decrease beta chain, increase alpha chain**

Q. 5 True about aplastic anemia is all Except:

- (a) Splenomegaly
- (b) Reticulocytopenia
- (c ) Thrombocytopenia
- (d) Neutropenia

**Answer - (a) Splenomegaly**

Q.6 Apt with an Hb of G, WBC count of 2000, has a normal different count expects for having 6% blasts: platelets are reduce to 80,000; moderate splenomegaly is present: possible diagnosis is: -

- (a) Leukemia
- (b) Aplastic anemia
- (c) Hemolysis
- (d) ITP

**Answer - (a) Leukemia**

Q.7 A 20 yr adult presents with severe hypoplastic anemia. What is most effective treatment:

- (a) a- interferon
- (b) IL-2
- (c) ATG therapy

(d) Bone Marrow transplantation

**Answer - (d) Bone Marrow transplantation**

Q.8 Which of the following represent fetal Hemoglobin (HBF)?

(a) Alpha 2 Beta 2

(b) Alpha 2 Gamma 2

(c) Alpha 2 delta 2

(d) delta 4

**Answer - (b) Alpha 2 Gamma 2**

Q.9 Which of the following is NOT used for iron chelation in thalassemia patients?

(a) Kelfer

(b) Desferal

(c) Deferiprone

(d) penicillamine

**Answer - (d) penicillamine**

Q.10 Hair on end appearance is seen in X rays skull in:

(a) Thalassemia

(b) hydrocephalus

(c) chronic malaria

(d) Sickle cell anaemia

**Answer - (a) Thalassemia**

Q.11 All of the following are cause of iron deficiency Anemia, Except:

(a) Chronic renal failure

- (b) Celiac Sprue
- (c) Hookworms
- (d) Carcinoma colon

**Answer - (a) Chronic renal failure**

Q.12 Which of the following is true about iron deficiency Anemia: -

- (a) Increased serum ferritin
- (b) Increase TIBC
- (c) Increased Transferrin Saturation
- (d) Macrocytic Hypochromic Anemia

**Answer - (b) Increase TIBC**

Q.13 Best marker for iron Deficiency is:

- (a) Serum iron
- (b) Serum ferritin
- (c) Total iron binding capacity
- (d) Transferrin saturation

**Answer - (b) Serum ferritin**

Q.14 Anemia in chronic renal failure (CRF) is due to:

- (a) Decreased erythropoietin production
- (b) Iron deficiency
- (c) Hypoplastic bone marrow
- (d) Decreased folate levels

**Answer - (a) Decreased erythropoietin production**

Q.15 Megaloblastic anemia due to folic acid deficiency is commonly due to:

- (a) Inadequate dietary intake
- (b) Defective intestinal absorption
- (c) Absence of folic acid binding protein in serum
- (d) Absence glutamic acid in intestine

**Answer - (a) Inadequate dietary intake**

Q.16 Deficiency of the intrinsic factor of Castle cause?

- (a) Microcytic anemia
- (b) Pernicious anemia
- (c) Cooley's anemia
- (d) Aplastic anemia

**Answer - (b) Pernicious anemia**

Q.17 Primary mechanism of megaloblastic anemia in blind loop syndrome is due to:

- (a) Vitamin B12 Malabsorption
- (b) Vitamin B Deficiency
- (c) Folate Malabsorption
- (d) Folate deficiency

**Answer - (b) Vitamin B Deficiency**

Q.18 Shilling's test is used to determine deficiency of?

- (a) Vitamin B12
- (b) Vitamin B6
- (c) Folic Acid Deficiency
- (d) Vitamin D Deficiency

**Answer - (a) Vitamin B12**

Q.19 Schilling's test may be used to establish a diagnosis of?

- (a) Intrinsic factor deficiency
- (b) Pancreatic Endocrine dysfunction
- (c) Megaloblastic anemia from folic acid deficiency
- (d) All of the above

**Answer - (d) All of the above**

Q.20 Megaloblastic anemia should be treated with both folic acid vitamin

B12 because?

- (a) Folic acid alone causes improvement of hematology symptoms but worsening of neurological symptoms
- (b) It's a factor
- (c) It is enzyme
- (d) None of these

**Answer - (a) Folic acid alone causes improvement of hematology symptoms but worsening of neurological symptoms**

Q.21 The nurse should instruct a patient who has diagnosis of folic acid deficiency anaemia to increase intake of which of the following foods?

- (a) Dairy products
- (b) Green leafy vegetable
- (c) Citrus juices
- (d) Fish and poultry

**Answer - (b) Green leafy vegetable**

Q.22 All of the following are true about sickle cell disease. Except?

- (a) Mutation is a chain
- (b) Symptoms ameliorated by Hbf
- (c) Veno Occlusive crises is cause of morbidity
- (d) Bone pain is presenting feature

**Answer - (b) Symptoms ameliorated by Hbf**

Q..23 Commonest acute presentation of sickle cell anemia is?

- (a) Priapism
- (b) Bone pain
- (c) Fever
- (d) Splenomegaly

**Answer - (b) Bone pain**

Q.24 All of the following are plasma protein found in blood, expect one?

- (a) Albumin
- (b) Globulin
- (c) Myosin
- (d) Fibrinogen

**Answer - (c) Myosin**

Q.25 Oncotic pressure is defined as:

- (a) Osmotic pressure by electrolytes in cells
- (b) Osmotic pressure caused by plasma colloids in solution

- (c) Force within a fluid compartment
- (d) Force outside the fluid compartment

**Answer - (b) Osmotic pressure caused by plasma colloids in solution**

Q.26 Carbon dioxide combines with hemoglobin to form:

- (a) Deoxyhemoglobin
- (b) Reduced hemoglobin
- (c) Carbaminohemoglobin
- (d) Carboxyhemoglobin

**Answer - (c) Carbaminohemoglobin**

Q.27 Nursing care for a patient who has polycythemia Vera would focus on preventing?

- (a) Dysrhythmia
- (b) Hypotension
- (c) Decubitus ulcers
- (d) Thrombosis

**Answer - (d) Thrombosis**

Q.28 Helper cells belongs to:

- (a) Macrophage
- (b) B cells
- (c) Macrocytic
- (d) T cells

**Answer - (d) T cells**

Q.29 Antibodies are produced by:

- (a) Plasma cells
- (b) Erythrocytes
- (c) Monocytes
- (d) Basophils

**Answer - (a) Plasma cells**

Q.30 One of the following is an anti platelet drug:

- (a) Digoxin
- (b) Streptokinase
- (c) Aspirin
- (d) Dobutamine

**Answer - (c) Aspirin**

Q.31 Definitive diagnosis of aplastic anemia in children?

- (a) Decrease hemoglobin
- (b) Decrease level of hematocrit
- (c) Increase size of RBC
- (d) Bone marrow aspiration

**Answer - (d) Bone marrow aspiration**

Q.32 Acquired aplastic anemia usually manifests with all except?

- (a) Purpura
- (b) Oral ulcers
- (c) Hepatosplenomegaly
- (d) Fatigue

**Answer - (c) Hepatosplenomegaly**

Q.33 Conditions precipitate the sickle cell crisis in to a children except?

- (a) Dehydration
- (b) Oxygen Administration
- (c) Fever
- (d) Any type of stress

**Answer - (b) Oxygen Administration**

Q.34 Which among the following is correct method regarding iron supplementation:

- (a) Take it along with milk
- (b) Take it along with lemon juice
- (c) Take it along with water
- (d) Take it after having food

**Answer - (b) Take it along with lemon juice**

Q..35 Which of the following activities is Most appropriate for 8 years old with iron deficiency anaemia ?

- (a) Dancing
- (b) Playing video games
- (c) Reading books
- (d) Riding cycle

**Answer - (c) Reading books**

Q.36 Which is correct interpretation made by a nurse regarding iron deficiency anemia:

- (a) Decrease reticulocyte count

- (b) Increase hemoglobin level
- (c) Macrocytic Hypochromic RBC
- (d) Microcytic hypochromic RBC

**Answer - (d) Microcytic hypochromic RBC**

Q.37 The test done to detect hemolytic anaemia In new born in:

- (a) Direct Coombs test
- (b) Platelets counts
- (c) Indirect coombs test
- (d) Blood culture

**Answer - (a) Direct Coombs test**

Q.38 A nurse is caring for an anemic patient, what findings should suggest to her that it is acute blood loss anaemia?

- (a) Exertional dyspnea
- (b) Easy fainting on exertion
- (c) Bradycardia at rest
- (d) Postural hypotension

**Answer - (d) Postural hypotension**

Q..39 the mother has sickle cell disease; Father is normal: Chances of children having sickle cell disease and sickle cell trait respectively are:

- (a) 0 and 100%
- (b) 25 and 25%
- (c) 50 and 50%
- (d) 10 and 50%

**Answer - (a) 0 and 100%**

Q.40 Crew haircut appearance in X-ray skull and Gandy gamna bodies are seen in?

- (a) G6-PD deficiency
- (b) Hodgkin's lymphoma
- (c) Hereditary spherocytosis
- (d) Sickle cell anaemia

**Answer - (d) Sickle cell anaemia**

Q.41 Sickle cell anemia leads to resistance towards:

- (a) P. Falciparum
- (b) P. Ovale
- (c) P. Malaria
- (d) P. Vivax

**Answer - (a) P. Falciparum**

Q.42 Morphine sulphate, 2.5mg. IV piggyback, in 10 ml, of normal saline, is prescribe for a child postoperatively. available medication label 1/15gr per ml, the nurse prepares to add how many ml of morphine sulphate to 10 ml of N saline?

- (a) 0.62 ml
- (b) 0.82 ml
- (c) 1.35 ml
- (d) 1.62 ml

**Answer - (a) 0.62 ml**

Q.43 Doctor has prescribed ampicillin 125 mg IV every six hours. The medication label reads one gm and reconstitute with 7.4 ml of bacteriostatic water. A nurse prepares to draw up how many milliliters to administer one dose?

- (a) 0.54 ml
- (b) 0.92 ml
- (c) 1.1 ml
- (d) 7.4 ml

**Answer - (b) 0.92 ml**

Q.44 Tensilon test is performed to diagnose?

- (a) Parkinson's disease
- (b) Multiple sclerosis
- (c) Myasthenia Gravis
- (d) Lou Gehrig's disease

**Answer - (c) Myasthenia Gravis**

Q.45 Assessment of obesity by following measurement except?

- (a) Quetelet's index
- (b) Broca's index
- (c) Corpulence index
- (d) Sullivan's index

**Answer - (d) Sullivan's index**

Q.46 Most commonly reported disease in the post disaster period is?

- (a) Acute Respiratory infection
- (b) Gastroenteritis
- (c) Tetanus
- (d) Malaria

**Answer - (b) Gastroenteritis**

Q.47 Amniocentesis is done to detect all fetal abnormalities except?

- (a) Mental retardation
- (b) Open neural tube defect
- (c) Down syndrome
- (d) Lecithin sphingomyelin ratio

**Answer - (a) Mental retardation**

Q.48 A patient weighing 80 kg has to be administered dopamine as an intravenous infusion through a micro-drip set at the rate of 10 microgram/kg minute. 400 milligram of dopamine is mixed in 500 milliliter of normal saline. If 60 micro-drops=1 milliliter, the calculated drop rate will be?

- (a) 30 microdrops/minute
- (b) 60 microdrops/minute
- (c) 90 microdrops/minute
- (d) 120 microdrops/minute

**Answer - (b) 60 microdrops/minute**

Q.49 The increase in basal body temperature after ovulation is due to...??

- (a) Oestrogen
- (b) L.H
- (c ) Progesterone
- (d) Gonadotropin releasing hormone

**Answer - (c ) Progesterone**

Q.50 A healthy newborn baby is born at term?

- (a) 24 to 37 weeks
- (b) 37 to 41 weeks
- (c) 38 to 41 weeks
- (d) 39 to 40 weeks

**Answer - (b) 37 to 41 weeks**

Q.51 Bronze baby syndrome is due to?

- (a) Phototherapy
- (b) Wilson Disease
- (c) Chloramphenicol toxicity
- (d) Hemochromatosis

**Answer - (a) Phototherapy**

Q..52 Antiendomysial antibody is used in screening of?

- (a) Myasthenia gravis
- (b) Autoimmune hepatitis
- (c) Coeliac disease
- (d) Graves disease

**Answer - (c) Coeliac disease**

Q.53 A client with a subdural hematoma becomes restless and confused, with dilation of the ipsilateral pupil. The physician orders mannitol for which of the following reasons?

- (a) To prevent acute tubular necrosis
- (b) To reduce intraocular
- (c) To promote osmotic diuresis to decrease ICP
- (d) To draw water into the vascular system to increase blood pressure

**Answer - (c) To promote osmotic diuresis to decrease ICP**

Q.54 The nurse is performing a neurological assessment on a client. She asks the client to smile, close both eyes and frown. Which cranial nerve (CN) is the nurse testing?

- (a) CN V
- (b) CN VII
- (c) CN VI
- (d) CN XI

**Answer - (b) CN VII**

Q.55 Lochia is vaginal discharge for first fortnight during puerperium which originates from:

- (a) Uterine body
- (b) Cervix
- (c) Vagina
- (d) All of the above

**Answer - (d) All of the above**

Q.56 Triangular, pearly-white or yellowish foamy spots on the bulbar conjunctiva on either side of the cornea is known as ?

- (a) Keratomalacia
- (b) Bitot's spot
- (c) Corneal xerosis
- (d) Conjunctival

**Answer - (b) Bitot's spot**

Q.57 A patient posted for surgery advised to remove jewellery because?

- (a) To prevent disturbance to surgeon
- (b) It cause burns to patient with use of cautery
- (c) To prevent theft
- (d) To maintain OR ethics

**Answer - (b) It cause burns to patient with use of cautery**

Q.58 A child presented with headache, dizziness, intermittent claudication with occasional dyspnoea. The most probable diagnosis is ?

- (a) ASD
- (b) PDA
- (c) TOF
- (d) Coarctation of Aorta

**Answer - (d) Coarctation of Aorta**

Q.59 A child is below third percentile Height His growth velocity is normal, but chronologic age is more than skeletal age. most likely diagnosis is?

- (a) Constitutional delay in growth
- (b) Genetic short stature
- (c) Primordial dwarfism
- (d) Hypopituitarism

**Answer - (a) Constitutional delay in growth**

Q.60 A 32 week preterm infant, weighing 1400 gm, vitals stable, admitted in NICU. What is the best feeding procedure?

- (a) Total enteral nutrition
- (b) Start IV fluids, introduce feeding from Second day
- (c) Total parenteral nutrition
- (d) LV. fluid only

**Answer - (b) Start IV fluids, introduce feeding from Second day**

Q.61 Which of the following should first alert the nurse that a child is haemorrhaging after a tonsillectomy?

- (a) Mouth breathing
- (b) Frequent Swallowing
- (c) Increased pulse rate
- (d) Requests for a drink

**Answer - (b) Frequent Swallowing**

Q.62 Patient with MRSA admitted in MICU, the nurse has to provide colostomy care to patients. Which PPE Should the nurse use?

- (a) Gloves only
- (b) Gloves & mask
- (c) Gloves, gown & mask
- (d) Gloves shoes cover

**Answer - (c) Gloves, gown & mask**

Q.63 Which Leopold maneuver is used to assess the fetal attitude during abdominal palpation of an ANC mother?

- (a) First
- (b) Second
- (c) Third
- (d) Fourth

**Answer - (d) Fourth**

Q.64 Paralysis in Polio is characterized by?

- (a) Exaggerated tendon reflexes
- (b) Symmetrical paralysis
- (c) Tonic paralysis
- (d) Lower motor neuron type

**Answer - (d) Lower motor neuron type**

Q.65 A client's arterial blood gas report indicates the pH is 7.52, PCO<sub>2</sub> is 32 mm Hg. and HCO<sub>3</sub><sup>-</sup> is 24 mEq/L. What nurse identifies possible causes of these results?

- (a) Airway obstruction

- (b) Inadequate nutrition
- (c) Prolonged gastric suction
- (d) Excessive mechanical ventilation

**Answer - (d) Excessive mechanical ventilation**

Q.66 Islet's of langerhans are found in ?

- (a) Liver
- (b) Pancreas
- (C) Small intestine
- (d) Large intestine

**Answer - (b) Pancreas**

Q.67 ICD-10 is an abbreviation for the International Statistical Classification of Disease and Related Health Problems (10th revision). It is used for?

- (a) CSSD (central sterile supply dept)
- (b) Operation Theatre (OT)
- (c) Medical Record Dept. (MRD)
- (d) Blood Bank

**Answer - (c) Medical Record Dept. (MRD)**

Q.68 A Urine strip for sugar detection was employed to screen diabetics in a community Level of prevention' in this case be?

- (a) Primordial
- (b) Primary
- (c) Secondary

(d) Tertiary

**Answer - (c) Secondary**

Q.69 Sweat chloride test is done for?

(a) Pancreatic carcinoma

(b) Cystic myoma

(c) Cystic fibrosis

(d) Cystic Melanoma

**Answer - (c) Cystic fibrosis**

Q.70 Which is not true about dengue hemorrhagic fever?

(a) Thrombocytopenia

(b) Hepatomegaly

(c) Shock

(d) Plasma leaking

**Answer - (c) Shock**

Q.71 Delirium is a disorder of ?

(a) Memory

(b) Thought

(c) Consciousness

(d) Perception

**Answer - (b) Thought**

Q.72 A Patient presented to the Emergency Room (ER) in severe respiratory distress. Diagnosis of ARDS was made on the basis of

history, clinical examination and CXR findings. Patient was intubated immediately. ER Physicians ask you to put the patient on a ventilator and set the Ventilator parameters. Being an Assistant staff nurse in the Emergency Room what strategy will you prefer to ventilate a patient of ARDS ?

- (a) Low tidal volume low peep
- (b) High tidal volume high peep
- (c) High tidal volume low peep
- (d) Low tidal volume high peep

**Answer - (d) Low tidal volume high peep**

Q.73 You are taking care of a patient in medical ICU. The patient is intubated and on mechanical ventilation with volume control mode. In the middle at night the ventilator alarm suddenly starts beeping. The display shows high peak Airway pressure. On auscultation there was no evidence of bronchial-spasm. What could be the next step in the management of this patient?

- (a) Decrease the tidal volume of the patient so that peak pressure will also decrease
- (b) Silent the alarm and ignore it
- (c) Immediately do endotracheal suction as retained secretion is the most common cause of increased Airway pressure in ventilated patient
- (d) Increase the tidal volume so that adequate delivery of tidal volume can be ensured

**Answer - (c) Immediately do endotracheal suction as retained secretion is the most common cause of increased Airway pressure in ventilated patient**

Q.74 Which following statements are not true?

- (a) Lungs are located within the pleural cavity of Thorax
- (b) Removal of an entire lung is called as lobectomy
- (c) Right lung has 3 lobe while left has 2 lobes
- (d) Both lungs weight approximately 1.3 kg

**Answer - (b) Removal of an entire lung is called as lobectomy**

Q.75 Positive Schick test indicates ?

- (a) Immunity to diphtheria
- (b) Susceptibility to diphtheria
- (c) Hypersensitivity to diphtheria
- (d) Infection with diphtheria

**Answer - (b) Susceptibility to diphtheria**

Q.76 The best approach to prevent cholera epidemic in a community is?

- (a) Mass chemoprophylaxis with tetracycline
- (b) Vaccination of all individuals
- (c) Health education
- (d) Safe water and sanitation

**Answer - (d) Safe water and sanitation**

Q..77 Accidents happening during weekends?

- (a) Cyclic trends
- (b) Seasonal trends
- (c) Secular trends
- (d) Point source epidemic

**Answer - (a) Cyclic trends**

Q.78 Clotting factor VI is known as ?

- (a) Stable factor
- (b) Labile factor
- (c) Tissue thromboplastin
- (d) None of these

**Answer - (d) None of these**

Q.79 ECG and EEG are graphical presentations of activities of Heart and Brain respectively. While TEG is the graphical presentation of?

- (a) Thermal activity
- (b) Thyroid activity
- (c) Coagulation profile
- (d) None

**Answer - (c) Coagulation profile**

Q.80 Murmurs are abnormal heart sounds which are found in various heart diseases. Opening Snap is heard in case of ?

- (a) Mitral stenosis
- (b) Aortic stenosis
- (c) Tricuspid regurgitation
- (d) Pulmonary stenosis

**Answer - (a) Mitral stenosis**

Q.81 "Rule of ten" is used for?

- (a) C.H.D

- (b) Cleft lip
- (c) Imperforate
- (d) T.E.F

**Answer - (b) Cleft lip**

Q.82 You are posted in the cardiac Care Unit as a staff nurse and managing a patient presented with acute STEMI having blood pressure of 90/60 mm of Hg. The treating physician has order for the following drugs. Which drug will you withhold and reconfirm before giving it to the patient?

- (a) Aspirin 325 milligram
- (b) Atorvastatin 40 milligram
- (c) Inj. NTG
- (d) Inj. Noradrenaline

**Answer - (c) Inj. NTG**

Q.83 The term used to describe the discharges from the uterus during the puerperium and has an alkaline reaction is:

- (a) Vaginal discharge
- (b) Puerperal discharges
- (c) Lochia
- (d) Amniotic secretion

**Answer - (c) Lochia**

Q.84 Pharmacovigilance is used?

- (a) To monitor drug toxicity
- (b) To monitor unauthorized drug manufacture
- (c) For monitoring of students

(d) To check costs

**Answer - (a) To monitor drug toxicity**

Q.85 In pregnancy, all of the following drugs are contraindicated except?

(a) ACE Inhibitors

(b) Angiotensin Receptor Blockers

(c) Propylthiouracil

(d) Thalidomide

**Answer - (c) Propylthiouracil**

Q.86 Thiopentone sodium is used as an "induction agent during General Anesthesia. Short half life of thiopental is due to?

(a) Excretion

(b) Metabolism

(c) Spontaneous degradation

(d) Redistribution

**Answer - (d) Redistribution**

Q.87 All are toxicities seen with amiodarone therapy except?

(a) Pulmonary fibrosis

(b) Corneal microdeposits

(c) Cirrhosis of liver

(d) Productive cough

**Answer - (d) Productive cough**

Q.88 Digoxin toxicity is increased by all except?

- (a) Renal impairment
- (b) Hyperkalemia
- (c) Hypercalcemia
- (d) Hypomagnesemia

**Answer - (b) Hyperkalemia**

Q.89 The first country in the South East Asian Region (SEAR) to report AIDS was?

- (a) Sri Lanka
- (b) India
- (c) Thailand
- (d) Bangladesh

**Answer - (c) Thailand**

Q.90 Inclusion body in neurons is seen in ?

- (a) Rabies
- (b) Diphtheria
- (c) Yellow fever
- (d) Japanese encephalitis

**Answer - (a) Rabies**

Q.91 Benedict test in a urine sample is done for detection of?

- (a) Bile pigment
- (b) Glucose
- (c) Cholesterol

(d) Acetone

**Answer - (b) Glucose**

Q.92 Modifiable risk factors in coronary artery disease are all except?

(a) Personality

(b) Smoking

(c) Obesity

(d) Hypertension

**Answer - (a) Personality**

Q.93 A patient is admitted in the hospital with the complaint of acute febrile illness. On investigation thrombocytopenia was found. Which of the following tests is expected to be found abnormal in his coagulation profile?

(a) BT

(b) TT

(c) aPTT

(d) PT

**Answer - (a) BT**

Q.94 A patient on antihypertensive therapy complaint of severe dry cough. Which of the following medications should be considered for this side effect?

(a) Loop diuretics

(b) ACE inhibitors

(c) Angiotensin Receptor Blockers

(d) Vasodilators

**Answer - (b) ACE inhibitors**

Q.95 A patient admitted in ICU started complaining of uneasiness and ghabrahat.

The intensivist asked you immediately to get the ABG done and went to attend a call in emergency. You found Following values in the ABC. pH - 7.34, PCO<sub>2</sub>-50 mmHg. HCO<sub>3</sub><sup>-</sup> - 22 meq/L, K<sup>+</sup> - 6.2 mmol/L, PO<sub>2</sub> - 68 mmHg, and Lactate -2.85 mmol/L. On the basis of ABG findings what measures you should take on priority basis in managing the patient?

(a) Application of BiPAP

(b) Anti-hyperkalemic measures

(c) Infusion of soda bicarb (SBC) 50 ml Bolus

(d) Nothing need to be done as everything is within in normal limit

**Answer - (b) Anti-hyperkalemic measures**

Q.96 A Patient presented in the emergency room with a history of fever with chills since 5 days. On initial evaluation the patient was drowsy and his BP was 84/46 mm of Hg. As an attending nurse in emergency room you are well aware of the fact that this patient is having?

(a) Septic shock

(b) Hemorrhagic shock

(c) Cardiogenic shock

(d) Anaphylactic shock

**Answer - (a) Septic shock**

Q.97 Modern trend in nursing education emphasizes on?

- (a) Learning by practical
- (b) Learning by doing
- (c) Learning by exposure
- (d) Learning by theoretical

**Answer - (b) Learning by doing**

Q.98 Breast milk is rich in all except?

- (a) Lactose
- (b) PUFA
- (c) Sodium
- (d) Lactalbumin

**Answer - (c) Sodium**

Q.99 In which type of leadership does the manager keep the control in his hands?

- (a) Democratic Style
- (b) Autocratic Style
- (c) Laissez faire Style
- (d) Situational Style

**Answer - (b) Autocratic Style**

Q.100 Aspirin toxicity may cause?

- (a) Metabolic alkalosis
- (b) Metabolic acidosis
- (c) Respiratory acidosis
- (d) Respiratory alkalosis

**Answer - (b) Metabolic acidosis**

Q.101 Moniliasis is caused by ?

- (a) Candida albicans
- (b) Chlamydia trachomati
- (c) Neisseria gonorrhoea
- (d) Treponema pallidum

**Answer - (a) Candida albicans**

Q.102 Transmission of Yellow fever was first described by?

- (a) Louis Pasteur
- (b) Walter Reed
- (c) Karl Landsteiner
- (d) Ronald Ross

**Answer - (b) Walter Reed**

Q.103 Choose the incorrect pair?

- (a) Gray baby syndrome: Chloramphenicol
- (b) Hand foot syndrome: Tetracycline
- (c) Red man syndrome: Vancomycin
- (d) Hemolytic Uremic syndrome: Mitomycin

**Answer - (b) Hand foot syndrome: Tetracycline**

Q.104 A man with chest pain, ST segment depression in leads V1-V4, after one hour should not be given ?

- (a) Beta Blocker
- (b) Thrombolytic

- (c) Morphine
- (d) Aspirin

**Answer - (a) Beta Blocker**

Q.105 The anti-arrhythmic drug of choice in most of the cases of acute paroxysmal supraventricular tachycardia is?

- (a) Adenosine
- (b) Amiodarone
- (c) Propranolol
- (d) Quinidine

**Answer - (a) Adenosine**

Q.106 A 36-month old girl shows frontal bossing and wrist enlargement diagnosis is ?

- (a) Rickets
- (b) Scurvy
- (c) Beri Beri
- (d) Osteomalacia

**Answer - (a) Rickets**

Q.107 To increase awareness of the rural population towards small family norms, the best method is ?

- (a) Film Show
- (b) Charts and exhibits
- (c) Role playing
- (d) Television

**Answer - (c) Role playing**

Q.108 Case finding in RNTCP is based on:

- (a) Sputum culture
- (b) Sputum microscopy
- (c) X-ray chest
- (d) Mantoux test/PCR

**Answer - (b) Sputum microscopy**

Q.109 The fundamental aim of research in nursing is to?

- (a) Provide credibility to the nursing profession
- (b) Provide an evidence base for nursing care
- (c) Support medical research
- (d) Provide research for nurses

**Answer - (b) Provide an evidence base for nursing care**

Q.110 Egg is said to be ideal food. It is a very good source of all nutrients except?

- (a) Carbohydrates and Vitamin C
- (b) Protein and Calcium
- (c) Fat and Vitamin D
- (d) Protein and Iron

**Answer - (a) Carbohydrates and Vitamin C**

Q111 All of the following are Major criteria of Jones in Rheumatic fever except?

- (a) Pancarditis
- (b) Arthritis
- (c) Chorca

(d) Elevated ESR

**Answer - (d) Elevated ESR**

Q.112 All of the following are examples of nutritional deficiency disease except?

(a) Marasmus

(b) Kwashiorkor

(c) Obesity

(d) Scurvy

**Answer - (c) Obesity**

Q.113 A patient is under evaluation for CNS Pathology for which the CSF sample was sent to the lab for analysis. Which of the following findings in CSF study is not a normal finding?

(a) Red blood cells

(b) Lactate

(c) White blood cell

(d) Protein

**Answer - (a) Red blood cells**

Q.114 Good hydration along with diuretics is a well known therapy for hypercalcemia treatment. Which of the following diuretics can be used to treat hypercalcaemia ?

(a) Hydrochlorothiazide

(b) Spironolactone

(c) Mannitol

(d) Dytor

**Answer - (a) Hydrochlorothiazide**

Q.115 A pregnant female goes to the doctor and asks for the expected date of delivery. Doctor told her that EDD will be 25 July 2016.

According to EDD the patient LMP was?

(a) 19 Oct 2015

(b) 18 Oct 2015

(c) 02 May 2017

(d) 01 May 2017

**Answer - (b) 18 Oct 2015**

Q.116 A 12 weeks pregnant female with previous history of twin delivery at 38 weeks denotes?

(a) G2 P1

(b) G3 P1

(c) G2 P2

(d) G2 P3

**Answer - (a) G2 P1**

Q.117 Calculation of EDD is done by ?

(a) Naegele's formula

(b) Shirodkar formula

(c) Robin's formula

(d) Chadwick formula

**Answer - (a) Naegele's formula**

Q.118 Cardinal movements of labour are?

(a) Engagement → descent → flexion → internal rotation → extension → restitution → external rotation → expulsion

(b) Engagement → flexion descent internal rotation extension → expulsion

(c) Engagement → flexion descent → external rotation → expulsion

(d) Engagement extension → internal rotation → external rotation → expulsion

**Answer - (a) Engagement → descent → flexion → internal rotation → extension → restitution → external rotation → expulsion**

Q.119. Most important diameter of pelvis during labour is?

(a) Interspinous diameter

(b) Oblique diameter of inlet

(c) AP diameter of outlet

(d) Intertuberous diameter

**Answer - (a) Interspinous diameter**

Q.120 The shortest diameter of fetal head is?

(a) Biparietal diameter

(b) Suboccipito Frontal diameter

(c) Occipitofrontal diameter

(d) Bitemporal diameter

**Answer - (d) Bitemporal diameter**

Q.121 AP diameter is maximum in which type of pelvis ?

(a) Platypelloid

(b) Android

(c) Anthropoid

(d) Gynecoid

**Answer - (c) Anthropoid**

Q.122 All of the following are included in the first stage of labour except?

(a) Effacement of Cervix

(b) Dilatation of Cervix

(c) Crowning of fetal head

(d) Descent of head

**Answer - (c) Crowning of fetal head**

Q.123 In bishop score all are included except?

(a) Effacement of cervix

(b) Dilatation of cervix

(c) Situation of head

(d) Interspinous diameter

**Answer - (d) Interspinous diameter**

Q.124 All are signs of placental separation except?

(a) Lengthening of cord

(b) Gushing of blood

(c) Suprapubic bulge

(d) Increase of BP

**Answer - (d) Increase of BP**

Q.125 Young lady presents with acute abdominal pain and history of 1.5

months amenorrhoea, on USG examination there is collection of fluid in the pouch of douglas and empty gestational sac. Diagnosis is?

- (a) Ectopic pregnancy
- (b) Pelvic hematocele
- (c) Threatened abortion
- (d) Twisted ovarian cyst

**Answer - (a) Ectopic pregnancy**

Q.126 A patient with glomerulonephritis is complaining of thirst.?

- (a) Juice
- (b) Tea
- (C) Water
- (d) Hard candy

Answer - (C) Water

Q.127 PCM Antidote:-

- (a) Naloxone
- (b) N- acetylcysteine
- (c) Protamine sulphate
- (d) Deferoxamine

**Answer - (b) N- acetylcysteine**

Q.128 In which pelvis one Ala of sacral bone is absent?

- (a) Naegele's pelvis
- (b) Robert's pelvis
- (c) Triradiate pelvis

(d) Osteomalacie pelvis

**Answer - (a) Naegele's pelvis**

Q.129 Most common position during labour is?

(a) LOT

(b) LOA

(c) DOA

(d) ROA

**Answer - (a) LOT**

Q.130 Which of the following statements is false?

(a) Lambda fuses at 2-3 month

(b) Coronal suture scene between frontal & parietal bone

(c) Bregma is triangular shaped & fuses at 18 month

(d) Suture are helpful in moulding

**Answer - (c) Bregma is triangular shaped & fuses at 18 month**

Q.131 Vertex presentation seen in which engaging diameter ?

(a) Mentovertical

(b) Submentobregmatic

(c) Submentovertical

(d) Suboccipitobregmatic

**Answer - (d) Suboccipitobregmatic**

Q.132. All of the following statements are true Regarding true labour pain except?

(a) Cervical dilatation & effacement seen

(b) Lower abdomen pain radiating to thigh

- (c) Absent bag of water
- (d) Contractions are regular & frequency increases gradually

**Answer - (c) Absent bag of water**

Q.133. Partograph shows?

- (a) Progression of labour
- (b) Induction of labour
- (c) Fetal well being
- (d) Amount of amniotic fluid

**Answer - (a) Progression of labour**

Q.134 Dose of anti D for antenatal prophylaxis in Rh-negative non immunized females ?

- (a) Single dose of 1100 IU at 28 weeks
- (b) Single dose 1500 IU at 28 weeks
- (c) Single dose of 600 IU at 28 weeks
- (d) Single dose of 1500 IU at 31 weeks

**Answer - (b) Single dose 1500 IU at 28 weeks**

Q.135 Most valuable diagnostic test in case of suspected ectopic pregnancy ?

- (a) Serial B-hCG levels
- (b) Transvaginal USG
- (c) Progesterone measurement
- (d) Culdocentesis

**Answer - (b) Transvaginal USG**

Q.136 Maximum intensity of FHR in breech presentation is?

- (a) Above Umbilicus
- (b) Below Umbilicus
- (c) Around the Umbilicus
- (d) None

**Answer - (c) Around the Umbilicus**

Q.137 The nurse is teaching a patient who is taking insulin about the signs of diabetic ketoacidosis which include?

- (a) Dry, flaky skin
- (b) Kussmaul's respirations
- (c) Excessive hunger
- (d) High blood pressure

**Answer - (c) Excessive hunger**

Q.138. When caring for an infant during cardiac arrest, which pulse must be palpated to determine cardiac function?

- (a) Carotid
- (b) Brachial
- (c) Radial
- (d) Pedal

**Answer - (b) Brachial**

Q.139 A client arrives at the clinic for the first prenatal assessment. the woman tells the nurse that first day of her last normal menstrual period was 19 october 2018. according Nagele's rule expected date of delivery:

- (a) July 12, 2019
- (b) July 26, 2019

- (c) August 12, 2019
- (d) August 26, 2019

**Answer - (b) July 26, 2019**

Q.140 The nurse is collecting data during an admission assessment of a client who is pregnant with twins. The client has a healthy 5-year old child who was delivered at 38 weeks and tells the nurse that she does not have a history of any type of abortion or fetal demise. According to GTPAL, nurse document in the client's chart?

- (a) G=3, T=2, P=0, A=0, L=1
- (b) G=2, T=1, P=0, A=0, L=1
- (c) G=1, T=1, P=1, A=0, L=1
- (d) G=2, T=0, P=0, A=0, L=1

**Answer - (b) G=2, T=1, P=0, A=0, L=1**

Q141. Which disease decreases the metabolic rate?

- (a) Cancer
- (b) Hypothyroidism
- (c) Cardiac failure
- (d) Chronic obstructive pulmonary disease

**Answer - (b) Hypothyroidism**

Q142. Ectopic pregnancy earliest rupture:

- (a) AMPULLA
- (b) INTERSTITIAL

- (c) ISTHMUS
- (d) INFUNDIBULUM

**Answer - (c) ISTHMUS**

Q.143. During which week does the fetal heart begin pumping it's own blood?

- (a) 9<sup>th</sup> week
- (b) 6<sup>th</sup> week
- (c) 5<sup>th</sup> week
- (d) 3<sup>rd</sup> week

**Answer - (d) 3<sup>rd</sup> week**

Q.144 Cleft lip mostly occurs in:

- (a) Right side
- (b) Middle
- (c) Left side
- (d) Equal both the sides

**Answer - (c) Left side**

Q.145 Pin index system is a safety feature adopt in anesthesia machines to prevent:

- (a) Incorrect attachment of anesthesia machines
- (b) Incorrect attachment of anesthesia face masks.
- (c) Incorrect inhalation agent delivery

(d) Incorrect gas cylinder attachment.

**Answer - (d) Incorrect gas cylinder attachment**

Q.146 The pin index code of nitrous oxide is:

(a) 2,5

(b) 1,5.

(c) 3.5.

(d) 2.6.

**Answer - (a) 2,5**

Q.147 Gas is filled as liquid in cylinder in:

(A) O<sub>2</sub>

(b) CO<sub>2</sub>

(c) N<sub>2</sub>O

(d) Cyclopropane

**Answer - (d) Cyclopropane**

Q.148 Color of O<sub>2</sub> cylinder:

(a) Gray

(b) Orange

(c) Blue

(d) black & white

**Answer - (d) black & white**

Q.149 An anesthesia orders a new attendant to bring the oxygen cylinder. He ask the attendant to identify correct cylinder by following color code:

- (a) Black cylinders with white shoulders
- (b) Black cylinders with grey shoulders
- (c) White cylinders with black shoulders
- (d) Grey cylinders with white shoulders

**Answer - (a) Black cylinders with white shoulders**

Q.150 For high pressure storage of compressed gases cylinders are made up of:

- (a) Molybdenum steel
- (b) Iron + Mo
- (c) visualization
- (d) Cast iron

**Answer - (a) Molybdenum steel**

Q.151 which of the following is not used to protect airways:

- (a) LMA
- (b) Endotracheal tube
- (c) Ryles tube
- (d) Combitube

**Answer - (c) Ryles tube**

Q.152 Which one of following device provides fixed performance oxygen therapy:

- (a) Nasal cannula
- (b) Venturi mask
- (c) O2 by t- peace

(d) Edinburg mask

**Answer - (b) Venturi mask**

Q. 153 O2 delivery is regulated by A/E;

(a) O2 tent

(b) Venti mask

(c) Poly mask

(d) Novel catheter

**Answer - (d) Novel catheter**

Q.154 What will be the diagnosis of the patient in case the nurse found the patient is giving a silly smile. Hallucinations, urinate anywhere and don't maintain personal hygiene.

(a) simple schizophrenia

(b) catatonic schizophrenia

(c) paranoid schizophrenia

(d) hebephrenic schizophrenia

**Answer - (d) hebephrenic schizophrenia**

Q.155 Associative loosening is the symptom of:

(a) Thought

(b) Emotions

(c) Consciousness

(d) Activity

**Answer - (a) Thought**

Q.156 laryngeal mask airways (LMA) is used for:

- (a) Maintenance of airways
- (b) Facilitating laryngeal surgery
- (c) Prevention of aspiration
- (d) Removing oral secretions

**Answer - (a) Maintenance of airways**

Q.157 Mgso<sub>4</sub> Antidote:

- (a) Ca – gluconate
- (b) Naloxone
- (c) Protamine sulphate
- (d) Deferoxamine

**Answer - (a) Ca – gluconate**

Q.158 Heparin Antidote:

- (a) Naloxone
- (b) Protamine sulphate
- (c) Deferoxamine
- (d) Ca – gluconate

**Answer - (b) Protamine sulphate**

Q.159 Which of the following is not an indication for endotracheal intubation?

- (a) Maintenance of a patient airway
- (b) To provide positive pressure ventilation
- (c) Pulmonary toilet

(d) Pneumothorax

**Answer - (d) Pneumothorax**

Q.160 Mallampati grading is for:

- (a) mobility of cervical spine
- (b) Mobility of atlanto axial joint
- (c) Assignment of free rotation of neck before intubation
- (d) inspection of oral cavity before intubation

**Answer - (d) inspection of oral cavity before intubation**

Q.161 True about endotracheal cuff:

- (a) Low-volume, high pressure
- (b) Low-volume, low pressure
- (c) high-volume, low pressure
- (d) high volume, high pressure

**Answer - (c) high-volume, low pressure**

Q.162 Sellick maneuver is used to prevent:

- (a) Alveolar collapse
- (b) hypertension
- (c) Aspiration of gastric content
- (d) bradycardia

**Answer - (c) Aspiration of gastric content**

Q.163 sellick's maneuver is used for:

- (a) To prevent gastric aspiration
- (b) To facilitate respiration ition
- (c) To reduce dead space

(d) to prevent alveolar collapse

**Answer - (a) To prevent gastric aspiration**

Q.164 size in <6 years old child, of endotracheal tube is:

(a) age +3.5/3.5

(b) Age + 2.5/2.5

(c) Age + 4.5/4.5

(d) Age-4.5/45

**Answer - (a) age +3.5/3.5**

Q.165 In infant (full) diameter (mm) length (cm) of ETT used are:

(a) 3.5,16

(b) 7,12

(c) 3.5,12

(d) 7,10

**Answer - (c) 3.5,12**

Q.166 Nasal intubation is contraindicated in

(a) CSF rhinorrhea

(b) fracture cervical spine

(c ) fracture mandible

(d) Short neck

**Answer - (a) CSF rhinorrhea**

Q.167 A schizophrenia patient is suffering with symptoms of lack of speech. What is the specific term used to indicate this term in

schizophrenia patients?

- (a) alogia
- (b) aphasia
- (c) aphonia
- (d) neologism

**Answer - (a) alogia**

Q.168 Mr. Ravi is admitted in the psychiatric unit with diagnosis of combined symptoms of catatonic & Hebephrenic schizophrenia. What is the term used to indicate this type of schizophrenic situation?

- (a) propks schizophrenia
- (b) residual schizophrenia
- (c) nuclear schizophrenia
- (d) paranoid schizophrenia

**Answer - (c) nuclear schizophrenia**

Q.169 A male patient presenting the sign & symptoms of persecution, suspiciousness, hypochondriasis behavior and poor IPR maybe having: -

- (a) simple schizophrenia
- (b) hebephrenic schizophrenia
- (c) paranoid schizophrenia
- (d) nuclear schizophrenia

**Answer - (c) paranoid schizophrenia**

Q.170 An autoclave is used for:

- (a) Dry heat sterilization
- (b) Moist heat sterilization
- (c) chemical sterilization
- (d) gaseous sterilization

**Answer - (b) Moist heat sterilization**

Q.171 HIV contaminated waste products can be decontaminated by the following

agents expect:

- (a) Sodium hypochlorite
- (b) Formaldehyde
- (c) Glutaraldehyde
- (d) Methanol

**Answer - (d) Methanol**

Q.172 Red heat is used for sterilization of:

- (a) Inoculating wires and loops
- (b) All-glass syringes
- (c) Soiled dressing
- (d) Glass slides

**Answer - (a) Inoculating wires and loops**

Q.173 Fumigation with formalin vapor is commonly used to sterilize and disinfect:

- (a) Operation room
- (b) scrubbing room
- (c ) Nursing room

(d) sterilization room

**Answer - (a) Operation room**

Q.174 Endoscopic catheter are sterilizing by:

(a) Boiling for 10min

(b) Autoclaving

(c) 5% savlon

(d) 2% glutaraldehyde

**Answer - (a) Boiling for 10min**

Q. 175 Time required for autoclaving at 15lbs per square inch pressure and 121°C

temperature is :

(a) 15 minutes

(b) 30 minutes

(c) 20 minutes

(d) 25 minutes

**Answer - (a) 15 minutes**

Q.176 A nurse is educating a client who is taking Q for paranoid schizophrenia. What should the nurse emphasize about the side effects of clozapine?

(a) Dizziness upon standing

(b) Inability to sit still

(c) Risk for falls

(d) Increase in temperature

**Answer - (d) Increase in temperature**

Q.177 A patient of schizophrenia was started on a new drug. After 3 months she complained of weight gain and her Hbale was 8. What is the most likely drug?

(a) Haloperidol

(b) Olanzapine

(c) Loxapine

(d) Risperidone

**Answer - (b) Olanzapine**

Q.178 Consumption of tyramine rich food by a patient who is on monoamine oxidase inhibitor therapy may leads to:

(a) Glaucoma

(b) Insomnia

(c) Vomiting

(d) Hypertensive crisis

**Answer - (d) Hypertensive crisis**

Q.179 Benzodiazepine reduces anxiety by acting on which neurotransmitter?

(a) GABA

(b) Serotonin

(c) Dopamine

(d) Noradrenaline

**Answer - (a) GABA**

Q.180 A client newly diagnosed with bipolar disorder was prescribed lithium medicine. While giving the health teaching the client keeps asking about why there is a need for frequent blood work. Which of the following statement of the nurse addressing the client's question is true:-

- (a) It will help determine if the medication dosage is still within the therapeutic level
- (b) Frequent blood works is unnecessary once medication is taken as ordered
- (c) It will help identify if the liver has been working properly
- (d) It will monitor if the medication already pass the blood brain barrier

**Answer - (a) It will help determine if the medication dosage is still within the therapeutic level**

Q.181 A client receiving lithium therapy for treatment of his bipolar disorder has a lithium level of 0.85meq/L. The appropriate nursing action is:-

- (a) Observe the client for sign of toxicity
- (b) Notify the physician immediately
- (c) Record the laboratory results in client's chart
- (d) Hold the next dose of lithium

**Answer - (c) Record the laboratory results in client's chart**

Q.182 The most common cardiac abnormality associated with use of lithium in 1st trimester of pregnancy?

- (a) Deacon's syndrome
- (b) Ebstein's anomaly of tricuspid

(c) PDA

(d) Coarctation of aorta

**Answer - (b) Ebstein's anomaly of tricuspid**

Q.183 Absolute Contraindication of ECT?

(a) Diabetic retinopathy

(b) Brain tumor

(c) Peripheral neuritis

(d) None of these

**Answer - (b) Brain tumor**

Q.184 Q1. At what time between 8 & 9 o'clock are the hands opposite to each other?

(a) 8:10 10/11

(b) 8:46 4/11

(c) 8:05 5/11

(d) 8:30

**Answer - (a) 8:10 10/11**

Q.185 At what time between 1 & 2 O'clock are the hands together?

(a) 1:03 5/11

(b) 1:05 5/11

(c) 1:65/11

(d) None

**Answer - (b) 1:05 5/11**

Q186 How many times are the hands opposite to each other in a day?

(a) 11 times

(b) 22 times

(c) 44 times

(d) None

**Answer - (b) 22 times**

Q187 How many leap years in a century?

(a) 12

(b) 48

(c) 24

(d) 97

**Answer - (d) 97**

Q.188 How many times 29 Feb will come in 400 years?

(a) 24

(b) 72

(c) 48

(d) 97

**Answer - (d) 97**

Q.189 If today is Monday then what will be after 36 days?

(a) Monday

(b) Tuesday

(c) Wednesday

(d) Sunday

**Answer - (b) Tuesday**

Q.190 At what time between 7:00 & 8:00 O'clock are the hands at an angle of  $45^\circ$  ?

- (a) 7:20
- (b) 7:30
- (c)  $7:46 \frac{4}{10}$
- (d) 7:40

**Answer - (b) 7:30**

Q.191. What is the angle between both the hands at 7:30?

- (a)  $44^\circ$
- (b)  $30^\circ$
- (c)  $315^\circ$
- (d) None

**Answer - (c)  $315^\circ$**

Q.192. From 12:00 noon to 3:45 PM how much angle is covered by hour hand?

- (a)  $110^\circ$
- (b)  $112^\circ$
- (c)  $110 \frac{1}{2}^\circ$
- (d)  $112 \frac{1}{2}^\circ$

**Answer - (d)  $112 \frac{1}{2}^\circ$**

Q.193. If south-east becomes north, north-east becomes west and so on then what becomes west?

- (a) North-East
- (b) South-East

- (c) North-West
- (d) South-West
- (e) South

**Answer - (c) North-West**

Q.194 Incentive spirometry is mainly used to:

- (a) Prevent atelectasis
- (b) Prevent pneumothorax
- (c) Promote wound drainage
- (d) Promote early ambulation

**Answer - (a) Prevent atelectasis**

Q.195 In wound healing process, the formation

- (a) Inflammatory phase
- (b) Proliferative phase
- (c) Homeostasis phase
- (d) Maturation phase

**Answer - (b) Proliferative phase**

Q.196 For measuring central venous pressure (CVP), it must be 'zeroed' at the level of :

- (a) Right atrium
- (b) Right ventricle
- (c) Left atrium
- (d) Left ventricle

**Answer - (b) Right ventricle**

Q.197 five teaspoon is equivalent to how many (ml): -

- (a) 30 ml
- (b) 25ml
- (c ) 12ml
- (d) 22ml

**Answer - (b) 25ml**

Q.198 98.6F is equal to:

- (a) 36.5°C
- (b) 37.2°c
- (c) 37°
- (d) 38°C

**Answer - (c) 37°**

Q.199 Before giving blood transfusion a nurse must note the date, time of collection and must

be aware that packed RBCS can be stored up to:

- (a) 25 days
- (b) 35 days
- (c) 45 days
- (d) 45 days

**Answer - (b) 35 days**

Q.200 What is the usual site of intramuscular injection a nurse will choose in an adult for Z-track techniques: -

- (a) Deltoid

(b) Rectus femoris

(c) Ventrogluteal

(d) Vastus lateralis

**Answer - (c) Ventrogluteal**

Q.201- Painful Micturition:

(a) Eneuresis

(b) Dysuria

(c) Rentention of urine

(d) Diarrhoea

**Answer - (b) Dysuria**

Q.202- One ml contains ..... drops

(a) 5 drops

(b) 10 drops

(c) 15 drops

(d) 20 drops

**Answer - (d) 20 drops**

Q.203- Number of vertebra in the sacrum:

(a) 5

(b) 3

(c) 4

(d) 1

**Answer - (a) 5**

Q.204-Number of chromosome in a cell:

(a) 23

(b) 44

(c) 46

(d) 40

**Answer - (c) 46**

Q.205- ..... is a water soluble vitamin:

(a) Vitamin A

(b) Vitamin K

(c) Vitamin B

(d) Vitamin D

**Answer - (c) Vitamin B**

Q.206-The disease in which the patients blood does not clot easily is:

- (a) Sickle cell anaemia
- (b) Haemophilia
- (c) Rabies
- (d) Diabetes

**Answer - (b) Haemophilia**

Q.207-The Filariasis is transmitted by .....

- (a) Anopheles female mosquito
- (b) Anopheles male mosquito
- (c) Culex female mosquito
- (d) Culex male mosquito

**Answer - (c) Culex female mosquito**

Q.208-The blood group contain no antibodies:

- (a) AB
- (b) B
- (c) O
- (d) A

**Answer - (a) AB**

Q.209- ..... is the immunity get by the body after the first attack of disease.

- (a) Natural immunity
- (b) Passive immunity
- (c) Artificial immunity
- (d) Acquired immunity

**Answer - (d) Acquired immunity**

Q.210- Infancy period is from

- (a) Birth to one month
- (b) One month to 1 year
- (c) 1 years to 3 years
- (d) 3 years to 5 years

**Answer - (b) One month to 1 year**

Q.211-Speech centre is situated in

- (a) Parietal lobe
- (b) Frontal lobe
- (c) Occipital lobe
- (d) Temporal lobe

**Answer - (a) Parietal lobe**

Q.212- Starting of menstrual cycle is called:

- (a) Ovulation
- (b) Menstruation
- (c) Menarche
- (d) Menopause

**Answer - (c) Menarche**

Q.213- One gram of carbohydrate yields:

- (a) 4 calories
- (b) 8 calories
- (c) 9 calories
- (d) 1 calorie

**Answer - (a) 4 calories**

Q.214- Inflammation of the tongue:

- (a) Glossitis
- (b) Gingivitis
- (c) Stomatitis

(d) Parotitis

**Answer - (a) Glossitis**

Q.215-Cortisone is used as an effective anti-inflammatory drug in the treatment of .....

(a) High blood pressure

(b) Arteriosclerosis

(c) Arthritis

(d) Diabetes

**Answer - (b) Arteriosclerosis**

Q.216- The hormone that is injected to pregnant women at the time of delivery is

(a) Vasopressin

(b) Oxytocin

(c) Androgen

(d) Oestrogen

**Answer - (b) Oxytocin**

Q.217- Labour takes place after ..... days of last menstrual period

(a) 300

(b) 280

(c) 365

(d) 290

**Answer - (b) 280**

Q.218- Which of the following foods would the nurse encourage the client in sickle cell crisis to eat?

(a) Steak

(b) Cottage cheese

(c) Popsicle

(d) Lima beans

**Answer – (c) Popsicle**

Q.219. A client has autoimmune thrombocytopenic purpura. To determine the client's response to treatment, the nurse would monitor:

(a) Platelet count

(b) White blood cell count

(c) Potassium levels

(d) Partial prothrombin time (PTT)

**Answer – (a) Platelet count**

Q 220. A 38-year-old client, who is gravida 4, para 2 with gestational diabetes, is scheduled for an amniocentesis at 33 weeks' gestation because of unstable blood sugar. The results of the amniocentesis reveal the lecithin/ sphingomyelin ratio (L/S) is 1:1, and the phosphatidylglycerol (PG) is negative. How should a nurse best interpret this data? ?

- (a) The infant is at low risk for congenital anomalies
- (b) The infant is at high risk for intrauterine growth retardation
- (c) The infant is at high risk for respiratory distress syndrome
- (d) The infant is at high risk for birth trauma

**Answer – (c) The infant is at high risk for respiratory distress syndrome**

Q 221. A client, who is overweight and has diabetes, has a blood pressure of 148/92 mm Hg. The client's urinalysis reveals microalbuminuria. The client does not want to take drugs despite a family history of brain attack (cerebrovascular accident [CVA]). The correct response by a nurse is ?

- (a) Find herbal products to reduce blood pressure and weight
- (b) Use a drug while lifestyle changes are instituted

(c) Evaluate barriers to weight loss and make a plan for exercising and dieting

(d) Recheck blood pressure weekly

**Answer - (b) Use a drug while lifestyle changes are instituted**

Q 222. Which clinical feature found on assessment should indicate to a nurse that a client has congestive heart failure? ?

(a) Fatigue and dyspnea

(b) Cheyne-Stokes breathing and orthostatic hypotension

(c) Liver tenderness and peripheral edema

(d) Pulmonary crackles and weak pulses

**Answer – (a) Fatigue and dyspnea**

**(Reduce cardiac output and circulating o<sub>2</sub> producing fatigue and SOB.)**

Q 223. A 4-year-old is hospitalized with acute glomerulonephritis. A nurse should feel most confident that the client teaching has been effective and the child has a basic understanding of this condition if the child states ?

(a) I was mean to my sister and now I am sick

(b) I have a stomachache but it will get better

(c) I don't have much pee pee come out when I use the toilet

(d) I have an infection in my stomach

**Answer - (c) I don't have much pee pee come out when I use the toilet**

Q 224. The nurse is conducting a seminar on sudden infant death syndrome (SIDS) with a group of first-time parents of newborns. The nurse's teaching should emphasize ?

(a) Avoiding soft bedding

(b) Using a pillow

(c) Using a soft sleep surface

(d) Promoting co-sleeping with the parents

**Answer - (a) Avoiding soft bedding**

Q 225. The laboratory values for an adult client who is NPO are: Na<sup>+</sup> 128, K<sup>+</sup> 3.5, and glucose 130. Which IV solution should a nurse expect will be ordered? ?

(a) D10W with 40 mEq KCl/L at 150 mL/hr

(b) 1/4NS with 20 mEq KCl/L at 100 mL/hr

(c) D5 1/4NS at 50 mL/hr

(d) D5NS with 20 mEq KCl/L at 75 mL/hr

**Answer - (d) D5NS with 20 mEq KCl/L at 75 mL/hr**

Q 226. A client with syndrome of inappropriate antidiuretic hormone (SIADH) secretion has a  $\text{Na}^+$  of 128 mEq/L and is confused. A nurse's primary goal should be to: ?

- (a) Decrease edema by restricting fluid intake
- (b) Prevent complications of hyponatremia
- (c) Reorient the client to surroundings
- (d) Restore fluid and electrolyte balance

**Answer – (d) Restore fluid and electrolyte balance**

**(Bcz SIADH causes water retention and dilutional hyponatremia.)**

Q 227. A group of clients who are pregnant are attending a childbirth preparation class. A nurse is discussing the effects of cigarette smoke on fetal development. Which characteristic should the nurse describe as being associated with babies born to mothers who smoked during pregnancy? ?

- (a) Low birth weight
- (b) Large for gestational age
- (c) Preterm birth, but appropriate size for gestation
- (d) Macrosomia

**Answer - (a) Low birth weight**

Q 228. The school nurse inspects the toddlers attending the school's day-care center. Which observation by the nurse is cause for follow-up for pinworms?

- (a) All of the toddlers are wearing shoes and socks
- (b) Some of the toddlers are wearing one-piece outfits
- (c) Most of the toddlers have short fingernails
- (d) Most of the toddlers are wearing cloth diapers

**Answer - (d) Most of the toddlers are wearing cloth diapers**

Q 229. A client, who is gravida 4, para 2, is admitted to a labor and delivery unit. A nurse performs a vaginal examination and determines that the client's cervix is 6 cm dilated, 75% effaced, and a +1 station. Based on the nurse's assessment, in which stage of labor is this client ?

- (a) First phase, latent stage
- (b) First phase, latent stage
- (c) First stage, transition phase
- (d) First phase, active stage

**Answer - (b) First phase, latent stage**

Q 230. A client is admitted with a history of an abdominal aortic aneurysm. A nurse should know that the client has an impending rupture of the aneurysm if the client reports: ?

- (a) Severe right upper quadrant abdominal pain
- (b) Persistent or intermittent lower back pain
- (c) Absent pedal pulses in both extremities
- (d) Chest pain in the epigastric region

**Answer - (b) Persistent or intermittent lower back pain**

Q 231. . A nursing student is assigned to care for a client who is 2 days post-total left hip replacement. Which observation should be reported immediately to a staff nurse?

- (a) Pain rated as 5 on a scale of 0–10
- (b) Temperature, 99.6°F; reddened incision >
- (c) Pain and cramping in the right lower leg
- (d) Difficulty tolerating weight-bearing on the left leg

**Answer - (b) Temperature, 99.6°F; reddened incision >**

**(infection following hip replacement is serious complication that may require removal of implant .)**

Q 232. A client, who is gravida 2, para 1, ruptures her membranes spontaneously with a large amount of clear fluid. A nurse performs a vaginal examination and discovers a loop of umbilical cord in the vagina. Which immediate action should be taken by the nurse?

- (a) Place the client on her left side

- (b) Attempt to replace the cord
- (c) Elevate the client's hips
- (d) Cover the cord with a dry, sterile gauze

**Answer - (c) Elevate the client's hips**

Q 233. When assessing a child for symptoms of neurogenic diabetes insipidus, what should a nurse anticipate? ?

- (a) Elevated blood glucose
- (b) Increased levels of ADH
- (c) Increased urine output
- (d) Decreased serum sodium

**Answer - (c) Increased urine output**

Q 234. . A client, who is gravida 1, para 0, delivered an infant at 39 weeks' gestation this morning. The client tells a nurse that she plans to breastfeed her baby and has taken a class about breastfeeding. The nurse is aware that successful breastfeeding is most dependent on:

- (a) Mother's educational level
- (b) Size of the mother's breast
- (c) Mother's desire to breastfeed
- (d) Infant's birth weight

**Answer - (c) Mother's desire to breastfeed**

Q 235. Which observation in the newborn of a mother with diabetes would require an immediate nursing intervention?

- (a) Crying
- (b) Wakefulness
- (c) Jitteriness
- (d) Yawning

**Answer - (c) Jitteriness**

**(Jitteriness can be indicative of hypoglycemia.)**

Q 236. In teaching a client with vision loss from glaucoma about proper lighting, a nurse knows that: ?

- (a) Overhead or ceiling lights are best
- (b) Using fluorescent lighting avoids shadows
- (c) Brighter lights are needed
- (d) Dim lighting is needed

**Answer - (b) Using fluorescent lighting avoids shadows**

Q 237. A 65-year-old man with a 45-year history of smoking reports a change in his cough pattern, a nonproductive cough, and generally not

feeling well. The chest x-ray reveals an infiltrate. A nurse should suspect: ?

- (a) Pneumonia
- (b) Chronic obstructive pulmonary disease (COPD)
- (c) Pulmonary edema
- (d) Tuberculosis

**Answer - (a) Pneumonia**

Q 238. A nurse is monitoring the progress of a gravida 3, para 1 client in active labor. Which finding should be reported to a physician immediately?

- (a) Moderate uterine contractions
- (b) Frequent urination
- (c) The presence of green-tinged amniotic fluid
- (d) The presence of scant bloody discharge

**Answer - (c) The presence of green-tinged amniotic fluid**

Q 239. The blood pressure of a 28-year-old client who is overweight and does not have diabetes is 136/78 mm Hg. Client education should include: ?

- (a) Losing 20 pounds would bring the blood pressure down by as much as 20 points and reduce the risk of stroke

- (b) The need to recheck blood pressure weekly so medications can be started as soon as it goes over 140/90 mm Hg
- (c) The need for medications in clients who are overweight with a systolic blood pressure over 130/80 mm Hg
- (d) Acknowledging that the client has maintained a blood pressure within normal limits

**Answer - (a) Losing 20 pounds would bring the blood pressure down by as much as 20 points and reduce the risk of stroke**

Q 240. A group of clients is attending a childbirth preparation class. A client asks a nurse how to measure the duration of the uterine contractions. Which is the best description by the nurse about the measurement of the duration of contractions?

- (a) Duration is measured by timing from the beginning of one contraction to the beginning of the next contraction
- (b) Duration is measured by timing from the end of one contraction to the beginning of the next contraction
- (c) Duration is measured by timing from the beginning of one contraction to the end of the same contraction
- (d) Duration is measured by timing from the peak of one contraction to the end of the same contraction

**Answer - (c) Duration is measured by timing from the beginning of one contraction to the end of the same contraction**

Q 241. Which order written by a pediatrician for a 2-month-old infant during a well-infant visit should a nurse question?

- (a) Administer DTaP (diphtheria, tetanus, and acellular pertussis) vaccine
- (b) Administer Hib (Haemophilus influenzae type b) vaccine
- (c) Administer IVP (inactivated poliovirus) vaccine
- (d) Administer MMR (measles, mumps, and rubella) vaccine

**Answer - (d) Administer MMR (measles, mumps, and rubella) vaccine**

Q 242. Treatment for hypertension is important in the prevention of heart failure. A nurse tells a client that the greatest decrease in blood pressure is most likely to occur with ?

- (a) Increasing physical activity
- (b) Reducing sodium intake
- (c) Limiting alcohol intake
- (d) Weight loss

**Answer - (d) Weight loss**

Q 243. A client, who is gravida 3, para 1, is diagnosed with diabetes at 28 weeks' gestation. A nurse is providing instruction about the role of insulin in managing the client's diabetes. Which statement by the nurse is true regarding insulin needs during pregnancy?

- (a) Insulin requirements are moderate as the pregnancy progresses
- (b) A decreased need for insulin occurs during the second trimester
- (c) Insulin requirements will increase as the pregnancy progresses
- (d) Elevations in human placental lactogen decrease the need for insulin

**Answer - (c) Insulin requirements will increase as the pregnancy progresses**

Q 244. A nursing student selects a 1/2-inch needle with which to administer a DTaP (diphtheria, tetanus, and acellular pertussis) vaccine to a 4-month-old infant. A nursing instructor's best action would be to ?

- (a) Allow the nursing student to continue preparing the vaccine
- (b) Stop the nursing student from preparing the vaccine
- (c) Question the nursing student regarding the injection route used to administer the vaccine
- (d) Instruct the nursing student to select a shorter needle

**Answer - (c) Question the nursing student regarding the injection route used to administer the vaccine**

Q 245. A client, who is gravida 1, para 0 at 38 weeks' gestation, is found to have a blood pressure of 170/90 mm Hg. Which action should a nurse take first?

- (a) Evaluate the urine protein

- (b) Administer an analgesic
- (c) Assess fetal heart tones
- (d) Obtain a diet history

**Answer - (a) Evaluate the urine protein**

Q 246. A 12-year-old child is seen in a pediatrician's office for a well-adolescent checkup. The adolescent's most important vaccine status for a nurse to assess would be:

- (a) Hepatitis B
- (b) Hepatitis A
- (c) MMR (measles, mumps, and rubella)
- (d) HPV (human papillomavirus)

**Answer - (d) HPV (human papillomavirus)**

Q 247. A client, who fell 10 feet onto a concrete floor, presents to an emergency department. The client does not speak English. The correct action by a nurse to determine the severity of the client's pain would be to ?

- (a) Call for an interpreter
- (b) Note the client's facial expression
- (c) Observe the client's response to palpation

(d) Use an illustrative pain scale

**Answer - (d) Use an illustrative pain scale**

Q 248. The parents of a 6-month-old infant express their concerns regarding the number of vaccines their infant has already received. A nurse's best action would be to:

- (a) Provide the parents with accurate, user-friendly information regarding vaccines
- (b) Reassure the parents that their concern for their infant's health is appreciated
- (c) Respect the parents' ultimate decision regarding vaccines
- (d) Involve the parents in minimizing potential adverse effects of the vaccines

**Answer - (a) Provide the parents with accurate, user-friendly information regarding vaccines**

Q 249. An undesired consequence of acute pain is the progression to a chronic pain syndrome. The correct approach by a nurse to prevent chronic pain syndrome would be to ?

- (a) Adequately control acute pain
- (b) Give ordered opiates infrequently
- (c) Give pain medication only when requested by client

(d) Prevent physical dependence on the prescribed drug

**Answer - (a) Adequately control acute pain**

Q 250. A 42-year-old, who is gravida 1, para 0, has a successful in-vitro fertilization and is 7 weeks pregnant. Based on the client's history, a nurse knows the infant is at risk for: ?

(a) Respiratory distress syndrome

(b) Pathological jaundice

(c) Turner's syndrome

(d) Down syndrome

**Answer - (d) Down syndrome**

**(Age of 42 ye puts her at higher risk of an infant with Down's syndrome .)**

Q 251. A client delivers a 4-pound, 8-ounce neonate at 35 weeks' gestation. A meconium drug screen shows the presence of heroin. The neonate is admitted to the nursery with narcotic abstinence syndrome. Nursing care of the neonate should include ?

(a) Teaching the mother to provide tactile stimulation

(b) Wrapping the neonate snugly in a blanket

(c) Placing the neonate in the infant car seat

(d) Initiating an early infant-stimulation program

**Answer - (b) Wrapping the neonate snugly in a blanket**

Q 252. A client with a known history of IV drug use is found to have acute appendicitis with perforation. Following surgery, the client reports severe pain at the surgical incision. There are no signs of abscess formation or other postoperative complications. The correct approach to manage the client's pain would be to:

- (a) Give the ordered opioid
- (b) Expect a placebo to be ordered
- (c) Give an NSAID or acetaminophen
- (d) Use nondrug therapies such as visualization

**Answer - (a) Give the ordered opioid**

Q 253. The mother of a school-age child who is isolated at home with chickenpox (varicella) informs a school nurse that, "My child is miserable from the itching. What can I do?" The school nurse's best response would be to suggest ?

- (a) Giving diphenhydramine hydrochloride
- (b) Keeping the child cool
- (c) Changing the linens daily
- (d) Keeping the child's fingernails short and clean

**Answer - (a) Giving diphenhydramine hydrochloride**

Q 254. An 84-year-old with diabetes and left leg cellulitis is brought to an emergency department. Vital signs are: BP 132/90 mm Hg, T 99.4°F, P 95, and R 20. Blood glucose is 98. Left leg is red and swollen. The client is admitted to a nursing unit. Which order should be a priority for the nurse ?

- (a) Start ampicillin of 1 gm every 8 hours
- (b) Obtain an ECG
- (c) Administer insulin for elevated blood sugar
- (d) Draw blood cultures

**Answer - (d) Draw blood cultures**

**(Bcz low grade fever and elevated temperature are consistent with infection)**

Q 255. A client, who is gravida 4, para 0 at 39 weeks' gestation, states, "I would like to breastfeed, but my mother-in-law told me my breasts are too small and I won't have enough milk for my baby." Which would be the best response by the nurse?

- (a) Your breasts might be small, but if you don't produce enough milk, you can always give the baby some formula
- (b) You will produce more milk if you use a breast pump and then give it to your baby in a bottle

(c) Milk production is increased by the hormone estrogen. You can ask your doctor for a prescription to take

(d) The size of the breasts doesn't matter. All women have about the same amount of milk-producing tissue

**Answer - (d) The size of the breasts doesn't matter. All women have about the same amount of milk-producing tissue**

Q 256. An infant with an umbilical hernia is brought to a well-infant clinic for routine immunizations. During the visit, a nurse notes that the parent has taped the umbilical hernia down on the abdomen to flatten the protrusion. The nurse would be correct in telling the parent that?

(a) Taping is an appropriate practice to follow

(b) Taping will eliminate the need for a surgical repair because the umbilical hernia will resolve spontaneously with this treatment

(c) Taping the umbilical hernia down to the abdomen does not help

(d) Manually reducing the umbilical hernia on a daily basis by the parent will result in resolution of the hernia.

**Answer - (c) Taping the umbilical hernia down to the abdomen does not help**

**(It can produce skin breakdown and irritation .)**

Q 257. A client, who is gravida 3, para 2, is asking a nurse for advice concerning her nightly leg cramps. Which response by the nurse is correct?

- (a) Increase your fluid intake
- (b) Increase your protein intake
- (c) Increase your calcium intake
- (d) Increase your fiber intake

**Answer - (c) Increase your calcium intake**

**(BCZ leg cramps are caused by low calcium in blood .**

**Show Answer)**

Q 258. A child hospitalized with measles (rubeola) cries every time a nurse enters the room and turns on the overhead light. The nurse should investigate if the child has ?

- (a) A fear of bright lights
- (b) An intolerance of light
- (c) Irritated eyes from rubbing
- (d) An enhanced reaction to unanticipated events

**Answer - (b) An intolerance of light**

**(Photophobia is common side effect of measles .)**

Q 259. A child is hospitalized with scarlet fever. Which food item should the nurse remove from the child's breakfast tray?

- (a) Chocolate milk
- (b) Orange juice

(c) Apple juice

(d) 2% milk

**Answer - (b) Orange juice**

**(Bcz scarlet fever is associated with inflammed oral cavity , so citroc juices will irritate oral cavity.)**

Q 260. Positioning to prevent skin breakdown is a nursing concern. Which site is at greatest risk for breakdown in this position?

(a) A

(b) B

(c) C

(d) D

**Answer - (a) A**

Q 261. The most appropriate nursing intervention to encourage a child to eat who had a tonsillectomy 24 hours ago is to: ?

(a) Promise the child all the ice cream that the child can eat

(b) Apply an ice collar to the throat 30 minutes prior to the meal

(c) Have the child gargle with mouthwash to relieve any unpleasant taste in the mouth

(d) Tell the child that there will be no television that night if some food is not eaten

**Answer - (b) Apply an ice collar to the throat 30 minutes prior to the meal**

Q 262. A client with Sjögren's syndrome, an autoimmune disorder in women, is scheduled for surgery. The correct nursing action would be ?

(a) Have a humidifier at the bedside when the client returns from surgery

(b) Lubricate the client's eyes with ointment before surgery

(c) Tell the client that nothing can be taken by mouth for 12 hours

(d) Withhold antidepressant therapy for 6 hours after surgery

**Answer - (b) Lubricate the client's eyes with ointment before surgery**

Q 263. A school-age child is hospitalized with mumps (parotitis). Which food item should the nurse remove from the child's lunch tray?

(a) Gelatin

(b) Applesauce

(c) An apple

(d) A banana

**Answer - (c) An apple**

Q 264. A client, who is gravida 5, para 4, delivered a 6-pound, 5-ounce infant 2 hours ago. The client is complaining of severe uterine cramping while breastfeeding. A nurse knows that these symptoms are most likely due to: ?

- (a) Mastitis
- (b) Uterine involution
- (c) Uterine atony
- (d) Postpartum endometritis

**Answer - (b) Uterine involution**

Q 265. A child is isolated at home with whooping cough (pertussis). Which parental behavior indicates the need for additional teaching by the nurse?

- (a) Confining cigarette smoking to the outdoors
- (b) Avoiding sudden changes in household temperature
- (c) Keeping the child's room well ventilated
- (d) Using the fireplace as an additional means of heating the house

**Answer - (d) Using the fireplace as an additional means of heating the house**

Q 266. A client, who is a 22-year-old primigravida, is at 38 weeks' gestation and 9 cm of dilation. Her contractions are 2 to 4 minutes apart and her uterus palpates soft between very firm contractions. She is very irritable and screaming in pain. A nurse should instruct this client to: ?

- (a) Take deep breaths
- (b) Practice patterned breathing with deep cleansing breath
- (c) Hold her breath and bear down
- (d) Do shallow chest breathing

**Answer - (d) Do shallow chest breathing**

Q 267. A client with a brain tumor has been unresponsive to verbal commands and is showing signs of abnormal motor responses. Which motor change should indicate to the nurse that a critical change in the client's condition has occurred?

- (a) Abnormal flexion of the upper extremities
- (b) Extreme extension of arms and legs
- (c) Diminished response to painful stimuli
- (d) Disappearance of the Babinski response

**Answer - (c) Diminished response to painful stimuli**

**(Lack of response to stimuli signals a deep coma .)**

Q 268. . A 30-year-old man has been recently diagnosed with Cushing's syndrome. He asks a nurse if he will be able to continue riding off-road motorcycles. The correct response by the nurse is: ?

- (a) Continuing important activities will be beneficial to preventing depression
- (b) Because of the potential for obesity of your trunk, a larger bike will be necessary
- (c) Muscle weakness and the increased risk for fractures will require a change in activities
- (d) Visual changes from the disease will prevent you from riding your motorcycles

**Answer - (c) Muscle weakness and the increased risk for fractures will require a change in activities**

Q 269. A child is being prepared for a tonsillectomy. The laboratory telephones the pediatric unit and reports that the child's prothrombin time (PT) is 14.1 seconds. The nurse's first action should be to ?

- (a) Note the laboratory result in the child's chart
- (b) Immediately notify the pediatric surgeon
- (c) Call the operating room and cancel the surgery
- (d) Release the child to the operating room transporter

**Answer - (a) Note the laboratory result in the child's chart**

Q 270. A client has mitral regurgitation. Where is the best place for a nurse to auscultate the associated murmur?

- (a) A
- (b) B
- (c) C
- (d) D

Answer - (a) A

(Murmur with mitral regurgitation is best heard at 5th intercostal space left midclavicular line.)

Q 271. A 92-year-old client, who recently had a below-the-knee leg amputation, is resisting attempts at rehabilitation. The most likely reason for the resistance is that the client ?

- (a) Has goals that differ from the rehabilitation care plan
- (b) Has too many disabilities to realistically plan for rehabilitation
- (c) Is too old to undergo rehabilitation
- (d) Needs more time to feel comfortable with the dressing change

**Answer - (a) Has goals that differ from the rehabilitation care plan**

Q 272. A nurse prepares to discontinue the IV of a child with a low platelet count. Special precautions taken by the nurse when performing this nursing action should include:?

- (a) Applying a sterile pressure dressing to the IV site
- (b) Applying direct pressure to the IV site for 5 minutes
- (c) Sending the tip of the IV catheter to the laboratory for a culture
- (d) Restraining the child from moving the arm with the IV site for a period of 1 hour

**Answer - (b) Applying direct pressure to the IV site for 5 minutes**

**(A child with low platelet count will have bleeding tendencies .)**

Q 273. A client is combative and demanding and refuses to swallow any medication following a brain attack (CVA). The correct nursing action is to ?

- (a) Continue to attempt to follow the physician's orders and give the medication anyway
- (b) Determine what the client's personality was before the CVA
- (c) Apply restraints and request a change in the route of medication
- (d) for the client to become more cooperative

**Answer - (b) Determine what the client's personality was before the CVA**

Q 274. A nurse is concerned that a client may be at risk for oversedation from opioid therapy using a patientcontrolled analgesia (PCA) pump. The most reliable assessment for possible oversedation would be to check:?

- (a) Changes in the level of pain reported by the client
- (b) The oxygen saturation level recorded by pulse oximetry
- (c) How easily the client can be roused from sleeping
- (d) The level of carbon dioxide in the blood using capnography

**Answer - (d) The level of carbon dioxide in the blood using capnography**

Q 275. Physical assessment of a client admitted for a bronchoscopy reveals a thin, muscular man with wheezes in the left lung. Which area should a nurse identify as most likely to be partially obstructed?

- (a) A
- (b) B
- (c) C
- (d) D

**Answer - (c) C**

Q 276. Which of the following drugs is NOT used in management of hypersensitivity reaction ?

- (a) Epinephrine
- (b) Antihistamine
- (c) Chloroquine

(d) Corticosteroids

**Answer - (c) Chloroquine**

Q 277. Identify an essential amino acid from the following ?

(a) Proline

(b) Glycine

(c) Valine

(d) Serine

**Answer - (c) Valine**

Q 278. To decrease brady-arrhythmias in children during endotracheal intubation succinylcholine is given along with ?

(a) Xylocaine

(b) Adrenaline

(c) Atropine Sulphate

(d) Vacuronium

**Answer - (c) Atropine Sulphate**

Q 279. Hyperbaric oxygen therapy is used to treat which of the following patients ?

- (a) Carbon monoxide poisoning
- (b) Organophosphate poisoning
- (c) Narcotics poisoning
- (d) Mercury poisoning

**Answer - (a) Carbon monoxide poisoning**

Q 280. A 5 years old child with all is started on chemotherapy protocol which includes prednisone. Which of the following side effect of this medication is to be anticipated ?

- (a) Alopecia
- (b) Weight loss
- (c) Anorexia
- (d) Mood Changes

**Answer - (d) Mood Changes**

Q 281. The parents of a 2-year-old child ask a nurse how to best manage their child's temper tantrums. What advice should the nurse give the parents ?

- (a) The frequency of tantrums can be reduced with a low-sugar diet
- (b) Tantrums may be prevented by alerting the child in advance about a change in activities

(c) If the child has a tantrum, it is best to hold the child until he/she is calmed

(d) Spanking is an effective way to eliminate tantrums

**Answer - (b) Tantrums may be prevented by alerting the child in advance about a change in activities**

Q 282. A client, who is a 24-year-old gravida 6, para 5, delivered a 10-pound, 10-ounce baby 6 hours ago, after a 26-hour labor. Upon assessment, an NURSE finds the client's fundus is 2 fingerbreadths above the umbilicus and slightly deviated to the right. Based on the information provided, for which complication is this client at risk?

(a) Postpartum hemorrhage

(b) Mastitis

(c) Endometriosis

(d) Thrombophlebitis

**Answer - (a) Postpartum hemorrhage**

Q 283. A client is seen in an emergency department for rotator cuff tendonitis. What is the correct immediate treatment?

(a) Hot packs prn

(b) Muscle relaxant

(c) A sling for the arm

(d) ROM every 4 hours

**Answer - (c) A sling for the arm**

**(Injured tissue needs to be immobilized.)**

Q 284. A 3-year-old child is admitted to an emergency department after being struck by an automobile. A nurse's assessment reveals a child with spontaneous eye opening. The child is confused and does not obey commands but is able to localize pain. The nurse correctly calculates a score of \_\_\_\_\_ on the Glasgow Coma Scale.?

(a) 6

(b) 3

(c) 13

(d) 10

**Answer - (c) 13**

Q 285. The correct nursing action to prevent infection in a client with an external fixation device for an open fracture is to ?

(a) Double-glove for dressing changes

(b) Scrub pin sites with Betadine

(c) Give prophylactic antibiotics

(d) Place on contact isolation

**Answer - (c) Give prophylactic antibiotics**

**(Open wound creates the opportunity for microbes to enter wound.)**

Q 286. During the active phase of labor, a client, who is a gravida 2, para 0, begins to complain of dizziness, tingling in her fingers, and numbness in her lips. The most appropriate nursing intervention for this client would be to?

- (a) Have her breathe into a paper bag
- (b) Help her assume a left lateral position in bed
- (c) Instruct her in shallow chest breathing
- (d) Notify the physician immediately

**Answer - (a) Have her breathe into a paper bag**

**(Patient is hyperventilating resulting in reduction of co<sub>2</sub> in blood and causing symptoms bag mask will increase co<sub>2</sub> in blood.)**

Q 287. A client has been receiving warfarin (Coumadin) and heparin for 2 days following a total knee arthroplasty. Laboratory results show that INR is 1.2, Hct is 34%. A nurse should ?

- (a) Hold the Coumadin, continue the heparin
- (b) Hold the heparin, continue the Coumadin
- (c) Hold both drugs and call the physician
- (d) Continue both drugs as ordered

**Answer - (d) Continue both drugs as ordered**

Q 288. Which assessment finding should a nurse most expect in a newborn infant with a cyanotic heart defect ?

- (a) Clubbing of fingers and toes
- (b) Tachycardia
- (c) Polycythemia
- (d) Distended neck veins

**Answer - (b) Tachycardia**

**(Bcz heart attempts to improve oxygenation .)**

Q 289. A client will receive a spinal anesthetic for cesarean birth. As the client discusses the surgery, she asks an Nurse about the possibility of postanesthesia headaches. Which is the most appropriate response by the nurse ?

- (a) If there is an allergy to the agent used, headaches may occur
- (b) Headaches should not be a problem with this type of anesthesia
- (c) This problem may be prevented by keeping the head of the bed flat
- (d) Medication is available to counteract headaches and is given as needed

**Answer - (c) This problem may be prevented by keeping the head of the bed flat**

Q 290. A 50-year-old client, who is overweight, is tested at a health fair and the result of a nonfasting blood sugar is 210 mg/dL. A nurse should ?

- (a) Encourage re-testing in 1 hour
- (b) Encourage re-testing in 1 week
- (c) Tell the client that follow-up is needed later in the week
- (d) Tell the client that the results are normal

**Answer - (c) Tell the client that follow-up is needed later in the week**

Q 291. A clinic nurse prepares to administer an IM injection to a school-age child. Which pain management technique would be best suited for this child and should be applied during the procedure?

- (a) Guided imagery
- (b) Being held by a parent
- (c) Distraction
- (d) Providing oral sucrose

**Answer - (a) Guided imagery**

Q 292. What advice should a nurse give to a person with type 1 diabetes who is beginning a running program in an effort to get in shape ?

- (a) Administer insulin 30 minutes before running

(b) Rotate injection sites from one thigh to the other each day >

(c) Carry a sugar source

(d) Avoid running

**Answer - (c) Carry a sugar source**

Q 293. Which client has the best control of diabetes ?

(a) A client who has trouble sticking to diet and exercising but takes meds regularly. FBS is 132 mg/dL, HgbA1c is 11%.

(b) A client who has perfect compliance with diet, exercise, and meds. FBS is 96 mg/dL, HgbA1c is 11%

(c) A client whose diabetes is controlled with diet alone. FBS is 452 mg/dL, HgbA1c is 12%

(d) A client who has trouble remembering meds, but good compliance with diet and exercise. FBS is 110 mg/dL, HgbA1c is 7%

**Answer - (d) A client who has trouble remembering meds, but good compliance with diet and exercise. FBS is 110 mg/dL, HgbA1c is 7%**

**(the goal isof hBA1c is less than 7%.)**

Q 294. If a client's blood sugar is lowered too rapidly, for what manifestation or dangerous outcome should a nurse observe? ?

(a) Glycosuria

(b) Hyperkalemia

- (c) Hypertensive crisis
- (d) Confusion from cerebral edema

**Answer - (d) Confusion from cerebral edema**

Q 295. A nurse assesses a child diagnosed with measles. Which symptom is the nurse least likely to observe in a child diagnosed with measles??

- (a) Slapped cheek appearance
- (b) Fever and general malaise
- (c) Rash on face, trunk, and limbs
- (d) White and red spots on buccal mucosa

**Answer -(a) Slapped cheek appearance**

Q 296. Health teaching for a client who is newly diagnosed with diabetes should include: ?

- (a) Notify health care provider immediately if the blood sugar is over 150 mg/dL
- (b) Call provider if breath smells fruity
- (c) Hold insulin if unable to eat
- (d) Check blood sugar every hour if sick

**Answer - (b) Call provider if breath smells fruity**

Q 297. Following a nephrectomy, which complication does a client have the greatest risk of developing ?

- (a) Altered nutrition related to NPO status and postoperative ileus
- (b) Possible kidney stones related to urinary stasis
- (c) Pedal and periorbital edema related to nephrotic syndrome
- (d) Possible altered gas exchange related to shallow breathing from pain

**Answer - (d) Possible altered gas exchange related to shallow breathing from pain**

Q 298. Older adults often present with atypical assessment findings. Which symptom will an older adult with a urinary tract infection (UTI) most often develop first? ?

- (a) Anorexia
- (b) Confusion
- (c) Fever
- (d) Restlessness

**Answer - (b) Confusion**

Q 299. While visiting a local park, a nurse witnesses the collapse of a preschool-age child. The nurse assesses the child and finds no pulse and

no respirations. The nurse begins compressions. At what rate per minute should the nurse deliver the compressions ?

- (a) 25 compressions per minute
- (b) 50 compressions per minute
- (c) 75 compressions per minute
- (d) 100 compressions per minute

**Answer - (d) 100 compressions per minute**

Q 300. A client reports sharp pain in the calf of the left leg when walking to the bathroom. A nurse notes that the leg has a confined area of warmth, tenderness, and redness. Which nursing action is most appropriate for this client? ?

- (a) Encouraging the client to ambulate to increase circulation
- (b) Instructing the client to massage the affected area to relieve the tenderness
- (c) Applying cold packs to the affected area to decrease inflammation
- (d) Elevating the affected extremity to promote venous blood flow

**Answer - (d) Elevating the affected extremity to promote venous blood flow**

**(Patient has superficial thrombophlebitis.)**

Q 301. Suddenly, during a labor contraction, a pregnant client experiences a gush of amniotic fluid. Which assessment finding should indicate to a nurse that the client is experiencing a deviation from normal labor patterns? ?

- (a) Colored amniotic fluid
- (b) Fetal bradycardia with contractions
- (c) The client complains of nausea and vomits
- (d) The client becomes diaphoretic and irritable

**Answer - (a) Colored amniotic fluid**

Q 302. A nurse provides health teaching to the parents of a school-age child diagnosed with attention deficit hyperactivity disorder (ADHD). What should the nurse include in the teaching plan?

- (a) One parent should be responsible for discipline
- (b) Prescription bottles should be stored where the child can access for self-care
- (c) The home's televisions and radios should be kept at a low to moderate volume
- (d) Participation in outdoor sports should be avoided

**Answer - (c) The home's televisions and radios should be kept at a low to moderate volume**

Q 303. A client with a 6-month history of burning pain and weakness to the thumb and first and middle fingers has a carpal tunnel release done with regional anesthesia. In the PACU, the priority nursing assessment should be ?

- (a) Orientation to person, place, time, situation
- (b) Brachial pulse
- (c) Color, temperature, movement of the fingers
- (d) Pupil reaction to light

**Answer - (c) Color, temperature, movement of the fingers**

Q 304. The parents of a child isolated with scarlet fever ask a nurse. "Why didn't our child get a vaccine for this disease?" The nurse's best response is: ?

- (a) The disease is bacterial in nature and responds well to antibiotics
- (b) A vaccine is in development
- (c) Consult your pediatrician as to why the vaccine was not given
- (d) This disease is not communicable; therefore, a vaccine is not necessary

**Answer - (a) The disease is bacterial in nature and responds well to antibiotics**

Q 305. A client is admitted to labor and delivery with a diagnosis of placental abruption. A nursing priority for this client is to minimize

alterations in fetal tissue perfusion. A nurse recognizes that this goal has been met when which finding is noted ?

- (a) Presence of accelerations
- (b) Consistent decreased fetal heart rate variability
- (c) Evidence of prolonged fetal bradycardia
- (d) Presence of consistent late decelerations

**Answer - (a) Presence of accelerations**

**(Bcz acceleration are an indication of fetal wellbeing.)**

Q 306. A home health nurse visits a child with hemophilia following a dental extraction. Which medication would the nurse suggest be removed from the family's bathroom medicine cabinet?

- (a) Acetaminophen
- (b) Corticosteroid
- (c) Ibuprofen
- (d) Epsilon-aminocaproic acid

**Answer - (c) Ibuprofen**

Q 307. A home health nurse visits a child with hemophilia following a dental extraction. Which medication would the nurse suggest be removed from the family's bathroom medicine cabinet?

- (a) Acetaminophen
- (b) Corticosteroid
- (c) Ibuprofen
- (d) Epsilon-aminocaproic acid

**Answer - (c) Ibuprofen**

Q 308. A nurse is preparing to administer intravenous magnesium sulfate to a client diagnosed with preeclampsia. Which action should the nurse take when administering this medication? ?

- (a) Administer a solution of 20 gm magnesium sulfate in 100 mL of lactated Ringer's solution
- (b) Monitor maternal VS, FHR, and uterine contractions every hour
- (c) Expect the maintenance dose to be approximately 4 gm/hr
- (d) Discontinue the infusion and notify the physician of a respiratory rate of <12 breaths="" label="" min.="">

**Answer - (d) Discontinue the infusion and notify the physician of a respiratory rate of <12 breaths="" label="" min.="">**

Q 309. When would a client with community-acquired pneumonia be clinically stable enough to change from IV antibiotics to oral antibiotics? When the client has

- (a) Temperature of 96.8°F (36°C) or lower

- (b) O2 saturation of at least 80%.
- (c) Systolic blood pressure that stays at 90 mm Hg or higher
- (d) Heart rate that remains at 120 beats/min or lower

**Answer - (c) Systolic blood pressure that stays at 90 mm Hg or higher**

Q 310. A 44-year-old client has just found out that she is pregnant. The client knows that she is at a higher risk for carrying a fetus with a chromosomal abnormality. Which genetic test for chromosomal abnormalities should a nurse recommend to provide the client with chromosomal results within the first trimester ?

- (a) Genetic karyotyping
- (b) Amniocentesis
- (c) Chorionic villus sampling (CVS)
- (d) Ultrasonography

**Answer - (c) Chorionic villus sampling (CVS)**

Q 311. Which is the most important initial nursing action for a client with community-acquired pneumonia? ?

- (a) Maintain IV site used for antibiotic therapy
- (b) Assess for indications of antibiotic effectiveness
- (c) Assist with client mobility

(d) Assess for pain and treat as ordered

**Answer - (a) Maintain IV site used for antibiotic therapy**

Q 312. What type of dressing should a nurse use on a stage I pressure ulcer ?

(a) Wet to dry

(b) Wet

(c) Dry

(d) None

**Answer - (d) None**

**(No dressing is needed in stage 1 ulcer bcz skin is intact.)**

Q 313. Which pediatrician's orders for a newborn boy with a family history of hemophilia should a nurse question?

(a) Administer hepatitis B vaccine

(b) Delay circumcision at this time

(c) Schedule series of well-infant appointments at time of discharge from birth hospital

(d) Finger or heel punctures for blood draws only

**Answer - (d) Finger or heel punctures for blood draws only**

Q 314. TDuring change of shift, a day shift nurse states that all of a client's urine is to be strained. The evening nurse knows that straining is ordered because ?

- (a) Intake and output will be more accurate
- (b) The client has been having difficulty voiding
- (c) The composition of renal calculi needs to be identified
- (d) Blood clots have been affecting the accuracy of the urinalysis

**Answer - (c) The composition of renal calculi needs to be identified**

Q 315. A nurse is caring for a client with second-degree burns of both arms. Which care need will be more challenging because of the location of the burn? ?

- (a) Reducing risk for immunosuppression and infection
- (b) Reducing potential for contractures and deformity
- (c) Establishing IV access for administration of fluids
- (d) Assessment of vital signs, including blood pressure

**Answer - (b) Reducing potential for contractures and deformity**

Q 316. A nurse prepares to administer N-acetylcysteine (Mucomyst) to a child who ingested a toxic dose of acetaminophen (Tylenol). What equipment will the nurse need to gather in order to administer the medication ?

- (a) An IV setup
- (b) An IM setup
- (c) A glass of water
- (d) A glass of juice

**Answer - (d) A glass of juice**

Q 317. A 3-year-old child has ingested some “pink pills” in an unlabeled bottle found on the floor of the garage. In what order should a nurse correctly perform a gastric lavage and administration of activated charcoal? ?

- (a) Perform the gastric lavage and then administer the activated charcoal
- (b) Administer the activated charcoal and then perform the gastric lavage
- (c) Perform the gastric lavage, leave the saline solution in the stomach, and administer the activated charcoal
- (d) Question the order because gastric lavage and activated charcoal are not used together

**Answer - (a) Perform the gastric lavage and then administer the activated charcoal**

Q 318. A client asks a nurse how soon after bowel surgery normal bowel function will return. The best response by the nurse would be ?

- (a) By 72 hours you should start to pass gas
- (b) Around 48 hours, if there are no complications
- (c) Some function will return by 12 hours
- (d) You'll pass gas by 24 hours

**Answer - (a) By 72 hours you should start to pass gas**

Q 319. A client, who is diabetic, is scheduled for discharge. A nurse should recognize the need for further teaching if the client states?

- (a) I take my oral hypoglycemics during the day because I sleep 8 hours at night
- (b) I've had diabetes for 15 years, and I've never had any problems until now
- (c) "I live alone, so I use the microwave often to prepare my meals
- (d) I had been taking a name brand drug, but the generic brand costs less

**Answer - (d) I had been taking a name brand drug, but the generic brand costs less**

Q 320. The lips and oral cavity of a child who ingested a corrosive substance are blistered, peeling, and swollen. The priority action for a nurse in the emergency department is to ?

- (a) Keep child NPO

- (b) Administer an analgesic
- (c) Prepare to induce vomiting
- (d) Maintain a patent airway

**Answer - (d) Maintain a patent airway**

Q 321. In what position should the nurse place a client recovering from general anesthesia?

- (a) Trendelenburg
- (b) Supine
- (c) Side
- (d) High-Fowler

**Answer - (c) Side**

Q 322. A client had extensive, prolonged surgery. Which electrolyte level should the nurse monitor most closely?

- (a) Potassium
- (b) Sodium
- (c) Chloride
- (d) Calcium

**Answer - (a) Potassium**

Q 323. The technique of administering the smallpox vaccine ?

- (a) Intravenous
- (b) Subcutaneous
- (c) Z-track
- (d) Intradermal scratch

**Answer - (d) Intradermal scratch**

Q 324. Simple random sampling is ideal for?

- (a) Heterogeneous population
- (b) Homogeneous population
- (c) Vaccination people
- (d) All of the above

**Answer - (b) Homogeneous population**

Q 325. A nurse teaches new parents that the best way to help prevent infections in the newborn is which of the following?

- (a) Limit visitors
- (b) Keep them warm at all times
- (c) Breastfeed

(d) Keep them inside for the first month

**Answer - (c) Breastfeed**

Q 326. A newborn is challenged to maintain an adequate body temperature. if a baby is placed too close to a cold air vent, the nurse can assume that the infant will lose heat by which mechanism?

(a) Convection

(b) Conduction

(c) Radiation

(d) None

**Answer - (a) Convection**

Q 327. Cirrhosis is liver disease described by the abnormal structure and functioning of the liver. This is mainly diagnosed by \_\_\_\_\_?

(a) Blood test

(b) Physical examination

(c) Liver Biopsy

(d) All of the above

**Answer - (c) Liver Biopsy**

Q 328. Which of the following is not an example of liver disease?

- (a) Gilbert's syndrome
- (b) Chickenpox
- (c) Fatty liver disease
- (d) Fascioliasis

**Answer - (b) Chickenpox**

Q 329. What clinical finding indicates to a nurse that a client may have hypokalemia?

- (a) Muscle spasm
- (b) Edema
- (c) Abdominal
- (d) Kussmaul breathing

**Answer - (c) Abdominal**

Q 330. After recovery from a modified neck dissection for oropharyngeal cancer, the client receives external radiation to the operative site. For which most critical reaction to the radiation should the nurse assess the client?

- (a) Skin reaction
- (b) Dry mouth
- (c) Bone marrow suppression

(d) Mucosal edema

**Answer - (d) Mucosal edema**

Q 331. A nurse is caring for a client with an impaired immune system. Which blood protein associated with the immune system is important for the nurse to consider?

(a) Albumin

(b) Thrombin

(c) Globulin

(d) Hemoglobin

**Answer - (c) Globulin**

Q 332. Which of the following is the characteristics of a sanitizer?

(a) Kills all the bacteria and bacteria spores

(b) Destroys all microbial forms

(c) Reduces the microbial population to safe levels

(d) Prevent the growth or action micro organisms

**Answer - (d) Prevent the growth or action micro organisms**

Q 333. An agent that prevents the growth of bacteria are known as?

- (a) Antibiotic
- (b) Antimicrobial
- (c) Bacteriostatic
- (d) Bactericide

**Answer - (c) Bacteriostatic**

Q 334. A slight bluish discoloration around the navel is a sign of hemoperitoneum

- (a) Cullen's sign
- (b) Kehr's sign
- (c) Brudzinski's sign
- (d) Kernig's sign

**Answer - (a) Cullen's sign**

Q 335. Identify an essential amino acid from the following ?

- (a) Proline
- (b) Glycine
- (c) Valine
- (d) Serine

**Answer - (c) Valine**

Q 336. Which of the following drugs is NOT used in management of hypersensitivity reaction ?

- (a) Epinephrine
- (b) Antihistamine
- (c) Chloroquine
- (d) Corticosteroids

**Answer - (c) Chloroquine**

Q 337. To decrease brady-arrhythmias in children during endotracheal intubation succinylcholine is given along with ?

- (a) Xylocaine
- (b) Adrenaline
- (c) Atropine sulphate
- (d) Vecuronium

**Answer - (c) Atropine sulphate**

Q 338. Hyperbaric oxygen therapy is used to treat which of the following patients ?

- (a) Carbon monoxide poisoning
- (b) Organophosphate poisoning
- (c) Narcotics poisoning

(d) Mercury poisoning

**Answer - (a) Carbon monoxide poisoning**

Q 339. A 5 years old child with all is started on chemotherapy protocol which includes prednisone. Which of the following side effect of this medication is to be anticipated ?

(a) Alopecia

(b) Weight loss

(c) Anorexia

(d) Mood Changes

**Answer - (d) Mood Changes**

Q 340. A patient with renal failure having edema is most likely to receive ?

(a) Laxatives

(b) Beta blocker

(c) Diuretics

(d) Antidiuretics

**Answer - (c) Diuretics**

Q 341. Placenta bad blood circulation through?

- (a) Villi
- (b) Spiral arteries
- (c) Chorionic membrane
- (d) Umbilical artery

**Answer - (b) Spiral arteries**

**(By 120 to 200 spiral arteries (coiled terminal branch of a uterine artery) carry oxygenated blood and open into intervillous space of placenta.)**

Q 342. A 30 years old pregnant women is diagnosed with pulmonary tuberculosis. Which of the following anti tuberculosis drug should NOT be given ?

- (a) INH
- (b) Rifampicin
- (c) Ethambutol
- (d) Streptomycin

**Answer - (d) Streptomycin**

**-Streptomycin may cause ototoxicity and nephrotoxicity into developing fetus.**

**-It also can cross placental barrier also.**

**-Isoniazid (INH) along with pyridoxine is the choice of treatment during pregnancy.**

Q 343. Which of the following vaccine is routinely given in pregnancy?

- (a) Influenza
- (b) Tetanus
- (c) Oral polio
- (d) Rabies

**Answer - (b) Tetanus**

Q 344. System of storage and transport of vaccines at low temperature from the manufacturer to the vaccination site is called ?

- (a) Cold chain
- (b) Deep freezer
- (c) Deep small freezer
- (d) Cold room

**Answer - (a) Cold chain**

**(A system of storage and transportation of vaccines from manufacturer to vaccine site at low temperature called cold chain.)**

Q 345. A plane that passes through the midline of the body and divides it into equal right and left sides is called:

- (a) Oblique plane
- (b) Para-sagittal plane

(c) Mid-sagittal plane

(d) Coronal plane

**Answer - (c) Mid-sagittal plane**

Q 346. The characteristic of enantiomer is

(a) only that they are chemically identical

(b) only that they are mirror image of each other

(c) both A and B

(d) none of these

**Answer - (c) both A and B**

**-Enantiomer or enantiomorphs are one of a pair of isomers, each of which is a mirror image of the other.**

**-They may be identical in chemical characteristics, but in solution one rotates a beam of polarized light in one direction and the other in the opposite direction.**

**-Isomers are called dextro if they rotate light to the right, and levo if they rotate light to the left.**

Q 347. Hydrolysis of fat by an alkali is known as:

(a) Esterification

(b) Saponification

(c) Emulsification

(d) Peroxidation

**Answer - (b) Saponification**

**-Saponification (conversion into soap) means the hydrolysis or the spitting of fat by an alkali, yielding glycerol and three molecules of alkali salt of the fatty acid, the soap.**

Q 348. Who introduced the principle of inheritance?

(a) Fistula

(b) Atresia

(c) Hernia

(d) Stenosis

**Answer - (b) Atresia**

**-Atresia is a congenital absence or closure of a normal body opening or tubular structure.**

Q 349. A nurse is monitoring a daily weight of an infant with congestive heart failure (CHF). Which of the following alerts the nurse to suspect fluid accumulation and the need to call the physician.

(a) Bradypnea

(b) Diaphoresis

- (c) Decreased blood pressure (BP)
- (d) A weight gain of 1 pound in 1 day

**Answer - (d) A weight gain of 1 pound in 1 day**

**-Daily 1 pound weight gain in to infant is an indication of fluid accumulation.**

Q 350. Which of these signs indicates trachea-esophageal fistula immediately after birth?

- (a) Diaphragmatic breathing
- (b) Slow response to stimuli
- (c) Continuous drooling
- (d) Passage of frothy meconium

**Answer - (c) Continuous drooling**

Q 351. A baby girl is born prematurely to a mother with polyhydramnios. The baby is diagnosed with esophageal atresia with tracheoesophageal fistula. What assessment findings would the nurse be likely to note?

- (a) Jaundice, high bilirubin
- (b) Seedy yellow stool
- (c) Projectile emesis

(d) Frothy saliva, drooling

**Answer - (d) Frothy saliva, drooling**

Q 352. Polyvalent vaccines consist of:

(a) More strains of the same species

(b) A single organism

(c) More strains of different species

(d) A single species

**Answer - (a) More strains of the same species**

**-Polyvalent vaccine means a vaccine produced from culture of many number of strains of the same species.**

Q 353. Which of the following vaccinations is NOT a part of the Expanded Programme of Immunization?

(a) Measles vaccine

(b) MMR vaccine

(c) DPT vaccine

(d) OPV

**Answer - (b) MMR vaccine**

Q 354. An organism that causes tuberculosis in bird's is \_\_\_\_\_

- (a) Mycobacterium tuberculosis
- (b) Mycobacterium bovis
- (c) Mycobacterium microti
- (d) Mycobacterium avium

**Answer - (d) Mycobacterium avium**

Q 355. All of the following are bactericidal drugs except:

- (a) Rifampicin
- (b) INH
- (c) Ethambutol
- (d) Pyrazinamide

**Answer - (c) Ethambutol**

**-Bactericidal drugs (capable of killing bacteria) used in the treatment of TB are rifampicin, isoniazid (INH), streptomycin and pyrazinamide and bacteriostatic drugs (inhibiting bacterial growth) are ethambutol (safe to use during pregnancy also) and thioacetazone.**

Q 356. The phase in which the lining cells of the ovarian follicle are stimulated by luteinizing hormone to develop the corpus luteum, to produce progesterone and estrogen is:-

- (a) Menstrual phase
- (b) Proliferative phase
- (c) Secretory phase
- (d) Follicular phase

**Answer - (c) Secretory phase**

Q 357. Who pioneered insulin coma therapy for schizophrenia ?

- (a) UGO cerletti
- (b) Manfred sakel
- (c) Wagner
- (d) Meduna

**Answer - (b) Manfred sakel**

Q 358. Which among the following drug is used in case of nocturnal enuresis (bed wetting) and chronic pain?

- (a) Imipramine
- (b) Phanelzine
- (c) Selegiline
- (d) Bupropion

**Answer - (a) Imipramine**

Q 359. What is the scoring system to estimate the gestational age of a newborn by maturity rating ?

- (a) Apgar score
- (b) Bind score
- (c) Downes score
- (d) New ballard score

Answer - (d) New ballard score

Q 360. If the woman does not nurse her child, the menstrual flow will probably resume within

- (a) 2 to 4 weeks after delivery
- (b) 8 to 10 weeks after delivery
- (c) 4 to 6 weeks after delivery
- (d) 6 to 8 weeks after delivery

**Answer - (d) 6 to 8 weeks after delivery**

**-The menstrual flow will return early if mother is not feeding her child compare to breast feeding mothers.**

Q 361. The developing offspring until eight weeks after implantation is known as ?

- (a) Neonate

(b) Embryo

(c) Foetus

(d) Chorion

**Answer - (b) Embryo**

Q 362. Following are the complications of premature menopause except:

(a) Osteoporosis

(b) Infertility

(c) Decreased cardiovascular risk

(d) Vasomotor symptoms

**Answer - (c) Decreased cardiovascular risk**

**-Complications of premature Menopause (natural or artificial menopause occurring before age of 35) include vasomotor instability (hot flashes & night sweats), incremental bone loss (osteopenia or osteoporosis), increased cardiovascular risk and infertility.**

Q 363. Which of the following hormone helps/responsible for skeletal maturation of fetus?

(a) Testosterone

(b) Oxytocin

(c) Thyroxine

(d) Prolactin

**Answer - (c) Thyroxine**

Q 364. A client arrives in the emergency room with a possible fractured femur. The nurse should anticipate an order for?

(a) An abduction pillow

(b) Trendlenburg position

(c) Ice to the entire extremity

(d) Buck's traction

**Answer - (d) Buck's traction**

Q 365. Hypertrophic sebaceous glands around nipples during pregnancy:

(a) Montgomery's tubercle

(b) Sebaceous cyst

(c) chloasma

(d) Linea nigra

**Answer - (a) Montgomery's tubercle**

**-Hypertrophic sebaceous glands around nipples (Montgomery's glands) during pregnancy called Montgomery's tubercle.**

**-Sebaceous cyst or epidermoid cyst means a cyst filled with keratin, sebum and skin debris that may form on the scalp, back of the neck or the axilla.**

Q 366. The nurse recognizes that which of the following would be most appropriate to wear when providing direct care to a client with a cough?

- (a) Shoes cover
- (b) Mask
- (c) Gown
- (d) Gloves

**Answer - (b) Mask**

Q 367. Confirmatory diagnostic test for multiple pregnancy is?

- (a) Ultrasonogram
- (b) AFP
- (c) Palpation
- (d) HCG

**Answer - (a) Ultrasonogram**

Q 368. The nurse is teaching a pregnant client about the morning sickness in pregnancy. Which of the following sign & symptom would indicate a need for further education:

- (a) Visual disturbance
- (b) Rapid weight gain
- (c) Generalized or facial edema
- (d) Presence of irregular & painless contraction

**Answer - (c) Generalized or facial edema**

**Generalized or facial edema in morning sickness may be indicative of hypertension of pregnancy, although visual disturbance & rapid weight gain are also warning sign of pregnancy.**

Q 369. When using nonverbal communication in a nurse-client relationship, the nurse must be most aware of:

- (a) Ethnic background
- (b) The client's development level
- (c) Contradictions to the class
- (d) Nervous hand movements

**Answer - (d) Nervous hand movements**

Q 370. An important aspect of nurse-patient relationship is:

- (a) Therapeutic
- (b) Personal
- (c) Social
- (d) Casual

**Answer - (a) Therapeutic**

**-An important aspect of nurse-patient relationship is to be therapeutic not to be personal, social and causal.**

**-Making personal, social and causal relation to patient is illegal.**

Q 371. A client with a fractured leg has been instructed to ambulate without weight bearing on the affected leg. The nurse evaluates that the client is ambulating correctly if the client uses which of the following crutch-walking gaits?

- (a) Four-point gait
- (b) Three-point gait
- (c) Two-point gait
- (d) Swing-to gait

**Answer - (b) Three-point gait**

Q 372. A 25 year old male is brought to the emergency room with a piece of metal in his eye. Which action by the nurse is correct?

- (a) Cover both eyes with paper cups

- (b) Rinse the eye thoroughly with saline
- (c) Use a magnet to remove the object
- (d) Patch the affected eye only

**Answer - (a) Cover both eyes with paper cups**

Q 373. Delusion is a disorder of:

- (a) Demal
- (b) Derailment
- (c) Repression
- (d) Undoing

**Answer - (b) Derailment**

**-Derailment (also known as looseness of association or asyndesis or tangentiality) is a thought disorder characterized by sequencing of unrelated idea.**

**-Derailment is a type of delusion.**

Q 374. The nurse is caring for a client with a diagnosis of hepatitis who is experiencing pruritus. Which would be the most appropriate nursing intervention?

- (a) Suggest a hot water rinse after bathing
- (b) Add baby oil to the client's bath water

(c) Suggest that the client take warm showers B.I.D.

(d) Apply powder to the client's skin

**Answer - (b) Add baby oil to the client's bath water**

**Oils can be applied to help with the dry skin and to decrease itching, so adding baby oil to bath water is soothing to the skin.**

Q 375. The schizophrenic client has become disruptive and requires seclusion. Which staff member can institute seclusion?

(a) The nursing assistant

(b) the licensed practical nurse

(c) The registered nurse

(d) The security guard

**Answer - (c) The registered nurse**

Q 376. Rapid administration of blood containing citrate cause:

(a) Hypokalemia

(b) Hyperkalemia

(c) Hypocalcaemia

(d) Hypercalcemia

**Answer - (c) Hypocalcaemia**

**-During rapid or massive transfusion, the citrate present into blood (used as an anticoagulant) bind with calcium of blood, which may result into hypocalcaemia or tetany.**

Q 377. A nurse is directed to administer hypotonic IV solution to a patient. She should use.

- (a) 0.45% NaCl
- (b) 0.9% NaCl
- (c) 5% Dextrose
- (d) Dextrose with NS

**Answer - (a) 0.45% NaCl**

Q 378. Tonicity of Ringer Lactate solution is:

- (a) Isotonic
- (b) Normotonic
- (c) Hypotonic
- (d) Hypertonic

**Answer - (a) Isotonic**

**-Ringer lactate (RL) solution also called Hartmen's solution or sodium lactate solution for injection is an isotonic solution like NS.**

**-Components of 100 ml RL are sodium lactate 0.320gm, sodium chloride 0.600gm, potassium chloride 0.040gm & calcium chloride 0.027gm.**

Q 379. Which drug is Relatively contraindicated in breast feeding?

- (a) Zidovudine
- (b) Sulfonylurea
- (c) Cephalosporin
- (d) Propranolol

**Answer - (b) Sulfonylurea**

Q 380. Red colour urine is seen in which antitubercular drug?

- (a) Rifampicin
- (b) Streptomycin
- (c) Ethambutol
- (d) Isoniazid

**Answer - (a) Rifampicin**

Q 381. In a primigravida mother, engagement occurs at approximately of gestation?

- (a) 30-32 weeks

(b) 32-34 weeks

(c) 34-36 weeks

(d) 38-40 weeks

**Answer - (c) 34-36 weeks**

Q 382. Digoxin toxicity is appear when serum level is greater than:

(a) 0.5ng/ml

(b) 1ng/ml

(c) 1.5ng/ml

(d) 2ng/ml

**Answer - (c) 1.5ng/ml**

**-There is very narrow margin between therapeutic and toxic level of digoxin i.e. therapeutic level of digoxin in blood is 0.5 to 0.8ng/ml and it become toxic when level increase more than 1.2ng/ml.**

**-So it is very important for a nurse to closely monitor signs of digoxin toxicity like anorexia, nausea, vomiting, bradycardia & dysrrhythmias.**

Q 383. A client with severe depression states, "my heart has stopped and my blood is black ash." The nurse interprets this statement to be evidence of which of the following

(a) Delusion

- (b) Illusion
- (c) Hallucination
- (d) Paranoia

**Answer - (a) Delusion**

Q 384. The newer drug given to interfere with the production of angiotensin II in heart failure is:

- (a) Isodil
- (b) Enoximone
- (c) Esmolol
- (d) Captopril

**Answer - (d) Captopril**

**-A class of drugs that block the effects of angiotensin-converting enzyme (ACE) , so preventing the formation of angiotensin II called ACE inhibitor.**

**-Drugs of this class are used to treat hypertension heart failure, myocardial infarction and kidney failure.**

Q 385. A client with bipolar 1 disorder has been prescribed olanzapine(zyprexa) 5 mg two times a day and lamotrigine (lamictal) 25 mg two times a day. Which of the following adverse effects should the nurse report to the physician immediately Except?

- (a) Hyperthermia
- (b) Rash
- (c) Muscle rigidity
- (d) Sedtion

**Answer - (d) Sedtion**

Q 386. The nurse is caring for a client with a malignancy. The classification of the primary tumour is Tis. The nurse should plan care for a tumour?

- (a) With distant metastasis
- (b) That is in situ
- (c) With increasing lymph node involvement
- (d) That can't be assessed

**Answer - (b) That is in situ**

Q 387. A client with pancreatitis has been transferred to the intensive care unit. Which order would the nurse anticipate?

- (a) Dressing chages two times per day
- (b) Insertion of a levine tube
- (c) Blood pressure every 15 minutes
- (d) cardiac monitoring

**Answer - (b) Insertion of a levine tube**

Q 388. A drug ending in the suffix (pril) is considered a \_\_\_\_\_.

- (a) Antidepressant
- (b) ACE inhibitor
- (c) Antifungal
- (d) Beta agonist

**Answer - (b) ACE inhibitor**

**-Example of ACE inhibitors are ramipril, captopril, lisinopril etc. It ends with suffix (pril).**

Q 389. To promote comfort during labor, nurse advises a client to assume certain position and avoid others. Which position may cause maternal hypotension and fetal hypoxia?

- (a) Supine position
- (b) Lateral position
- (c) Squatting position
- (d) Standing position

**Answer - (a) Supine position**

Q 390. First symptom seen in the patient with myasthenia gravis ?

- (a) Nasal speech

- (b) Diplopia
- (c) Ptosis
- (d) Difficulty in chewing

**Answer - (c) Ptosis**

Q 391. The gland that is located below hypophyseal fossa of sphenoid bone is:

- (a) Adrenal gland
- (b) Thyroid gland
- (c) Pituitary gland
- (d) Thymus

**Answer - (c) Pituitary gland**

**-Pituitary gland rests into a deep depression into sell turcica of the sphenoid bone which called hypophyseal fossa.**

**-Sell turcica is a concave area on the superior surface of the body of the sphenoid bone that houses the pituitary gland.**

Q 392. In human body pituitary gland is situated in?

- (a) Brain
- (b) Kidney
- (c) Abdomen

(d) Neck

**Answer - (a) Brain**

Q 393. Which of the following is a disease of pre-synaptic membrane?

(a) Trigeminal neuralgia

(b) Lambert eaten syndrome

(c) Facial palsy

(d) Myasthenia gravis

**Answer - (b) Lambert eaten syndrome**

Q 394. Which of the following nursing action is required before giving clear liquid fluid after anaesthesia?

(a) Check urine output

(b) Check for bowel sound

(c) Check gag reflex

(d) Check weight

**Answer - (c) Check gag reflex**

Q 395. Most accurate method for confirming the NG tube placement is ?

(a) Dip in a bowel of water

(b) X-ray

(c) Observing patient for coughing aspiration of aspiration of content & ph monitoring

(d) Auscultation

**Answer - (b) X-ray**

Q 396. Mallory's degeneration seen in alcoholic liver disease is a from of:

(a) Hyaline degeneration

(b) Amyloid degeneration

(c) Hydropic degeneration

(d) Fatty degeneration

**Answer - (a) Hyaline degeneration**

**-An inclusion body found in liver cells, especially in diseases caused by the excessive consumption of alcohol called Mallory body.**

**-Mallory bodies (alcohol hyaline or Mallory hyaline) are cytoplasmic hyaline inclusions of hepatocytes, which are specific to alcoholic hepatitis and NASH.**

Q 397. When assessing a patient in the early stages of cirrhosis of liver, what sign would you anticipate?

(a) Jaundice

- (b) Anorexia
- (c) Peripheral Oedema
- (d) Ascites

**Answer - (b) Anorexia**

**-Sign symptoms of early stage of cirrhosis of liver are similar to hepatitis, so refer question for sign symptoms of hepatitis.**

Q 398. Your patient presents in respiratory distress in a chair with an altered mental status. He is breathing at 32/min with shallow tidal volume. You should administer oxygen via ?

- (a) Bag-mask device
- (b) Venturi mask
- (c) Nonrebreather mask
- (d) Nasal cannula

**Answer - (a) Bag-mask device**

Q 399. The nurse is providing discharge instructions to a client following gastrectomy. Which measure will the nurse instruct the client to follow to assist in preventing dumping syndrome?

- (a) Eat high CHO food
- (b) Sit in a high-fowler position during meals

(c) Ambulate following a meal

(d) Limit the fluids taken with meals

**Answer - (d) Limit the fluids taken with meals**

Q 400. The most common symptoms of a sliding hiatal hernia is:

(a) Feeling of fullness

(b) Difficulty in breathing

(c) GER

(d) all of the above

**Answer - (c) GER**

**-Sliding hiatal hernia means protrusion of the gastro-esophageal junction and part of stomach into the chest.**

**-It is characterized by heart burn, gastro-esophageal reflux (GER), dysphagia, chest & abdominal pain and shortness of breath.**

Q 401. An infant presents with fever, vomiting, nuchal rigidity, and maculopapular rash. Which of the following tests for meningitis involves flexion of the neck with reflexive bending of the neck to alleviate pain and tension on the spinal cord?

(a) Brudzinski sign

(b) Babinski sign

(c) Kerning sign

(d) Kienbock sign

**Answer - (a) Brudzinski sign**

Q 402. Which of the following nursing action is required before giving solid food after anaesthesia?

(a) Check gag reflex

(b) Check weight

(c) Check for bowel sound and passing flatus

(d) Check urine output

**Answer - (c) Check for bowel sound and passing flatus**

Q 403. An infant weight 7 pounds at birth. The expected weight by 1 year should be ?

(a) 18 pounds

(b) 21 pounds

(c) 12 pounds

(d) 10 pounds

**Answer - (b) 21 pounds**

Q 404. The nurse is providing a teaching session to a client who has ulcerative colitis. The nurse will instruct the client for which diet?

- (a) Carbohydrate-consistent diet
- (b) High-calories, high-protein diet
- (c) High-calcium and high potassium diet
- (d) Low-residue, low-fiber diet

**Answer - (d) Low-residue, low-fiber diet**

**-Option 'b' also looking right. See tabers medical dictionary.**

Q 405. For a patient with Crohn's disease, the medical surgical nurse recommends a diet that is:

- (a) High in fibre and low in protein and calories
- (b) High in potassium
- (c) Low in fibre, high in protein and calories
- (d) Low in potassium

**Answer - (c) Low in fibre, high in protein and calories**

**-Diet is same as ulcerative colitis.**

Q 406. At which point humerus joins scapula:

- (a) Acetabulum

- (b) Glenoid
- (c) Popliteal fossa
- (d) Coronoid fossa

**Answer - (b) Glenoid**

**-Shoulder joint (a ball-and-socket joint) is formed by the union of the head of the humerus with the glenoid cavity of the scapula.**

Q 407. Breast milk can be stored at room temperature for how many hours?

- (a) 2 hours
- (b) 4 hours
- (c) 6 hours
- (d) 8 hours

**Answer - (b) 4 hours**

Q 408. A nurse is teaching a group of women about the side effect of different types of contraceptives. What is the most frequent side effect associated with the use of an intrauterine device (IUD) ?

- (a) An excessive menstrual flow
- (b) A tubal pregnancy
- (c) A rupture of the uterus

(d) An explosion of the device

**Answer - (a) An excessive menstrual flow**

Q 409. A position early diagnosis of pregnancy is based on the presence of:

(a) Quickening

(b) A fetal heart rate

(c) Chadwick sign

(d) Chorionic gonadotropin

**Answer - (b) A fetal heart rate**

**-Presences of HCG, a biochemical marker, in urine (14days) and blood (8 to 10 days) is a probale sign of pregnancy.**

**-It may be positive due to hydatidiform mole (partial & complete) and choriocarcinoa.**

Q 410. What is hyperemesis gravidarum?

(a) Food craving

(b) Excessive vomiting

(c) Lethargy

(d) Morning sickness

**Answer - (b) Excessive vomiting**

Q 411. The phenomenon of mittelschmerz indicates:

- (a) Implantation
- (b) Menstruation
- (c) Ovulation
- (d) Fertilisation

**Answer - (c) Ovulation**

Q 412. Which lob is most commonly affected in children with pulmonary atelectasis?

- (a) Left lower lob
- (b) Left upper lob
- (c) Right lower lob
- (d) Right upper lob

**Answer - (d) Right upper lob**

Q 413. The fluid replacement for burn patient can be evaluated after 48 hours by?

- (a) Peripheral perfusion
- (b) Urine output
- (c) Weight

(d) Urine specific gravity

**Answer - b) Urine output**

Q 414. What is the number of chromosomes present in gametes (egg and sperm) of human beings?

(a) Three set of chromosomes

(b) 22 pair of chromosomes

(c) One set of chromosomes

(d) No chromosomes

**Answer - (c) One set of chromosomes**

Q 415. Onset of puberty before the age of 8 years in girls is called.....

(a) Thelarche

(b) Menarche

(c) Delayed puberty

(d) Precocious puberty

**Answer - (d) Precocious puberty**

**-The appearance of secondary sex characteristics before 8 years of age in girls and 9 years of age in boys called precocious puberty.**

Q 416. According to the rule of nines, a 40 year old patient who has burns over the front of chest and abdomen has about?

- (a) 9%
- (b) 18%
- (c) 24%
- (d) 36%

**Answer - (b) 18%**

Q 417. Death of infants under the first 28 days of life per 1000 live births per year is known as ?

- (a) Infant mortality rate
- (b) Maternal mortality rate
- (c) Neonatal mortality rate
- (d) Perinatal mortality rate

**Answer - (c) Neonatal mortality rate**

Q 418. Handy-Dandy this is my work and want shop apple pie-custard pie, this is:

- (a) Neologism
- (b) Word salad
- (c) Flight of ideas

(d) Clang association

**Answer - (b) Word salad**

**-The use of words indiscriminately without logical structure or meaning called word salad.**

**-It is a finding in uncontrolled mania and schizophrenia.**

Q 419. Meaningless and incoherent mixture of words and phrases is termed as:

(a) Word salad

(b) Paralalia

(c) Verbigeration

(d) Neologism

**Answer - (a) Word salad**

Q 420. Which among the following is an indicator of the prevalence of contraceptive practice in the community?

(a) Couple protection rate

(b) General fertility rate

(c) Small family norm

(d) Gross reproduction rate

**Answer - (a) Couple protection rate**

Q 421. Which assessment data would the nurse expect to find in the client diagnosed with chronic venous insufficiency?

- (a) Decreased pedal pulses
- (b) Cool skin temperature
- (c) Intermittent claudication
- (d) Brown discoloured skin

**Answer - (d) Brown discoloured skin**

**-Clinical manifestations of chronic venous insufficiency are brown discoloration (stasisdermatitis) of skin mainly into lower leg, edema, painful leg cramps or muscles spasm (charley horse) and ulcer formation.**

Q 422. A child is to receive a blood transfusion. If an allergic reaction to the blood occurs, the nurses first intervention should be to?

- (a) Slow the flow rate
- (b) Call the physician
- (c) Stop the blood immediately
- (d) Relieve symptom with an order antihistamine

**Answer - (c) Stop the blood immediately**

Q 423. What should be added to normal saline which is connected to arterial line measuring invasive blood pressure?

- (a) Potassium
- (b) Heparin
- (c) Calcium
- (d) Protamine

**Answer - (b) Heparin**

Q 424. A patient with increased intracranial pressure is receiving mannitol. To evaluate the effectiveness of this drug, the nurse should assess the client for which of the following?

- (a) Decreased pulse rate
- (b) Increased urine output
- (c) Increased temperature
- (d) Increased papillary reaction

**Answer - (b) Increased urine output**

Q 425. Type of atropine drugs

- (a) Anti-cholinergic
- (b) Vagolytic
- (c) Anti-arrhythmic
- (d) All

**Answer - (d) All**

**-The drug like atropine which block the action of acetylcholine on parasympathetic receptors of ANS called anti-cholinergic or parasympatholytic drugs.**

**-Atropine also work as cardiac vagolytic (prevents function of the vagus nerve) and anti-arrhythmic.**

Q 426. Which of the following drug is a skeletal muscle relaxant?

- (a) Atropine
- (b) Ketamine
- (c) Pentothal sodium
- (d) Fentanyl

**Answer - (c) Pentothal sodium**

Q 427. Which among following bacteria is consider as a link between bacteria and virus?

- (a) Mycoplasma
- (b) Spirochetes
- (c) Actinomycetes
- (d) Vibrios

**Answer - (a) Mycoplasma**

**-Mycoplasma is a genus of bacteria that lack a cell wall around their cell membrane like virus.**

**-Without cell wall, they are unaffected by many antibiotics like penicillin or other beta-lactam antibiotics that target cell wall synthesis, like viruses.**

Q 428. The 10 year old is being treated for asthma. Before administering theodur, the nurse should check the?

- (a) Urinary output
- (b) Blood pressure
- (c) Temperature
- (d) Pulse

**Answer - (d) Pulse**

Q 429. Shortly after the client was admitted to the postpartum unit, the nurse notes heavy lochia rubra with large clots. The nurse should anticipate an order for ?

- (a) Phenergan
- (b) Stadal
- (c) Methergine
- (d) Magnesium sulphate

**Answer - (c) Methergine**

Q 430. The nurse is assessing the abdomen. The nurse knows the best sequence to perform the assessment is?

- (a) Inspection, Palpation, Auscultation
- (b) Auscultation, Palpation, Inspection
- (c) Inspection, Auscultation, Palpation
- (d) Palpation, Inspection, Auscultation

**Answer - (c) Inspection, Auscultation, Palpation**

Q 431. The major contribution to amniotic fluid is:

- (a) Fetal urine
- (b) Fetal plasma
- (c) Mother's plasma
- (d) Mother's urine

**Answer - (a) Fetal urine**

**-Amniotic fluid is secreted by fetal urine (major source), exudates of umbilical vassels, fetal skin and amniotic epithelium.**

Q 432. Which of the following is an adverse effect of vancomycin(vancocin) and needs to be reported promptly?

- (a) Ataxia

(b) Vertigo

(c) Tinnitus

(d) Muscle stiffness

**Answer - (c) Tinnitus**

Q 433. The surgery is performed in case of colon carcinoma:

(a) Lobectomy

(b) Lumpectomy

(c) Gestrostomy

(d) Colonectomy

**Answer - (d) Colonectomy**

**-Colonectomy is the surgical removal of large intestine or colon; it is performed in case of colon carcinoma and ulcerative colon.**

Q 434. In general anaesthesia, which of the following sensation disappear at last ?

(a) Hearing

(b) Pupil response

(c) Consciousness

(d) Pain response

**Answer - (a) Hearing**

Q 435. Which of the following drug is used together with other anaesthetic agent ?

- (a) Phenytoin
- (b) Atropine
- (c) Fentanyl
- (d) Phenobarbitone

**Answer - (c) Fentanyl**

Q 436. Largest smooth muscles of body

- (a) In femur
- (b) In humerus
- (c) In stomach
- (d) In scapula

**Answer - (c) In stomach**

**-Muscle tissues that lacks cross striations on its fibers and work involuntary called smooth muscle.**

**-It found principally in visceral organs e.g stomach, liver, intestine, urinary bladder, uterus etc.**

**-Rectus abdominus is the longest smooth muscles in the body and sartorius is the longest skeleton muscle.**

**-In femur, humerus and scapula found skeleton muscles not smooth muscles.**

Q 437. The category of drug that acts to prevent blood from clotting is?

- (a) Analgesic
- (b) Antibiotics
- (c) Anticoagulant
- (d) Antidiuretic

**Answer - (c) Anticoagulant**

Q 438. Which of the following is caused due to spasm of the coronary artery?

- (a) Variant angina
- (b) Stable angina
- (c) Myocardial infarction
- (d) Unstable angina

**Answer - (a) Variant angina**

Q 439. The developing offspring until eight weeks after implantation is known as?

- (a) Neonate

(b) Embryo

(c) Chorion

(d) Foetus

**Answer - (b) Embryo**

Q 440. Which of the following is a significant component of pain assessment?

(a) Cause

(b) Intensity

(c) Effect

(d) Causing factor

**Answer - (b) Intensity**

Q 441. The bone remodelling hormone is:

(a) Parathormone

(b) Vitamin D

(c) Thyroxin

(d) Calcitonin

**Answer - (d) Calcitonin**

**-Bone remodelling is a process in which bone is resolved and new bone formed at the same site.**

**-This process keeps the calcium content of bone stable.**

**-Calcitonin is serves as remodelling hormone.**

Q 442. Which of the following immunoglobulin will be high in a person with an allergy?

(a) IgE

(b) IgG

(c) IgM

(d) IgA

**Answer - (a) IgE**

Q 443. During physical assessment of children, asymmetry of the skull indicate?

(a) Craniotabes

(b) Hydrocephalus

(c) Craniosynostosis

(d) Osteogenesis imperfecta

**Answer - (c) Craniosynostosis**

Q 444. Cracked pot sound elicited while skull percussion indicative of increased intracranial tension is known as ?

- (a) Romberg sign
- (b) Macewen's sign
- (c) Peroneal sign
- (d) Homan's sign

**Answer - (b) Macewen's sign**

Q 445. A disease acondition characterized by excessive mucus collection with collapse of alveoli is:

- (a) Asthma
- (b) Atelectasis
- (c) Bronchiectasis
- (d) Lung abscess

**Answer - (b) Atelectasis**

**-A collapsed or airless condition of the lung called atelectasis.**

Q 446. The maximum volumum of air that can be expired after a maximal inspiratory effort is called:

- (a) Tidal volume
- (b) Residual volume
- (c) Viral capacity

(d) Functional residual capacity

**Answer - (c) Viral capacity**

**-Viral capacity means the volume of air that can be exhaled from the lungs after a maximal inspiration (4800ml).**

Q 447. Providing education to the school, college and street children on prevention of drug addiction is an example of ..... prevention?

(a) Primordial

(b) Primary

(c) Secondary

(d) Tertiary

**Answer - (a) Primordial**

Q 448. The forward bending of the uterus in relation to the vagina is called ?

(a) Plantar flaxion

(b) Dorsiflexion

(c) Anterversion

(d) Anteflexion

**Answer - (d) Anteflexion**

Q 449. A female patient Mrs. Seema Gupta has a cesium needle implanted in her cervix. She asks the nurse if she may get out of bed to go to the bathroom. The appropriate response is to tell her:

- (a) She may not get out of bed while the needle is implanted.
- (b) She may get out of bed with nurse's help.
- (c) The nurse will have to get a physician's order for her to get out of bed.
- (d) She must stay in bed, but she can move around to be more comfortable while the needle is implanted.

**Answer - (d) She must stay in bed, but she can move around to be more comfortable while the needle is implanted.**

Q 450. A client whose condition remains stable after a myocardial infarction gradually increase activity. Which of the following condition should the nurse assess to determine whether the activity is appropriate for the client?

- (a) Weight loss
- (b) Cyanosis
- (c) Edema
- (d) Dyspnea

**Answer - (d) Dyspnea**

Q 451. Which symptoms verify ano-rectal anomaly into children's :

- (a) Abdominal distension
- (b) Vomiting
- (c) Meconium in urine
- (d) All of these

**Answer - (c) Meconium in urine**

**-Ano-rectal malformations (ARM) or anomaly are developmental deformities of the lower end of the alimentary tract, i.e. ano-rectal canal.**

Q 452. The recommended daily energy intake of an adult pregnant women with heavy work is :

- (a) 3200 kcal
- (b) 2900 kcal
- (c) 2500 kcal
- (d) 2100 kcal

**Answer - (a) 3200 kcal**

**-Energy requirement of women; sedentary work 1900 kcal, moderate work 2230 kcal and heavy work 2850 kcal, additional need are 350 kcal.**

Q 453. Which drug is used to prevent bradycardia during surgery?

- (a) Nitrous oxide
- (b) Succinyl chloride
- (c) Atropine
- (d) Amiodarone

**Answer - (c) Atropine**

Q 454. All of the following are the sign of respiratory acidosis except?

- (a) Blurred vision
- (b) Confusion
- (c) High alertness
- (d) headache

**Answer - (c) High alertness**

Q 455. What would you monitor in a patient taking high dose of acetaminophen over a prolonged period ?

- (a) Kidney function
- (b) Prothrombin time
- (c) Liver function
- (d) GI irritation

**Answer - (c) Liver function**

Q 456. Intravenous heparin therapy is ordered for a client, while implementing this order, a nurse ensures that which of the following medication is available on nursing unit ?

- (a) Vitamin K
- (b) Aminocaproic acid
- (c) Protamine sulphate
- (d) Potassium chloride

**Answer - (c) Protamine sulphate**

Q 457. The scope of family planning services include

- (a) Advice on sterility
- (b) The proper spacing and limitation of births
- (c) Education on parenthood
- (d) All of the above

**Answer - (d) All of the above**

**-The scope of family planning services is not merely the birth control but it includes various aspect of health related to reproductive life.**

Q 458. Which of the following is an antidote for acetaminophen poisoning ?

- (a) Deferoxamine
- (b) N-Acetyl cysteine
- (c) Physostigmine
- (d) Digiband

**Answer - (b) N-Acetyl cysteine**

Q 459. The process that provides main pathway for the metabolism of fructose and galactose derived from diet is:

- (a) Glycolysis
- (b) Gluconeogenesis
- (c) Glycogenolysis
- (d) Glycogenesis

**Answer - (a) Glycolysis**

**-Glycolysis is the first stage of cell respiration, the series of reactions that convert a molecule of glucose to two molecules of pyruvic acid with the net gain of 2 ATP.**

Q 460. The most common cause of non engagement at term in primigravida is?

- (a) Brow presentation
- (b) Hydramnios
- (c) Breech presentation
- (d) Cephalopelvic disproportion (CPD)

**Answer - (d) Cephalopelvic disproportion (CPD)**

Q 461. Multigravida mother feels first fetal movement (quickening) at how many weeks of gestation?

- (a) 16 weeks
- (b) 20 weeks
- (c) 24 weeks
- (d) 12 weeks

**Answer - (a) 16 weeks**

Q 462. Temporary loss of muscle tone and weakness precipitated by a variety of emotional status is called ?

- (a) Catharsis
- (b) Cataplexy
- (c) Compulsion
- (d) Confabulation

**Answer - (b) Cataplexy**

Q 463. False sensory perception in the absence of real external stimuli is called?

- (a) Illusion
- (b) De-ja vu
- (c) Hallucinations
- (d) Depersonalisation

**Answer - (c) Hallucinations**

Q 464. All of the following are common behavioural problems in children except:

- (a) Thumb sucking
- (b) Temper tantrum
- (c) Alcoholism
- (d) Enuresis

**Answer - (c) Alcoholism**

**-Alcoholism is not a common behavioural problems of children,  
Although it may be a behavioural problem of adolescent and adult.**

Q 465. Improper lifting of a patient can cause which of the following injury to the nursing orderly:

- (a) Back or spine
- (b) Thighs or calves
- (c) Arms or shoulders
- (d) Fingers or toes

**Answer - (a) Back or spine**

**-Use of short and small muscles like back muscles during improper lifting of patient should be avoided because it will be get easily fatigued and injured.**

Q 466. The phenomenon of a nurse respecting a patient's right to make decisions about his/her health care is called ?

- (a) Integrity
- (b) Human dignity
- (c) Autonomy
- (d) Altruism

**Answer - (c) Autonomy**

Q 467. All the following are a good source of omega 3 PUFA except?

- (a) Fish oil

- (b) Mustard oil
- (c) Groundnut oil
- (d) Corn oil

**Answer - (b) Mustard oil**

Q 468. Which stain used to identify acid fast bacilli (AFB):

- (a) Leishman's
- (b) Ziehl-Neelsen
- (c) Gram's
- (d) Right's

**Answer - (b) Ziehl-Neelsen**

**-Acid-fast stain (Ziehl-Neelsen method) is a staining technique used for staining mycobacterium tuberculosis, mycobacterium leprae and nocardia.**

Q 469. As a nurse, you teach a patient who has had surgery to increase which nutrient to help with tissue repair ?

- (a) Fats
- (b) CHO
- (c) Protein
- (d) Vitamin

**Answer - (c) Protein**

Q 470. Stiffness in the body that occurs after 2 to 4 hrs after death is called ?

- (a) Rigor mortis
- (b) Liver mortis
- (c) Algor mortis
- (d) Stiff mortis

**Answer - (a) Rigor mortis**

Q 471. How does adding salt in the ice cap help in dry cold application?

- (a) Allows easy moulding of ice
- (b) Provide more cooling
- (c) Increases melting point
- (d) Lowers melting point

**Answer - (d) Lowers melting point**

**-During dry cold application the bag is filled with crushed ice or ice chips and salt (sodium chloride) are sprinkled on it to lower the melting point of ice to prevent the ice from melting.**

Q 472. What is the term used to describe a feeding disorder characterised by eating non-nutritious substances like soil, paint etc.

- (a) Anorexia nervosa
- (b) Binge eating
- (c) Pica
- (d) Bulimia nervosa

**Answer - (c) Pica**

Q 473. Which is an example of the school nurse's health care provider function?

- (a) Requesting for BCG from the RHU for school entrance immunization
- (b) Conducting random classroom inspection during measles epidemic
- (c) Taking remedial action on an accident hazard in the school playground
- (d) Observing places in the school where pupils spend their free times

**Answer - (b) Conducting random classroom inspection during measles epidemic.**

Q 474. ESI act passed into which year:

- (a) 1946
- (b) 1948
- (c) 1952
- (d) 1956

**Answer - (b) 1948**

**-The “Employees State Insurance Act 1948” passed in 1948 for social security and health insurance, which was amended in 1975, 1984 and 1989.**

Q 475. Which of the below DOES NOT help in controlling hazards in a school setting?

- (a) Health education should be included in the curriculum
- (b) Food supply to the students should be safe
- (c) The school should be built near from the source of noise
- (d) The school should be well-ventilated

**Answer - (c) The school should be built near from the source of noise**

Q 476. The nurse teaches clients that they should follow their diet restrictions while taking a monoamine oxidase inhibitor. What will develop if they do not follow these restrictions?

- (a) Occipital headaches
- (b) Generalized urticaria
- (c) Severe muscle spasms
- (d) Sudden drop in blood pressure

**Answer - (a) Occipital headaches**

Q 477. The nurse selects the route for administering medication according to ?

- (a) Hospital policy
- (b) The prescriber's order
- (c) The type of medication ordered
- (d) The client size and muscle mass

**Answer - (b) The prescriber's order**

Q 478. Most medication errors occurs when nurses ?

- (a) Is caring for too many clients
- (b) Fails to follow routine procedures
- (c) Is administering unfamiliar medication
- (d) Is responsible for administering numerous medication

**Answer - (a) Is caring for too many clients**

Q 479. Which of the following is the preferred site for IM injection in infants & children ?

- (a) Deltoid
- (b) Vastus lateralis

(c) Ventrogluteal

(d) Rectus femoris

**Answer - (b) Vastus lateralis**

Q 480. Clinical death is also known as ?

(a) Biological death

(b) Accidental death

(c) Brain death

(d) Legal death

**Answer - (c) Brain death**

Q 481. Wound made by surgical incision, by a surgeon under aseptic condition is called as?

(a) Infected wound

(b) Contusion

(c) Clean wound

(d) Puncture wound

**Answer - (c) Clean wound**

Q 482. The nausea and vomiting commonly experienced by many women during the first trimester of pregnancy is an adaptation to the increased level of:

- (a) Estrogen
- (b) Luteinizing hormone
- (c) Progesterone
- (d) Chorionic gonadotropin

**Answer - (d) Chorionic gonadotropin**

**-Nausea and vomiting (morning sickness) during pregnancy probably caused by the high level of human chorionic gonadotropin, low blood sugars related to fasting while asleep and altered carbohydrate metabolism.**

Q 483. Korsakoff's syndrome occurs due to the intake of ?

- (a) Cannabis
- (b) Opium
- (c) Amphetamine
- (d) Alcohol

**Answer - (d) Alcohol**

Q 484. What does the term cheilosis mean ?

- (a) Bed breath
- (b) Cracking of lips
- (c) Inflammation of the tongue
- (d) Inflammation of the gums

**Answer - (b) Cracking of lips**

Q 485. The process by which, medium is placed at 100 deg C in flowing steam for 30 minutes each on 3 successive days is ?

- (a) Steam under pressure
- (b) Autoclave
- (c) Tyndallization
- (d) Inspissation

**Answer - (c) Tyndallization**

Q 486. Which of the following items is not sterilized by antiseptic solution?

- (a) Suction catheter
- (b) Enema tube
- (c) Surgical scissor
- (d) Nasogastric tube

**Answer - (c) Surgical scissor**

Q 487. According to WHO, a child with IQ level between 35-50 falls in which of the following category of mental retardation?

- (a) Mild
- (b) Moderate
- (c) Severe
- (d) Profound

**Answer - (b) Moderate**

Q 488. The most important factor in reducing the maternal mortality rate in India is to provide:

- (a) More trained dais
- (b) Better hospital facilities for delivery
- (c) Antenatal care
- (d) Family welfare services

**Answer - (c) Antenatal care**

**-Early registration and antenatal care/check up is an important factor to reduce MMR.**

**-Although in India a large number of maternal deaths could be prevented by the help of more trained local dais and female health workers (ANM).**

Q 489. What is the best method used to assess the temperature of an alert patient admitted to the hospital with dehydration secondary to vomiting and diarrhea:

- (a) Oral
- (b) Axillary
- (c) Radial
- (d) Heat sensitive tape

**Answer - (b) Axillary**

Q 490. Which leadership style is utilized to maintain a strong control in the department?

- (a) Laissez-faire
- (b) Democratic
- (c) Collegial
- (d) Autocratic

**Answer - (b) Democratic**

Q 491. This is a common trait of a leader which is defined as his ability to possess honesty, responsibility and maturity in the working are:

- (a) Integrity
- (b) Personality
- (c) Intelligence
- (d) Flexibility

**Answer - (a) Integrity**

Q 492. What is a group of people called living in the same area, who are considered as a unit or having a particular characteristics in common?

- (a) Community
- (b) Experimental group
- (c) Control group
- (d) Self help group

**Answer - (a) Community**

**-Definition of community according WHO "A community is a special group determined by geographical boundaries, and/or common values and interest."**

Q 493. A patient has orders to receive 1 L (one litre) of 5 % dextrose to be infused over 8 hours. How many ml to be infused per hour?

- (a) 80 ml
- (b) 100 ml
- (c) 125 ml
- (d) 150 ml

**Answer - (c) 125 ml**

Q 494. A patient has orders to receive 50 ml of an antibiotic to be infused over 1 hour. The tubing drip factor of 60. How many drops/minute should be set?

- (a) 66
- (b) 17
- (c) 50
- (d) 100

**Answer - (c) 50**

Q 495. Calcium channel blocker that is not useful in the treatment of cardiac arrhythmias:

- (a) Losartan
- (b) Diltiazem
- (c) Verapamil
- (d) Nifedipine

**Answer - (d) Nifedipine**

Q 496. Which of the following does not include post operative care for appendectomy?

- (a) Early ambulation
- (b) Diet as tolerated after fully conscious
- (c) Nasogastric tube connect to suction
- (d) Deep breathing and leg exercise

**Answer - (b) Diet as tolerated after fully conscious**

**-Diet should be clear liquid to semi-solid and then solid as tolerated not only after fully conscious but also after returning normal gag reflex and peristalsis.**

**-All other options as appropriate for appendectomy include all of the following except:**

Q 497. Pre-operative preparation for appendectomy include all of the following except:

- (a) Consent
- (b) Remove jewellery
- (c) Enema STAT
- (d) Skin preparation

**Answer - (c) Enema STAT**

**-Avoid use of cathartic, laxative, enema and local heat application before appendectomy because it may causes rupture of swelled appendix due to increase peristalsis.**

Q 498. Immediate disinfection of all contaminated articles during the course of diseases:

- (a) Terminal disinfection
- (b) Concurrent disinfection
- (c) Sterilization
- (d) Autoclaving

**Answer - (b) Concurrent disinfection**

Q 499. Which of the following is a first line drug used for pain management ?

- (a) Ketamine
- (b) Morphine
- (c) Acetaminophen
- (d) Clonidine

**Answer - (c) Acetaminophen**

Q 500. The rate of drug absorption is greatest in the ?

- (a) Small intestine
- (b) Large intestine
- (c) Stomach
- (d) Gall bladder

**Answer - (a) Small intestine**

Q 501. An 11 year old child with juvenile rheumatoid arthritis is to be on continued aspirin medication at home. Before discharge from the hospital, the nurse should teach the child and parents to closely monitor for the toxic of his drug, which include?

- (a) Hypopythermia
- (b) Jaundice
- (c) Tinnitus
- (d) Diarrhoea

**Answer - (c) Tinnitus**

Q 502. The difference between the apical and radial pulse rates is called?

- (a) Pulse amplitude
- (b) Rhythm deficit

(c) Heart amplitude

(d) Pulse deficit

**Answer - (d) Pulse deficit**

Q 503. Total RBC count for women is:

(a) 4.4 - 6

(b) 3.9 - 5.4

(c) 4.2 - 5

(d) 4.2 - 5.6

**Answer - (c) 4.2 - 5**

**-In a normal person the number of RBCs average about 5 million (50,00,000) per microliter (the highest number of blood cell).**

**-Male have highest RBC count (average 5,500,000) compare to women (average 4,500,000) because of presence of testosterone into male which increase erythropoietin secretion.**

Q 504. First perception of active foetal movement felt by mother during pregnancy is known as?

(a) Quickening

(b) Lightening

(c) Hastening

(d) Engagement

**Answer - (a) Quickening**

Q 505. A client has been diagnosed with pernicious anemia.in planning care for the client, a nurse anticipates that the client will be treated with ?

(a) Thiamine

(b) Iron

(c) Vitamin B12

(d) Folic acid

**Answer - (c) Vitamin B12**

Q 506. Difference between systolic and diastolic blood pressure is called:

(a) Pulse range

(b) Pulse pressure

(c) Pulse length

(d) Pulse deficit

**Answer - (b) Pulse pressure**

**-The difference between systolic and diastolic pressure called pulse called pulse pressure (normal value 40 mmHg).**

**-A condition in which the speed of the pulse at the radial artery is less than the pulse of the heart called pulse deficit. This is seen mainly in atrial fibrillation.**

**-The amount of blood pumped out from the left or right ventricle per minute called cardiac output.**

Q 507. Normal portal venous pressure is:

- (a) 5 - 10 mmHg
- (b) 10 -15 mmHg
- (c) 15-20 mmHg
- (d) 20 - 25 mmHg

**Answer - (a) 5 - 10 mmHg**

**-Portal venous pressure means the pressure into hepatic portal vein.**

**-It is normally between 5 to 10 mmHg, its increase called portal hypertension.**

Q 508. Which diet is given to patient with nephritic syndrome?

- (a) Fluid restriction, high calorie & high protein
- (b) Protein supplement with calorie restriction
- (c) Protein supplement sodium & fluid restriction
- (d) Fluid and sodium and potassium restriction

**Answer - (d) Fluid and sodium and potassium restriction**

**-Diet of nephritic syndrome should contain low sodium (2-3gm/day), low potassium and low to moderate protein (0.5 to 0.6gm/kg/day).**

**-Dietary salt restrictions are keys to managing edema.**

Q 509. Inability to carry out normal activities despite intact motor function is ?

(a) Anhedonia

(b) Apraxia

(c) Amnesia

(d) Apathy

**Answer - (b) Apraxia**

Q 510. Which inactive digestive enzyme is present in pancreatic juice ?

(a) Trypsinogen

(b) Renin

(c) Ptyalin

(d) Erepsin

**Answer - (a) Trypsinogen**

Q 511. A patient undergoing cancer chemotherapy is vomiting frequently. The drug of choice in the case is ?

- (a) Ergotamine
- (b) Cimetidine
- (c) Bromocriptine
- (d) Ondansetron

**Answer - (d) Ondansetron**

Q 512. Which of the following represents the most common type of accidents found in case of toddlers ?

- (a) Choking
- (b) Burns
- (c) Toxic Ingestion
- (d) Drowning

**Answer - (b) Burns**

Q 513. Brain damage caused by accumulation of abnormal levels of toxic bilirubin in the brain is known as ?

- (a) Jaundice
- (b) Isoimmunisation
- (c) Kernicterus

(d) Cephalohematoma

**Answer - (c) Kernicterus**

Q 514. Nurse is planning care for 2 years old who has nephritic syndrome and is in remission. What type of diet would the nurse plan to feed the child?

(a) High protein, low calorie

(b) High calorie, Low protein

(c) Low sodium, low fat

(d) Regular diet, no added salt

**Answer - (d) Regular diet, no added salt**

**-A regular diet without added salt may be prescribed if child is in remission (abatement of symptoms) state of disease.**

Q 515. Drug of choice for Myasthenia gravis is:

(a) Adrenaline

(b) Atropine

(c) Neostigmine

(d) d-Tubocurarine

**Answer - (c) Neostigmine**

**-Drug used into myasthenia gravis called anti-myasthenic or anticholinesterase drugs.**

**-These drugs increase muscular strength by improving level of acetylcholine at neuromuscular junction, e.g. neostigmine, edrophonium, pyridostigmine & physostigmine.**

**-Atropine sulfate is the antidote used into overdose of anticholinesterase drugs.**

Q 516. Exclusive breast feeding is recommended up to the age of:

(a) 9 months

(b) 4 months

(c) 6 months

(d) 8 months

**Answer - (c) 6 months**

**-Till age of 6 month baby should be feed only by breast milk, after that start weaning or complementary feeding to meet extra energy need of baby.**

**-Baby requires 200kcl/day during 6-8 month, 300kcl/day during 9-11 month and 550kcl/day during 12-23 month other than breast milk for proper growth.**

Q 517. Basic health services provided at the block level is committed by:

- (a) Bhore committee
- (b) Mudaliar committee
- (c) Mukherji committee
- (d) Chadah committee

**Answer - (c) Mukherji committee**

**-Mukherji committee 1966, under the chairmanship of the union health secretary, Shri Mukerji to worked out the “basic health service” which should be provided at the block level.**

Q 518. What is the full term of TNAI?

- (a) Training in Nursing at All India Level
- (b) Trained Nurses of All India
- (c) Trained Nurses Association of India
- (d) Training in Nurses at International Level

**Answer - (c) Trained Nurses Association of India**

**-Trained Nurse Association of India (TNAI) is a professional organization established into 1908 (the association was inaugurated in 1909) with headquarter into New Delhi, with the aim to get help & cooperation of nurse throughout country.**

Q 519. The neural tube defect among new born can be prevented by providing:

- (a) Iron to the mother in 3<sup>rd</sup> trimester

- (b) Iron and folic acid throughout pregnancy
- (c) Vitamin K to the mother in first trimester
- (d) Folic acid to the mother in first trimester

**Answer - (d) Folic acid to the mother in first trimester**

Q 520. Which of the following is the first nursing intervention that is appropriate when an IV infusion infiltrates?

- (a) Elevate the site
- (b) Discontinue the infusion
- (c) Attempt to flush the tube
- (d) Apply warm and moist compress

**Answer - (b) Discontinue the infusion**

**-When infiltration occur, first stop the infusion immediately, elevate the extremity and then apply warm compression over the site of infusion, and use another site for infusion.**

-----Thank You-----