

1) The nurse on a neuro floor is caring for a patient with a spinal cord injury. The clients injury is outlined in the image. What would the nurse expect to find in this client?

Loss of bowel function.

Inability to speak.

Loss of sensation in hands.

Respiratory difficulties.

2) A client tells the nurse, "I don't have any family members with hypertension so I don't have to worry about that." The nurse should educate the client on which of the following other risk factors?

High sodium diet

Physical inactivity

Stress

Age

Low fiber diet

3) The nurse is educating a client that is newly diagnosed with diabetes mellitus, which of the following should the nurse emphasize? Select all that apply.

Inspect feet daily

Wear proper fitting shoes

Don't walk barefoot

Cut toenails with rounded corners

Use a heating pad to keep feet warm.

4) A client comes into the ER bleeding profusely out of a gun shot wound. The client has lost too much blood and needs a rapid transfusion. What should the team do replace this clients lost blood after they have started an IV?

Send a type and match to lab

Send a Type and cross to lab

Grab O- blood and infuse it without knowing the clients blood type.

Grab AB+ and infuse it without knowing the clients blood type

5) A client has a GFR of 60 mL/min. The nurse recognizes this to be a consideration for the failure of which organ?

Kidneys

Heart

Liver

Spleen

6) A client has a BNP of 782. The nurse recognizes this to be an issue for which organ?

Kidneys

Pancreas

Gallbladder

Heart

7) A client has a BUN of 28. The nurse recognizes this to be a consideration for the failure of which organ?

Kidneys

Heart

Liver

Spleen

8) The nurse is talking with a parent of a child who has just been diagnosed with a paget's disease. The nurse knows this is a type of cancer that effects which organ?

Bone

Brain

Lung

Skin

9) The nurse is talking with a patient who has just been diagnosed with a glioma. The nurse knows this is a type of cancer that effects which organ?

Brain

Adrenal Glands

Skin

Gall bladder

10) A client with difficulty in breathing gets a CT scan that shows multiple clots in the lungs as well as in their heart and kidneys. Which blood clotting disorder does this client likely have?

Idiopathic Thrombocytopenic Purpura

Hemophilia

Disseminated Intravascular Coagulation

Wiskott-Aldrich syndrome

11) Which of the following is not caused by the body immune system attacking itself.

Type 2 Diabetes

Multiple Sclerosis

Type 1 Diabetes

Guillain Barre Syndrome

12) A nurse is caring for a patient with a chest tube. He notes that the dressing around the patient's tube insertion site is wet and there is some crepitus with mild palpation. Which actions by the nurse are most appropriate in this situation? Select all that apply.

Remove the tube and place an occlusive dressing over the site

Keep the tubing below the level of the insertion site

Gently milk the tubing to remove clots, if present

Prepare for replacement of the tube

Notify the provider to evaluate the level of suction

13) A patient with a lung infection must undergo a bronchoalveolar lavage. The nurse assists the physician during the procedure in the endoscopy suite. Which of the following considerations regarding this type of bronchoscopy are true? Select all that apply.

A bronchoscope is passed into the lung tissue and a small amount of fluid is inserted

Fluid is inserted into the lung tissue; some of it is suctioned into a trap and then analyzed

A tube is inserted into the lung tissue to visualize lesions associated with cancer

A bronchoscope is passed into the lung tissue and a small amount of tissue is taken out using forceps

Medication is instilled into the lung tissue as a method of treating pneumonia

14) The nurse is caring for a patient in the ICU who requires mechanical ventilation for assistance with breathing. The provider has ordered a volume-targeted mode of ventilation. Which of the following types of ventilator modes are classified as volume targeted? Select all that apply.

Pressure control mode ventilation

Synchronized intermittent mandatory ventilation

Assist/control mode ventilation

Pressure support ventilation

Continuous positive airway pressure (CPAP)

15) A nurse is talking to a patient who has been newly diagnosed with type 2 diabetes. The nurse is giving the patient information about what signs or symptoms to report right away if they develop. Which signs or symptoms should be included in this list? Select all that apply.

Blurred vision

Shortness of breath

Weight loss

Cramping in the legs

Numbness in the feet

16) A patient who is recovering from heart surgery has orders to be moved to the cardiac step-down unit and placed on telemetry since he is ambulatory. Which information regarding nursing care of the patient on telemetry is true? Select all that apply.

The patient may stay in one unit of the hospital but be monitored from a different unit

The patient cannot shower with the telemetry leads in place

The telemetry leads are placed on the patient's chest and extremities

The nurse should change the telemetry electrodes approximately once a week

The nurse should notify the home unit if the patient is moving to another area

17) A nurse has received orders to remove a patient's arterial line that he has been using while in the hospital for the past week. Which of the following actions are part of appropriately removing an arterial line? Select all that apply.

Turn the patient onto his left side

Remove the dressing from the site

Remove the arterial line and inspect the tip of the catheter

Apply direct pressure to the site for 5 minutes after catheter removal

Administer pain medications to the patient as needed

18) A patient is having difficulty breathing while coming out of anesthesia following surgery. The nurse inserts an oral airway to assist with this patient's breathing. Select all of the following items that are true regarding placement of an oral airway.

An oral airway should only be used in a patient who is awake

The airway should be measured from the corner of the mouth to the top of the nose

When inserting the airway, the curved end should first be pointed upward

The airway should be rotated 180 degrees once the end reaches the back of the patient's mouth during placement

The flange of the airway should be outside of the patient's mouth

19) A nurse receives an order to perform a gastric lavage on a patient who is in the emergency department. Select all of the following conditions that would most likely indicate the need for gastric lavage.

Cleansing the stomach of clots

Evaluating for upper GI bleeding

Removing drugs ingested by overdose

Treating irritation or a tear in the esophagus

Managing hyperthermia

20) An HIV-infected patient is in the hospital after developing an opportunistic infection. The patient's spouse is in the hospital with him and helping to provide care. What information should the nurse provide to this patient's caregiver about providing care and treatment for this patient at home? Select all that apply.

Ask for help with completing tasks that are difficult

Avoid immunizations and exposure to infectious illnesses

Decrease fiber intake and drink more water

Wash fruits and vegetables before eating them

Get out of bed at least once a day and change positions frequently

21) A nurse is caring for a patient who delivered a baby three days ago and is preparing to be dismissed from the hospital. Before discharge, the patient tells the nurse that she has started having profuse vaginal bleeding. Which of the following are causes of late postpartum hemorrhage? Select all that apply.

Third or fourth degree perineal laceration

Retained placental fragments

Subinvolution of the uterus

Infection

Preterm delivery

22) A 40-year-old female patient has been admitted to the hospital in a state of thyroid storm. Based on this diagnosis, the nurse would most likely expect to see:

bradycardia.

decreased urinary output.

fever.

flaccid paralysis of the lower extremities.

23) A nurse is taking care of a patient who has just returned from a session of hemodialysis. The physician has ordered a percutaneous nephrolithotomy for the patient and the nurse does not schedule the procedure until 8 hours later. What is the rationale for this?

The patient should receive fluids and electrolytes for several hours after hemodialysis

The patient is at risk of bleeding because of heparin administered with dialysis

The patient is in too much pain after having dialysis

The patient most likely has an infection that needs treatment first

24) Which of the following would be an example of autolytic debridement of a lower leg wound in a diabetic patient?

Use of medical-grade maggots to clean the wound

Selective removal of tissue with a laser

Application of the enzyme papain/urea foam

Application of a hydrocolloid dressing on the wound

25) A home care nurse is working with a diabetic patient who has a nursing diagnosis of Ineffective Tissue Perfusion related to elevated blood glucose levels. Based on the nurse's knowledge of this diagnosis, which of the following effects would the nurse most likely see in the patient's extremities?

Sweaty skin

Increased venous return

3+ peripheral pulses

Poor hair and nail growth

26) A 43-year-old female patient has been diagnosed with Hashimoto's thyroiditis. The nurse is explaining the most common signs and symptoms of the condition to the patient's family. Which of the following should the nurse include?

Feeling cold

Weight loss

Abnormal hair growth

Sunken eyes

27) A patient is undergoing abdominal surgery and is taken to the holding area. Which best describes what occurs in this area?

The nurse confirms that all preoperative procedures are complete

The nurse helps the patient to recover from surgery

The patient is intubated for surgery

The patient is given anesthesia

28) A patient has been brought into the emergency department after overdosing at home on acetaminophen tablets. The nurse sets up a gastric lavage kit according to physician orders. The nurse prepares to insert the tube into the patient's nose. Which action should the nurse perform first?

Aspirate stomach contents through the tube

Contact the patient's parents for informed consent of the procedure

Inspect the inside of the patient's nose to assess for obstructions

Warm the fluid that will be administered through the tube

29) A patient must have surgery for an appendectomy. Which best describes the type of incision that would most likely be used for this procedure?

Lower vertical midline incision

Pfannenstiel incision

Thoracoabdominal incision

McBurney incision

30) A nurse is caring for a patient who has been diagnosed with syndrome of inappropriate anti-diuretic hormone (SIADH). What type of electrolyte imbalance would the nurse most likely see in this situation?

Hyponatremia

Hypermagnesemia

Hyperkalemia

Hypocalcemia

31) A patient is brought to the emergency department for treatment. His potassium levels are 5.9 mEq/L. Based on these results, which symptoms would the nurse most likely see?

Hypotension

Constipation

Flushed face

Irregular pulse

32) A 67-year-old patient has been suffering from alcohol abuse and has developed severe hypokalemia with a potassium level of 2.9 mEq/L. An hour after admission to the hospital, the patient develops a cardiac dysrhythmia because of his potassium levels. The rhythm on the monitor shows pulseless electrical activity (PEA). Which action should the nurse perform next?

Start CPR by using chest compressions at a rate of 100 per minute

Administer adenosine and place the patient in the recovery position

Charge the defibrillator to administer a shock

Provide 2 rescue breaths and reassess the heart rhythm