

PowerHouse MCQ Class

NORCET AIIMS 1 TO 9 PYQs



**LIVE
CLASS**

DAILY 9:00 PM

[31]: Which of the following gas is most pungent smelling ;

- A: Sevoflurane *Not pungent*
- B: Isoflurane
- C: Both are equally pungent
- D: Benzene

[32]: A 7 year child intermittently bed wetting all times a week , the physian perscribed for

☒ A: Desmoressin

B: Diazepam Anxiolytic

C: Methylephenidate ADHD

D: Digoxin

Cardiac Glycoside

Bed wetting

↓
Enuresis → Nocturnal

Drug	Age Group Suitability
<u>Desmopressin</u>	<u>Children >6 years</u>
<u>Imipramine</u>	<u>Children >7 years</u>
<u>Anticholinergics</u> (e.g., <u>Oxybutynin</u>)	Children with small bladder capacity or daytime symptoms

→ Behavioural therapy.

↓

Alarm.

[33]: In performing the initial nursing assessment on a client at the prenatal clinic, the nurse will know that which of the following alterations is abnormal during pregnancy?

- A: Striae gravidarum ✓
- B: Chloasma ✓
- ✓ C: Dysuria
- D: Colostrum ✓

Abnormal

<u>Colostrum</u>	<u>~12th week (1st trimester)</u>
<u>Linea Nigra</u>	<u>~20th week (2nd trimester)</u>
<u>Chloasma</u>	<u>2nd or 3rd trimester</u>
<u>Striae Gravidarum</u>	<u>6th-7th month (24-28 weeks)</u>
<u>Striae Albicans</u>	<u>Postpartum</u>
Striae Albicans	Postpartum
Striae Gravidarum	6th-7th month (24-28 weeks)
Chloasma	2nd or 3rd trimester

face
mask

Red


↓
white



Striae Gravidarum



Chloasma / Face mask



Linea Nigra



Striae
Albicans
(postpartum)

[34]: Assessment of severe depression in a client reveals feelings of hopelessness, worthlessness; inability to feel pleasure; sleep, psychomotor, and nutritional alterations; delusional thinking; negative view of self; and feelings of abandonment. These clinical features of the client's depression alert the nurse to prioritize problems and care by addressing which of the following problems first:

Depression - Severe
↓

- A: Nutritional status
- B: Impaired thinking
- ☒ C: Possible harm to self (suicide)
- D: Rest and activity impairment

[35]: Catgut is banned in Europe and Japan. The reason for the ban is due to concern over the risk of developing:

- ☒ A: Cancer due to carcinogenic ingredients
- ☒ B: Bovine Spongiform Encephalopathy (BSE)
- ☐ C: Necrotic lesions
- ☒ D: Non of the above

Catgut — Suture.

BSE

[36]: As per The Mental Healthcare Act 2017,
which of the following statement is NOT TRUE
regarding ECT therapy?

- A: ECT should not be used without muscle relaxant ✓
- B: ECT should not be used without anesthesia ✓
- C: ECT therapy will not be performed for minors ✓
- ☒ D: Direct ECT can be given with the consent of the patient

Can't

MHCA 2017


Direct ECT
Can't be
given

Ban.

[37]: The leading anatomical part of the fetus
closest to the pelvic inlet of the birth canal
refers to:

- ☒ A: Presentation
- B: Lie
- C: Denominator
- D: Position


presentation
Anatomical part,
↓
Bony point.




Lie




Position



Denominator



Attitude




Presentation

[38]: A 5-year-old child has suffered second degree thermal burns over 30% of her body.

Forty eight hours after the burn injury, the nurse must begin to monitor the child for which one of the following complications ?


- A: Fluid volume deficit
- ~~B: Fluid volume excess~~
- ~~C: Decreased cardiac output~~
- ~~D: Severe hypotension~~



[39]: The southern most state of India is:

- A: Kerala
- B: Tamil Nadu
- C: Andhra Pradesh
- D: Karnataka

NURSING
BOOSTER



TAG-N

[40]: A nurse caring for a HIV positive patient got an accidental needle stick injury. Which of the following is an appropriate immediate action following needle stick injury?

- A: Squeeze the wound to bleed it ✗
- ☒ B: Wash the wound and surrounding skin with soap and rinse
- C: Use bleach or alcohol to clean the wound
- D: Put the pricked finger in mouth

[41]: Which of the following color bag is used to discard resection of gangrene part of the patient?

- A: Red
- B: Blue
- ☒ C: Yellow
- D: Black

Bmw

NURSING
BOOSTER

[42]: Ergometrine is commonly used in the treatment of which of the following condition:

- ~~A: PPH~~
- ~~B: APH~~
- ~~C: Cervical incompetence~~
- ~~D: AV Fistula~~

PPH

Ergometrin
↳ Vaso constriction


O - Oxytocin (Gold)
M - mesoprost
E - Ergometrin
G - Carboprost
A - Alternative

↳ Avoid in
Hyperextension

[43]: Jackson Pratt drain was used in all of the following surgeries, Except:

- ~~A: Thoracic surgery~~
- ~~B: Head and neck surgery~~
- ~~C: Abdominal surgery~~
- ~~D: Breast reduction and breast reconstruction surgery~~

J-P Drain
↓



→ post operation
↓
secretion
(pus, blood)
→ Chest Tube

Head and neck surgery (e.g., thyroidectomy, neck dissection)

- Abdominal surgery (e.g., colectomy, cholecystectomy)
- Breast reduction and breast reconstruction surgery (to prevent seroma/hematoma)

[44]: Oral white patches which are commonly seen in Infants and bleed on touching are:

- ~~A: Pancytopenia~~ (
- ~~B: Leukoplakia~~
- ~~C: Leucopenia~~ (use WBC)
- ~~D: Myeloma~~

[45]: Which of the following is a function of fallopian tube?

- A: Implantation *- uterus*
- B: Fertilization**
- C: Sperm production *(male)*
- D. Ovulation *ovary*

NURSING
BOOSTER

Nursing Boams

Hello, Kanha Chotiya

Team NB



Mr. San Jollys

Mr. Kadir

Mr. Erika Duffys

Mr. Lashar Chetty

Mr. Pooja Khandel



Daily
Dose



Nursing
News




Live Test



Exam
Courses



Academic
Edge



Test
Series

**Prepare your Nursing
Exams with
Nursing Booster App**



CALL US

789 123 5707