

Public health coc 2017

To prepare you for the Ethiopian Licensing Exam (COC), I will generate a comprehensive series of 200+ clinical MCQs divided into the four major pillars.

Because of the size, I will provide them in Sets of 50. Let's start with Set 1: Internal Medicine (50 Questions). These focus on high-yield Ethiopian topics like TB, HIV, Malaria, and Chronic Diseases.

SET 1: INTERNAL MEDICINE (Questions 1-50)

1. [INFECTIOUS DISEASE]

A 34-year-old HIV-positive patient presents with a 3-week history of productive cough, night sweats, and weight loss. Sputum microscopy is positive for Acid-Fast Bacilli (AFB). What is the most appropriate initial TB treatment regimen?

- A. 2RHZE / 6RH
- B. 2RHZE / 4RH
- C. 2RHE / 4RH
- D. 2SRHZE / 1RHZE / 5RHE

2. [MALARIA]

A 25-year-old male from an endemic area presents with high-grade fever, chills, and vomiting. RDT is positive for *P. falciparum*. He is conscious and able to swallow. What is the first-line treatment?

- A. Oral Chloroquine
- B. Oral Quinine
- C. Artemether-Lumefantrine (Coartem)
- D. IV Artesunate

3. [CARDIOLOGY]

A 60-year-old male with long-standing hypertension presents with sudden onset shortness of breath and orthopnea. On examination, he has bilateral basal crackles and a displaced apex beat. What is the most likely diagnosis?

- A. Lobar Pneumonia**
- B. Acute Pulmonary Embolism**
- C. Acute Congestive Heart Failure**
- D. Bronchial Asthma**

4. [ENDOCRINOLOGY]

A 55-year-old diabetic patient is brought to the ER unconscious. His blood glucose is 40 mg/dL. He is unable to swallow. What is the immediate treatment?

- A. Give him a sugary drink**
- B. Administer 40% Dextrose 50ml IV**
- C. Start Normal Saline infusion**

D. Give 10 units of Insulin SC

5. [HIV/AIDS]

According to the current Ethiopian ART guidelines, what is the preferred first-line ART regimen for a newly diagnosed adult?

A. TDF + 3TC + EFV

B. TDF + 3TC + DTG

C. AZT + 3TC + NVP

D. TDF + 3TC + LPV/r

6. [NEPHROLOGY]

A 45-year-old patient presents with generalized body swelling (anasarca). Urine analysis shows 4+ proteinuria and "fatty casts." Serum albumin is 2.0 g/dL. What is the most likely diagnosis?

A. Acute Glomerulonephritis

B. Nephrotic Syndrome

C. Congestive Heart Failure

D. Liver Cirrhosis

7. [GASTROENTEROLOGY]

A 50-year-old chronic alcohol consumer presents with hematemesis (vomiting blood) and abdominal distention. Physical exam shows spider nevi and a palpable spleen. What is the most likely cause of the bleeding?

A. Peptic Ulcer Disease

B. Gastric Cancer

C. Esophageal Varices

D. Mallory-Weiss Tear

8. [PULMONOLOGY]

A 22-year-old female presents with recurrent episodes of wheezing and cough, especially at night and early morning. She has a family history of allergies. What is the most likely diagnosis?

A. Chronic Bronchitis

B. Bronchial Asthma

C. Bronchiectasis

D. Pulmonary TB

9. [HEMATOLOGY]

A 30-year-old woman presents with fatigue and pica (craving for clay). On exam, she has pallor and koilonychia (spoon-shaped nails). What type of anemia is most likely?

A. Vitamin B12 deficiency

B. Iron deficiency anemia

C. Aplastic anemia

D. Hemolytic anemia

10. [INFECTIOUS DISEASE]

A 28-year-old male presents with high fever, severe headache, and neck stiffness. On exam, Kernig's sign is positive. What is the next most important diagnostic step?

A. Brain CT Scan

B. Lumbar Puncture for CSF analysis

C. Blood Culture

D. Complete Blood Count

11. [CARDIOLOGY]

Which of the following is the most common cause of Right-sided Heart Failure in Ethiopia?

A. Systemic Hypertension

B. Cor Pulmonale (secondary to chronic lung disease)

C. Myocardial Infarction

D. Aortic Stenosis

12. [ENDOCRINOLOGY]

A patient presents with weight loss, heat intolerance, tremors, and a visible swelling in the neck that moves with deglutition. What is the most likely diagnosis?

A. Hypothyroidism

B. Hyperthyroidism (Grave's Disease)

C. Iodine Deficiency Goiter

D. Thyroid Lymphoma

13. [GASTROENTEROLOGY]

A 40-year-old male presents with epigastric pain that is relieved by food and occurs 2-3 hours after meals. Which condition is most consistent with this?

A. Gastric Ulcer

B. Duodenal Ulcer

C. Acute Gastritis

D. Cholecystitis

14. [RHEUMATOLOGY]

A 25-year-old woman presents with joint pain in her hands, a "butterfly" rash on her face, and photosensitivity. What is the most likely diagnosis?

A. Rheumatoid Arthritis

B. Systemic Lupus Erythematosus (SLE)

C. Osteoarthritis

D. Gouty Arthritis

15. [INFECTIOUS DISEASE]

A patient with a CD4 count of 50 cells/ μ L presents with a headache and fever. CSF analysis with India Ink stain shows encapsulated yeast. What is the diagnosis?

A. Tuberculous Meningitis

B. Cryptococcal Meningitis

C. Bacterial Meningitis

D. Viral Meningitis

16. [MALARIA]

A 10-year-old child from a malaria-endemic area presents with a fever and altered consciousness (GCS 8/15). RDT is positive for P. falciparum. What is the diagnosis and treatment?

A. Uncomplicated malaria; give Coartem

B. Severe malaria; give IV Artesunate

C. Malaria with meningitis; give Ceftriaxone

D. Malaria with anemia; give blood transfusion

17. [NEPHROLOGY]

Which of the following is the most sensitive early marker of diabetic nephropathy?

A. Serum Creatinine

B. Blood Urea Nitrogen (BUN)

C. Microalbuminuria

D. Glycosuria

18. [HEMATOLOGY]

A 65-year-old male presents with bone pain, anemia, and kidney failure. X-ray shows "punched-out" lytic lesions in the skull. What is the most likely diagnosis?

A. Osteosarcoma

B. Multiple Myeloma

C. Metastatic Prostate Cancer

D. Bone TB

19. [DERMATOLOGY]

A patient presents with a painless, itchy, black eschar (scab) on the forearm after handling animal skins. What is the most likely diagnosis?

A. Cutaneous Leishmaniasis

B. Cutaneous Anthrax

C. Erysipelas

D. Cellulitis

20. [PULMONOLOGY]

In a patient with COPD, which physical exam finding is most characteristic?

A. Increased tactile fremitus

B. Dullness on percussion

C. Barrel chest and hyper-resonant percussion

D. Tracheal deviation

21. [INFECTIOUS DISEASE]

A 30-year-old female presents with fever, right upper quadrant pain, and jaundice. She has a history of eating street food. What is the most likely diagnosis?

A. Hepatitis A

B. Hepatitis B

C. Hepatitis C

D. Hepatitis D

22. [CARDIOLOGY]

Which of the following ECG findings is most indicative of an Acute Myocardial Infarction?

A. T-wave inversion

B. ST-segment elevation

C. Prolonged PR interval

D. Presence of U-waves

23. [ENDOCRINOLOGY]

A diabetic patient has a HbA1c of 9.0%. This indicates that the patient's blood glucose has been poorly controlled over the last:

A. 24 hours

B. 1 week

C. 3 months

D. 1 year

24. [GASTROENTEROLOGY]

A patient with chronic liver disease presents with "Flapping Tremors" (asterixis) and confusion. What is the most likely diagnosis?

A. Alcohol withdrawal (delirium tremens)

B. Hepatic Encephalopathy

C. Wernicke's Encephalopathy

D. Hypoglycemia

25. [RHEUMATOLOGY]

Which joint is most commonly affected in an initial attack of Gout?

A. Knee

B. Wrist

C. First metatarsophalangeal joint (Big toe)

D. Elbow

26. [NEPHROLOGY]

A patient presents with oliguria (low urine output) and rising creatinine following a severe car accident and massive blood loss.

What is the most likely cause of Acute Kidney Injury?

A. Prerenal (due to hypovolemia)

B. Intrinsic (Acute Tubular Necrosis)

C. Postrenal (Obstruction)

D. Glomerulonephritis

27. [INFECTIOUS DISEASE]

What is the "Gold Standard" for the diagnosis of Pulmonary Tuberculosis?

- A. Chest X-ray**
- B. GeneXpert MTB/RIF**
- C. Sputum Culture**
- D. Tuberculin Skin Test (Mantoux)**

28. [HEMATOLOGY]

A 20-year-old male with sickle cell anemia presents with severe bone pain. This is most likely a:

- A. Vaso-occlusive crisis**
- B. Hemolytic crisis**
- C. Aplastic crisis**
- D. Splenic sequestration crisis**

29. [PULMONOLOGY]

A 45-year-old male smoker presents with cough and hemoptysis (coughing blood). Chest X-ray shows a hilar mass. What is the most likely diagnosis?

A. Pneumonia

B. Lung Abscess

C. Bronch

30. patient without comorbidities, which drug class is generally preferred as first-line according to JNC-8?

A. ACE Inhibitors (e.g., Enalapril)

B. Beta-Blockers (e.g., Atenolol)

C. Calcium Channel Blockers (e.g., Amlodipine) or Thiazides

D. Alpha-Blockers

31. [INFECTIOUS DISEASE]

A patient presents with "Rose spots" on the abdomen, high fever that steps up over days, and bradycardia. What is the most likely diagnosis?

A. Typhus

B. Typhoid Fever

C. Relapsing Fever

D. Meningitis

32. [ENDOCRINOLOGY]

Which of the following is the most common cause of Cushing's Syndrome?

A. Adrenal Tumor

B. Pituitary Adenoma (Cushing's Disease)

C. Exogenous Steroid Use (e.g., Prednisolone)

D. Ectopic ACTH production

33. [GASTROENTEROLOGY]

A 35-year-old male presents with severe periumbilical pain that has shifted to the Right Iliac Fossa. He has "rebound tenderness." What is the most likely diagnosis?

A. Peptic Ulcer Perforation

B. Acute Appendicitis

C. Small Bowel Obstruction

D. Renal Colic

34. [NEPHROLOGY]

A 12-year-old boy presents with coca-cola colored urine, facial puffiness, and hypertension two weeks after a sore throat. What is the diagnosis?

A. Minimal Change Disease

B. Post-Streptococcal Glomerulonephritis

C. IgA Nephropathy

D. Lupus Nephritis

35. [HIV/AIDS]

A patient on ART presents with severe skin rash and jaundice. Which of the following drugs is most likely responsible?

- A. Tenofovir (TDF)
- B. Lamivudine (3TC)
- C. Nevirapine (NVP)
- D. Dolutegravir (DTG)

36. [PULMONOLOGY]

A 70-year-old male presents with sudden pleuritic chest pain and hemoptysis following a long-distance bus ride. What is the most likely diagnosis?

- A. Myocardial Infarction
- B. Pulmonary Embolism
- C. Pneumothorax
- D. Pneumonia

37. [HEMATOLOGY]

A 24-year-old woman presents with easy bruising and petechiae. Her platelet count is 15,000/ μ L, but her hemoglobin and WBC are normal. What is the likely diagnosis?

A. Immune Thrombocytopenic Purpura (ITP)

B. Leukemia

C. Vitamin K deficiency

D. Hemophilia

38. [CARDIOLOGY]

What is the characteristic heart sound of Mitral Stenosis?

A. Systolic murmur at the apex

B. Diastolic rumbling murmur at the apex

C. Opening snap and diastolic rumble

D. Pansystolic murmur radiating to the axilla

39. [INFECTIOUS DISEASE]

In Ethiopia, a patient presenting with high fever, jaundice, and epistaxis following a louse infestation likely has:

A. Malaria

B. Relapsing Fever

C. Yellow Fever

D. Leptospirosis

40. [ENDOCRINOLOGY]

Which of the following is a symptom of Hypocalcemia?

A. Constipation

B. Polyuria

C. Muscle cramps and tetany (Chvostek's sign)

D. Bone pain

41. [GASTROENTEROLOGY]

A 60-year-old man has a positive Fecal Occult Blood Test. What is the next best step?

A. Repeat the test in 6 months

B. Perform a Colonoscopy

C. Start him on Iron supplements

D. Perform an Abdominal Ultrasound

42. [PULMONOLOGY]

Which of the following is used to treat a "Tension Pneumothorax" immediately?

- A. Chest tube insertion**
- B. Needle thoracocentesis (2nd intercostal space)**
- C. Intubation**
- D. Oxygen by mask**

43. [NEPHROLOGY]

What is the most common electrolyte abnormality found in Chronic Kidney Disease?

- A. Hyponatremia**
- B. Hypokalemia**
- C. Hyperkalemia**
- D. Hypercalcemia**

44. [CARDIOLOGY]

The use of Aspirin in Acute Coronary Syndrome is primarily to:

- A. Relieve pain
- B. Dissolve the existing clot
- C. Prevent further platelet aggregation
- D. Lower blood pressure

45. [INFECTIOUS DISEASE]

A 20-year-old student presents with fever, sore throat, and generalized lymphadenopathy. A "Monospot" test is positive. What is the diagnosis?

- A. HIV Acute Infection
- B. Infectious Mononucleosis (EBV)
- C. Streptococcal Pharyngitis
- D. Lymphoma

46. [HEMATOLOGY]

Which of the following is the treatment for Megaloblastic Anemia caused by Vitamin B12 deficiency?

- A. Oral Iron**
- B. Intramuscular Vitamin B12**
- C. Folic Acid alone**
- D. Blood Transfusion**

47. [ENDOCRINOLOGY]

A patient with Type 1 Diabetes presents with vomiting, abdominal pain, and Kussmaul breathing (deep, rapid breathing). Her breath smells fruity. What is the diagnosis?

- A. Hyperglycemic Hyperosmolar State (HHS)**
- B. Diabetic Ketoacidosis (DKA)**
- C. Lactic Acidosis**
- D. Uremia**

48. [GASTROENTEROLOGY]

Which of the following is the most common cause of Liver Cirrhosis in Ethiopia?

- A. Alcohol**
- B. Chronic Hepatitis B and C**
- C. Nonalcoholic Fatty Liver Disease (NAFLD)**
- D. Autoimmune Hepatitis**

49. [RHEUMATOLOGY]

A 75-year-old woman presents with pain in her knees that worsens with walking and improves with rest. There is no morning stiffness. What is the diagnosis?

- A. Rheumatoid Arthritis**
- B. Osteoarthritis**
- C. Septic Arthritis**
- D. Psoriatic Arthritis**

50. [INFECTIOUS DISEASE]

A patient presents with dry cough, fever, and dyspnea. His CD4 count is 100. Chest X-ray shows "ground-glass" opacities. What is the most likely pathogen?

A. *Mycobacterium tuberculosis*

B. *Streptococcus pneumoniae*

C. *Pneumocystis jirovecii* (PCP)

D. *Klebsiella pneumoniae*

SET 2: SURGERY (Questions 51-100)*

****51. [ABDOMINAL]****

What is the most common cause of Small Bowel Obstruction in Ethiopia?

A. Adhesions

B. Intussusception

C. Volvulus

D. Indirect Inguinal Hernia

****52. [ABDOMINAL]****

A 60-year-old male presents with sudden onset severe abdominal pain and distention. X-ray shows a "coffee-bean" sign. What is the most likely diagnosis?

A. Sigmoid Volvulus

B. Large Bowel Cancer

C. Diverticulitis

D. Perforated Peptic Ulcer

****53. [TRAUMA]****

In the primary survey of a trauma patient (ATLS), what does the "B" stand for?

A. Bleeding control

B. Bone fracture stabilization

C. Breathing and Ventilation

D. Brain injury assessment

****54. [TRAUMA]****

A patient with a chest injury has distended neck veins, muffled heart sounds, and hypotension (Beck's Triad). What is the diagnosis?

A. Tension Pneumothorax

B. Cardiac Tamponade

C. Massive Hemothorax

D. Flail Chest

****55. [ORTHOPEDICS]****

A 70-year-old woman falls and presents with a shortened, externally rotated right leg. What is the most likely diagnosis?

A. Posterior Hip Dislocation

B. Femoral Neck Fracture

C. Anterior Hip Dislocation

D. Tibial Plateau Fracture

****56. [UROLOGY]****

A 70-year-old male presents with frequency, urgency, nocturia, and a "weak stream" of urine. Rectal exam shows a smooth, enlarged prostate. What is the diagnosis?

A. Prostate Cancer

B. Prost

atitis

C. Benign Prostatic Hyperplasia (BPH)

D. Bladder Stones

****57. [ABDOMINAL]****

A 40-year-old female, obese, presents with RUQ pain that radiates to the right shoulder, occurring after a fatty meal. What is the most likely diagnosis?

A. Acute Pancreatitis

B. Acute Cholecystitis

C. Peptic Ulcer Disease

D. Hepatitis

****58. [TRAUMA]****

A patient presents with head trauma. He opens his eyes to pain 2, makes incomprehensible sounds 2, and withdraws from pain 4. What is his Glasgow Coma Scale (GCS)?

A. 6/15

B. 8/15

C. 10/15

D. 12/15

****59. [FLUIDS/ELECTROLYTES]****

What is the best IV fluid for initial resuscitation of a patient in Hypovolemic Shock (e.g., from massive bleeding)?

A. 5

B. Normal Saline or Ringer's Lactate

C. 0.45

D. Dextrose in 0.9

****60. [HEAD/NECK]****

Which of the following is a "hard sign" of a penetrating neck injury that requires immediate surgical exploration?

A. Small hematoma

B. Difficulty swallowing

C. Active, pulsatile bleeding

D. Hoarseness of voice

****61. [WOUND CARE]****

According to the Surgical Wound Classification, a surgery involving the entry into the respiratory, alimentary, or genitourinary tract under controlled conditions is:

A. Clean

B. Clean-Contaminated

C. Contaminated

D. Dirty/Infected

****62. [ABDOMINAL]****

What is the most common site for a Peptic Ulcer Perforation?

A. Posterior wall of the Duodenum

B. Anterior wall of the Duodenum

C. Lesser curvature of the Stomach

D. Greater curvature of the Stomach

****63. [THORACIC]****

A "Flail Chest" is defined as:

A. A single rib fracture

B. Two or more adjacent ribs fractured in two or more places

C. Air in the pleural space

D. Blood in the pleural space

****64. [ORTHOPEDICS]****

Which nerve is most commonly injured in a mid-shaft fracture of the Humerus?

A. Median Nerve

B. Ulnar Nerve

C. Radial Nerve

D. Axillary Nerve

****65. [UROLOGY]****

A 25-year-old male presents with sudden, severe scrotal pain and a high-riding testis. The Cremasteric reflex is absent. What is the most likely diagnosis?

A. Epididymitis

B. Testicular Torsion

C. Inguinal Hernia

D. Hydrocele

****66. [NEUROSURGERY]****

A patient with head trauma had a brief "lucid interval" followed by rapid deterioration of consciousness. CT shows a biconvex (lens-shaped) hematoma. What is the diagnosis?

- A. Subdural Hematoma**
- B. Epidural Hematoma**
- C. Subarachnoid Hemorrhage**
- D. Intracerebral Hemorrhage**

****67. [ABDOMINAL]****

What is the "Gold Standard" investigation for diagnosing Acute Cholecystitis?

- A. Abdominal X-ray**
- B. Abdominal Ultrasound**
- C. HIDA Scan**

D. CT Scan

****68. [BURN]****

Using the "Rule of Nines," what is the estimated burn surface area for an adult with burns on the entire Right Leg and the entire Anterior Trunk?

A. 18

B. 27

C. 36

D. 45

****69. [VASCULAR]****

A patient presents with the "6 Ps" (Pain, Pallor, Pulselessness, Paresthesia, Paralysis, Poikilothermia). This indicates:

A. Chronic Venous Insufficiency

B. Deep Vein Thrombosis (DVT)

C. Acute Limb Ischemia

D. Buerger's Disease

****70. [PEDIATRIC SURGERY]****

A 3-week-old male infant presents with non-bilious, projectile vomiting. A small, olive-shaped mass is felt in the epigastrium. What is the diagnosis?

- A. Intussusception**
- B. Pyloric Stenosis**
- C. Hirschsprung's Disease**
- D. Duodenal Atresia**

****71. [BREAST]****

A 20-year-old female presents with a firm, mobile, painless lump in her breast. It is often called a "breast mouse." What is the diagnosis?

- A. Breast Cancer**
- B. Fibroadenoma**
- C. Breast Abscess**

D. Fat Necrosis

****72. [ANESTHESIA]****

Which of the following is a major contraindication to Spinal Anesthesia?

- A. Patient age > 60**
- B. Coagulopathy or low platelet count**
- C. Previous C-section**
- D. Controlled Hypertension**

****73. [ABDOMINAL]****

The "Grey-Turner's Sign" (bruising of the flanks) is associated with:

- A. Acute Appendicitis**
- B. Severe Acute Pancreatitis**
- C. Ruptured Ectopic Pregnancy**
- D. Splenic Rupture**

****74. [UROLO**

GY]**

What is the most common type of Kidney Stone?

- A. Uric Acid stones**
- B. Calcium Oxalate stones**
- C. Struvite stones**
- D. Cystine stones**

****75. [TRAUMA]****

A patient presents with a gunshot wound to the abdomen. He is hemodynamically unstable. What is the next step?

- A. CT scan of the abdomen**
- B. Abdominal Ultrasound (FAST)**
- C. Immediate Exploratory Laparotomy**
- D. Observe for 6 hours**

****76. [THORACIC]****

What is the most common cause of an Esophageal Perforation?

- A. Swallowing a fish bone**
- B. Corrosive ingestion**
- C. Iatrogenic (during endoscopy)**
- D. Forceful vomiting (Boerhaave's)**

****77. [ORTHOPEDICS]****

Which of the following fractures is most likely to cause massive, life-threatening internal bleeding?

- A. Femur fracture**
- B. Pelvic fracture**
- C. Open Tibial fracture**
- D. Colles' fracture**

****78. [ABDOMINAL]****

Which physical exam maneuver is used to check for Acute Cholecystitis?

- A. McBurney's point tenderness**
- B. Murphy's Sign**
- C. Rovsing's Sign**
- D. Psoas Sign**

****79. [SKIN/SOFT TISSUE]****

A diabetic patient presents with a rapidly spreading infection of the perineum with crepitus and skin necrosis. What is the diagnosis?

- A. Cellulitis**
- B. Fournier's Gangrene**
- C. Gas Gangrene**
- D. Carbuncle**

****80. [NEUROSURGERY]****

A "Cushing's Triad" (Hypertension, Bradycardia, and Irregular Respirations) is a sign of:

- A. Hypovolemic Shock**
- B. Increased Intracranial Pressure (ICP)**
- C. Spinal Shock**
- D. Septic Shock**

****81. [ORTHOPEDICS]****

A patient cannot "dorsiflex" his foot (Foot drop) after a knee injury. Which nerve is likely damaged?

- A. Tibial Nerve**
- B. Common Peroneal Nerve**
- C. Femoral Nerve**
- D. Sciatic Nerve**

****82. [ABDOMINAL]****

A 45-year-old male with chronic hepatitis B presents with RUQ pain and weight loss. Alpha-fetoprotein (AFP) is significantly elevated.

What is the diagnosis?

A. Liver Abscess

B. Hepatocellular Carcinoma

C. Liver Cirrhosis

D. Cholelithiasis

****83. [TRAUMA]****

In a "FAST" scan for trauma, which of the following is NOT one of the 4 areas examined?

A. Morrison's Pouch (Hepatorenal space)

B. Splenorenal space

C. Pelvis (Pouch of Douglas/Retrovesical space)

D. Mediastinum

****84. [UROLOGY]****

Which of the following is a medical emergency that requires immediate drainage?

A. Acute Prostatitis

B. Obstructive Uropathy with infection (Pyonephrosis)

C. Chronic Urinary Retention

D. Varicocele

****85. [VASCULAR]****

The most common site for an Aneurysm is the:

A. Thoracic Aorta

B. Abdominal Aorta (below the renal arteries)

C. Popliteal Artery

D. Cerebral Arteries

****86. [ABDOMINAL]****

Which of the following is the most common cause of Large Bowel Obstruction in adults?

A. Sigmoid Volvulus

B. Colorectal Cancer

C. Fecal Impaction

D. Intussusception

****87. [PLASTIC SURGERY]****

What is the "Parkland Formula" for fluid resuscitation in burns?

A. $2 \text{ ml} \times \text{kg} \times \% \text{ TBSA}$

B. $4 \text{ ml} \times \text{kg} \times \% \text{ TBSA}$

C. $100 \text{ ml} \times \text{kg}$

D. $4 \text{ ml} \times \text{kg}$

****88. [BREAST]****

What is the most common quadrant for Breast Cancer to occur?

A. Lower Inner Quadrant

B. Lower Outer Quadrant

C. Upper Inner Quadrant

D. Upper Outer Quadrant

****89. [TRAUMA]****

A patient presents with "Battle's Sign" (bruising behind the ear). This suggests a fracture of:

- A. The nasal bone
- B. The mandible
- C. The Basal Skull (Posterior fossa)
- D. The Maxilla

****90. [ABDOMINAL]****

Which surgical procedure is used for a patient with a perforated duodenal ulcer?

- A. Total Gastrectomy
- B. Whipple Procedure
- C. Graham Patch Omentopexy
- D. Hemicolectomy

****91. [UROLOGY]****

A patient presents with painless hematuria. In an older male, this should be considered as which of the following until proven otherwise?

A. Urinary Tract Infection

B. Bladder Cancer

C. BPH

D. Renal Stones

****92. [ORTHOPEDICS]****

Which fracture involves the distal radius with **dorsal displacement?**

A. Smith's Fracture

B. Colles' Fracture

C. Monteggia Fracture

D. Galeazzi Fracture

****93. [ABDOMINAL]****

In Acute Pancreatitis, which enzyme is more ****specific**** for diagnosis?

A. Amylase

B. Lipase

C. ALT

D. Alkaline Phosphatase

****94. [TRAUMA]****

A patient has a suspected "Tension Pneumothorax." What is the most appropriate ****initial**** management?

A. Chest X-ray

B. Intubation

C. Needle decompression

D. Chest tube insertion

****95. [VASCULAR]****

A patient with long-standing varicose veins presents with a painless ulcer above the medial malleolus. This is a:

- A. Arterial Ulcer**
- B. Venous Ulcer**
- C. Diabetic Ulcer**
- D. Neuropathic Ulcer**

****96. [ABDOMINAL]****

Which of the following is a characteristic of a "Strangulated" Hernia?

- A. It can be easily pushed back into the abdomen.**
- B. It has an compromised blood supply.**
- C. It is painless.**
- D. It only contains fat.**

****97. [ANESTHESIA]****

Which of the following is a common side effect of Spinal Anesthesia?

- A. Hypertension**

B. Post-dural puncture headache

C. Tachycardia

D. Diarrhea

****98. [ABDOMINAL]****

A "Sentinel Loop" on abdominal X-ray is often seen in:

A. Acute Appendicitis

/ B. Acute Pancreatitis

C. Large Bowel Obstruction

D. Gallstone Ileus

****99. [NEUROSURGERY]****

Which type of intracranial hemorrhage is classically described as "the worst headache of my life" and has a "star-fish" appearance on CT?

A. Epidural Hematoma

B. Subdural Hematoma

C. Subarachnoid Hemorrhage (SAH)

D. Intracerebral Hemorrhage

****100. [SURGICAL PRINCIPLES]****

The term "Debridement" refers to:

- A. Suring a wound**
- B. Removing dead or contaminated tissue from a wound**
- C. Applying a sterile dressing**
- D. Giving prophylactic antibiotic**

SET 3: PEDIATRICS (Questions 101-150)**

****101. [NEONATOLOGY]****

What is the first sign of puberty in a male?

- A. Pubic hair development**
- B. Testicular enlargement**

C. Voice deepening

D. Acne

****102. [NEONATOLOGY]****

A newborn has a heart rate of 80 bpm, irregular respirations, some flexion of extremities, grimace in response to a catheter in the nostril, and a blue body. What is the ****APGAR score****?

A. 3

B. 4

C. 5

D. 6

****103. [INFECTIOUS]****

A 2-year-old child presents with high fever, cough, runny nose, and conjunctivitis. On exam, there are small white spots on the buccal mucosa. What is the diagnosis?

A. Rubella

B. Measles (Rubeola)

C. Chickenpox

D. Mumps

****104. [NEONATOLOGY]****

Which of the following is the most common cause of neonatal jaundice within the ****first 24 hours**** of life?

A. Physiological jaundice

B. Breast milk jaundice

C. Hemolytic disease (e.g., Rh/ABO incompatibility)

D. Biliary atresia

****105. [NUTRITION]****

A child presents with "flaky paint" dermatosis, thinning hair, and generalized edema. What is the most likely diagnosis?

A. Marasmus

B. Kwashiorkor

C. Scurvy

D. Rickets

****106. [RESPIRATORY]****

A 10-month-old child presents with a "barking" cough, hoarseness, and inspiratory stridor. What is the most likely diagnosis?

- A. Epiglottitis
- B. Croup (Laryngotracheobronchitis)
- C. Bronchiolitis
- D. Foreign body aspiration

****107. [CARDIOLOGY]****

What is the most common cyanotic congenital heart disease in children over 1 year of age?

- A. Ventricular Septal Defect (VSD)
- B. Tetralogy of Fallot (TOF)
- C. Transposition of the Great Arteries (TGA)
- D. Patent Ductus Arteriosus (PDA)

****108. [INFECTIOUS]****

A 5-year-old child presents with fever and a "strawberry tongue." He has a sandpaper-like rash that started in the neck and spread to the trunk. What is the diagnosis?

A. Kawasaki Disease

B. Scarlet Fever

C. Measles

D. Hand-foot-and-mouth

disease

****109. [GASTROENTEROLOGY]****

In the treatment of acute diarrhea, which of the following is recommended to reduce the duration and severity of the episode and prevent future episodes?

A. Antibiotics

B. Zinc supplementation

C. Loperamide

D. Vitamin C

****110. [NEUROLOGY]****

A 2-year-old child has a generalized tonic-clonic seizure lasting 3 minutes during a high fever (39.5°C). He has no history of neurological problems and returns to normal quickly. This is a:

- A. Complex febrile seizure
- B. Simple febrile seizure
- C. Epilepsy
- D. Meningitis

****111. [NUTRITION]****

Which vitamin deficiency causes "Rickets" in children?

- A. Vitamin A
- B. Vitamin C
- C. Vitamin D
- D. Vitamin K

****112. [NEONATOLOGY]****

What is the most common cause of Respiratory Distress Syndrome (RDS) in newborns?

- A. Meconium aspiration**
- B. Surfactant deficiency**
- C. Pneumonia**
- D. Transient Tachypnea of the Newborn (TTN)**

****113. [IMNCI]****

According to IMNCI, a child who is **not able to drink or breastfeed, vomits everything, and has convulsions should be classified as:**

- A. Severe Pneumonia**
- B. Very Severe Febrile Disease**
- C. General Danger Sign**
- D. Severe Malnutrition**

****114. [GASTROENTEROLOGY]****

A 9-month-old infant presents with sudden onset paroxysmal abdominal pain, "currant jelly" stools, and a sausage-shaped mass in the abdomen. What is the diagnosis?

- A. Intussusception
- B. Pyloric Stenosis
- C. Hirschsprung's Disease
- D. Meckel's Diverticulum

****115. [INFECTIOUS]****

Which vaccine is given at birth in the Ethiopian Expanded Program on Immunization (EPI)?

- A. Pentavalent and PCV
- B. BCG and OPV-0
- C. Measles
- D. Rota vaccine

****116. [HEMATOLOGY]****

A 1-year-old child presents with severe anemia and bossing of the skull. X-ray shows a "hair-on-end" appearance. What is the most likely diagnosis?

- A. Sickle Cell Anemia
- B. Thalassemia Major
- C. Iron Deficiency Anemia
- D. Aplastic Anemia

****117. [RESPIRATORY]****

A 3-year-old child is brought to the ER with sudden onset choking and wheezing while playing with peanuts. Air entry is diminished on the right side. What is the next step?

- A. Start antibiotics
- B. Chest X-ray and Bronchoscopy
- C. Nebulize with Salbutamol
- D. Give a dose of steroids

****118. [NEONATOLOGY]****

An infant is born at 32 weeks of gestation. This infant is classified as:

- A. Term
- B. Late Preterm
- C. Preterm
- D. Very Preterm

****119. [INFECTIOUS]****

What is the most common cause of ****Bronchiolitis**** in infants?

- A. Streptococcus pneumoniae
- B. Respiratory Syncytial Virus (RSV)
- C. Hemophilus influenzae
- D. Mycoplasma pneumoniae

****120. [CARDIOLOGY]****

A child with Tetralogy of Fallot is having a "Tet Spell" (sudden cyanosis). What is the first-line management position?

- A. Prone position
- B. Knee-chest position
- C. Trendelenburg position
- D. Supine position

****121. [NUTRITION]****

What is the most common cause of anemia in children worldwide?

- A. Hookworm infestation
- B. Iron deficiency
- C. Malaria
- D. Vitamin B12 deficiency

****122. [NEUROLOGY]****

In a child with suspected Bacterial Meningitis, which of the following CSF findings is expected?

- A. High glucose, Low protein, High WBC (lymphocytes)
- B. Low glucose, High protein, High WBC (neutrophils)

C. Low glucose, Low protein, Normal WBC

D. Normal glucose, High protein, High WBC (lymphocytes)

****123. [IMNCI]****

A 3-year-old child has a cough and a respiratory rate of ****45 breaths per minute****. According to IMNCI, this is:

A. No pneumonia

B. Fast breathing (Pneumonia)

/ C. Severe Pneumonia

D. Bronchiolitis

****124. [GASTROENTEROLOGY]****

A 4-year-old child presents with perianal itching, especially at night.
What is the most likely parasite?

A. *Ascaris lumbricoides*

B. *Enterobius vermicularis* (Pinworm)

C. *Giardia lamblia*

D. Hymenolepis nana

****125. [NEONATOLOGY]****

Which of the following is a sign of "Poor Attachment" during breastfeeding?

A. Chin touching the breast

B. More areola visible above

the mouth than below

C. Lower lip turned outward

D. Mouth is not wide open

****126. [INFECTIOUS]****

What is the most common cause of **Osteomyelitis in children?**

A. Staphylococcus aureus

B. Salmonella (in Sickle cell patients)

C. Streptococcus pyogenes

D. E. coli

****127. [ENDOCRINOLOGY]****

A child presents with polyuria, polydipsia, and weight loss. His random blood sugar is 300 mg/dL. What is the most likely diagnosis?

A. Type 2 Diabetes

B. Type 1 Diabetes

C. Diabetes Insipidus

D. Nephrotic Syndrome

****128. [RESPIRATORY]****

In the treatment of a child with severe croup who has stridor at rest, which medication is given to rapidly reduce airway edema?

A. Oral Amoxicillin

B. Nebulized Epinephrine

C. Intubate immediately

D. Nebulized Salbutamol

****129. [HEMATOLOGY]****

What is the most common childhood cancer?

- A. Neuroblastoma**
- B. Nephroblastoma (Wilms tumor)**
- C. Acute Lymphoblastic Leukemia (ALL)**
- D. Lymphoma**

****130. [GASTROENTEROLOGY]****

A child has watery diarrhea and "Some Dehydration." According to IMNCI, what is the treatment?

- A. Plan A (Home fluids)**
- B. Plan B (ORS in the clinic)**
- C. Plan C (IV fluids)**
- D. Antibiotics and Zinc**

****131. [NEONATOLOGY]****

Which of the following is a characteristic of **Cephalohematoma**?

- A. It crosses suture lines.
- B. It is present at birth.
- C. It does NOT cross suture lines.
- D. it disappears within 48 hours.

132. [INFECTIOUS]

Which sign is the most specific for the diagnosis of **Measles**?

- A. High fever
- B. Koplik spots
- C. Generalized lymphadenopathy
- D. Runny nose

133. [CARDIOLOGY]

A loud, harsh, pansystolic murmur heard at the left lower sternal border in an otherwise healthy child is most likely:

- A. Atrial Septal Defect (ASD)

B. Ventricular Septal Defect (VSD)

C. Patent Ductus Arteriosus (PDA)

D. Coarctation of the Aorta

****134. [NUTRITION]****

A child has a MUAC of 11.0 cm and bilateral pitting edema. Where should this child be treated?

A. Outpatient Therapeutic Program (OTP)

B. Stabilization Center (SC/Inpatient)

C. Targeted Supplementary Feeding (TSF)

D. Home with normal food

****135. [GASTROENTEROLOGY]****

Which congenital condition presents with failure to pass meconium in the first 48 hours and a "blast sign" on rectal exam?

A. Pyloric Stenosis

B. Hirschsprung's Disease

C. Anorectal Malformation

D. Meconium Ileus

****136. [NEUROLOGY]****

A child with a head injury has "sunset eyes" and a bulging anterior fontanelle. This indicates:

A. Dehydration

B. Meningitis

C. Increased Intracranial Pressure

D. Down Syndrome

****137. [INFECTIOUS]****

Which disease is prevented by the **Rota vaccine?**

A. Pneumonia

B. Meningitis

C. Diarrhea

D. Polio

****138. [NEONATOLOGY]****

A newborn infant has a weight of 1800 grams. This is classified as:

- A. Normal birth weight
- B. Low Birth Weight (LBW)
- C. Very Low Birth Weight (VLBW)
- D. Extremely Low Birth Weight (ELBW)

****139. [RESPIRATORY]****

What is the "Gold Standard" for diagnosing ****Foreign Body Aspiration**** in a child?

- A. Chest X-ray
- B. Lateral Neck X-ray
- C. Rigid Bronchoscopy
- D. CT Scan

****140. [GASTROENTEROLOGY]****

The most common cause of ****bloody diarrhea**** (dysentery) in children is:

- A. Rotavirus
- B. Shigella
- C. Giardia
- D. E. coli (ETEC)

****141. [NUTRITION]****

At what age should ****complementary feeding**** be started?

- A. 4 months
- B. 6 months
- C. 9 months
- D. 12 months

****142. [NEUROLOGY]****

What is the first-line medication to stop an active seizure in a child?

- A. Phenobarbital

B. Phenytoin

C. Diazepam (IV or Rectal)

D. Sodium Valproate

****143. [HEMATOLOGY]****

A child with Sickle Cell Anemia is at a significantly higher risk of infection with which organism?

A. Staphylococcus

B. Streptococcus pneumoniae

C. E. coli

D. Malarial parasites

****144. [IMNCI]****

A child with a cough is found to have **chest indrawing. According to IMNCI, how should this child be classified?**

A. Pneumon

ia

B. Severe Pneumonia or Very Severe Disease

C. No Pneumonia

D. Asthma

****145. [INFECTIOUS]****

What is the classic triad of **Congenital Rubella Syndrome?**

A. Fever, Rash, Sore throat

B. Cataracts, Heart defects, Deafness

C. Jaundice, Anemia, Fever

D. Microcephaly, Seizures, Spasticity

****146. [NEONATOLOGY]****

What is the most effective way to prevent **ophthalmia neonatorum (neonatal conjunctivitis)?**

A. Give oral antibiotics to the baby.

B. Wash the baby's eyes with soap.

C. Apply 1

D. Perform a C-section for all mothers.

****147. [RESPIRATORY]****

Which of the following is a sign of **Respiratory Distress in a neonate?**

A. Respiratory rate of 40 bpm

B. Grunting

C. Acrocyanosis (blue hands and feet)

D. Sleeping 18 hours a day

****148. [NUTRITION]****

A child has Vitamin D deficiency (Rickets). Which laboratory finding is expected?

A. High Calcium

B. Low Phosphorus and High Alkaline Phosphatase

C. Low Alkaline Phosphatase

D. High Vitamin D levels

****149. [GASTROENTEROLOGY]****

A child has "Severe Dehydration." What is the immediate treatment of choice?

- A. 100 ml/kg of Ringer's Lactate (IV)**
- B. 20 ml/kg of ORS**
- C. 50 ml/kg of Normal Saline (Oral)**
- D. Give Zinc and wait**

****150. [IMNCI]****

A 2-year-old child has diarrhea. You check for "Dehydration." The child is **lethargic, has sunken eyes, and the skin pinch goes back very slowly. What is the classification?**

- A. No Dehydration**
- B. Some Dehydration**
- C. Severe Dehydration**

D. Persistent Diarrhea

SET 4: OBSTETRICS & GYNECOLOGY (Questions 151-200)

151. [ANTENATAL CARE]

According to the current Ethiopian National Guideline, when should the first ANC contact ideally occur?

- A. At 12 weeks**
- B. At 16 weeks**
- C. As soon as pregnancy is suspected and before 12 weeks**
- D. At 20 weeks**

152. [GYNECOLOGY]

A 24-year-old woman presents with a foul-smelling, "fishy" vaginal discharge. On exam, there is a thin, gray discharge and "Clue cells" on microscopy. What is the diagnosis?

- A. Vulvovaginal Candidiasis**

B. Trichomoniasis

C. Bacterial Vaginosis

D. Chlamydia

153. [PREGNANCY COMPLICATIONS]

A 32-year-old woman at 32 weeks gestation presents with sudden onset painless vaginal bleeding. What is the most likely diagnosis?

A. Placental Abruptio

B. Placenta Previa

C. Ruptured Uterus

D. Vasa Previa

154. [LABOR & DELIVERY]

Which of the following is the most common cause of Post-Partum Hemorrhage (PPH)?

A. Genital tract trauma

B. Retained products of conception

C. Uterine Atony

D. Coagulopathy

155. [GYNECOLOGY]

What is the most common benign tumor of the uterus?

A. Adenomyosis

B. Endometrial Polyp

C. Leiomyoma (Fibroids)

D. Ovarian Cyst

156. [PREGNANCY COMPLICATIONS]

A pregnant woman at 36 weeks gestation has a blood pressure of 150/100 mmHg and 2+ proteinuria. She has no headache or blurred vision. How is she classified?

A. Chronic Hypertension

B. Gestational Hypertension

C. Preeclampsia without severe features

D. Preeclampsia with severe features

157. [LABOR & DELIVERY]

What is the first-line medication used for Active Management of the Third Stage of Labor (AMTSL) to prevent PPH?

A. Misoprostol 600 mcg

B. Oxytocin 10 IU (IM/IV)

C. Ergometrine 0.2 mg

D. Tranexamic acid

158. [CONTRACEPTION]

Which contraceptive method is most appropriate for a woman

who is breastfeeding a 2-month-old infant?

A. Combined Oral Contraceptive (COC)

B. Progestin-only Pill (POP) or Implants

C. Natural Rhythm method

D. Estrogen Patch

159. [PREGNANCY COMPLICATIONS]

A 28-year-old woman at 8 weeks gestation presents with severe lower abdominal pain and vaginal spotting. Her BP is 90/60 mmHg and she has cervical motion tenderness. What is the diagnosis?

A. Threatened Abortion

B. Ruptured Ectopic Pregnancy

C. Inevitable Abortion

D. Molar Pregnancy

160. [GYNECOLOGY]

A 50-year-old woman presents with postmenopausal bleeding. What is the most important condition to rule out?

A. Atrophic Vaginitis

B. Endometrial Cancer

C. Cervical Cancer

D. Endometrial Hyperplasia

161. [ANTENATAL CARE]

What is the recommended dose of Folic Acid per day for a woman planning pregnancy to prevent Neural Tube Defects?

A. 400 mcg

B. 5 mg

C. 100 mg

D. 1 g

162. [PREGNANCY COMPLICATIONS]

A woman at 34 weeks gestation has a BP of 160/110 mmHg, severe headache, and epigastric pain. What is the most appropriate next step to prevent convulsions?

A. Immediate C-section

B. Give Magnesium Sulfate

C. Give Hydralazine

D. Give Diazepam

163. [LABOR & DELIVERY]

The "Second Stage of Labor" is defined as the interval between:

- A. Regular contractions and full cervical dilation**
- B. Full cervical dilation and delivery of the baby**
- C. Delivery of the baby and delivery of the placenta**
- D. Delivery of the placenta and 1 hour postpartum**

164. [GYNECOLOGY]

Which type of Ovarian Cyst is a result of endometriosis?

- A. Follicular cyst**
- B. Dermoid cyst**
- C. Chocolate cyst (Endometrioma)**
- D. Corpus luteum cyst**

165. [PREGNANCY COMPLICATIONS]

What is the characteristic ultrasound finding in a Complete Molar Pregnancy?

- A. Empty gestational sac**
- B. "Snowstorm" appearance**
- C. Fetal heart tones**
- D. Multiple gestations**

166. [LABOR & DELIVERY]

A primigravida is in labor. The cervix is 6 cm dilated and has remained at 6 cm for the last 4 hours despite strong contractions. This is called:

- A. Normal labor**
- B. Latent phase arrest**
- C. Secondary arrest of dilation**
- D. Prolonged latent phase**

167. [GYNECOLOGY]

What is the primary causative agent of Cervical Cancer?

- A. HSV-2**
- B. Human Papillomavirus (HPV)**
- C. Chlamydia trachomatis**
- D. HIV**

168. [PREGNANCY COMPLICATIONS]

A pregnant woman at 14 weeks gestation has a painless cervical dilation and bulging membranes. She has a history of two previous second-trimester losses. What is the diagnosis?

- A. Incompetent Cervix**
- B. Threatened Abortion**
- C. Preterm Labor**
- D. Hydatidiform Mole**

169. [CONTRACEPTION]

What is the duration of action for the Jadelle implant?

- A. 3 years**
- B. 5 years**
- C. 10 years**
- D. Lifetime**

170. [LABOR & DELIVERY]

What is the most common "fetal lie"?

- A. Transverse**
- B. Longitudinal**
- C. Oblique**
- D. Breech**

171. [GYNECOLOGY]

A 19-year-old girl presents with severe pain during her periods (dysmenorrhea) since she started menstruating. Pelvic exam is normal. This is:

- A. Primary Dysmenorrhea**

B. Secondary Dysmenorrhea

C. Endometriosis

D. PID

172. [PREGNANCY COMPLICATIONS]

What is the definitive treatment for Eclampsia?

A. Magnesium Sulfate

B. Nifedipine

C. Delivery of the baby and placenta

D. Bed rest

173. [LABOR & DELIVERY]

"Crowning" occurs during which stage of labor?

A. First stage

B. Second stage

C. Third stage

D. Fourth stage

174. [GYNECOLOGY]

A woman presents with a "strawberry cervix" and a frothy, yellowish-green vaginal discharge. What is the organism?

A. Candida albicans

B. Trichomonas vaginalis

C. Neisseria gonorrhoeae

D. Gardnerella vaginalis

175. [ANTENATAL CARE]

Naegele's rule is used to calculate the Estimated Date of Delivery (EDD). If the Last Normal Menstrual Period (LNMP) was April 10, 2023, what is the EDD?

A. January 10, 2024

B. January 17, 2024

C. December 17, 2023

D. January 3, 2024

176. [PREGNANCY COMPLICATIONS]

Which of the following is the most common site for an Ectopic Pregnancy?

A. Ovary

B. Cervix

C. Fallopian Tub

e (Ampulla)

D. Abdominal cavity

177. [LABOR & DELIVERY]

A "Partograph" should be started when the woman enters:

A. The latent phase of labor

B. The active phase of labor (now defined as 5 cm or 6 cm)

C. The second stage of labor

D. When the membranes rupture

178. [GYNECOLOGY]

What is the classic triad of Pelvic Inflammatory Disease (PID)?

A. Fever, Jaundice, Pain

B. Pelvic pain, Cervical motion tenderness, Adnexal tenderness

C. Vaginal bleeding, Fever, Pain

D. Nausea, Vomiting, Pain

179. [LABOR & DELIVERY]

Which maneuver is used to deliver the shoulders in a Shoulder Dystocia case by hyperflexing the mother's legs against her abdomen?

A. McRoberts Maneuver

B. Mauriceau-Smellie-Veit maneuver

C. Wood's Screw maneuver

D. Zavanelli maneuver

180. [ANTENATAL CARE]

Screening for Gestational Diabetes is typically done at how many weeks of gestation?

A. 12-14 weeks

B. 18-20 weeks

C. 24-28 weeks

D. 36-38 weeks

181. [GYNECOLOGY]

A woman has a Pap smear showing HSIL (High-grade Squamous Intraepithelial Lesion). What is the next step?

A. Repeat Pap smear in 1 year

B. Colposcopy and Biopsy

C. Hysterectomy

D. Antibiotics

182. [PREGNANCY COMPLICATIONS]

A 20-year-old at 30 weeks gestation presents with heavy vaginal bleeding and a "board-like," tender uterus. Fetal heart tones are absent. What is the diagnosis?

- A. Placenta Previa**
- B. Abruptio Placentae**
- C. Ruptured Uterus**
- D. Marginal Sinus bleed**

183. [LABOR & DELIVERY]

Which of the following is an indication for a Classical Cesarean Section (vertical incision in the upper segment)?

- A. Previous C-section**
- B. Transverse lie with ruptured membranes**
- C. Placenta Previa**
- D. Fetal Distress**

184. [GYNECOLOGY]

What is the most common cause of Amenorrhea in a woman of reproductive age?

- A. Polycystic Ovary Syndrome (PCOS)**
- B. Pregnancy**
- C. Pituitary Tumor**
- D. Stress**

185. [ANTENATAL CARE]

Which of the following drugs is Contraindicated in pregnancy?

- A. Methyldopa**
- B. Amoxicillin**
- C. Warfarin**
- D. Ferrous Sulfate**

186. [PREGNANCY COMPLICATIONS]

A woman at 10 weeks gestation has vaginal bleeding and a closed cervix. Ultrasound shows a viable fetus. This is:

A. Inevitable Abortion

/ B. Threatened Abortion

C. Missed Abortion

D. Incomplete Abortion

187. [LABOR & DELIVERY]

In a "Breech Presentation," which part of the fetus is the "denominator"?

A. Occiput

B. Mentum (Chin)

C. Sacrum

D. Acromion

188. [GYNECOLOGY]

Which of the following is the most significant risk factor for Endometrial Cancer?

A. Multiple sexual partners

B. Unopposed Estrogen exposure (e.g., obesity, late menopause)

C. Smoking

D. Use of Combined Oral Contraceptives

189. [PREGNANCY COMPLICATIONS]

Hyperemesis Gravidarum is severe vomiting in pregnancy that leads to:

A. Hypertension

B. Weight gain

C. Ketonuria and Weight loss

D. Hyperglycemia

190. [LABOR & DELIVERY]

Which medication is used to reverse Magnesium Sulfate toxicity?

A. Naloxone

B. Calcium Gluconate

C. Vitamin K

D. Protamine Sulfate

191. [GYNECOLOGY]

A 35-year-old woman has failed to conceive after 12 months of regular unprotected intercourse. This is the definition of:

A. Primary Infertility

B. Secondary Infertility

C. Fecundity

D. Subfertility

192. [ANTENATAL CARE]

The "First Leopold Maneuver" is used to determine:

A. The fetal part in the fundus

B. The location of the fetal back

C. The presenting part at the pelvic inlet

D. The degree of engagement

193. [PREGNANCY COMPLICATIONS]

A pregnant woman with HELLP Syndrome will show which of the following lab findings?

A. High Hemoglobin, Low Liver Enzymes, High Platelets

B. Hemolysis, Elevated Liver Enzymes, Low Platelets

C. Low BP, Low Glucose, High Proteinuria

D. High Urea, Low Creatinine, Low Platelets

194. [LABOR & DELIVERY]

Which Pelvic Type is considered the "ideal" for vaginal delivery?

A. Android

B. Anthropoid

C. Platypelloid

D. Gynecoid

195. [GYNECOLOGY]

Post-coital bleeding (bleeding after sex) is a classic warning si

gn of:

A. Endometrial Cancer

B. Cervical Cancer

C. Ovarian Cancer

D. Bartholin's Cyst

196. [PREGNANCY COMPLICATIONS]

Polyhydramnios (excessive amniotic fluid) is commonly associated with:

A. Fetal renal agenesis

/ B. Maternal Diabetes

C. Premature Rupture of Membranes

D. Post-term pregnancy

197. [LABOR & DELIVERY]

The term "Engaged" means the widest diameter of the fetal head has passed through:

- A. The pelvic outlet**
- B. The pelvic inlet**
- C. The mid-pelvis**
- D. The vulva**

198. [GYNECOLOGY]

Which of the following is a risk factor for Pelvic Organ Prolapse?

- A. Nulliparity**
- B. Multiparity and prolonged second stage of labor**
- C. C-section delivery**
- D. Young age**

199. [ANTENATAL CARE]

Quickening (the first time the mother feels fetal movement) usually occurs in a primigravida at:

A. 12-14 weeks

B. 18-20 weeks

C. 24-26 weeks

D. 30-32 weeks

200. [PREGNANCY COMPLICATIONS]

Which of the following is the most common cause of first-trimester spontaneous abortion?

A. Maternal trauma

B. Fetal chromosomal abnormalities

C. Infections

D. Uterine anomalies

THE FINAL 10: HIGH-YIELD MIX

1. [INTERNAL MEDICINE - HIV/TB]

A 30-year-old HIV-positive patient (CD4 = 150) is diagnosed with Pulmonary TB. According to the Ethiopian guideline, when should Antiretroviral Therapy (ART) be started?

- A. Immediately on the same day as TB treatment.**
- B. 2 to 8 weeks after starting TB treatment.**
- C. Only after the 6-month TB treatment is completed.**
- D. When the CD4 count drops below 50.**

2. [SURGERY - ABDOMINAL]

A 55-year-old male presents with massive abdominal distention and inability to pass flatus. Abdominal X-ray shows a "coffee-bean" sign. He is hemodynamically stable and has no signs of peritonitis. What is the initial management of choice?

- A. Emergency Exploratory Laparotomy**
- B. Sigmoidoscopy and Rectal Tube Decompression**
- C. High-dose Laxatives**
- D. Barium Enema**

3. [PEDIATRICS - NUTRITION]

In the management of Severe Acute Malnutrition (SAM), what is the primary criteria to move a child from Phase 1 (Stabilization) to the Transition Phase?

- A. When the child starts to play.**
- B. When the child's edema has completely disappeared.**
- C. When the child has a return of appetite (eating at least 75**
- D. When the child has gained 10**

4. [OB/GYN - PREECLAMPSIA]

A woman with Severe Preeclampsia is receiving a Magnesium Sulfate infusion. During your hourly check, you find her Respiratory Rate is 10 breaths per minute and her Deep Tendon Reflexes are absent. What is the immediate next step?

- A. Increase the dose of Magnesium Sulfate.**
- B. Continue the infusion and re-check in 15 minutes.**
- C. Stop the infusion and administer Calcium Gluconate (IV).**
- D. Perform an emergency C-section.**

5. [PUBLIC HEALTH - EPIDEMIOLOGY]

In a study of a new screening test for Malaria, the test correctly identifies 80 out of 100 people who truly have the disease. It also correctly identifies 90 out of 100 people who are truly healthy. What is the Specificity of this test?

- A. 10**
- B. 80**
- C. 90**
- D. 100**

6. [NEONATOLOGY - APGAR]

A newborn infant has a heart rate of 110 bpm, is crying vigorously, has active movement of all extremities, sneezes when the nose is suctioned, but has blue hands and feet (body is pink). What is the APGAR score?

- A. 7**
- B. 8**

C. 9

D. 10

7. [SURGERY - BURNS]

A 70kg man has sustained deep partial-thickness burns to his entire back and his entire left arm. Using the Parkland Formula ($4 \text{ ml} \times \text{kg} \times \% \text{ TBSA}$), what is the total volume of Ringer's Lactate required in the first 8 hours?

A. 3,780 ml

B. 7,560 ml

C. 1,890 ml

D. 5,400 ml

8. [INTERNAL MEDICINE - DIABETES]

A patient in Diabetic Ketoacidosis (DKA) is being treated with IV fluids and an insulin drip. His initial Potassium level was 3.2 mEq/L (Normal: 3.5–5.0). What is the most important action regarding potassium?

A. Do not give potassium because the patient is already acidotic.

B. Start potassium replacement immediately or even before starting insulin.

C. Wait until the potassium level drops below 2.5 to start replacement.

D. Only give potassium if the patient stops producing urine.

9. [OB/GYN - SCREENING]

In Ethiopia, the "See and Treat" approach for cervical cancer screening in low-resource settings primarily uses which method?

A. Pap Smear

B. HPV DNA Testing

C. Visual Inspection with Acetic Acid (VIA)

D. Colposcopy

10. [PEDIATRICS - IMNCI]

According to IMNCI guidelines, what is the respiratory rate threshold for "Fast Breathing" (Pneumonia) in a child aged 12 months to 5 years?

A. ≥ 60 breaths per minute

B. ≥ 50 breaths per minute

C. ≥ 40 breaths per minute

D. ≥ 30 breaths per minute