

Ethiopian Health Professional Exit/Licensure Examination Selected Questions

- 1 A two years old child was presented with itching and erythematous skin of one weeks duration. The child skin becomes pale while after itching and he has the same family history.

What is the most likely DX of this child?

- A) Scabies
 - B) Tenia cupitus
 - C) Atopic dermatitis
 - D) Contact dermatitis
2. A 29 years old women comes to gynaecology clinic upon appointment. She was treated for syphilis with parenteral penicillin three weeks back. The midwives wants to monitor treatment outcome.

What is the most appropriate way to monitor the outcome?

- A) Laboratory request for VDRL
 - B) Speculum Examination
 - C) Ultrasound Scan
 - D) Chest X-Ray
- 3 A 30 years old women goes to hospital for acute abdominal pain. The health care told to her about her health problem, procedure and complications. How ever she refused the treatment or procedure however the health care provider respect her idea. This shown that what principle of professional ethics ?

- A) Autonomy
- B) Beneficence
- C) Nin maleficence
- D) Veracity

- 4 A 68 years old male patient comes to EOPD Department complaints with sever abdominal pain, bilious vomiting difficulty to pass air. Currently he hasn't history of constipation. On physical EXAMINATION His abdomen was distended, tender to palpation and his bowel sound is high pitched.

What is the most likely diagnosis of the patient ?

- A) Appendicitis
- B) Inflammatory Bowel Diasese
- C) Large Bowel Obstruction

D) Small Bowel Obstruction

EXPLANATION

The abdomen is distended (swollen), tender to palpation (pain with touch), and high-pitched bowel sounds are present. High-pitched bowel sounds are often associated with obstruction and hyperperistalsis (increased bowel movement).

- While appendicitis (A) can cause abdominal pain, vomiting, and lack of bowel movement, its pain is more localized to the right lower quadrant, and it's unlikely to cause bilious vomiting or high-pitched bowel sounds. Inflammatory Bowel Disease (B) is less likely to cause such sudden symptoms, but its chronic nature might be a consideration. Large Bowel Obstruction (C) would be expected to cause more bowel pattern change, and could be expected with a lack of bowel movement. Small bowel obstruction presents with a more severe presentation, including pain, bilious vomiting, and distention.

Therefore, the combination of these symptoms strongly suggests a small bowel obstruction.

5 A female nurse attending hospital reform training introduce herself as she is serving with skill and knowledge expected for specific position she is assigned to

What is the most likely managerial level of a nurse expressed in this case?

A, Top level

B, **First level**

C, Middle level

D, Second level

EXPLANATION

The statement indicates the nurse is serving with skill and knowledge expected for a specific position. This implies a more active role in direct patient care, rather than strategic planning or broader organizational responsibilities. First-level managerial positions in nursing (e.g., team leader,

charge nurse) focus on direct patient care, supervision of other nurses, and implementing care plans within a specific unit.

- **Top level:**

Top-level nursing management (e.g., Director of Nursing, Chief Nursing Officer) focuses on hospital-wide policies, strategic planning, and budgetary matters. These individuals typically have very different skillsets and responsibilities.

- **Middle level:**

Middle-level nursing management (e.g., Nursing Supervisor, Nurse Manager) oversees multiple units or departments, managing teams and coordinating resources. While they may have direct patient care responsibilities, their primary focus is on the broader organizational functions.

- **Second level:**

There is no widely accepted "Second level" in typical organizational charts for nursing. A first-level manager would be the most appropriate role based on the information provided.

TOP LEVEL –such as board of directors, Presidents and vice presidents

Middle level–such as directors of nursing, supervisory staffs and department heads

First line/front line/ or supervisory management– such as head nurses and staffs.


The primary differences between levels of managers are the degree of authority and the scope of responsibility and organizational activity at each level

6 A nurse who is working as a ward head in a hospital developed annual plan with hospital staff teams. However they failed to achieve the plan because of inability to mobilizing the human resource and material from the hospital.

What is the most likely management function that causes low achievement of this ward?

- A) Planning
- B) Organizing
- C) Directing
- D) Controlling

The Management functions



7 A serious Conditions in Which the bone marrow does not produce a new blood cell. It may passed down from the parents developed during child hood.

- A) Iron deficiency Anemia
- B) Sickle cell Anemia
- C) **Aplastic Anemia**
- D) Vitamin B12 deficiency Anemia

8 A male client with a history of hypertension is diagnosed with primary hyperaldesteronism. This diagnosis indicates that the client's hypertension is caused by excessive hormone secretion from which of the following glands ?

- A) **Adrenal Cortex**
- B) Pancreas
- C) Adrenal Medulla
- D) Parathyroid Gland

Explanation: Primary aldosteronism refers to a condition where the adrenal glands produce too much aldosterone, a hormone that regulates sodium and potassium levels in the body, leading to high blood pressure.

Answer: A. Adrenal cortex

Excessive secretion of aldosterone in the adrenal cortex is responsible for the client's hypertension. This hormone acts on the renal tubule, where it promotes reabsorption of sodium and excretion of potassium and hydrogen ions. The pancreas mainly secretes hormones involved in fuel metabolism. The adrenal medulla secretes the catecholamine — epinephrine and norepinephrine. The parathyroids secrete parathyroid hormone.

9 A 16 years old boy, who was previously treated for pulmonary TB, clinic after a year with cough. Laboratory investigation shows smear and gene-X +ve.

What is the most likely case definition of this client?

- A) New
- B) Treatment failure
- C) Relapse
- D) Treatment after loss follow up

10 client who is 26 weeks of gestation arrived at the clinic for her scheduled EXAMINATION. Her Blood Pressure is 150/86. She tell the nurse that she gained 2 pound of weight in the last 2 weeks.

What is the priority NURSING action ?

- A) Test the client's urine for albumin
- B) Take the client's body temperature
- C) Prepare the client for vaginal examination
- D) Schedule the client for an appointment in a week

In pregnancy, the presence of albumin (a type of protein) in the urine, particularly alongside high blood pressure, is a key indicator of preeclampsia, a serious condition affecting both mother and baby. Preeclampsia can lead to various complications, including reduced placental blood flow, which can hinder fetal growth and development.

- **Preeclampsia:**

Preeclampsia is characterized by high blood pressure and protein in the urine, usually occurring after 20 weeks of pregnancy.

- Albumin in Urine ([Proteinuria](#)):

Albuminuria, or the presence of albumin in the urine, is a hallmark of preeclampsia, indicating kidney damage and the body's inability to filter proteins properly.

11. A 30 years old man was found to have a BP=170/100. He has a history of ATSHMA.

Which one of the following most appropriate drug of choice?

- A) Atenolol
- B) Enalapril
- C) Hydralazine
- D) Furosemide

Thanks to All

PEACE BE UP ON YOU

HAVE A NICE TIME