

3. A six-year-old child was brought to a clinic with complaints of ear pain and irritability. At the time of presentation, the child tugs on his right ear. On physical examination, the ear drum is gray, thickened, and bulged. The physician diagnosed otitis media and started asking the family for child's history before prescribing medication.

What is the most important information that should be obtained?

- (A) Immunization history
(B) Previous antibiotic use
(C) Family monthly income
(D) Previous medical history

4. A 12-year-old male child with complaints of right upper quadrant abdominal pain and fever of one week duration was presented to a hospital. He also reported dark colored urine and pale stool. On physical examination, the patient has jaundice and right upper quadrant tenderness. On laboratory examination, ALT: 240U/L (NR: 7 - 41), AST: 200U/L (NR: 12 - 38 U/L), ALP: 450U/L (NR: 44 - 147), and total bilirubin: 20mg/dl (NR: 0.3 - 1.3). The physician's diagnosis is acute hepatic failure.

What is the most likely causative agent of hepatitis in this patient?

- (A) Hepatitis A
(B) Hepatitis B
(C) Hepatitis C
(D) Hepatitis D

5. A 61-year-old man was found unconscious at home and was taken to a hospital. His families reported that he was complaining of a sore throat a few days before the event. He has no history of admission. He is now febrile and has productive cough. On examination, he is pyrexial, hypoxic and tachycardic with reduced air entry to auscultation at the right base. Chest x-ray reveals a right basal pneumonia. His serum urea level is 30mg/dl. (NR: 7 - 20)

What is the most appropriate treatment for this patient?

- (A) Amoxicillin 500 mg PO TID for seven days
(B) Doxycycline 100mg PO daily for seven days
(C) Azithromycin 500mg PO daily for three days
(D) Benzyl penicillin 2-3 million IU I.V. QID for seven days

6. A six-year-old child complaining eye redness and tearing of both eyes was presented to a hospital. The child is from low socio-economic status family and he does not wash his face on daily basis. On physical examination, there is mucopurulent discharge. The physician's diagnosis is trachoma.

What is the most appropriate treatment for this patient?

- (A) Tetracycline, 250mg PO, QID for three weeks
(B) Doxycycline, 100mg PO, QD for three weeks
(C) Azithromycin, 20mg/kg PO stat
(D) Erythromycin, 30mg/kg PO stat

MILKI HEALTH SCIENCE TUTORIAL CENTER



0910 69 0594
0911 05 8885

TAJAAJILA KENNINU

- ✓ **Barnoota Dabalataa Kennu**
- ✓ **Exit Exam/ COC'f isin qopheessuu**
- ✓ **Leenjiwwan gaggabaaboo kennuu fi kkf**



Teessoon: Magaalaa Naqamtee
Gamoo OSSA Darbii 3^{ffaa}

72. Throughout the drug supply management cyclic process, routine collection and analysis of measurements are needed to determine the ongoing progress toward objectives. This is one of the activities that have to be performed by drug supply manager of a hospital.

What is the most likely activity that is best explained in the above case?

- (A) Evaluation (C) Monitoring
(B) Analysis (D) Impact assessment

73. Bottled gas or kerosene powers refrigerators; alcohol; and power bunsen burners are among the pharmaceuticals that need special storage conditions.

What is the most likely reason that necessitates the special storage conditions?

- (A) Because they are Controlled Substances (C) Because they are Cytotoxic
(B) Because they are Flammable (D) Because they are Bulky

74. A pharmacist, who works in a hospital, moves products from the unloading dock, or receiving area, after they are released for storage; and assigning them to their designated storage area (rack, shelf, floor, etc.)

What is the most likely storage activity exercised by the pharmacist in this case?

- (A) Shipping (B) Put away (C) Receiving (D) Picking

75. Placing pharmaceuticals order is a routine activity in logistics. In most logistics systems, an order is placed for new supplies every month, or every quarter, from a Service Delivery Point to a higher level. In some logistics systems, the quantity to be resupplied is calculated by the person (usually the pharmacy professional) placing the order. And this is one of the systems of ordering pharmaceuticals.

What is the most likely system of ordering pharmaceuticals that the above case is referring?

- (A) Pull system (C) Allocation system
(B) Push system (D) Rationing system

76. A pharmacist is asked to assess the stock status of Aspirin 81 mg in a clinic. There are 100 units of Aspirin tablets in the store and 25 units of the medication are dispensed every month.

For how long is most likely the available Aspirin will last?

- (A) Four months (C) One month
(B) Two months (D) Three months

47. A researcher is writing a 'problem statement' for his research proposal on the magnitude and factors associated with an antibiotics self medication practice among health professionals in Ethiopia.

What is the main point that should be included under this section?

- (A) Description of how the objectives will be achieved
- (B) Justification of why the study is needed
- (C) Description of what will be studied
- (D) Specifying the analysis procedures

48. A researched survey planned to conduct to find out if there is a relationship between gender and health related issues in a district.

What would be the first step to be done in this case?

- (A) Undertaking field work
- (B) Setting a general objective
- (C) Determining the sample size
- (D) Developing assessment tool

49. A researcher is interested in conducting research on rational drug use among health professionals in selected public hospitals and health centers in a region.

What is the most appropriate sampling technique for this case?

- (A) Stratified sampling method
- (B) Simple random sampling
- (C) Systematic sampling
- (D) Sequential sampling

50. A researcher planned to conduct a study on community drug use behavior using a cross sectional study. The researcher initially calculated sample size; however, felt that the response rate might be much lower and the final result might not be representative of the source population.

What is the most appropriate solution for this case?

- (A) To calculate the sample size and make adjustment
- (B) To continue the study with the calculated sample size
- (C) To change the study area to a more responsive community
- (D) To double the sample size and proceed to the data collection

51. A study was conducted in a hospital. The way in which cases and controls, or exposed and non-exposed individuals were recruited. The finding shows that there is an apparent association even if, in reality, the exposure and disease are not associated.

What is the most likely reason of the apparent association in this study?

- (A) Recall bias
- (B) Selection bias
- (C) Interviewer bias
- (D) Non response bias

22. A pharmacist wanted to sterilize sealed containers of oily solutions or suspensions. What is most appropriate sterilization method to be applied in this case?
- (A) Steam heat
 - (B) Dry heat
 - (C) Filtration
 - (D) Irradiation

23. A pharmaceuticals industry manufactured a batch of Beclomethasone dipropionate oral aerosol for marketing. Before product release, pharmaceutical analyst sampled the product and conducted leak test. A component of aerosol package is checked and it was confirmed that the container is defective.

What is the most likely evidence of the defect?

- (A) Crimping of valve
- (B) Concentrate instability
- (C) Fitting of actuator to valve
- (D) Uncoating of glass container ✓

24. A pharmaceuticals factory has a plan to start manufacturing combination of budesonide and formoterol fumarate aerosol in a single container. The cold filling method is selected for packaging.

What is the appropriate temperature that should be used during bulk material filling?

- (A) Cold temperature
- (B) Cool temperature
- (C) Freeze temperature
- (D) Ambient room temperature

25. A pre-licensing inspection was done for a pharmacy with a compounding room. The inspecting team found out that the compounding room has an acceptable dimension compared with the EFDA pharmaceutical retail out late establishment criteria.

What is the minimum dimension of the compounding room in this case?

- (A) 5 X 1.5
- (B) 4 X 2
- (C) 3 X 2.5
- (D) 4.5 X 2

26. A pharmaceuticals manufacturing factory was asked for retained samples of starting materials and products from previous months by inspection team. However, the designated personnel from the factory told the team that they did not keep any sample once the production process was over.

What is the most probable future risk that the factory will face in this case?

- (A) Products from the factory will not be of sufficient quality
- (B) Desired goals with respect to product uniformity will not be achieved
- (C) The probability to produce high quality products will result in high cost
- (D) Difficulty of fully investigating quality defect once the product marketed

BOOKLET CODE: 018

8. A pharmaceutical industry has been preparing coated tablet from for moisture sensitive dabigatranet exilate.

What unique packaging system should be used for this drug?

(A) Store in refrigerator
(B) Pack in normal container
(C) Store in cool temperature
(D) Copackage with desiccant

9. A pharmacist required an ophthalmic preparation that does not cause irritation to the eye. It must also permit the diffusion of the medicinal substance throughout the secretions bathing the eye. The pharmacist has selected ophthalmic ointments instead of solutions.

What is the main reason for selecting ophthalmic ointments in this case?

(A) No irritating property
(B) Have elegant appearance
(C) Extended residence time
(D) Melt at body temperature

10. A pharmacist is preparing gel formulation for diagnostic purpose. However, the gelling agent is found to have stability problem and is also highly oxidized during storage.

What is the most appropriate excipient to be added to solve this problem?

(A) Sodium Crystalline Methyl Cellulose
(B) Ethylene Diamine Tetra-Acetic Acid
(C) Aluminum Magnesium Silicate
(D) Poly Ethylene Glycol

11. A pharmacist who is working in a research and development unit has prepared acyclovir cream as a drug of choice for herpes simplex keratitis. A sample was taken to check the microbial quality of this product. After some procedures, it was concluded that the product contains bacterial endotoxins beyond the permissible level.

What is the most likely test performed in this case?

(A) Pyrogen test
(B) Sterility test
(C) Microbial limit test
(D) Preservative efficacy test

12. A pharmacist who is working in a pharmacy compounded Miconazole nitrate cream (2%) for fungal skin infection treatment. The prescription ordered the patient to apply twice a day for ten days.

What is the most appropriate container that the pharmacist should use in this case?

(A) Glass tube
(B) Prefilled syringe
(C) Hermetic canister
(D) Wide-mouthed jar

Ethiopian Health Professionals' Licensure Examination

Pharmacy Exam
Nehase 2014/August 2022
PART TWO

BOOKLET CODE: 018
Number of Items: 100

SUBJECT CODE: 08
Time Allowed: 2:30 hours

DIRECTIONS: Each of the following questions is followed by four possible alternative answers. Read each question carefully and **blacken** the letter of your best choice on the separate answer sheet provided.

1. A hospital pharmacist is making hard gelatin capsules using a hand-filling machine. He decided to buy a semiautomatic machine in order to increase the amount of filler. However, after three months of storage, the pharmacist observed that the capsules became brittle.

What could be the most likely cause of the brittleness in this case?

(A) Poor quality of the capsule
(B) Hygroscopicity of excipients
(C) More moisture was absorbed
(D) Hygroscopicity of the capsule

2. A pharmacist who is working on tablet line in-process laboratory control is characterizing a tablet for its product quality. After checking the friability and hardness, disintegration study is done.

What is the most likely investigation done by the pharmacist in this case?

- (A) Dissolution profile of the tablet
(B) Bioavailability of the drug to the body
(C) The changing property of the tablet to solution form
(D) The rate of breaking down of tablet into smaller granules

3. A community pharmacist was dispensing Omeprazole pellet filled in a capsule. He labeled the product including administration process.

What is the most important information that should be included in the label?

- (A) Swallow a single pellet at once
(B) Dissolve the pellet in clean water and swallow
(C) Swallow all encapsulated pellets in a capsule at once
(D) Break the capsule shell and swallow all pellet in a capsule

(D) Bismuth subsalicylate + Clarithromycin

37. A 36-year-old man visited an outpatient psychiatric clinic with symptoms suggestive of anemia which was later confirmed with decreased Hgb level of 8 g/dL. On his medical chart review, he has been on Carbamazepine 100 mg PO TID for the last two months and Chlorpheniramine 4 mg PO BID, Amoxicillin 500mg PO TID and Cimetidine 400mg PO for the last one week.

What is the most likely drug therapy that might have caused anemia?

- (A) Cimetidine
- (B) Amoxicillin
- (C) Carbamazepine
- (D) Chlorpheniramine

38. A 44-year-old woman with a known chronic kidney disease came to an outpatient department for regular follow-up. The woman has been taking Darbepoetinalfa 270mcg weekly for the last three months. On laboratory investigation, Hgb is 8.8g/dL, Hct is 26.5%, MCV is 67 fL, MCH is 23.5 pg/cell, and MCHC is 24.5 g/dL. (NR: Hgb is 12-15.8g/dL, Hct 35.4-44.4%, MCV 79-93.3 fL, MCH 26.7-31.9 pg/cell, MCHC 32.3-35.9 g/dL)

What is the most appropriate management for this patient?

- (A) Iron supplementation
- (B) Folic acid supplementation
- (C) Vitamin B₆ supplementation
- (D) Vitamin B₁₂ supplementation

39. A 35-year-old female patient visited a hospital with complaints of joint pain and stiffness involving symmetrical joints of her hands and feet of eight weeks duration. On physical examination, the patient had swelling of the involved joints and the erythrocyte sedimentation rate was raised. The physician set the diagnosis as rheumatoid arthritis.

What is the most likely clinical presentation for her current diagnosis?

- (A) Duration of the pain
- (B) Swelling of the joints
- (C) Stiffness of the joints
- (D) Symmetrical involvement

91. A hospital pharmacy procurement team was requested to purchase digoxin a month ago. However, the team failed to avail the drug on time. As a result, an increased hospitalization of heart failure patients was observed.

Which ethical principle is most likely violated by the team?

- (A) Autonomy
- (B) Honesty
- (C) Justice
- (D) Non-maleficence

92. A pharmacist who works in a regional PFSA hub, received procurement requests from three referral hospitals. However, the stock was insufficient to fulfill all the three requests. Finally, the pharmacist used population size and disease morbidity to calculate the quantities of medicines to be received by each hospital.

What is the most relevant ethical principle in the pharmacist's decision?

- (A) Autonomy
- (B) Beneficence
- (C) Non-maleficence
- (D) Justice

93. A diabetic patient visited a pharmacy to refill a prescription containing Glibenclamide 2.5 mg/day. The patient was also taking Ciprofloxacin (500 mg bid) for the past two days and decided to discontinue the antibiotic. Despite the pharmacist's attempt to explain the possible consequences of such a decision, the patient refused to take ciprofloxacin or an alternative antibiotic. Finally, the pharmacist accepted the patient's decision and dispensed the glibenclamide.

What is the most relevant ethical principle in the pharmacist's reaction?

- (A) Autonomy
- (B) Confidentiality
- (C) Transparency
- (D) Accountability

94. A patient visited a community pharmacy with an authorized prescription for morphine 10 mg. The pharmacist checked the pharmacy records and found that the patient has bought 50 tablets of the same drug 3 days earlier.

What would be the most likely ethical course of action for the pharmacist?

- (A) Dispensing the drug as prescribed
- (B) Refusing to dispense the drug
- (C) Contacting the prescriber for confirmation
- (D) Reporting the case to the relevant authority



Milki health science tutorial center



+251910690594, +251911058885

Tajaajiloota nuti kenninu



Barnoota dabalataa kennuu

Exit Exam'f/ COCf isin qopheessuu.

Leenjiwwan gaggabaaboo kennuu fi K.K.F.



Teesoo: Magaalaa Naqamtee, Gamoo OSSA, Darbii 3ffaa

(D) Bismuth subsalicylate + Clarithromycin

37. A 36-year-old man visited an outpatient psychiatric clinic with symptoms suggestive of anemia which was later confirmed with decreased Hgb level of 8 g/dL. On his medical chart review, he has been on Carbamazepine 100 mg PO TID for the last two months and Chlorpheniramine 4 mg PO BID, Amoxicillin 500mg PO TID and Cimetidine 400mg PO for the last one week.

What is the most likely drug therapy that might have caused anemia?

- (A) Cimetidine
- (B) Amoxicillin
- (C) Carbamazepine
- (D) Chlorpheniramine

38. A 44-year-old woman with a known chronic kidney disease came to an outpatient department for regular follow-up. The woman has been taking Darbepoetinalfa 270mcg weekly for the last three months. On laboratory investigation, Hgb is 8.8g/dL, Hct is 26.5%, MCV is 67 fL, MCH is 23.5 pg/cell, and MCHC is 24.5 g/dL. (NR: Hgb is 12-15.8g/dL, Hct 35.4-44.4%, MCV 79-93.3 fL, MCH 26.7-31.9 pg/cell, MCHC 32.3-35.9 g/dL)

What is the most appropriate management for this patient?

- (A) Iron supplementation
- (B) Folic acid supplementation
- (C) Vitamin B₆ supplementation
- (D) Vitamin B₁₂ supplementation

39. A 35-year-old female patient visited a hospital with complaints of joint pain and stiffness involving symmetrical joints of her hands and feet of eight weeks duration. On physical examination, the patient had swelling of the involved joints and the erythrocyte sedimentation rate was raised. The physician set the diagnosis as rheumatoid arthritis.

What is the most likely clinical presentation for her current diagnosis?

- (A) Duration of the pain
- (B) Swelling of the joints
- (C) Stiffness of the joints
- (D) Symmetrical involvement

8. A pharmacist managing the drug supply in a referral hospital plans to forecast the amount of medicines needed for the coming year based on past consumption records.

What is the most appropriate source of information to be used in the above case?

- (A) Kardex
(B) Stock record
(C) Bin card
(D) Ledger

9. A pharmacist, working in a forecasting and quantification department of a hospital, wants to use a quantification method that can be reliable estimate of average medicine cost per patient attendance and the average number of attendees in the process of calculation.

What is the most appropriate quantification method in this case?

- (A) Morbidity method
(B) Consumption method
(C) Proxy consumption method
(D) Service level projection of budget requirements method

10. The head of a pharmacy unit in a general hospital with resource constraints wants to institute effective staff motivation strategies that will improve service quality and workers satisfaction.

What kind of motivation strategy is most successful in this situation?

- (A) Political pressures on staff
(B) Salary adjustment for all staff
(C) Inviting motivational speakers
(D) Performance-based incentive plans

11. A pharmacist working as a purchasing coordinator in a given health facility planned to purchase medicines. There are adequate safety stock quantity of each pharmaceutical and plenty of suppliers. The goal of the pharmacist was to get the cheapest prices for the procured medicines.

What is the most appropriate procurement method to be used by the pharmacist?

- (A) Direct procurement method
(B) Restricted tender method
(C) Reverse auction method
(D) Open tender method

12. A pharmacist working in a referral hospital warehouse received diazepam and morphine injection.

What is the most appropriate storage condition for these products?

- (A) In a separate room near the pharmacy head's office
(B) In a separate locked cabinet at room temperature
(C) In a clean and dry area at room temperature
(D) In a refrigerator between $+8^{\circ}\text{C}$ and $+15^{\circ}\text{C}$

43. A pharmacist is advertizing several antibiotics, analgesics, narcotics and psycho-tropics medications to health professionals.

What is the legally prohibited act on the advertizing?

- (A) Giving free sample of the products
- (B) Promoting prescription only products
- (C) Promoting brand names of the products
- (D) Using posters and stickers of the products

44. A pharmaceutical importer wanted to import and distribute infant formulas in addition to the current pharmaceuticals they are importing.

What is the most likely legal requirement in this case?

- (A) Renew a professional license if out of date.
- (B) Import the quality and standard products.
- (C) Get a special permit from the authority.
- (D) Get a new registration and license.

45. A 25-years-old pregnant woman came to a community pharmacy requesting for an advice on the ways of inducing abortion. She narrated that she gets pregnant after having a sexual intercourse with a family member two months back.

What is the most likely legal claim for the woman's case?

- (A) Abortion is allowed if the woman has a mental problem.
- (B) Abortion not allowed since it is illegal in the country.
- (C) Abortion can be performed by health professionals.
- (D) Abortion is allowed if the woman has been raped.

46. A research team requested a regulatory body to import pharmaceuticals that were not registered in the country's drug registration list for a clinical trial purpose.

What is the most appropriate legal response for this case?

- (A) Register first
- (B) Deny to import
- (C) Allow to import
- (D) Check the safety

31. A Company which is located in stringent regulatory authority (SRA) region has applied for re-registration of its product in the market. The medicine dossier assessor identified that some information in the documents like; information in module one, information in module two, information in module three and information in module five are not submitted by the applicant. As a result, the assessor rejected the application.
- What is the missed critical module that results rejection of the application in this case?
- (A) Module one
(B) Module two
(C) Module three
(D) Module five
32. An applicant, who was seeking market authorization for its new finished pharmaceutical product to be imported, has submitted an application to a regulatory authority. The application is composed of a ten-page document describing the type of the product, its use, and where it came from. Besides, the applicant presented 15 boxes product samples and some certificates of recognition from an organization in the product's country of origin.
- What is the most appropriate feedback to be provided to the applicant in this case?
- (A) Evaluated samples for quality
(B) Samples are not required at this level
(C) Proceed to the next phase in the process
(D) Submit a product dossier for the registration
33. A Food and Drug Authority has a particular format for the content of the summary of product characteristics (SmPC) in an application for finished pharmaceutical product registration.
- What is the acceptable and supported component of an application in this case?
- (A) Pregnancy and lactation information
(B) Profile of the scientist who designed the dosage form
(C) Preclinical safety data that makes the product superior
(D) Pharmacodynamic advantages over other similar generic products
34. A team from pharmaceutical company has developed a generic product by modifying some of the excipients used in the originator product. The team wanted to compare the product with the originator (comparator) and conducted dissolution test for both the generic and comparator product at pH of 4.5 and 6.8. As a result, the team concluded that the product is equivalent with the comparator. However, the regulatory body denied licensing this product for market authorization.
- What is the most likely reason that regulatory body denied licensing the product in this case?
- (A) The dissolution test is not done in basic medium.
(B) The similarity factor of the two products is not matching.
(C) The dissolution test does not cover the physiologic range.
(D) The dissolved amount at the two given point is not the same.

35. A pharmaceuticals and medical devices importing company wanted to hire a professional who is responsible for promoting complete blood count (CBC) machine that is imported and distributed by the company.

What are appropriate qualification and experience required for this position?

- (A) First degree in biomedical engineering and three (3) years of experience
- (B) First degree in pharmacy with zero (0) years of experience
- (C) First degree in chemistry and three (3) years of experience
- (D) First degree in biology and three (3) years of experience

36. A professional, who works in a pharmaceutical company, is found engaged in activities contrary with the objective of the certificates of competency of the pharmacist.

What is the most appropriate measure to be taken in this case?

- (A) Revoke certificate of competency
- (B) Write a warning letter to the company
- (C) Cancel professional practice registration
- (D) Give oral warning to the medical representative

37. An inspection team planned to conduct post marketing surveillance to porous border zone in order to detect the presence of poor quality medicine in the area. During sample collection, the team approached pharmacies and drug stores by mimicking a normal shopper who came from another part of the country and needs medicine for a specified disease

What is the most likely sample collection approach followed by the team in this case?

- (A) Overt sampling
- (B) Covert sampling
- (C) Convenient sampling
- (D) Simple random sampling

38. There have been multiple pharmacovigilance methods in place to detect and confirm ADRs and these may be passive surveillance techniques such as spontaneous ADR reporting or active surveillance methods like use of different registries (e.g. birth defect registries), cohort studies and randomized clinical trials.

Which approach represents the most affordable method of detecting really rare ADRs?

- (A) Cohort studies
- (B) Spontaneous ADR reporting
- (C) Randomized clinical trial
- (D) Analyzing data from registries

39. A pharmacist, who works in a hospital pharmacy, had a license based on his five years experience in community and hospital pharmacy. Two years ago, he left his job and started his own new business which ended up with unsuccessful result. For this reason, he wanted to get back to his previous pharmacy job.

What is the most appropriate initial step to be made by the pharmacist?

- (A) Rent his license
- (B) Notify the authority
- (C) Start working accordingly
- (D) Renew his license

40. Any health professional intending to practice in Ethiopia needs to be licensed by the respective regulatory body.

What is the most likely reason to reject license application for a pharmacy professional?

- (A) Medical certificate attesting capability to practice the profession
- (B) A degree earned from an accredited private institution
- (C) A degree earned from a distance education program
- (D) Education from non-English medium program

41. A pharmacist completed a bachelor of degree in pharmacy from a foreign country and has also received professional license. However, the pharmacist could not get a job for more than two years. As a result, the pharmacist decided to come back to Ethiopia.

What is the primary requirement to be fulfilled by the pharmacist in this case?

- (A) Get a new professional license from the concerned authority in Ethiopia
- (B) Get a temporary professional license from the concerned authority in Ethiopia
- (C) Produce evidence of equivalence of qualification issued by the competent body
- (D) Complete an internship program of six months to one year at assigned institution

42. A licensed pharmacist worked in a community pharmacy from 2008 to 2009 EC. Since the end of 2009, the pharmacist left the job due to family related problems. In 2014, the pharmacist wanted to return back to his previous work.

What is the most likely claim by the authority?

- (A) Inquire to bring a medical certificate proving fitness
- (B) Allow to get back to work after renewing the license
- (C) Allow to work with competent professional's supervision
- (D) Deem as the pharmacist was practicing without a professional license

8. Nursing responsibility during ambulance transportation includes all except,
- a) Patient care and restraint during transportation
 - b) Leaving alone the client in the ambulance
 - c) Loading and unloading patients on stretcher and car
 - d) Use of communications equipment and systems.

Matching

- | | |
|---|---------------------------|
| 1. Emergency care. | A. -- Management rule ABC |
| 2. The provision of special disability nursing Care for maximum effectiveness | B. -- Rehabilitation |
| 3. Harmful traditional practice | C. -- Uvullectomy |
| 4. Client right | D. -- Privacy |

12. An immediate new born was presented with clinical finding of defect in closure of the posterior vertebral arches, typically involving L5 and S1. The meninges, CSF and spinal cord are in their normal alignment.

What is the most likely maternal deficiency associated with the new born manifestation?

- (A) Thiamine
(B) Pyridoxine

- ☒ (C) Folic acid
(D) Ascorbic acid

13. A four-month-old infant was brought to under-five OPD with complaint of failure to increase body weight. On examination, the infant has no edema, WFL < -3 Z score value and visible wasting.

What intervention should be avoided to this infant?

- (A) Amoxicillin
☒ (B) Provide F-75

- (C) Provide Vitamin A
(D) Provide Folic acid

14. A four-year-old child was brought to pediatrics OPD with complaint of vomiting everything for one day duration. On examination, the child's conjunctiva and some part of the palm looked pale, WFH < -3 Z score, has edema, fatigue, tachypnea, slow capillary refilling time and was conscious.

What is the most likely complication of this child?

- (A) SAM plus shock
☒ (B) SAM plus Anemia

- (C) SAM plus Stroke
(D) SAM plus Dehydration

15. A four-year-old child was brought to pediatrics OPD with complaint of vomiting everything for one day duration. On examination, the child has cold hands, WFH < -3 Z score, capillary refilling time > 3 seconds and was unconscious. The nurse infuses IV fluid at 15ml/kg over 1 hour and the child fails to improve.

What is the next intervention to this child?

- (A) Provide 5-10 ml/kg ReSoMal with F-75.
(B) Provide nasogastric rehydration with ReSoMal.
☒ (C) Give 4 ml/kg of maintenance fluid for 1 hour.
(D) Transfuse 10 ml/kg whole fresh blood over 3 hours.

BOOKLET CODE: 011

8

SUBJECT CODE: 01

31. A chronic male alcoholic patient was admitted to a medical ward with end stage liver cirrhosis. The patient had stage one hepatic encephalopathy. He had unexplained epistaxis and spider angioma. A nurse prepared a care plan and gave patient-centered nursing care.

What is the most appropriate nursing care that should be given for this patient?

- (A) Administer supplemental vitamins K
- (B) Assist with selection of desired exercise
- (C) Keep patient's fingernails short and smooth
- (D) Provide diet high in carbohydrates and protein

32. A nurse prepared a patient for surgery by inserting NG tube. After inserting the tube, the nurse confirmed whether the tube is in the stomach.

What is the most appropriate sign used for confirmation?

- (A) The color of litmus paper is not changed after GI aspiration was applied
- (B) There is no air bubble from the tip of NG tube in a cup of water
- (C) There is no gurgle sound auscultated over abdomen
- (D) There is central cyanosis and shortness of breath

33. A 54-year-old male patient came to an emergency department with left leg femoral bone fracture due to falling accident and he was admitted to orthopedic ward after surgery. The patient's history indicates that he used cigarette and excess alcohol for 40 years. Assessment findings showed that patient's lung sound was diminished. The nurse realized that the patient is at greater risk for cerebrovascular accident.

What additional assessment finding is most likely relevant for this patient?

- (A) Ask the patient for family history of cerebrovascular accident
- (B) Check patient's chart for history of valvular disease
- (C) Check patient's chart for history of encephalitis
- (D) Check patient's chart for history of brain injury

34. A 29-year-old male patient came to medical OPD with complaints of vomiting, nuchal rigidity and severe headache of two days duration. Assessment findings indicate that the patient was positive for brudzinski's and Kernig's signs and he had ptosis, photophobia and facial paresis.

What is the most likely nursing diagnosis for this patient?

- (A) Risk for Ineffective Airway Clearance
- (B) Risk for Ineffective Breathing Pattern
- (C) Risk for Impaired Gas Exchange
- (D) Risk for Caregiver Role Strain

BOOKLET CODE: 011

8

SUBJECT CODE: 01

31. A chronic male alcoholic patient was admitted to a medical ward with end stage liver cirrhosis. The patient had stage one hepatic encephalopathy. He had unexplained epistaxis and spider angioma. A nurse prepared a care plan and gave patient-centered nursing care.

What is the most appropriate nursing care that should be given for this patient?

- (A) Administer supplemental vitamins K
- (B) Assist with selection of desired exercise
- (C) Keep patient's fingernails short and smooth
- (D) Provide diet high in carbohydrates and protein

32. A nurse prepared a patient for surgery by inserting NG tube. After inserting the tube, the nurse confirmed whether the tube is in the stomach.

What is the most appropriate sign used for confirmation?

- (A) The color of litmus paper is not changed after GI aspiration was applied
- (B) There is no air bubble from the tip of NG tube in a cup of water
- (C) There is no gurgle sound auscultated over abdomen
- (D) There is central cyanosis and shortness of breath

33. A 54-year-old male patient came to an emergency department with left leg femoral bone fracture due to falling accident and he was admitted to orthopedic ward after surgery. The patient's history indicates that he used cigarette and excess alcohol for 40 years. Assessment findings showed that patient's lung sound was diminished. The nurse realized that the patient is at greater risk for cerebrovascular accident.

What additional assessment finding is most likely relevant for this patient?

- (A) Ask the patient for family history of cerebrovascular accident
- (B) Check patient's chart for history of valvular disease
- (C) Check patient's chart for history of encephalitis
- (D) Check patient's chart for history of brain injury

34. A 29-year-old male patient came to medical OPD with complaints of vomiting, nuchal rigidity and severe headache of two days duration. Assessment findings indicate that the patient was positive for brudzinski's and Kernig's signs and he had ptosis, photophobia and facial paresis.

What is the most likely nursing diagnosis for this patient?

- (A) Risk for Ineffective Airway Clearance
- (B) Risk for Ineffective Breathing Pattern
- (C) Risk for Impaired Gas Exchange
- (D) Risk for Caregiver Role Strain

8. A 35-year-old female patient came to a hospital with complaint of recurrent bronchial asthma. The patient angrily asked the nurse, 'why it become recurrent?'.
What is the most appropriate answer for the patient's concern?

(A) Intolerance of medication
(B) Poor medication adherence
(C) Low potency of the medication
(D) Difficult to avoid triggering agents

9. A 40-year-old HIV positive woman came to ART clinic with complaint of intense itching. On physical examination, the patient had firm papules with variable stages of development on her trunk and face.
What is the most likely explanation for these findings?

(A) Cellulitis
(B) Prurigo
(C) Herpes simplex
(D) Molluscum contagiosum

10. A 27-year-old male patient was linked to ART clinic to start HAART from TB clinic. The patient was on anti-TB treatment and his CD4 count is 500cells/mm³.
What is the most preferred drug regimen for this patient?

(A) TDF + 3TC + EFV
(B) AZT + 3TC + EFV
(C) TDF + 3TC + NVP
(D) TDF + 3TC + DTG

11. A 34-year-old male patient came to ENT clinic with purulent discharge in the right ear after foreign body removed two months ago. The nurse examined his middle ear using otoscope to assess the conditions of tympanic membrane.
What could be the most likely assessment finding of this patient?

(A) Red and inflamed
(B) Perforation and cholesteatoma
(C) Appear dull and has air bubbles
(D) Pearly gray and bulged to outside

12. A 36-year-old man underwent middle ear surgery for the management of chronic otitis media. After surgery, the duty nurse prepared a teaching plan about postoperative instructions for the patient.
What is the most appropriate instruction the nurse should develop?

(A) Avoid physical exercise 2 to 3 weeks after surgery
(B) Tinnitus sensation is normal up to 5 weeks after surgery
(C) Take soft and non seasoned meals 1 to 4 weeks after surgery
(D) Sneeze and cough with the mouth open 2-3 weeks after surgery

26. A 29-year-old male patient came to an emergency room with complaints of general lower abdominal pain. Later on, the pain was more localized to right lower quadrant with nausea and vomiting. Then, the surgeon made diagnosis of appendicitis and scheduled for surgery.

What is the most likely surgical complication that may happen in this patient?

- (A) Dehydration
(B) Septicemia
(C) Severe bleeding
(D) Abdominal abscess

27. A 23-year-old male patient came to an emergency department with complaints of low-grade fever and epigastric pain progresses to right lower quadrant. On abdominal examination, the nurse identified local tenderness and positive Rovsing's sign.

What would be the priority nursing intervention for this patient?

- (A) Perform frequent palpation of the abdomen
(B) Administer analgesics with caution
(C) Administer laxatives or enemas
(D) Maintain NG tube patency

28. A 24-year-old patient came to a hospital with complaints of anorexia, heartburn after eating, nausea and vomiting. After thorough assessment and physical examination, the nurse diagnosed that the patient had autoimmune chronic gastritis.

Which additional manifestation led the nurse for this conclusion?

- (A) Anemia
(B) Dehydration
(C) Epigastric pain
(D) Blood vomiting

29. A 67-year-old male patient came to adult OPD with complaints of abdominal pain, sensation of incomplete emptying and intestinal rumbling of one month duration. He was taking narcotic drug, antacids with aluminum preparation and low amount of fluid & fiber. The nurse prepared to administer cleansing enema.

What is the most likely indication to decide this procedure?

- (A) Psychotic disorders
(B) Neurologic disorder
(C) Orthopedic disorders
(D) Chronic constipation

30. A nurse was taking care of a 34-year-old woman who was diagnosed with acute gastritis secondary to stress. The nurse prepared a nursing care plan of patient's outcome after nursing intervention.

What is the most appropriate patient outcome predicted by the nurse?

- (A) Report feeling less anxiety
(B) Eat scheduled meals regularly
(C) Take medications as prescribed
(D) Avoid irritating foods and beverages

8. A three-day-old 2.8kg neonate is on express breast feeding with amount of 100ml per day related to limited milk production of the mother. The physician ordered a maintenance fluid to compensate the remaining daily requirement.

What is the desired quantity to compensate the remaining daily requirement?

- (A) 336ml
(B) 236ml
(C) 252ml
(D) 152ml

28 x 208 + 84

9. A 5.5kg neonate delivered at gestation age of 37 weeks from a mother with high blood glucose level. At birth the neonate's blood glucose level was 32mg/dl, but it has been raised to more than 40mg/dl after single breast feeding.

208

What is the most likely cause of the hypoglycemia of this neonate?

- (A) Crossed maternal insulin inducing hyperinsulinism
(B) Crossed maternal glucose induced hyperinsulinism
(C) Congenital pancreatic anomalies related hyperinsulinism
(D) Congenital hepatic anomalies related hyperinsulinism

10. A 12-day-old male neonate admitted in neonatal intensive care unit for the treatment of respiratory distress syndrome and he is under oxygen administration at 3 L/min. On physical finding, RR=58/m, T⁰=37.6°C, OS=70%.

What is the priority actual nursing diagnosis for this child?

- (A) Increase body temperature
(B) Impaired gas exchange
(C) Ineffective breathing pattern
(D) Difficult air way clearance

11. An 18-day-old neonate admitted in neonatal intensive care unit for the treatment of neonatal tetanus with a clinical feature of unable to breast feeding, spasm, stiffness, accumulation of oral secretion and seizure.

What is the most likely priority nursing intervention for the neonate?

- (A) Administration of diazepam to the spasm
(B) Insert NG-tube for express breast feeding
(C) Secure IV line for maintenance fluid
(D) Suction the secretion to prevent aspiration

BOOKLET CODE: 011

8

SUBJECT CODE: 01

31. A chronic male alcoholic patient was admitted to a medical ward with end stage liver cirrhosis. The patient had stage one hepatic encephalopathy. He had unexplained epistaxis and spider angioma. A nurse prepared a care plan and gave patient-centered nursing care.

What is the most appropriate nursing care that should be given for this patient?

- (A) Administer supplemental vitamins K
- (B) Assist with selection of desired exercise
- (C) Keep patient's fingernails short and smooth
- (D) Provide diet high in carbohydrates and protein

32. A nurse prepared a patient for surgery by inserting NG tube. After inserting the tube, the nurse confirmed whether the tube is in the stomach.

What is the most appropriate sign used for confirmation?

- (A) The color of litmus paper is not changed after GI aspiration was applied
- (B) There is no air bubble from the tip of NG tube in a cup of water
- (C) There is no gurgle sound auscultated over abdomen
- (D) There is central cyanosis and shortness of breath

33. A 54-year-old male patient came to an emergency department with left leg femoral bone fracture due to falling accident and he was admitted to orthopedic ward after surgery. The patient's history indicates that he used cigarette and excess alcohol for 40 years. Assessment findings showed that patient's lung sound was diminished. The nurse realized that the patient is at greater risk for cerebrovascular accident.

What additional assessment finding is most likely relevant for this patient?

- (A) Ask the patient for family history of cerebrovascular accident
- (B) Check patient's chart for history of valvular disease
- (C) Check patient's chart for history of encephalitis
- (D) Check patient's chart for history of brain injury

34. A 29-year-old male patient came to medical OPD with complaints of vomiting, nuchal rigidity and severe headache of two days duration. Assessment findings indicate that the patient was positive for brudzinski's and Kernig's signs and he had ptosis, photophobia and facial paresis.

What is the most likely nursing diagnosis for this patient?

- (A) Risk for Ineffective Airway Clearance
- (B) Risk for Ineffective Breathing Pattern
- (C) Risk for Impaired Gas Exchange
- (D) Risk for Caregiver Role Strain

BOOKLET CODE: 011

39. A 34-year-old woman with headache, malaise, generalized edema, flank pain and cola-colored urine was referred to renal unit. On laboratory investigation, her urine protein level was 4g/day, serum BUN level 25 mg/dL (normal range, 10-20 mg/dL) and Serum creatinine level is 1.1 mg/dL (normal range, 0.6-1.2 mg/dL).

What is the most likely diagnosis of this woman?

- (A) Nephrotic syndrome
(B) Glomerulonephritis
(C) Pyelonephritis
(D) Urolithiasis

40. A 43-year-old man with severe dehydration and persistent diarrhea was admitted to medical ICU. On assessment, he had metabolic acidosis and his blood pressure was 80/40 mmHg, the serum potassium level was 7meq/L (normal range 3.5-5.5 meq/L), serum BUN level is 35 mg/dl (normal range, 10-20 mg/dl) and serum creatinine level was 1.9 mg/dl (normal range, 0.6-1.2 mg/dl).

What is the most appropriate treatment for this patient?

- (A) Intravenous fluids transfusions
(B) Infusion of albumin
(C) Regular insulin
(D) Hemodialysis

41. A 45-year-old anemic woman came to an emergency department with complaints of headache, fatigue and edema. After examination, it is confirmed that 80% of her kidneys failed with the serum creatinine level of 1.8 mg/dL (normal range, 0.6-1.2 mg/dL).

What is the most likely pathophysiological stage of the patient?

- (A) Renal insufficiency
(B) Reduced renal reserve
(C) End-stage renal failure
(D) Retention of nitrogenous wastes

42. A patient with renal stone was admitted to the renal unit of medical ward. The nurse in charge sent the urine sample of the patient to the laboratory. The result of laboratory investigations revealed the presence of uric acid calculi.

What is the best nursing management for this patient?

- (A) Restrict alcohol and salt
(B) Restrict chocolates and tea
(C) Restrict organ meat and shellfish
(D) Restrict dairy products and poultry

43. A nurse was caring and preparing nursing care plan for patient with an end stage renal disease. A physician prescribed oral Furosemide (Lasix) to be added to the therapy.

What is the most likely expected serious risk of the above drug?

- (A) Hyponatremia
(B) Hypokalemia
(C) Hyperkalemia
(D) Hyponatremia

[Back](#)

Time left 0:22:46

Question 60

Answer saved

Marked out of 1.00

[Flag question](#)

Which of the following is an effective, feasible and economical way to break the chain of transmission of communicable diseases?

- ☐ a. Decontamination
- ☐ b. Use of personal protective equipment
- ☒ c. Hand washing
- ☐ d. Sterilization

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36

**Question 58**

Answer saved

Marked out of 1.00

Flag question

A 35 year-old woman comes to the outpatient department to get treatment service. She has fatigue, shortness of breath, muscle weakness, weight loss and paleness of the skin. She is strictly vegetarian. Which nutrient supplement is best to treat her?

- ☐ a. Vitamin B9
- ☒ b. Vitamin B12
- ☐ c. Vitamin B6
- ☐ d. Vitamin B

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45

**Question 57**

Answer saved

Marked out of 1.00

Flag question

Uneducated rural mothers are intended to be reached with health learning material. Which material is appropriate to them?

- ☐ a. Leaflet
- ☐ b. Flip Chart
- ☒ c. Bill Board
- ☐ d. Poster

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54

**Question 56**

Answer saved

Marked out of 1.00

Flag question

A 45 year-old teacher working in a highland rural area transferred to a malaria endemic city. He moved with his pregnant wife and other members of the family. The age of his daughter is 12 and the son is 8 years old. Which member of the family is at highest risk?

- ☒ a. His 8 year-old son
- ☐ b. His wife
- ☐ c. His 12year-old daughter
- ☐ d. The father himself

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36



Question 54

Answer saved

Marked out of 1.00

Flag question

A 4 year-old child came to a health center with his pregnant mother. Both of them were diagnosed with malaria. Many people around were also repeatedly affected throughout the year. Death is common among under 5 year children living in this place. What type of malaria endemicity is best explained?

- ☐ a. Meso endemic
- ☐ b. Hyper endemic
- ☒ c. Hypo endemic
- ☐ d. Holo endemic

[Clear my choice](#)[Previous question](#)[Next question](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45



Time left 0:24:43

Question 54

Answer saved

Marked out of 1.00

Flag question

A 4 year-old child came to a health center with his pregnant mother. Both of them were diagnosed with malaria. Many people around were also repeatedly affected throughout the year. Death is common among under 5 year children living in this place. What type of malaria endemicity is best explained?

- ☐ a. Meso endemic
- ☐ b. Hyper endemic
- ☒ c. Hypo endemic
- ☐ d. Holo endemic

[Clear my choice](#)[Previous question](#)[Next question](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27



Time left 0:24:57

Question 53

Answer saved

Marked out of 1.00

Flag question

A doctor prescribed a drug as "BID" and the detailed time of drug intake is told and written explicitly on the packet of the drug. The patient replied that he understood his prescription. Unfortunately the patient failed to carry out the instructions. Which component of communication process needs intervention?

- ☐ a. Sender
- ☐ b. Receiver
- ☒ c. Feedback
- ☐ d. Channel

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27

**Question 50**

Answer saved

Marked out of 1.00

[Flag question](#)

The surgical ward head nurse is conducting a meeting with all the staff in the ward to discuss and solve the problem of poor nursing care service. They discuss the problem in detail and generate about five possible alternative solutions. What is the next step they should do?

- ☐ a. Choose best alternative
- ☐ b. Look for other alternatives
- ☒ c. Implement the alternatives
- ☐ d. Evaluate the alternatives

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45



Nursing (Comprehensive)

[Back](#)

Time left 0:28:23

Question 49

Answer saved

Marked out of 1.00

[Flag question](#)

During assessment of stagnant water it was found that the water is full of adult mosquitoes which rest horizontally on the resting surface. Which type of mosquito is least likely?

- ☐ a. *Mansonia* mosquito
- ☐ b. *Aedes* Mosquito
- ☒ c. *Anopheles* Mosquito
- ☐ d. *Culex* mosquito

[Clear my choice](#)[Previous question](#)[Next question](#)

Exam Navigation

1

2

3

4

5

6

7

8

9



[Back](#)

Time left 0:29:46

Question 47

Answer saved

Marked out of 1.00

[Flag question](#)

Three individuals are working in a planning team. They discussed and developed an annual plan of the organization for the upcoming year. Which type of planning have they used?

- ☐ a. Operational planning
- ☒ b. Long range planning
- ☐ c. Strategic planning
- ☐ d. Tactical planning

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36

[Back](#)

Time left 0:31:06

Question 44

Answer saved

Marked out of 1.00

[Flag question](#)

If an environmental health specialist assess the presence of occupational hazard and obtains ergonomic hazard which is caused by repetitive motion mainly occurs in industries affecting individuals working standing for long time. Which function of occupational hygiene is most likely applied?

- ☐ a. Recognition
- ☐ b. Anticipation
- ☐ c. Evaluation
- ☒ d. Control

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1

2

3

4

5

6

7

8

9



[Back](#)

Time left 0:32:13

Question 41

Answer saved

Marked out of 1.00

[Flag question](#)

A 39 year-old para 5 woman came to a family planning clinic to start contraceptive methods. Which contraceptive is recommended for this mother?

- ☐ a. Intrauterine device
- ☐ b. Injection form of contraceptive
- ☒ c. Oral contraceptive pill
- ☐ d. Spermicidal and diaphragm

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18



MoEEE

[Add](#) [Exit Exam](#)**Full Name:** Mustefa
Musa**Institution:** Ri**Enrollment
Type:****University** RV
ID:**Exam
Center:** Wollo
University**Department:**

Nursing (Comprehensive)

[Back](#)

Time left 0:32:17

Question 41

Answer saved

Marked out of 1.00

[Flag question](#)

A 39 year-old para 5 woman came to a family planning clinic to start contraceptive methods. Which contraceptive is recommended for this mother?

- ☐ a. Intrauterine device
- ☐ b. Injection form of contraceptive



Nursing (Comprehensive)

[Back](#)

Time left 0:32:29

Question 40

Answer saved

Marked out of 1.00

[Flag question](#)

A 16 year- old pregnant mother who came to a district hospital with obstructed labor for three days died immediately on arrival at the obstetric clinic. What is the most common cause of death?

- ☐ a. Indirect maternal cause of death
- ☐ b. Pregnancy aggravated death
- ☐ c. Accident happened during pregnancy
- ☒ d. Direct maternal cause of death

[Clear my choice](#)[Previous question](#)[Next question](#)

Exam Navigation

[1](#)[2](#)[3](#)[4](#)[5](#)[6](#)[7](#)[8](#)[9](#)

[Back](#)

Time left 0:34:14

Question 32

Answer saved

Marked out of 1.00

[Flag question](#)

Among the many strategies designed to prevent maternal morbidity and mortality in Ethiopia; which of the following preventive strategies should come first?

- ☐ a. Post-natal care
- ☐ b. Skilled delivery
- ☒ c. Family planning
- ☐ d. Antenatal care

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27



Nursing (Comprehensive)

[Back](#)

Time left 0:34:24

Question 32

Answer saved

Marked out of 1.00

[Flag question](#)

Among the many strategies designed to prevent maternal morbidity and mortality in Ethiopia; which of the following preventive strategies should come first?

- ☐ a. Post-natal care
- ☐ b. Skilled delivery
- ☒ c. Family planning
- ☐ d. Antenatal care

[Clear my choice](#)[Previous question](#)[Next question](#)

Exam Navigation

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#)



Nursing (Comprehensive)

[Back](#)

Time left 0:35:04

Question 29

Answer saved

Marked out of 1.00

[Flag question](#)

In a health center hazardous waste disposal was found to be a critical problem. A disposal options for hazardous wastes was required for a public health action. Which of the following waste disposal option is the most appropriate for the health center?

- ☐ a. Composting
- ☐ b. Offsite Disposal
- ☐ c. Burying
- ☒ d. Incinerating

[Clear my choice](#)[Previous question](#)[Next question](#)

Exam Navigation





Nursing (Comprehensive)

[Back](#)

Time left 0:35:12

Question 28

Answer saved

Marked out of 1.00

[Flag question](#)

A matron has very motivated employees who accept clearly justified ideas if that idea will benefit the facility. If she wants to design and initiate change in the facility which of the following strategies is more applicable?

- ☒ a. Transformational strategy
- ☐ b. Power coercive strategy
- ☐ c. Empirical- Rational Strategy
- ☐ d. Normative-reeducative strategy

[Clear my choice](#)[Previous question](#)[Next question](#)

Exam Navigation

1

2

3

4

5

6

7

8

9





Nursing (Comprehensive)

[Back](#)

Time left 0:35:20

Question 27

Answer saved

Marked out of 1.00

[Flag question](#)

A household of five family members with a good economic status has a reasonable amount of open space and the soil condition is easy to dig. The household wanted to have a latrine without fly and odor problems. The site has never been flooded with low ground water level. Which latrine is best to construct for this household?

- ☐ a. VIP latrine
- ☐ b. Raised pit latrine
- ☐ c. Trench latrine
- ☒ d. Pit latrine

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



Nursing (Comprehensive)

[Back](#)

Time left 0:37:14

Question 11

Answer saved

Marked out of 1.00

[Flag question](#)

The senior Manager of Hospital has developed a plan that is comprehensive in scope and reflects long term needs of the Hospital. What type of plan has been developed?

- ☐ a. Tactical plan
- ☐ b. Strategic plan
- ☒ c. Operational plan
- ☐ d. Action plan

[Clear my choice](#)[Previous question](#)[Next question](#)

Exam Navigation



[Back](#)

Time left 0:36:31

Question 18

Answer saved

Marked out of 1.00

[Flag question](#)

A zonal health department head conducted a survey on supply chain management of anti-tuberculosis drugs and asked the drug store man in the health facilities near to the zonal department for the pin card utilization information. Which sampling technique should be used?

- ☐ a. Judgmental sampling
- ☒ b. Purposive sampling
- ☐ c. Convenience sampling
- ☐ d. Sequential sampling

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18



Nursing (Comprehensive)

[Back](#)

Time left 0:35:30

Question 26

Answer saved

Marked out of 1.00

[Flag question](#)

The chief executive officer of a hospital identified that poor quality service was mainly due to activities that exist between health care providers and patients. Which of the following should he work on?

- ☐ a. Process
- ☐ b. Impact
- ☐ c. Out come
- ☒ d. Structure

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

[Back](#)

Time left 0:37:47

Question 10

Answer saved

Marked out of 1.00

[Flag question](#)

A researcher wanted to conduct the psychosocial behaviour of homosexual groups. Which sampling techniques will be most appropriate?

- ☒ a. Judgmental sampling
- ☐ b. Accidental sampling
- ☐ c. Quota sampling
- ☐ d. Snow ball sampling

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36



Nursing (Comprehensive)

[Back](#)

Time left 0:39:37

Question 4

Answer saved

Marked out of 1.00

[Flag question](#)

The dietary habit of the population in a certain community involves consumption of whole milk, meat, eggs and butter. They have sedentary life style. Which problem is more likely to be prevalent?

- ☐ a. High cholesterol levels
- ☐ b. High linolenic acid levels
- ☒ c. High linoleic acid levels
- ☐ d. High arachidonic acid

[Clear my choice](#)[Previous question](#)[Next question](#)

Exam Navigation

[1](#)[2](#)[3](#)[4](#)[5](#)[6](#)[7](#)[8](#)[9](#)



Time left 0:46:09

Question 100

Not yet answered

Marked out of 1.00

Flag question

Which of the following describes the statement of the problem in a research?

- ☐ a. Identify the design of the study
- ☐ b. Identify the intent or objective of the study
- ☐ c. Specify the type of people to be used in the study
- ☐ d. Describe the study

[Previous question](#)[Finish exam ...](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45



Nursing (Comprehensive)

[Back](#)

Time left 0:49:09

Question 100

Not yet answered

Marked out of 1.00

[Flag question](#)

Which of the following describes the statement of the problem in a research?

- ☐ a. Identify the design of the study
- ☐ b. Identify the intent or objective of the study
- ☐ c. Specify the type of people to be used in the study
- ☐ d. Describe the study

[Previous question](#)[Finish exam ...](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27

[Back](#)

Time left 0:50:17

Question 99

Not yet answered

Marked out of 1.00

[Flag question](#)

A newly recruited staff member wants to know what the organization expects him to perform. Which of the following can provide this information?

- ☐ a. Hospital Protocol
- ☐ b. Job Description
- ☐ c. National Guideline
- ☐ d. National Standard

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36

[Back](#)

Time left 0:53:58

Question 98

Not yet answered

Marked out of 1.00

[Flag question](#)

The nurse wants to control a patient's traditional beliefs so that new behaviors can be incorporated into the patient's lifestyle. Within which learning domain does the nurse need to direct teaching?

- ☐ a. Physiologic
- ☐ b. Cognitive
- ☐ c. Psychomotor
- ☐ d. Affective

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36

[Back](#)

Time left 0:56:42

Question 96

Not yet answered

Marked out of 1.00

[Flag question](#)

A committed senior nurse who is caring for a comatose stroke patient in the Intensive Care Unit has administered wrong medication which is not appropriate for the patient. Which one of the following ethico-legal breaches was committed?

- ☐ a. Malpractice
- ☐ b. Negligence
- ☐ c. Fraud
- ☐ d. Euthanasia

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27

[Back](#)

Time left 0:57:12

Question 95

Not yet answered

Marked out of 1.00

[Flag question](#)

A health professional is supposed to study the prevalence of stunting and associated factors among under five children within a specified given time. What is the most appropriate study design for this topic?

- ☐ a. Case control study design
- ☐ b. Cross sectional study design
- ☐ c. Experimental study design
- ☐ d. Cohort study design

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27

[Back](#)

Time left 1:05:06

Question 89

Not yet answered

Marked out of 1.00

[Flag question](#)

A 12 year-old female patient who is a known cardiac patient became anemic and was prescribed a blood transfusion. The patient refused to take the transfusion because of religious reasons. The nurse strongly forced her to have the transfusion. Which ethical principle is violated by this nurse?

- ☐ a. Autonomy
- ☐ b. Respect for patient
- ☐ c. Non-maleficence
- ☐ d. Beneficence

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27

[Back](#)

Time left 1:16:04

Question 83

Not yet answered

Marked out of 1.00

[Flag question](#)

Suppose University students who used cafe faced an outbreak immediately following lunch in the cafe and there was no continued infection of the disease then after. From 1000 students who ate the lunch, 600 of them were infected with "Y" type of bacteria as revealed by laboratory, 400 had acute diarrhea and abdominal pain, 100 admitted to hospital for better management and 10 students died of the disease. What is the infectivity rate of the bacteria?

- ☐ a. 40%
- ☐ b. 25%
- ☐ c. 66.77%
- ☐ d. 60%

[Previous question](#)[Next question](#)**Exam Navigation**

1

2

3

4

5

6

7

8

9



[Back](#)

Time left 1:01:00

Question 78

Not yet answered

Marked out of 1.00

[Flag question](#)

An organization rewards 10,000 birr for one of best performer general practitioner/GP/ but the other hospital rewards an education opportunity for similarly performed GP. Considering his colleague, the first GP is not satisfied with the reward he received. In which theory of motivation is this concept best explained?

- ☐ a. Equity theory
- ☐ b. Herzberg's two-factor theory
- ☐ c. Goal-Setting Theory
- ☐ d. Expectancy theory

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18

**Question 73**

Not yet answered

Marked out of 1.00

[Flag question](#)

A 35 year-old man suffers from a urethral discharge after having frequent penetrative sex with many partners. What kind of risk factors leads to this situation?

- ☐ a. Socio-cultural
- ☐ b. Biological
- ☐ c. Behavioral
- ☐ d. Environmental

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54

[Back](#)

Time left 1:08:47

Question 71

Not yet answered

Marked out of 1.00

[Flag question](#)

In a country continuous study of factors that determine the occurrence and distribution of disease and other condition of ill health was done. What term best describes the above activity?

- ☐ a. Monitoring
- ☐ b. System analysis
- ☐ c. Disease control
- ☐ d. Surveillance

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36



Nursing (Comprehensive)

[Back](#)

Time left 1:12:30

Question 69

Not yet answered

Marked out of 1.00

[Flag question](#)

A mother comes to your OPD with an infant who develops a blue baby syndrome. Which of the following impurity of water is the possible cause for this disease?

- ☐ a. Nitrite
- ☐ b. Nitrate
- ☐ c. Ammonia
- ☐ d. Phosphate

[Previous question](#)[Next question](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27

Ministry of education® 10:27

հոգ Խհ 🔥🔥🔥🔥🔥...

Mark as read

Question 70

Not yet answered

Marked out of 1.00

Flag question

A researcher wanted to assess the nutritional status of under five children who live in drought affected areas with poor health care services. Which one is the best measure to assess their growth?

- ☐ a. Height-for- age
- ☐ b. Weight-for-age
- ☐ c. MUAC
- ☐ d. Weight-for-height

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45

[Back](#)

Time left 1:10:01

Question 69

Answer saved

Marked out of 1.00

[Flag question](#)

A mother comes to your OPD with an infant who develops a blue baby syndrome. Which of the following impurity of water is the possible cause for this disease?

- ☐ a. Nitrite
- ☐ b. Nitrate
- ☒ c. Ammonia
- ☐ d. Phosphate

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27



Nursing (Comprehensive)

[Back](#)

Time left 1:05:53

Question 68

Not yet answered

Marked out of 1.00

[Flag question](#)

Why is abortion primarily of public health importance in Ethiopia?

- ☐ a. It is legal but restricted under law
- ☐ b. It is a common cause of maternal mortality
- ☐ c. Access is limited to abortion services
- ☐ d. It is performed by non-medical persons

[Previous question](#)[Next question](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27

[Back](#)

Time left 1:06:48

Question 67

Not yet answered

Marked out of 1.00

[Flag question](#)

Female Genital Mutilation (FGM) is a common practice in a certain woreda of Southern Ethiopia. People believe that FGM makes the body clean before marriage, prevents the girl from having multi-sexual partners. What should the intervention focus on to resolve this issue?

- ☐ a. Tradition
- ☐ b. Values
- ☐ c. Lifestyle
- ☐ d. Attitude

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27

[Back](#)

Time left 1:08:43

Question 66

Not yet answered

Marked out of 1.00

[Flag question](#)

A health message developer from 'X' town used English language as a medium to disseminate health education. The examples he used were applicable to residents of 'X' town. The message developer used the same content for residents of 'Y' town by translating and adapting to the local situation. Which action is performed by message developer?

- ☐ a. Decoding
- ☐ b. Organizing
- ☐ c. Encoding
- ☐ d. Categorizing

[Previous question](#)[Next question](#)**Exam Navigation**

1

2

3

4

5

6

7

8

9





Nursing (Comprehensive)

[Back](#)

Time left 1:12:16

Question 63

Not yet answered

Marked out of 1.00

[Flag question](#)

A nurse wants to test HIV. She discussed with a patient about HIV testing, counseling and results will not be disclosed to anyone else without expressed consent from him. Which ethico-legal aspect should the nurse respect?

- ☐ a. Confidentiality
- ☐ b. Informed consent
- ☐ c. Non-malificence
- ☐ d. Fidelity


[Previous question](#)[Next question](#)

Exam Navigation





MoEEE

[Add](#) [Edit Exam](#)**Full Name:** Mustefa
Musa**Institution:** Ri**Enrollment
Type:****University** RV
ID:**Exam
Center:** Wollo
University**Department:**

Nursing (Comprehensive)

[Back](#)

Question 65

Not yet answered

Marked out of 1.00

Flag question

A pediatrician conducted a hospital based cross sectional study on exclusive breast feeding. All mothers having children under two years of age and visiting a pediatric ward were included in the study. Only 75% of the questioners were completely filled and returned and used for analysis. What could be the most likely bias the researcher introduced?

☐ a. Social desirability bias

[Back](#)

Time left 1:10:14

Question 65

Not yet answered

Marked out of 1.00

[Flag question](#)

A pediatrician conducted a hospital based cross sectional study on exclusive breast feeding. All mothers having children under two years of age and visiting a pediatric ward were included in the study. Only 75% of the questioners were completely filled and returned and used for analysis. What could be the most likely bias the researcher introduced?

- ☐ a. Social desirability bias
- ☐ b. Self reporting bias
- ☐ c. Non-response bias
- ☐ d. Recall bias

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27

[Back](#)

Time left 1:13:23

Question 61

Not yet answered

Marked out of 1.00

[Flag question](#)

A researcher is interested to conduct a study on highly sensitive issue in certain community. Which of the following data collection technique is most appropriate?

- ☐ a. Telephone interview
- ☐ b. Self-administered questionnaire
- ☐ c. Face to face interview
- ☐ d. In-depth interview

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36

[Back](#)

Time left 1:14:42

Question 59

Not yet answered

Marked out of 1.00

[Flag question](#)

A community obtains four liters of water per day per person. Their village is far from any rivers, streams and lakes. Which of the following water associated diseases is most likely in this community?

- ☐ a. Conjunctivitis
- ☐ b. Cholera
- ☐ c. Onchocerciasis
- ☐ d. Dracunculiasis

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27



Time left 1:18:14

Question 56

Not yet answered

Marked out of 1.00

Flag question

A 45 year-old teacher working in a highland rural area transferred to a malaria endemic city. He moved with his pregnant wife and other members of the family. The age of his daughter is 12 and the son is 8 years old. Which member of the family is at highest risk?

- ☐ a. His 8 year-old son
- ☐ b. His wife
- ☐ c. His 12year-old daughter
- ☐ d. The father himself

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36

[Back](#)

Time left 1:22:30

Question 51

Not yet answered

Marked out of 1.00

[Flag question](#)

A 14-year-old girl comes to your office with lower abdominal pain. Ultrasonography reveals an enlarged solid mass arising from the right side ovary. What is the most likely diagnosis of this case?

- ☐ a. Malignant germ cell tumor
- ☒ b. Endometrioma
- ☐ c. Follicular cyst
- ☐ d. Malignant sex cord stromal tumor

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36



Nursing (Comprehensive)

[Back](#)

Time left 1:2

Question 53

Not yet answered

Marked out of 1.00

[Flag question](#)

A doctor prescribed a drug as "BID" and the detailed time of drug intake is told and written explicitly on the packet of the drug. The patient replied that he understood his prescription. Unfortunately the patient failed to carry out the instructions. Which component of communication process needs intervention?

- ☐ a. Sender
- ☐ b. Receiver
- ☐ c. Feedback
- ☐ d. Channel

[Previous question](#)[Next question](#)**Exam Navigation**

[Back](#)

Time left 1:24:35

Question 49

Not yet answered

Marked out of 1.00

[Flag question](#)

During assessment of stagnant water it was found that the water is full of adult mosquitoes which rest horizontally on the resting surface. Which type of mosquito is least likely?

- ☐ a. *Mansonia* mosquito
- ☐ b. *Aedes* Mosquito
- ☐ c. *Anopheles* Mosquito
- ☐ d. *Culex* mosquito

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36



Model Exam

Question 43

Time left 1:32:59

Not yet answered

Marked out of 1.00

Flag question

An adult female patient with breast cancer is appointed for radiotherapy in the oncology unit. The nurse working in the unit has extended the appointment by one week because one of her family members required the same treatment and there was only one bed to admit the patient. Which of the following ethical principles is violated in this patient?

- ☐ a. Autonomy
- ☐ b. Justice
- ☐ c. Beneficence
- ☐ d. Non-maleficence

[Previous question](#)[Next question](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36



Time left 1:38:07

Question 37

Not yet answered

Marked out of 1.00

[Flag question](#)

An investigator conducted formal evaluation for a screening program and found out that survival among screened individuals appears longer than that for non-screened individuals. What type of screening bias did she introduce?

- ☐ a. Lead-time bias
- ☒ b. Volunteer bias
- ☐ c. Length-biased sampling
- ☐ d. Recall bias

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36



Time left 1:38:37

Question 36

Not yet answered

Marked out of 1.00

Flag question

In a certain Woreda, a 5 month infant with weight-for-height z-score = -2.41 SD, a 2 year-old child weight-for-height z-score= -1.64 SD, a 3 year-old child MUAC=12.9cm, and another 4 year-old child in the woreda is discharged from Therapeutic Feeding Program. None of them have edema. In the woreda there is targeted Supplementary Feeding Program. Who is eligible to be admitted to the Program?

- ☐ a. The 4 year-old child
- ☐ b. The 5 month infant
- ☒ c. The 2 year-old child
- ☐ d. The 3 year-old child

[Clear my choice](#)[Previous question](#)[Next question](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18

[Back](#)

Time left 1:41:33

Question 34

Not yet answered

Marked out of 1.00

[Flag question](#)

A hospital rewards 10,000 birr for the best performing general practitioner (GP) but the other hospital rewards by giving a chance to learn a specialty for a GP with the same performance. The first GP is not satisfied with the reward he received. Which theory of motivation best explains this situation?

- ☐ a. Goal-setting theory
- ☐ b. Equity theory
- ☐ c. Herzberg's two-factor theory
- ☐ d. Expectancy theory

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18



Time left 1:41:53

Question 33

Not yet answered

Marked out of 1.00

Flag question

A Para I lady who previously gave birth to a baby with neural tube defect comes to family planning clinic to get counseling service. She has planned to be pregnant in the near future. Which vitamin supplement is important to prevent recurrence of the condition?

- ☐ a. Thiamine
- ☐ b. Folate
- ☐ c. Pyridoxine
- ☐ d. Biotin

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36



Nursing (Comprehensive)

[Back](#)

Time left 1:42:41

Question 32

Not yet answered

Marked out of 1.00

[Flag question](#)

Among the many strategies designed to prevent maternal morbidity and mortality in Ethiopia; which of the following preventive strategies should come first?

- ☐ a. Post-natal care
- ☐ b. Skilled delivery
- ☐ c. Family planning
- ☐ d. Antenatal care

[Previous question](#)[Next question](#)

Exam Navigation

1

2

3

4

5

6

7

8

9





Nursing (Comprehensive)

[Back](#)

Time left 1:43:41

Question 31

Not yet answered

Marked out of 1.00

[Flag question](#)

A group of high school students went out for a party. They were served their dinner together. After 2 hours almost all of the students developed diarrhoea, nausea, vomiting and headache. Which characteristic of the infectious agent is best explained?

- ☐ a. Toxigenicity
- ☐ b. Virulence
- ☐ c. Pathogenicity
- ☐ d. Infectiousness

[Previous question](#)[Next question](#)

Exam Navigation

[1](#)[2](#)[3](#)[4](#)[5](#)[6](#)[7](#)[8](#)[9](#)



Time left 1:44:10

Question 30

Not yet answered

Marked out of 1.00

[Flag question](#)

Which of the following micronutrients should be supplemented for pregnant women in order to prevent birth defect?

- ☐ a. Iron
- ☐ b. Calcium
- ☐ c. Folate
- ☐ d. Cholecalciferol

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45



Nursing (Comprehensive)

[Back](#)

Time left 1:46:30

Question 28

Not yet answered

Marked out of 1.00

[Flag question](#)

A matron has very motivated employees who accept clearly justified ideas if that idea will benefit the facility. If she wants to design and initiate change in the facility which of the following strategies is more applicable?

- ☐ a. Transformational strategy
- ☐ b. Power coercive strategy
- ☐ c. Empirical- Rational Strategy
- ☐ d. Normative-reeducative strategy

[Previous question](#)[Next question](#)

Exam Navigation

[1](#)[2](#)[3](#)[4](#)[5](#)[6](#)[7](#)[8](#)[9](#)



Nursing (Comprehensive)

[Back](#)

Time left 1:47:12

Question 27

Not yet answered

Marked out of 1.00

[Flag question](#)

A household of five family members with a good economic status has a reasonable amount of open space and the soil condition is easy to dig. The household wanted to have a latrine without fly and odor problems. The site has never been flooded with low ground water level. Which latrine is best to construct for this household?

- ☐ a. VIP latrine
- ☐ b. Raised pit latrine
- ☐ c. Trench latrine
- ☐ d. Pit latrine

[Previous question](#)[Next question](#)

Exam Navigation

1

2

3

4

5

6

7

8

9



[Back](#)

Time left 1:47:42

Question 26

Not yet answered

Marked out of 1.00

[Flag question](#)

The chief executive officer of a hospital identified that poor quality service was mainly due to activities that exist between health care providers and patients. Which of the following should he work on?

- ☐ a. Process
- ☐ b. Impact
- ☐ c. Out come
- ☐ d. Structure

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27

**Question 23**

Not yet answered

Marked out of 1.00

[Flag question](#)

A researcher sets a level of significance 90% to compute confidence interval for mean age of women at first child birth. What would happen to the width of confidence interval if the level of confidence increases to 99%?

- ☐ a. Precise
- ☐ b. Unchanged
- ☐ c. Increased
- ☐ d. Decreased

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54



Nursing (Comprehensive)

[Back](#)

Time left 1:50:25

Question 21

Not yet answered

Marked out of 1.00

[Flag question](#)

A researcher wants to know age at first sexual intercourse among college students in Ethiopia. Which data collection technique is most appropriate?

- ☒ a. review of records
- ☐ b. Face to face interview
- ☐ c. Focus group discussion
- ☐ d. Self-administered questionnaire

[Clear my choice](#)[Previous question](#)[Next question](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18

[Back](#)

Time left 1:51:25

Question 20

Not yet answered

Marked out of 1.00

[Flag question](#)

A health professional conducted a community survey for malaria prevention. The major problems identified were the presence of stagnant water and poor waste disposal systems. Professionals recommended the community to drain the water, to have a waste disposal pit and to use ITN. Which levels of disease prevention best describes it?

- ☐ a. Primordial
- ☐ b. Tertiary
- ☒ c. Primary
- ☐ d. Secondary

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18



Nursing (Comprehensive)

[Back](#)

Time left 1:52:09

Question 20

Not yet answered

Marked out of 1.00

[Flag question](#)

A health professional conducted a community survey for malaria prevention. The major problems identified were the presence of stagnant water and poor waste disposal systems. Professionals recommended the community to drain the water, to have a waste disposal pit and to use ITN. Which levels of disease prevention best describes it?

- ☐ a. Primordial
- ☐ b. Tertiary
- ☐ c. Primary
- ☐ d. Secondary

[Previous question](#)[Next question](#)

Exam Navigation

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#)



Nursing (Comprehensive)

[Back](#)

Time left 1:52:54

Question 19

Not yet answered

Marked out of 1.00

[Flag question](#)

Imagine an outbreak appears in one district and little is known about the source and mode of transmission of the outbreak. What should be the priority?

- ☐ a. Investigate further before designing appropriate control
- ☐ b. Priority of investigation and control efforts during an outbreak is not needed
- ☐ c. Control and investigation measures should be given equal priority
- ☐ d. Control measures should be designed before investigation

[Previous question](#)[Next question](#)**Exam Navigation**



Time left 2:04:51

Question 13

Not yet answered

Marked out of 1.00

Flag question

A 30 year-old woman became unconscious and fell down on the floor of a confined kitchen which had no chimney. What is the first aid care you would give first?

- ☐ a. Check for the ABC's of life if she is unconscious
- ☐ b. Safely remove the victim from the kitchen
- ☒ c. Open the door to get fresh air
- ☐ d. Start mouth -to- mouth respiration in the kitchen

[Clear my choice](#)[Previous question](#)[Next question](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36

**Question 14**

Not yet answered

Marked out of 1.00

Flag question

During FP counseling, a provider tells about the method failure rate out of hundred women using it with properly following the protocol. What concern is the provider addressing?

- ☐ a. Effectiveness
- ☒ b. Affordability
- ☐ c. Acceptability
- ☐ d. Reversibility

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54



[Back](#)

Time left 1:53:35

Question 18

Not yet answered

Marked out of 1.00

[Flag question](#)

A zonal health department head conducted a survey on supply chain management of anti-tuberculosis drugs and asked the drug store man in the health facilities near to the zonal department for the pin card utilization information. Which sampling technique should be used?

- ☐ a. Judgmental sampling
- ☐ b. Purposive sampling
- ☐ c. Convenience sampling
- ☐ d. Sequential sampling

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27



Nursing (Comprehensive)

[Back](#)

Time left 2:05:55

Question 13

Not yet answered

Marked out of 1.00

[Flag question](#)

A 30 year-old woman became unconscious and fell down on the floor of a confined kitchen which had no chimney. What is the first aid care you would give first?

- ☐ a. Check for the ABC's of life if she is unconscious
- ☐ b. Safely remove the victim from the kitchen
- ☐ c. Open the door to get fresh air
- ☐ d. Start mouth -to- mouth respiration in the kitchen

[Previous question](#)[Next question](#)

Exam Navigation

1

2

3

4

5

6

7

8

9





Time left 2:06:54

Question 12

Not yet answered

Marked out of 1.00

Flag question

A researcher wanted to conduct research titled "Intention to voluntary counseling and testing for HIV/AIDS among students of Addis Ababa University." Which model/theory best suits to the title as a conceptual framework?

- ☐ a. Theory of reasoned action
- ☐ b. Trans theoretical model
- ☐ c. Health belief model
- ☐ d. Social Cognitive Theory

[Previous question](#)[Next question](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36



Nursing (Comprehensive)

[Back](#)

Time left 2:07:43

Question 10

Answer saved

Marked out of 1.00

[Flag question](#)

A researcher wanted to conduct the psychosocial behaviour of homosexual groups. Which sampling techniques will be most appropriate?

- ☒ a. Judgmental sampling
- ☐ b. Accidental sampling
- ☐ c. Quota sampling
- ☐ d. Snow ball sampling

[Clear my choice](#)[Previous question](#)[Next question](#)

Exam Navigation

[1](#)[2](#)[3](#)[4](#)[5](#)[6](#)[7](#)[8](#)[9](#)



Time left 2:10:40

Question 8

Not yet answered

Marked out of 1.00

Flag question

Assume 3 individuals are working in planning team, they have discussed and developed annual plan of the organization for the upcoming year. Which type of planning they used?

- ☐ a. Operational planning
- ☐ b. Strategic planning
- ☐ c. Long range planning
- ☐ d. Tactical planning

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45



Time left 2:09:11

Question 9

Not yet answered

Marked out of 1.00

Flag question

A woman bought milk for her family. The family members complained that the taste of the milk had changed. When a sample of the milk was tested, it was found to contain additional water and powder. Which of the following best describes the situation?

- ☐ a. Adulteration
- ☒ b. Fortification
- ☐ c. Spoilage
- ☐ d. Additive

[Clear my choice](#)[Previous question](#)[Next question](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45





Time left 2:07:52

Question 11

Not yet answered

Marked out of 1.00

Flag question

The senior Manager of Hospital has developed a plan that is comprehensive in scope and reflects long term needs of the Hospital. What type of plan has been developed?

- ☐ a. Tactical plan
- ☐ b. Strategic plan
- ☐ c. Operational plan
- ☐ d. Action plan

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45

[Back](#)

Time left 2:11:36

Question 7

Not yet answered

Marked out of 1.00

[Flag question](#)

A group administered 24-hour food recall to assess the dietary diversity at household level. What will be the strength of administering this method?

- ☐ a. Identify symptoms of most recent deficiency
- ☐ b. Identify secondary malnutrition
- ☐ c. Truly representative of the person's usual intake
- ☐ d. Identifies the first stage of nutritional deficiency

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27



Nursing (Comprehensive)

[Back](#)

Time left 2:12:27

Question 6

Answer saved

Marked out of 1.00

[Flag question](#)

A medical director wants to provide TT vaccination to all pregnant women to help prevent neonatal tetanus. Which of the following management function has been used?

- ☐ a. Planning
- ☒ b. Organizing
- ☐ c. Implementing
- ☐ d. Controlling

[Clear my choice](#)[Previous question](#)[Next question](#)

Exam Navigation

1

2

3

4

5

6

7

8

9





Nursing (Comprehensive)

[Back](#)

Time left 2:12:37

Question 5

Answer saved

Marked out of 1.00

[Flag question](#)

A nutritional survey particularly targets infants between 0-6 months. What is the most appropriate explanation for targeting this age group?

- ☐ a. Stakeholders are used to this type of data and appropriate response is obtained
- ☒ b. Low rate of exclusive breastfeeding
- ☐ c. Ease to measuring these infants
- ☐ d. Higher risk of malnutrition compared to older age groups

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



Nursing (Comprehensive)

[Back](#)

Time left 2:18:15

Question 3

Not yet answered

Marked out of 1.00

[Flag question](#)

"X" and "Y" are minority sub-groups in one of the regions of Ethiopia. If a researcher wants to describe the magnitude of a given health problem to represent the region, which sampling method is the most appropriate?

- ☐ a. Stratified sampling
- ☐ b. Cluster sampling
- ☐ c. Systematic random sampling
- ☐ d. Simple random sampling

[Previous question](#)[Next question](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18



Nursing (Comprehensive)

[Back](#)

Time left 2:18:09

Question 3

Not yet answered

Marked out of 1.00

[Flag question](#)

"X" and "Y" are minority sub-groups in one of the regions of Ethiopia. If a researcher wants to describe the magnitude of a given health problem to represent the region, which sampling method is the most appropriate?

- ☐ a. Stratified sampling
- ☐ b. Cluster sampling
- ☐ c. Systematic random sampling
- ☐ d. Simple random sampling

[Previous question](#)[Next question](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18

[Back](#)

Time left 2:16:58

Question 4

Answer saved

Marked out of 1.00

[Flag question](#)

The dietary habit of the population in a certain community involves consumption of whole milk, meat, eggs and butter. They have sedentary life style. Which problem is more likely to be prevalent?

- ☐ a. High cholesterol levels
- ☐ b. High linolenic acid levels
- ☒ c. High linoleic acid levels
- ☐ d. High arachidonic acid

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36



Time left 2:18:21

Question 1

Answer saved

Marked out of 1.00

Flag question

A researcher wanted to conduct a study about sexual health among commercial sex workers. Which of the following sampling methods is most appropriate?

- ☐ a. Snow ball sampling
- ☐ b. Cluster sampling
- ☐ c. Simple random sampling
- ☒ d. Stratified sampling

[Clear my choice](#)[Next question](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45

Back

1602 of 1788

Time left 2:18:09

Question 3

Not yet answered

Marked out of 1.00

Flag question

"X" and "Y" are minority sub-groups in one of the regions of Ethiopia. If a researcher wants to describe the magnitude of a given health problem to represent the region, which sampling method is the most appropriate?

- ☐ a. Stratified sampling
- ☐ b. Cluster sampling
- ☐ c. Systematic random sampling
- ☐ d. Simple random sampling

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18

Thumbnail images of questions 1 through 18 are displayed below the navigation grid.

**Question 50**

Answer saved

Marked out of 1.00

Flag question

The surgical ward head nurse is conducting a meeting with all the staff in the ward to discuss and solve the problem of poor nursing care service. They discuss the problem in detail and generate about five possible alternative solutions. What is the next step they should do?

- ☐ a. Choose best alternative
- ☐ b. Look for other alternatives
- ☒ c. Implement the alternatives
- ☐ d. Evaluate the alternatives

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45

[Back](#)

Time left 0:29:46

Question 47

Answer saved

Marked out of 1.00

[Flag question](#)

Three individuals are working in a planning team. They discussed and developed an annual plan of the organization for the upcoming year. Which type of planning have they used?

- ☐ a. Operational planning
- ☒ b. Long range planning
- ☐ c. Strategic planning
- ☐ d. Tactical planning

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36



Time left 0:24:43

Question 54

Answer saved

Marked out of 1.00

Flag question

A 4 year-old child came to a health center with his pregnant mother. Both of them were diagnosed with malaria. Many people around were also repeatedly affected throughout the year. Death is common among under 5 year children living in this place. What type of malaria endemicity is best explained?

- ☐ a. Meso endemic
- ☐ b. Hyper endemic
- ☒ c. Hypo endemic
- ☐ d. Holo endemic

[Clear my choice](#)[Previous question](#)[Next question](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27



Time left 0:24:57

Question 53

Answer saved

Marked out of 1.00

Flag question

A doctor prescribed a drug as "BID" and the detailed time of drug intake is told and written explicitly on the packet of the drug. The patient replied that he understood his prescription. Unfortunately the patient failed to carry out the instructions. Which component of communication process needs intervention?

- ☐ a. Sender
- ☐ b. Receiver
- ☒ c. Feedback
- ☐ d. Channel

[Clear my choice](#)[Previous question](#)[Next question](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27



Nursing (Comprehensive)

[Back](#)

Time left 0:28:23

Question 49

Answer saved

Marked out of 1.00

[Flag question](#)

During assessment of stagnant water it was found that the water is full of adult mosquitoes which rest horizontally on the resting surface. Which type of mosquito is least likely?

- ☐ a. *Mansonia* mosquito
- ☐ b. *Aedes* Mosquito
- ☒ c. *Anopheles* Mosquito
- ☐ d. *Culex* mosquito

[Clear my choice](#)[Previous question](#)[Next question](#)

Exam Navigation

1

2

3

4

5

6

7

8

9



[Back](#)

Time left 0:53:58

Question 98

Not yet answered

Marked out of 1.00

[Flag question](#)

The nurse wants to control a patient's traditional beliefs so that new behaviors can be incorporated into the patient's lifestyle. Within which learning domain does the nurse need to direct teaching?

- ☐ a. Physiologic
- ☐ b. Cognitive
- ☐ c. Psychomotor
- ☐ d. Affective

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36

[Back](#)

Time left 0:50:17

Question 99

Not yet answered

Marked out of 1.00

[Flag question](#)

A newly recruited staff member wants to know what the organization expects him to perform. Which of the following can provide this information?

- ☐ a. Hospital Protocol
- ☐ b. Job Description
- ☐ c. National Guideline
- ☐ d. National Standard

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36

**Question 56**

Answer saved

Marked out of 1.00

Flag question

A 45 year-old teacher working in a highland rural area transferred to a malaria endemic city. He moved with his pregnant wife and other members of the family. The age of his daughter is 12 and the son is 8 years old. Which member of the family is at highest risk?

- ☒ a. His 8 year-old son
- ☐ b. His wife
- ☐ c. His 12year-old daughter
- ☐ d. The father himself

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36

[Back](#)

Time left 0:32:13

Question 41

Answer saved

Marked out of 1.00

[Flag question](#)

A 39 year-old para 5 woman came to a family planning clinic to start contraceptive methods. Which contraceptive is recommended for this mother?

- ☐ a. Intrauterine device
- ☐ b. Injection form of contraceptive
- ☒ c. Oral contraceptive pill
- ☐ d. Spermicidal and diaphragm

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18

[Back](#)

Time left 0:56:42

Question 96

Not yet answered

Marked out of 1.00

[Flag question](#)

A committed senior nurse who is caring for a comatose stroke patient in the Intensive Care Unit has administered wrong medication which is not appropriate for the patient. Which one of the following ethico-legal breaches was committed?

- ☐ a. Malpractice
- ☐ b. Negligence
- ☐ c. Fraud
- ☐ d. Euthanasia

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27



Nursing (Comprehensive)

[Back](#)

Question 100

Not yet answered

Marked out of 1.00

Flag question

Which of the following is an effective, feasible and economical way to break the chain of transmission of communicable diseases?

- ☐ a. Use of personal protective equipment
- ☐ b. Decontamination
- ☐ c. Sterilization
- ☐ d. Hand washing

[Previous question](#)[Finish exam ...](#)

Exam Navigation

1

2

3

4

5

6

7

8

9





MILKI HEALTH SCIENCE TUTORIAL CENTER



0910 69 0594
0911 05 8885

TAJAAJILA KENNINU

- ✓ **Barnoota Dabalataa Kennu**
- ✓ **Exit Exam/ COC'f isin qopheessuu**
- ✓ **Leenjiwwan gaggabaaboo kennuu fi kkf**



Teessoon: Magaalaa Naqamtee
Gamoo OSSA Darbii 3^{ffaa}