

Exam for qualification of certificate

1. What is true about vitamin *A and D*?
 - A. Used as treatment
 - B. Damaged by the environment
 - C. Both are fat soluble*
 - D. All

2. In which of the following ascetic fluid analysis will be *exudative*?
 - A) TB at peritonitis
 - B) In malignant causes
 - C) In Cirrhosis
 - D) In CHF
 - E) A and B*
 - F) F and D

3. About incidence and prevalence

Incidence rate

The number of new cases of a disease that occur during a specified period of time in a population at risk for developing the disease.Or (new cases per population at risk).

Prevalence rate

- ❖ Measures the number of people in a population who have a disease at a given time.
- ❖ *It includes both new and old cases.*
- ❖ Prevalence measures existing cases of a health condition at a particular point in time or over a period of time.
- ❖ It is the primary design feature of a *cross-sectional study*.

4. about probability

Probability

- ❖ Is a measure between 0 and 1 (or between 0% and 100%) that measure how likely it is that a certain outcome or event occurs.

5 .CSF analysis in bacterial

- A) Glucose decrease
- B) Protein increase
- C) Bloody
- D) A and B*

6 . Clinical feature of R/A which is true

- A) Polyarthritis
- B) Large joint involve
- C) Small joint involvement
- D) all*

7. Infant mortality rate in Ethiopia.

- A) 28
- B) 37
- C) 77
- D) 97*

8. Per cent of polio-paralysis

- A) 0.9%*
- B) 1%
- C) 99%
- D) 5%

9. Nephritic syndrome clinical feature

- A) Heavy haematuria
- B) HTN
- C) RBC cast
- D) Proteinuria
- E) Except "D" all*

10. Which Type of cell has high tendency to change cancer?

- A) Epithelial cell
- B) Labial cell
- C) Columnar cell
- D) Squamous cell*

11. One is not included under APGAR

- A) Pulse rate
- B) Respiratory rate
- C) Skin colour
- D) *Temperature***

12. We say severe asphyxia. If APGAR score

- A) < 5
- B) < 7
- C) < 3**
- D) 7-9

13. Which of the following the best family planning method.

- A) *IUCD***
- B) Depo-Provera
- C) Condom
- D) None

14. All are causes of PPH **except**

- A) Uterine atony
- B) *Precipitating urine b/c of hypertonic***
- C) HELLP and Asher man related PPH
- D) None

15. Bleeding stop by _____

- A) Uterine contraction
- B) Uterine retraction
- C) *By both A and B***
- D) *None***

16. The main cause for endocarditis is _____

- A) *IV fluid***
- B) Haematogeneses
- C) Diagnosis by duke criteria
- D) None

17. Sub endocarditis involve _____

- A) Endocarditis
- B) Valves**
- C) Septum
- D) None

18. Palpitation, weakness, PR >130/min, fever is symptom of _____

- A) Graves' disease
- B) Hyperthyroidism
- C) Thyrotoxicosis
- D) All**

19. Principle of health education except _____

- A) Involve community
- B) Concerned based on need
- C) Only the responsibility of health worker**
- D) All

20. Which one of the following is the **most common** cause of *chronic renal failure* with hydronephrosis in under 5 children?

- A. Renal hypoplasia
- B. Renal dysplasia
- C. Obstructive uropathy
- D. All**

21. _____ Is the process of **moving more organisms** make free of microorganism.

- A) Sterilization**
- B) Disinfection
- C) Decontamination
- D) None

22. At which age brain growth is fast _____

- A) Infancy**
- B) Neonate
- C) Children
- D) At Preschool age

23. Highly moveable firm and it size 0.5cm lumps, No family history, No history of breast ca. what will be this case?

- A) Cyst
- B) Fibro adenoma**
- C) Polycystic
- D) None

24. Which type of thyroid has high chance to change to ca?
A) Papillary
B) Multinodular
C) Nodular
D) None
25. Encephalitis Cryptococcus meningitis and EPTB is stage _____
A) I
B) II
C) III
D) IV
26. A 17 year old patient present with oral and Esophagial candidiasis is classified at _____ stage
A) I
B) II
C) III
D) All
27. TB and HIV is _____ stage
A) I
B) II
C) III
D) IV
28. The main cause of vaginal discharge is _____
A) Gonorrhoea
B) Chlamydia
C) Mixed bacteria
D) None
29. One of the following **is not cause** meningitis in child?
A) Streptococcal pneumonia
B) H. influenza
C) N. gonorrhea
D) None
30. Which is clinical feature of cystitis?
A) Dysuria
B) Fever
C) Frequency
D) None

31. calculate maintenance fluid for 17kg child.....

32. After trauma patient vital sign as follow BP 60/20 mmHg, PR 140, RR 30, What will be amount of blood loss?

- A) 750-1500ml**
- B) 1500-2000ml
- C) >2000ml
- D) Unestimated

33. Which TB drug cause feet pain and numbness from 1st line drugs.

- A) Pyrazinamide
- B) Isoniazid**
- C) Etambutole
- D) Rifampicin

34. Which of the following treatment used for above

- A) NSAID
- B) Vit.B6**
- C) Steroids
- D) None

35. Which is synonymous the same to labia majora?

- A) Scrotum**
- B) Glance
- C) Penis
- D) None

36. A 7 year old female brought by her mother to you with a complain of fever and nausea on physical examination what is your finding?

- A) Bleeding tonsil
- B) Small size tonsil
- C) Exudative tonsil**
- D) None

37. All of the following can cause mechanical bowel obstruction EXCEPT

- A) Ascaris Infestation
- B) Meckel's Diverticulum
- C) Perforated appendix**
- D) Tumour
- E) Intussusceptions

38. What is the *least likely* cause of **mechanical small intestinal obstruction** in an Ethiopia Adult?

- A) TB peritonitis
- B) Carcinoma arising in the small intestine
- C) Post-operative adhesions
- D) Strangulated hernia
- E) ***Small intestinal Volvulus***

39. A **Sinister sign** in a patient with intestinal obstruction

- A) ***Visible peristalsis***
- B) Exaggerated bowel sounds
- C) Distended abdomen
- D) Tender abdomen
- E) Hyper tympanic abdomen

40. Which one is against wound care?

- A) Meticulous debridement
- B) ***Routine antibiotic coverage***
- C) Delay closure of infected wounds
- D) Incised wound can be closed by primary suture of the skin
- E) None of the above

41. Vomiting **is least likely** to occur in patient with

- A) ***Acute perforated ulcer***
- B) Acute cholecystitis
- C) Acute pancreatitis
- D) Acute appendicitis
- E) Acute gastritis

42. Which of the following hernias is most likely to recur after primary repair?

- A) Epigastric hernia
- B) Spigelian Incisional hernia
- C) Indirect hernia
- D) Femoral hernia
- E) ***Incisional hernia***

43. Regarding **inguinal hernia**

- A) ***They are more common in male than in female***
- B) The partial.....to the inferior epigastric artery
- C) The direct type is more symptomatic than indirect one
- D) Herniorrhaphy is usually required in all patients
- E) Femoral hernias are more common in male than in females

44. Diagnostic procedure of choice for acute cholecystitis is:

- A) Trans-hepaticcolangiogram
- B) Ultrasound**
- C) Oral cholecytogram
- D) HIDA(hepatobiliary) scan
- E) Splengogram

45. 21 year old man presents with sudden onset of left side chest tightness aggravated by deep breathing the most likely diagnosis is:

- A) Pleural effusion
- B) Pulmonary embolism**
- C) Myocardial infarction
- D) Spontaneous pneumothorax

46. Generalized abdominal rebound tenderness is most likely suggestive of intestinal:

- A) Ischemia
- B) Neoplasm
- C) Infection
- D) Obstruction
- E) Perforation**

47. the most common organ subjected to the development of abscesses is:

- A) Brain
- B) Liver**
- C) Spleen
- D) Pancreas
- E) Testicles

48). The first step in the management of cat bite

- A) Wide local excision
- B) Administration of analgesics
- C) Administration of rabies Vaccine
- D) Washing the wound with soap and water**
- E) Administration of rabies immune globulin

50. Injectable progestin contraceptive shows what disadvantages
- A) Irregular bleeding
 - B) Delayed resumption of fertility
 - C) Need in visit provider for injection
 - D) A and C
 - E) All**
51. The most common cause of Vaginal discharge, **EXCEPT**
- A) Candida Albicans
 - B) Tricomunas Vagenalis
 - C) Bacteriod vagenosis
 - D) Chancroid**
52. Which of the following is the benefit of syndromic approach of STI
- A) Expedited care
 - B) Cost saving less technically demanding
 - C) Increase client satisfaction
 - D) Treatment at first visit
 - E) All**
 - F) None
53. Mechanism of action of Hormonal contraceptive
- A) Suppress ovulation
 - B) Change endometrium making implantation less likely
 - C) Thicken cervical mucus
 - D) Reduce sperm transport in upper genital tract
 - E) All**
54. How many weeks after an abortion does ovulation usually occur?
- A) 2 to 3**
 - B) 4 to 5
 - C) 5 to 6
 - D) 6 to 7

55. Safe effective 2nd trimester abortifacients include all of the following

EXCEPT:

- A) Oxytocin
- B) Indomethacin**
- C) Prostaglandin E 1
- D) Prostaglandin E 2

56. Cause of cephalo pelvic disproportion includes all EXCEPT

- A) Contracted pelvis (the commonest)**
- B) Pelvic deformities (Rickets, Osteomalacia)
- C) Malposition
- D) Big fetus
- E) None

57. Triads of ectopic pregnancy includes all EXCEPT.

- A) Vaginal bleeding
- B) Amenorrhea
- C) Lower abdominal pain
- D) Fever**
- E) None

58. A patient presented with vaginal bleeding after amenorrhea of four months. On physical examination 16 weeks sized uterus and cervix dilated 3cm what is your diagnosis?

- A) Threatened abortion
- B) Incomplete abortion
- C) Inevitable abortion**
- D) Complete abortion
- E) All

59. Gravida II para I mother whose LNMP was on 5/2/2008 presented with bright red bleeding of 2 days. All are true about EXCEPT

- A) Her GA is 37 weeks and 6 days
- B) Her GA on 15/10/2008 is 40 weeks
- C) Her EDD is on 15/10/2008**
- D) All
- E) None

60. A 25 year old para II mother who gave birth 2 weeks back presented with grade fever, lower abdominal pain and offensive Vaginal discharge. On Physical examination her PR=112 , T=38.9°c lower abdominal tenderness and uterine size is 14 weeks. Which of the following is the most likely diagnosis?

- A) Pelvic cellulitis
- B) Endometritis**
- C) Salpingitis and Peritonitis
- D) Pelvic thrombophlebitis
- E) Acute pyelonephritis

61. A 32 year old Para I patient is 7 days postpartum after repeat caesarean section. She presents to labor and delivery complaining of fever and chills. She is breastfeeding and her breasts are sore and tender. In your differential diagnosis of fever in this patient, which of the following is unlikely because of the timing of the Presentation?

- A) Endomyometritis
- B) Wound infection
- C) Mastitis
- D) Pyelonephritis
- E) Onset of lactation or milk let down**

62. which of the following regional aesthetic techniques would NOT be effective for the first stage of labor.

- A) Epidural
- B) Combined spinal epidural
- C) Paracervical
- D) Pudendal**
- E) Lumbar sympathetic

63. For mother who came for ANC follow up initial screening should include the following studies EXCEPT:

- A) Hct/ Hgb level and Blood group and Rh
- B) U/A and stool examination
- C) Serologic examination for Syphilis
- D) HBsAg and PICT
- E) None**

64. Its strategies of ANC target pregnant women to help them maintain normal pregnancies and delivery through.

- A) Identification of pre-existing health conditions
- B) Early detection of complication arising during pregnancy
- C) Health promotion and disease prevention.
- D) Birth preparedness and complication readiness planning
- E) All**

65. **True about** forceps delivery

- A) In outlet forceps the leading point of the skull (not caput) is at station +2 cm or more and not on pelvic floor.
- B) In low forceps rotation does not exceed 45 degrees
- C) Functional of forceps includes traction, rotation and as vectis
- D) All**
- E) None

66. Which of the following statements are **True**

- A) Local anaesthesia are potentially toxic**
- B) Convulsion and respiratory depression are not associated with local anaesthesia
- C) Facilities for resuscitation are unnecessary when using conductive anaesthesia
- D) Intravenous injection of local aesthesia does not result in toxicity.

67. Contraindication to local aesthesia include, **EXCEPT**

- A) True allergy
- B) Sepsis injection site
- C) Unsterile equipment for injection
- D) Anti-coagulated patients
- E) None of the above**

68. Important cell in proliferative phase of wound healing

- A) Monocyte
- B) Macrophage
- C) Fibroblast**
- D) Platelet
- E) All of the above

69. Which one is sign of impending wound dehiscence?

- A) Low grade fever
- B) Pink fluid sign
- C) Abdominal distension
- D) Abdominal pain

E) All of the above

70. SHOCK, mark the conditions which leads to hypovolemic shock

- A) Pyelonephritis with septicaemia
- B) Myocardial infarction
- C) Central pulmonary embolism
- D) Effusion of pericardium which impairs filling of the heart

E) Peritonitis with massive peritoneal collection

71. Cellular responses to injury

- A) Cellular adaptation
- B) Necrosis
- C) Degeneration
- D) Calcification

E) All of the above

72. The most important cause of impaired wound healing is:

- A) Malnutrition
- B) Elderly patient
- C) Poor surgical techniques
- D) Wound hematoma
- E) Wound infection

F) All of the above.

73. Which of the following **is not WHO HIV** stage 4 disease

- A) Extrapulmonary TB
- B) Pulmonary TB**
- C) Brain toxoplasmosis
- D) HIV encephalopathy
- E) Extrapulmonary cryptococcosis

74. which one **is not the feature** of nephritic syndrome

- A) Edema
- B) Proteinuria
- C) Hematuria
- D) Hypoproteinemia**
- E) None

75. W/ro Abebech had type 4 diabetes when she was pregnant which subsided after delivery. Ten years later she developed sign and symptoms of diabetes.

Which type of diabetes is the most likely in this patient?

- A) Type I diabetes
- B) Type II diabetes**
- C) Type IV diabetes
- D) Diabetes due to other diseases
- E) None

76. Which of the following is **not complication** of meningitis is:

- A) Brain Edema
- B) Brain abscess
- C) Hearing loss
- D) A and C
- E) None**

77. **Typical cerebro spinal fluid** finding in **acute bacterial meningitis** is

- A) Leukocytosis with lymphocyte predominance
- B) Elevated protein concentration**
- C) Elevated glucose
- D) Bloody in colour
- E) All of the above

78. Which of the following is **not precipitating factor for status epilepticus?**

- A) Infection
- B) Anti-epileptic drug discontinuation
- C) Serum electrolyte imbalance
- D) Drug toxicity

E) None

79. Choose a characteristic **feature of type I diabetes mellitus**

A) Absolute insulin deficiency

- B) Relative insulin deficiency
- C) Insulin resistance
- D) Abnormal insulin production

80. Which of the following **is not true** about diabetes?

- A) Fasting blood sugar has to be $> 126\text{mg/dl}$ for diagnosis
- B) Type II diabetes can occur in young individuals
- C) Type II diabetes patients require insulin late in the course of illness
- D) Type II diabetes can present with chronic complication at time of diagnosis

E) None

81. A **drug not effective against** mixed P.Vivax and P.falciparum malaria is:

- A) Coartem
- B) Quinine
- C) Chloroquine**
- D) B and C
- E) None

82 Most hepatotoxic anti-TB drug is

- A) INH
- B) Rifampicine
- C) Ethambutol
- D) Pyrazinamide**
- E) None

83. Which of the following is not true about *Threatened Abortion*

- A) Uterus is appropriate for gestational age
- B) Minimal bleeding
- C) Internal cervical os is closed
- D) Termination of pregnancy is indicated**
- E) None

84. Criteria for the diagnosis of inevitable abortion

- A) Severe lower abdominal pain not respond for analgesia
- B) Cervix effaced and dilated
- C) Rupture of membrane
- D) A and B
- E) All**

85. Complication of surgical abortion include

- A) Infertility
- B) Asherman syndrome
- C) Cervical laceration
- D) A and C**
- E) All

86. What is the most common ectopic tubal implantation?

C) Ambulatory

87. Pregnancy induced hypertension is:

- A. When BP is 135/80 in the first half of pregnancy
- B. When BP 140/80 in the 2nd half of pregnancy
- C. When BP 140/90 in the first half of pregnancy**
- D. DBP > these

88. Descriptive epidemiology examines?

- A. The person and the distribution of health related event occurrence**
- B. The geographic distribution of health related event occurrence
- C. The analysis of cause effect relationship for disease occurrence
- D. All

89. ----- is the first breast milk

- A. Protein
- B. Clostrum**
- C. Hormone
- D. Carbohydrate

90. which of the following **is not primary prevention**?
- A. **Early treatment of pneumonia**
 - B. Immunization/vaccination
 - C. Safe disposal of human excreta
 - D. Safe water supply
91. A 18 years grade 10 women come to you after abortion of 3 days back. Her BP is 70/50mmhg PR 40 and T° 38.9C°. what type of shock will be
- A. Distributive shock
 - B. **Hypovolumic shock**
 - C. Cardiogenic shock
 - D. Metabolic shock
92. **Iodine supplementation** in Ethiopia in the form of -----
- A. Watery form
 - B. Oily form
 - C. **Iodized form**
 - D. All
93. Which of the following statement **is false about prevalence** ?
- A. Estimate disease burden in the community
 - B. Disease that has chronic type increase prevalence.
 - C. **Rapid fatal disease increase prevalence.**
 - D. Fast recovery of disease decrease disease prevalence
94. Which of the following is the indicator of health status of one country?
- A. **Maternal mortality rate**
 - B. Child mortality rate
 - C. Youth mortality rate
 - D. Young mortality rate
96. According to the health concept which of the following is among the our major determinant of health
- A. Human biology
 - B. Life style behavior
 - C. Health care organization
 - D. Environment
 - E. **all**
97. Mr X come to you at EOPD due to sustained blunt trauma to his abdomen and he had bleeding. First Pt was stable after laboratory become hypotension the cause may be -----
- A. Sepsis
 - B. Bleeding
 - C. **Adrenal cortex injury**
 - D. None

98. According to the model of disease causation theory which of the following is not among the disease theory of Model of 19th century.

- A. Cognition theory
- B. Germ theory**
- C. Super natural theory
- D. Miasma theory
- E. All

99. According to.....which of the following is not among the four different factor affecting health

- A. Life style
- B. Socio cultural factor
- C. Community organization
- D. Biological factor
- E. None of the above**

100. Stone trauma to chest at some body occur **BP 60/90mmgh, PR tachyhardic, RR tachypenic.** On physical examination chest is **hypersonant** and trachea shift /devated. What is your diagnosis?

- A. Tension pneumothorax**
- B. Hemo pneumothorax
- C. Chest fail
- D. None

101. What is your management **for above question?**

- A. Needle decompression and CXR**
- B. Needle decompression
- C. Needle decompression and tracheotomy
- D. Tracheotomy and CXR