

Licensure Examination for BSc Nursing Graduates Prepared by FMOH ,
June 2019

1. A mother brought her 9 month old child at health center for immunization. A nurse administered 0.5ml of measles vaccine subcutaneous at right upper arm. What is the most likely missed?

A. Route

C. Dose

B. Site

D. Schedule

2. You are working in a place where chewing chat is common. you planned to give health education on the impact of chewing chat and to prevent the existence of new user. What is the most likely preventive strategies used?

A. Primary Prevention

C. Rehabilitation prevention

B. Secondary

D. 3 prevention

3. A nurse recorded the birth weight of newborn in X hospital as follows; 3450, 2900, 4000, 2759, 3500, 2350, and 1500. what is the best method to summarize the data?

A. Mean

C. Range

B. Mode

D. Midean

4. You are ordered to administer 1000cc of 5%DW for 8 hour using drop rate of 20gtt. What will be the drop rate per min?

A. 31gtt

C. 333gtt

B. 42 gtt

D. 400gtt

5. A little baby was taken a drug from his mother cabinet. He was convulsing, and during the initial assesment his Bp was 140/90mmhg. After 30 minute the child Bp is 80/50 mmhg. What is the most likely poison ?

A. Barbiturate

B. Acetamenopen

C. Antidepressant

6. A pregnant women come to hospital on 10/11/2011 and whose LNMP was on 30/8/2011. If she ask her gestional age, a nurse in charge will reply:

A. 10 Week

c. 14Wk

B. 12 week

D. 6 Week.

7. A nurse working in EPI expose vaccine to sunlight which one is affected firstly

- A. OPV
- C. PCV
- B. BCG**
- D. penta

8. A 8yr old child sustained burn injury which covers 20% of total body surface. The child weight 12kg . What is the amount of fluid need during emergency phase?

- A. 480 ml per 8hr
- c. 960Ml per 16hr
- B. 560Ml per 6hr
- D. 720Ml per 24hr

9. A nurse is exposed to needle stick injury, checked the sero status of the patient and the patient was found HIV positive. What is most likely intervention by the nurse?

- A. Wait 3day to start treatment
- B. Consider post exposure prophylaxis
- D. Repeat the test after 6 week

10. A cardiac patient who was on follow come to the health center with a complain of dyspnea, crackle, hepatjugular reflex, and SOB. Which finding most likely indicative of right sided heart failure?

- A. Crackle
- C. Hepatojugular reflux
- B. SOB
- C. dyspnea

11. A 5 day baby of HIV positive mother come to hospital with a complain fever. His mother verified that he was on breast milk. he was HIV positive with an antibody test. What is the most likely classification of the infant?

- A. Hiv infection unlikely
- C. Hiv exposed
- B. Hiv infected
- D?

12. A 40 year old patient come to hospital with burn injury which covers 40% of his total body surface. After one month of hospital admission, he has open wound, input and output balanced and his condition is stable. What the most priority nursing intervention ?

- A. Wound care
- D. Monitoring vital sign
- B. Prevention of scar and contracture
- C. Functional and cosmetic reconstruction

13. You are going to conduct a research on prevalence of female condom utilization among commercial sex worker in whose community sex other than one partner is taboo and prohibited. What is your most likely sampling technique to conduct your research ?

- A. Snow ball
- B. Convenient
- C. Purposive
- D. Qasi...

14. A mother come to hospital for immunization asks the nurse when will be BCG, measles and inactivated polio given to her child. The most likely response of the nurse

- A. at 9month, birth and 14 week respectively
- B. At birth, 14 week, and 9month respectively
- C. At 14week, 9month and birth respectively
- D. At birth, 9month and 14week respectively

15. A nurse plan to administer 1.5ml gentamicin (IM) for a patient with spica cast on trunk and upper lower extremities. Which is appropriate site of administration.

- A. Deltoid
- B. Glutius maximus
- C. Vestus lateralis
- D. Glutius minimus

16. A nurse working at labour and delivery room conducted delivery and collected placenta as waste. What's the mostly likely method of placenta disposal ?

- A. Onsite burial
- B. Incineration
- C. Sandfill dump
- D. ?

17. A 28 year old pregnant women complains vaginal bleeding for 03 days. She was amenorrhic for the last 3 months. When the nurse checks the fetal heart beat it was positive and the Cx was closed. Her vital sign was Bp: 110/70mmhg. What is the most likely diagnosis ?

- A. Threatened abortion
- B. Ectopic pregnancy
- C. Incomplete abortion
- D. Vaginal laceration

18. Meskerem was diagnosed with TB and was on anti TB for a duration of 3 weeks. Currently she come to hospital with a complain of low grade fever, loss of appetite, and wt loss. She discontinued the drug for the duration of 3 months and was found smear positive. The most likely treatment of this patient?

- A. 2(RHZE)/6EH
- B. 2(SRHZE)/1(RHZE)/5RH
- C. 2(RHZE)/4RH
- D. 1S(RHZE)/2(RHZE)/5EH

19. A 26 year old Term primigravida women come to health center with a complain of gush of fluid and vaginal bleeding. When the nurse checks her vital sign; BP 110/70mmhg, pulse 85beat/min, Temperature 37.2oc. Her cervix was 4 cm dilated, presentation vertex abd membrane intact. What is most the likely priority nursing intervention ?

- A. Ask the women to walk around
- C. Send the women back to hospital
- B. Follow up the labor with partograph
- D. Advice C/s

20. A mother using IUCD for 3 month come with a complain of dymorphic, heavy vaginal bleeding what will you do as a nurse?

- A. Reassure and send her to home
- C. Remove IUCD and use other fp
- B. Reassure, give iron and send her to home
- D. ?

21. Child come to health center with **loss of appetite** and has oedema on his ankle. His anthropometric measurement shows MUAC 10.5. what is the the most likely diagnosisof the child condition?

- A. moderate Malnutrition
- c. Complicated SAM
- B. severe Acute Malnutrition
- D. uncomplicated SAM

22. A women with irregular monthly bleeding come to hospital for contraceptive. She want to use a contraceptive that correct her monthly cycle. Her heamoglobin level was 10.9 mg/dl. Which contraceptive method is the most appropriate for this women?

- A. COC
- C. DEPO
- B. POP
- D. IUCD

23. A 22 Years old Women missed her Menstrual period 2month ago. She is currently complaining vaginal bleeding, Left lower Abdominal pain and she was sexually inactive. What is your possible diagnosis?

- A. Ectopic PX
- C. Myoma
- B. Ovarian Cyst
- D. Uterine Inversion

24 . 23 years Old Student Fear Talking With Teacher, In Class even with her class mates. her teacher told Her not to fear to talk but she can't to do that. what is the most likely personal disorder ...

- A. Specific phobia
- C. Schziophernia
- B. Ant social disorder
- D. Borderline

25. A 28 yrs old px women come with acomplian of pushing down pain for 2 hr duration. On examination 2 contraction per 10min last for 15 second. After 4 hr you get that 3 contraction per 10min last for 30 min and cx dilitation 3 then she isstage of labor

- A. Active 1st stage
- B. 2nd stage

C. Latent 1st stage

D. 3rd stage

26. A nurse is working in the community where home deliver is being common and traditionally acceptable. The nurse planned to molize the community so that to increased the number of mothers delivered at health institution. Which metod is the most appropriate method of social mobilization by the nurse?

A. Using students

c. Non pregnant womens

B.using religious leader

D. ?

27. A nurse working in NICU observe one day child who loss heat by conviction

What is appropriate action of a nurse.

A. Dry baby

D. Skin to skin contact

B. Cover head

C. Warm the room

28. A 5 year old child come to health center with a complain of swelling on his leg. When the nurse checks the child his entire lower extermity was found odematous. What is the most likely intervention by the nurse

A. Reduction

C. Elevation

B. Retention

d. Hot compress

29. A critically ill patient was brought to hospital by the support of his family. After detailed history and physical examination the physican decided to conduct surgery to the patient. But the patient was refused to sign a consent to under go surgery. Without the consent of the patient the physician conducted the surgery and the patient was died. Which right of the patient was violated?

A. Autonomy

C. Mal practice

B. Justice

D. Confidentiality

30. A para III, gravida IV mother was just delivered at health facility and she complains vaginal bleeding after delivery. when the nurse checks her ux, it was not in its place and the nurse notes/feel membrane slightly via PV.

What is the most priority nursing intervention ?

A. manual utrine Return

B. Bimanual utrine compression

C. Oxytocin IV infusion

D. Positioning the mother

31. A one day infant who is unable to breast feed with weight of 2.1kg comes to hospital and admitted NICU. what will be the total amount of maintenance given to him?

A. 189ml C. 144ml

B. 168ml D. 126ml

32. A Mother brought her 4 day infant with respiratory distress and secretion. The baby was admitted to NICU and he has severe fluid deficit. What is the most likely way of administering fluid to this infant?

A. breast feeding

C. feeding by cup

B. feeding by tube

D. giving IV fluids

33. ?? A 42-year-old man attends the GP reporting hearing loss. He reports sudden-onset right hearing loss that has remained continuous for the past three weeks. He notes that the day prior to this he hit his head with some force. Additionally, he mentions he has been experiencing some dizzy episodes over the same time frame. He goes on to have a pure-tone audiogram that demonstrates significant sensorineural hearing loss on the right side.

What is the most likely diagnosis?

A. Stroke

C. Meniere's disease

B. Benign paroxysmal positional vertigo (BPPV)

D. Subdural haemorrhage

34. A 8 year old child come to hospital with a complaint of fever, SOB and cough. The cough is aggravated during night.

What is the most likely diagnosis

A. Pneumonia

c. Bronchitis

B. Bronchial asthma

D. Empyema

35. A 47-year-old nurse presents to Hospital complaining of a poorly healing ulcer of her left second digit. The ulcer started a week ago and is painless. The patient has tried using over-the-counter antibacterial and hydrocortisone creams without improvement. She denies trauma to the hand.

The patient has a temperature of 38.4°C (101.1°F) and left-sided epitrochlear and axillary adenopathy. She has a 4-cm ulcer on the dorsal side of the left second digit covered by a black eschar and surrounded by an extensive amount of nonpitting edema.

Which of the following is the most likely diagnosis?

- a. Smallpox infection
- b. Cutaneous anthrax
- c. Cat-scratch disease
- d. Leprosy infection

36. A 23 year old primigravida mother delivered at health facility. After giving birth she complains vaginal bleeding, and a nurse in charge examined her found tear in her perineum which involves the anal spincture but not rectal mucosa.

What is the most likely stage of genital tear?

- A. Stage I
- B. Stage II
- C. Stage III
- D. Stage IV

37. A nurse working in x hospital collects instrumentes after procedure. What is the first stage of instrument processing that the nurse follows?

- A. Disinfection
- B. Decontamination
- C. Stralization
- D. HLD

38. A 8 year baby come to hospital with a complain of fever, SOB and cough. His vital sign reading shows BP 85/50 mmhg, Temperature 37.2 oc and O2 80%.

What is the most priority nursing intervention?

- A. Administering IV fluid
- B. Clearing airway
- C. Administering oxygen
- D. Adiministeringanalegesics

39. A 45 year old male patient come to health facilities with a complain of cough. He has thick tenacious secration. His vital sign was Bp 90/60 mmhg, pulse 105 beat/min, Temperature 36.5 oc, and RR 22 breath/min.

What is the most priority nursing diagnosis ?

- A. Ineffective airway clearance
- B. Ineffective brathingpatteren
- c. Impaired tissue perfusion

40. A 42 year old COPD patient come to hospital with a complain of fever, cough and difficulty of breathing. He has stridor breathing sound. His vital sign was Bp 110/70mmgh, pulse 96 beat/min, Temperature 38.3 oc and O2 85%.What is the most priority nursing intervention ?

- A. Clear breath sound
- B. Airway clearance
- C. Oxygen administration
- D. Improving tissue perfusion

41. Mr.x come to hospital with a complain of vague abdominal pain 3 days ago. The physician ordered cleansing enema. The nurse in charge assessed the patient vital sign as follows, Bp 160/90 mmhg, pulse rate 100 beat/min, Temperature 37.5 oc and RR 20 breath per min.

Which solution for cleansing enema most likely the nurse will use?

- A. Soap solution
- B. Normal saline
- C. Tap water
- D. Kcl solution

42. A 18 year old patient come to hospital with swelling over his lower extremity. When the nurse checks his lower extremity it has pitting type odema. His vital sign was Bp 80/50mmhg, pulse 96beat/min, temperature 37.8oc and Respiration 18 breath/min.

What is the most priority nursing intervention ?

- A. Administering fluid
- B. Administering diuretics
- C. Elevation
- D. Positioning

43. The color of nasal discharge during the infection of influenza virus is. A. Clear. B. Green. C. Cloudy. D. Black. Nursing licensure exam

44. Which one of the following is mostly looks the acute complications of common cold?

- A. Pharyngitis.
- B. Laryngitis.
- C. Otitis media.
- D. ????????

45. A 2 year child come to health facility with a complain of Respiratory distress and barking cough. He has intercostal retraction, caynosis and O2 saturation is 86%.

What is the most likely diagnosis?

- A. B. Asthma.
- B. Brocholitis
- C. Croup
- D. Pneumonia

46. The single most important nursing action to prevent hospital based infection is-----

- A) Wearing Glove
- B) Equipment processing.
- C) Personal protective equipment
- D) Hand washing
- E) Alcohol hand rub

47. The physician has ordered a culture for the client with suspected gonorrhea.

The nurse should obtain which type of culture?

- A. Blood
- B. Nasopharyngeal secretions
- C. Stool
- D. Genital secretions

48. The nurse is assessing the abdomen. The nurse knows the best sequence to perform the assessment is:

- A. Inspection, auscultation, palpation
- B. Auscultation, palpation, inspection
- C. Palpation, inspection, auscultation
- D. Inspection, palpation, auscultation

49. The client seen in the family planning clinic tells the nurse that she has a painful lesion on the perineum. The nurse is aware that the most likely source of the lesion is:

- A. Syphilis
- B. Herpes
- C. Candidiasis
- D. Condylomata

50. The nurse caring for a client receiving magnesium sulfate must closely observe for side effects associated with drug therapy. An expected side effect of magnesium sulfate is:

- A. Decreased urinary output
- B. Hypersomnolence
- C. Absence of knee jerk reflex
- D. Decreased respiratory rate

51. The client with hyperemesis gravidarum is at risk for developing:

- A. Respiratory alkalosis without dehydration
- B. Metabolic acidosis with dehydration
- C. Respiratory acidosis without dehydration
- D. Metabolic alkalosis with dehydration

52. Which of the following findings is associated with right-sided heart failure?

- A. Shortness of breath
- B. Nocturnal polyuria
- C. Daytime oliguria
- D. Crackles in the lungs

53. The client is presented with SOB, palpitation and fatigibility. In addition to this the client become weak after vigorous exercise but no symptoms at rest and with activities of daily living. The physician diagnosed Heart failure . According to the above statement the patient is :

- A) NYHAC III B) NYHAC II
- C) NYHAC IV D) NYHAC I

54. Based on RYB classification, a wound that need debridement is classified as:

- A) Red B) black C) yellow
- D) A & C is correct answer.

56. The definitive diagnosis of infective endocarditis is:

- A) CBC B) Blood culture
- C) Biopsy D) none

55. CDC recommended the following drugs for the treatment of Acute PID except:

- A) ceftriaxone B) norfloxacin
- C) metronidazole
- D) Gentamycin

56. The following are the sign and symptoms of adrenal insufficiency except :

- A) hypotension
- B) hypoglycemia
- C) hypernatremia
- D) hyperkalemia

57. One of the following is not the symptom of hyperthyroidism

- A) hunger B) palpitation
- C) sweating/ perspiration
- D) cold intolerance

58. One of the following is not immune mediated disease

- A) joint disease B) nephritis
- C) RF D) skin disease

59. A 6year old child wt 20kg is A newly diagnosed Dm patient. What is the dose of insulin needed to this child?

- A) 21 IU IV B) 21IU SC
- C) 14IU IV D) 14 IU SC

60. Which one of the following is an intentional wound?

- A) car accident wound
- B) nail puncture wound
- C) surgical removal of tumor
- D) none

61. Mr. X has history of accidental injury on his brain. One month later Mr. X developed polyuria and excessive thirst. Lab. Investigation of urine shows low gravity. Based on this what would be the possible diagnosis of Mr. X?

- A. DI B. Hyperthyroidism C. Dm D. DKA

62. The following are factors that contribute to false high Bp except

- A. Immediately after exercise
- B. Releaseing valve too slowly
- C. Bp calibrated at zero mark
- D. Applying narrow cup

63. The correct order of managment for a child who has DDH

- A. Manipulation- open reduction- close reduction
- B. Closed reduction-PH- open reduction
- C. PH-closed reduction-open reduction
- D. Open reduction-pH-closed reduction

64. A type of personality disorder characterized by grandiosity, excessive admiration, lack of emphaty:

- A.historinic B. Narchistic C. Antisocial D. Pranoid

65. All are non pharmacollical management of patient with heart failure except

- A. Bed rest for NYHAC IV
- B. Reduction of salt intake
- C. Reduction of smoking
- D. All

66. The common postion for chateterization is:

- A. Prone position
- B. Dorsal recumbenent
- C. Supine position
- D. Lateral position

67. One of the following drug is not considered as anti anxiety

- A. Alprazolem B.Clozapam
- C. Phenobaritone

68. which one of the following is the correct order of medication administration

- A). A-M-D-E B) A-D-M-E

C) M-A-D-E D) none.

69. Diclofenac 50mg PRN. What's missed with this prescription ?

A) Route B) frequency C) Duration D) all

70. Which Route of medication administration needs massage ?

A) IV B) Im C) SC D) ID

71. Which one of the following is false about IV route of medication?

A) dangerous route of administration

B) preferable route for emergency case

C) complication is easily reversed.

D) none

72. Patients always has the to refuse treatment

A. True B. False

73. Which one of the following is correct measurement of NGT?

A. Ear lobe to nose to xip

B. Nose to earlobe to xip

C. NOSE TO XIP

D. NONE

74. Which one of the following is false about NGT feeding ?

A. Sitting position is preferable

B. Put the patient supine immediately after feeding

C. Flush the tube with water

D. None

75. The child walks on his heel and inner foot, what's the correct diagnosis ?

A. Talipes calcaneovarus

B. Talipes calcaneovalgus

C. Talipes equinovarus

D. Talipes equinovarus

A. Carditis B. Sydenham chorea C. Raised ESR D. subcutaneous nodule

76. One of the following is not an indication for inpatient treatment of PID

A. Previous hx of px

B. Ovarian abscess

C. Having HIV/AIDS

D. NO Improvement of 3day outpatient treatment

77. The child came to hospital with X Disease. His father told that his old brother has the same illness. This hx should be written on:

A. CC B. HPI C. FHx D. PHx

78. Which one is most important for nurse to assess the pt

A. medical approach

B. 11 functional approach

In which step of the nursing process the nurse applies critical thinking?

A. Assessment B. Diagnosis

C. Implementation D. Evaluation

79. The nurse performs an assessment after a certain period of time to make comparison with baseline data is

80. The most common clinically used artery used to assess pulse is:

A. Radial B. Brachial C. Apical D. Temporal

81. A woman came to hospital because of a car accident. She is pregnant and her current gestational age is 31 weeks. She has bleeding, and on examination opening her leg, it has blood. She has history of placenta previa. What would be the possible diagnosis?

A. P. previa B. A. placenta.

C. V. previa D. Abortion

82. If the patient undergoes organ donation without consent.....

A. Active euthanasia B. Inactive euthanasia C. None active euthanasia D. B & C

83. A 9-year-old is admitted with suspected rheumatic fever. Which finding is associated with rheumatic fever?

- A. A history of low birth weight
- B. A case of strep throat several weeks ago
- C. Presence of sickle cell trait
- D. Inability to digest certain grains

84. Dr. Gizachew has ordered diuretic therapy and fluid restrictions for a client admitted with a stroke. The diuretic therapy and fluid restrictions are ordered during the acute phase of a stroke to:

- A. Reduce cardiac output
- B. Prevent an embolus
- C. Reduce cerebral edema
- D. Minimize incontinence

85. A nurse finds her neighbor lying unconscious in the doorway of her bathroom. After determining that the victim is unresponsive, the nurse should:

- A. Start cardiac compression
- B. Give two slow deep breaths
- C. Open the airway using the head-tilt chin-lift maneuver
- D. Call for help

90. Which of the following is not linked to CRC (compassionate, respectful, and caring)?

- A. Take pride in her or his profession
- B. Consider the patient as a case
- C. Respect patient and his/her family
- D. All

86. Action of the drug that is suspected effect than therapeutically

- A. Side effect
- B. Adverse effects
- C. Allergic reaction
- D. Therapeutic

92. All of the following are clinical features of strangulation

- A. Tachycardia
- B. Disappearance of abdominal pain
- C. Fever
- D. Acidosis

87. Which vaccine is contraindicated during pregnancy?

- A. Rubella
- B. OPV
- C. Measles
- D. Influenza

94. Clinical feature of bowel obstruction?

- A. Colicky abdominal pain
- B. Abdominal distension
- C. Diarrhea
- D. Vomiting

95. Clinical manifestation of bladder stone

- A. pain on tests
- B. Hematuria
- C. Strangery
- D none

89 All of the following are complications of pharyngo esophageal junction

- A. Stroke
- B. Ansta esophagitis
- C. larngoesophitis
- D A&C

91. which of the following complication of epiglottitis in neonate?

- A. Larngomalacia
- B. Asphyxia
- C tonsillitis
- D Phargitis

93 Which route of administration is best for adrenaline during sever anaphylactic shock?

- A. Im
- B. Iv
- C. Sc
- D all

96. Helen is work in adult OPD at that time, the patient come with sudden excess vomiting. Helen immediately before assess physical examination she take history. the pt says 6 episode of projectly vomiting in

previous history of gastric problem. in addition he had a history of drinkers. Smoker and gastric problem.

In the above scr which one of the following is best assessment of nurses?

- A. Initinal
- B. Focused
- C. Time lapsed
- D. Emergency

97. Correct order of wound dressing?

- A. Irrigate ,cleans, debris and apply medication
- B cleans, irrigate, debriment and apply medication
- C debris, irrigate, cleans and apply medication
- D cleans, debris, irrigate and medication

99 w/c one of the following is the most important aspect of burn mgt in in 24 hours

- A, wound dressing
- B, fluid Resuscistation
- C. Antibiotics
- D. none

101. All of the following events occur in proliferation phase of wound healing, except?

- A. Wound contract
- B. Collagen formation

C. Epithelization

D release of vasoactive substance

C. NS

D. RL

15 w/c of the following is true about physiological jaundice?

A. Immature hepatic enzymes

B. breast feeding

C. Increasing Bilirubin production

D none

103. w/c one of the following is given in phase 1 treatment of severe malnourished?

A. F75 B. Iron C. Vitamin A D. Measles vaccine

98. w/c one of the following is true about CPR?

A. 30 compression and 2 breath in adult

B. 15 compression and 2 breath in adult

C. 30 compression and 1 breath in adult

D. 15 compression and 1 breath in pediatrics

104. w/c one of the following is not the part of nursing care plan?

A. Overt data, but not previous record history

B. potential nursing care

C discharge with detail summary

D A&B

E. All

100. A 27 years old adult patient said to nurse I have high blood glucose and have DM but it doesn't compromise my future vision and I can do everything. The above explanation of a patient describes

A. Self perception and self concept pattern

B. Coping stress mechanism pattern

C. Role and relationship pattern

D. Value belief pattern

102. In Hypotension w/c fluid is given?

A. Dextrose 5%

B. NS 3%