

In a district only 5 percent of households have latrine and intestinal parasite was the top ten diseases in the catchment. Zonal health administration initiated a project to increase household latrine coverage by 20 percent each year. The project provides essential materials for latrine construction. But a year later, the project assessment indicated that less than half of the target has been reached. What is the most likely reason for failure of the project?

- ☐ a. Low community acceptability
- ☒ b. Complexity of the problem
- ☐ c. Interest and support of the authorities
- ☐ d. Availability of resource

[Clear my choice](#)

A nurse works as surveillance team member of a national COVID-19 prevention and control. The team detected COVID-19 case on each day and reported immediately to the ministry of health. What is the most likely good feature of the surveillance done by the team?

- ☐ a. The team had strong laboratory services for accurate diagnosis
- ☐ b. The team used combined passive and active mechanisms
- ☒ c. The team had comprehensive action
- ☐ d. The team had timely reporting of cases

[Clear my choice](#)

A 26-year-old Gravid II Para I pregnant woman came to ANC clinic with complaints of headache, dyspnea, and fatigue for three days. Her pulse rate was 78/min, Blood pressure was 100/60 mmHg and fetal heart rate was 140/min. On physical examination, she had pale conjunctiva and 32 weeks gestational age pregnancy. Her hemoglobin concentration was 10g/dl. What is the most likely indicative characteristic for the woman's problem?

- ☒ a. Hgb 10 g/dl
- ☐ b. Headache
- ☐ c. Dyspnea
- ☐ d. Pale conjunctiva

[Clear my choice](#)

A two-day-old neonate was brought to a hospital with a complaint of unable to breastfeed of one-day duration. On physical examination, the neonate has brown eyes, yellowish palms and bluish mouth and lips. All neonatal reflexes were active. The nurse has suspected hyperbilirubinemia. Which finding is the most confirmatory manifestation for this diagnosis?

- ☐ a. Brown eyes
- ☐ b. Bluish lips
- ☒ c. Yellow palms
- ☐ d. Bluish mouth

[Clear my choice](#)

A 30-year-old pregnant woman has come to an ANC clinic with complaints of headache, abdominal pain, vomiting and difficulty of breathing during sleeping for two weeks duration. Her blood pressure is 100/70mmHg, Pulse rate is 80/min and fetal heartbeatis 140/min. On physical examination, she has markedly enlarged abdomen and gestational age of 34weeks. The nurse has suspected that the woman is at greater risk for amniotic fluid disorder. Which is the most pertinent characteristic that indicates the disorder?

- ☐ a. Abdominal pain
- ☒ b. Vomiting
- ☐ c. Difficulty of breathing
- ☐ d. Enlarged abdomen

[Clear my choice](#)

A four-year-old child was brought to pediatric emergency with a complaint of breathing difficulty. On examination, the nurse suspected foreign body aspiration. What is the most important clinical feature the nurse should check to confirm this diagnosis?

- ☒ a. Gagging
- ☐ b. Atelectasis
- ☐ c. Hemoptysis
- ☐ d. Sign of infections

[Clear my choice](#)

A 24-year-old pregnant woman came to an ANC clinic with complaints of headache and dizziness for two weeks. Her pulse rate is 70/min, gestational age 20 weeks and fetal heart beat is 150/min. Laboratory investigation shows that Hgb 10g/dl and serum iron level less than 4 micro gram/dl (Normal range of serum iron = 65–75 micro gram/100mL). What is the most appropriate management for this woman?

- ☐ a. Blood transfusion
- ☐ b. Diet therapy
- ☐ c. Ferrous sulphate
- ☒ d. Fluid therapy

[Clear my choice](#)

A nurse has been attending a multi-gravid woman with first stage of labor in local health center. The woman was in the latent phase of labor and had persisted uterine contraction for 10 hour. The cervical dilatation remains less than 4cm and fetal heart beat was 140/min. The nurse referred the mother to a hospital. What is the most likely explanation for referral of this patient?

- ☐ a. Fetal distress
- ☒ b. PROM
- ☐ c. Prolonged labor
- ☐ d. Uterine rupture

[Clear my choice](#)

A nurse works on maternal care clinic in a city. One day a woman came to a clinic to get family planning method, but she did not know about the types and effects of the available methods. The nurse gave all necessary information about each family planning methods. Then, the woman used family planning method based on her choice. What is the most likely approach of health education used by the nurse in this scenario?

- ☒ a. Informed decision making approach
- ☐ b. Deliberate attempt approach
- ☐ c. Directive approach
- ☐ d. Persuasion approach

[Clear my choice](#)

An eleven-year-old child was brought to a clinic due to restlessness while playing and he does not follow instructions in class. He cannot read, listen and solve simple mathematics questions. He also loses learning materials, leaves class, runs, and climbs tree frequently. What is the most likely type of childhood behavioral disorders in this case?

- ☐ a. Mental retardation disorder
- ☐ b. Down's syndrome
- ☐ c. Childhood schizophrenia
- ☒ d. Attention deficit hyperactive disorder

[Clear my choice](#)

A nurse in the PMTCT unit has prepared a nursing care plan to provide a holistic care to HIV exposed infants. A mother planned to stop breast-feeding today following the advice from the nurse. On the follow up visit schedule, the nurse planned to do a rapid antibody test. When is the best time to do the antibody test in this case scenario?

- ☐ a. At 10 weeks
- ☐ b. At 12 weeks
- ☐ c. At birth
- ☐ d. At 6 weeks

A 26-year-old man came to a hospital and reported auditory hallucination of one day duration. The onset is reported to be two hours after drinking five bottles of beer. He has no previous history of mental illness and no insight of what happened to him. What is the most likely diagnosis for this case?

- ☐ a. Schizophreniform disorder
- ☒ b. Alcohol induced psychotic disorder
- ☐ c. Brief psychotic disorder
- ☐ d. Alcohol withdrawal syndrome

[Clear my choice](#)

A nurse was giving care for pregnant women at ANC clinic. The MUAC measurement result for a 26 week normotensive mother is 21 cm, for a 30 weeks HIV positive mother 21 cm, for a 38 week RH negative mother 21cm and for 16 week primigravida mother 21cm. Which mother mostly requires nutritional counseling?

- ☐ a. Primigravida mother
- ☐ b. Normotensive mother
- ☐ c. RH negative mother
- ☐ d. HIV positive mother

A 12-year-old child was brought to pediatrics OPD of a health center with a complaint of sustained fever and fatigue. On physical examination, the nurse noted rose spots in his skin and relative bradycardia. What is the most likely cause of the child's illness?

- ☐ a. Giardiasis
- ☐ b. Amoebiasis
- ☐ c. Bacillary Dysentery
- ☐ d. Typhoid fever

A pregnant woman came to a hospital at her 36th gestation with complaint of headache, anxiety, paler palm and weakness.

Laboratory investigation indicates that her hemoglobin level was 10 g/dL (Normal Hgb for late pregnancy=11.0-13.8 g/dl) and she was diagnosed with anemia. What patient's outcome criterion is the most important to prioritize nursing diagnosis?

- ☐ a. Free from headache
- ☐ b. Subside from pale discoloration
- ☐ c. Free from anxiety
- ☒ d. Having Hgb greater than 13 g/dL

[Clear my choice](#)

Gender office of the city administration organizes a workshop on improving gender equality. Based on the invitation, the CEO of the general hospital made a speech at the event representing the hospital. What is the most likely managerial role played by the CEO?

- ☐ a. Influencer
- ☒ b. Monitor
- ☐ c. Liaison
- ☐ d. Figurehead

[Clear my choice](#)

A nine-year-old child was brought to a pediatric OPD with complaints of nausea and tenderness. The nurse has suspected that the child may have appendicitis. What additional sign is needed to reach in this diagnosis?

- ☐ a. Positive kernig sign
- ☐ b. Positive brudzinski sign
- ☐ c. Positive barlow sign
- ☒ d. Positive rovsing sign

[Clear my choice](#)

A 68-year-old woman has come to a nurse with a manifestation of chills, rigor, fever, head ache, diarrhea, hallucinations, abdominal pain, and ache. The nurse suspected that the patient is with malaria. After observing repeated cases, the nurse wanted to design disease prevention strategy that can apply in the community. What is the most likely strategy to prevent the disease in this scenario?

- ☐ a. Treatment of an individual who develop the disease
- ☒ b. Avoid drinking of contaminated water
- ☐ c. Discharging the accumulated water from the area
- ☐ d. Isolation of an individual who develop the disease

[Clear my choice](#)

A 42-year-old male patient was going to have amputation due to gangrene. If he is amputated, he will lose his properties which will be transferred to his brother according to cultural practices in the area. If the procedure is not done, the patient will die. The nurse in charge convinced the patient about the procedure. What principle is most likely applied in the case?

- ☐ a. Proportionality
- ☐ b. Compassion
- ☐ c. Veracity
- ☒ d. Paternalism

[Clear my choice](#)

A pregnant woman who came to a health center was diagnosed with malaria. Inquiring from the patient just if oral medication would be suitable for her, the nurse who made the diagnosis gave the patient a prescription. What is the most likely patient right that the nurse breached?

- ☐ a. The right to get information
- ☐ b. The right to control one's own life
- ☐ c. The right to get respect from the nurse
- ☒ d. The right to choose treatment

[Clear my choice](#)

An infant was referred from private clinic to a health center with the diagnosis of severe anemia. On physical examination, the nurse found that infant's MUAC was less than 11.5cm, WFL less than -3Z score, bilateral pitting edema and RBS less than 40mg/dl. What is the most appropriate management for this infant?

- ☐ a. Admit the infant on OTP program
- ☒ b. Give 1st dose of antibiotic and refer
- ☐ c. Give oral amoxicillin for seven days
- ☐ d. Give folic acid supplement for anemia

[Clear my choice](#)

A female nurse attending hospital reform training introduces herself as she is serving with skill and knowledge expected for the specific position she is assigned to. What is the most likely managerial level of a nurse expressed in this case?

- ☐ a. Second level
- ☐ b. Top level
- ☐ c. First level
- ☒ d. Middle level

[Clear my choice](#)

A 28th week pregnant mother was admitted to a maternity ward for severe malaria. She was complaining fever, chills, headache, joint pain and loss of appetite. On physical assessment, her blood pressure is 100/60 mmHg, pulse rate 90/min, respiratory rate 24/min and temperature is 38.8 degree centigrade. What is the priority nursing diagnosis for this scenario?

- ☐ a. Fatigue
- ☐ b. Fluid volume deficit
- ☐ c. Impaired nutritional intake
- ☒ d. Hyperthermia

[Clear my choice](#)

A nurse working in an ICU always enters earlier to assess the order and revises cares for all patients. One day, the nurse gets wrong order and doubtful medication for her critically ill patient. Then, the nurse immediately consults the doctor who ordered the medication before she carries out the medication. What is the most likely reason that the nurse wants to consult the doctor?

- ☐ a. Since he is newly assigned, he is not clear with ICU procedures
- ☐ b. Fears not to take accountability for any bad consequence
- ☐ c. Lacks confidence to work independently as professional nurse
- ☒ d. To prevent mal practices that risk the patients and to safeguard them

[Clear my choice](#)

A neonate, who was diagnosed with neonatal sepsis, was admitted in a hospital. The nurse in charge examined the baby and the findings showed central cyanosis, chest in drawing, tachycardia and tachypnea. What is the most likely nursing diagnosis of this case?

- ☒ a. Ineffective tissue perfusion
- ☐ b. Ineffective breathing pattern
- ☐ c. High risk for hypoventilation
- ☐ d. Ineffective airway clearance

[Clear my choice](#)

A 44-year-old man, who has a history of excessive alcohol drinking for five years, came with persistent depressed mood and marked loss of interest. He stopped drinking before two days. The nurse diagnosed the case as he has alcohol induced depressive disorder. What is the most important criterion to support this diagnosis?

- ☐ a. Persistent depressed mood
- ☐ b. Clinically significant distress
- ☐ c. Drinking excessive alcohol for five years
- ☒ d. Symptoms developed during substance withdrawal

[Clear my choice](#)

A postpartum woman from a rural area was admitted to gynecologic ward with a diagnosis of vesico-vaginal fistula. A nursing diagnosis was made as "Disturbed body image related to foul smelling odor as manifested by woman's verbalization". What is the priority nursing intervention for the woman?

- ☐ a. Encourage the woman to take balance diet
- ☐ b. Provide information on self-care activities
- ☒ c. Teach the woman about positive self-talk
- ☐ d. Empower the woman with economical status

[Clear my choice](#)

A nurse working in ART clinic, heard about HIV positive patient who is in love with his neighbor during counseling on his status. The nurse counseled him to stop the relationship. The patient offended and shouted; "I want to infect her and many more so shut-up your mouth". What is the appropriate action to be taken by the nurse?

- ☒ a. Further communication and counseling with the patient
- ☐ b. Tell his HIV status to the emergency nurse
- ☐ c. Accuse him for endangering the health of the public
- ☐ d. Tell his status to management team

[Clear my choice](#)

A 34th week pregnant woman was admitted to a maternity ward with hyper emesis gravidarum. At the time of admission, her blood pressure was 90/50 mmHg, Pulse rate was 100/min and she was vomiting frequently. She had dry mouth and poor concentration. Her lab investigation results show that 3+ ketone in urine, 2+ proteins and her HCT is 35 percent. What is the most appropriate management for this woman?

- ☐ a. Terminate the pregnancy
- ☒ b. Start RL with 40 percent dextrose
- ☐ c. Put the woman on NPO
- ☐ d. Start NG tube feeding

[Clear my choice](#)

The morning shift nurse had left award earlier by giving and recoding the 8 O'clock medication. The afternoon nurse checked the patient's card and found the medication was administered earlier than the schedule. The nurse become angry and wants to share the issue to the head nurse. What is the most appropriate reason to accuse the morning shift nurse?

- ☐ a. Omission of care
- ☒ b. Commission of care
- ☐ c. Negligence
- ☐ d. Breach of duty

[Clear my choice](#)