

Nursing Exam
Tahisas 2014/December 2021
PART TWO

BOOKLET CODE: 012

Number of Items: 100

SUBJECT CODE: 02

Time Allowed: 2:30 hours

DIRECTIONS: Each of the following questions is followed by four possible alternative answers. Read each question carefully and **blacken** the letter of your best choice on the separate answer sheet provided.

1. A breast-feeding mother came to a family planning unit to use contraceptive. She does not want to be pregnant for four years. She has no history of ectopic pregnancy, genital tract bleeding and pelvic infection. Her blood pressure is 120/70, Pulse rate is 87/min, and her body mass index is 26.8.

What is the priority contraceptive option to be recommended for this woman?

- (A) Implant ✓ (B) IUCD (C) COC (D) Injectable

2. A mother, who was lactating for seven months, came to family planning clinic to take contraceptive. A nurse assessed for medical eligibility criteria and explained to her about the options, side effects and benefits of contraceptive for her. The mother preferred to take combined oral contraceptive.

For which category of contraceptive the woman is eligible?

- (A) Category 1 (B) Category 2 ✓ (C) Category 3 (D) Category 4

3. A 26-year-old mother used Depo-Provera contraceptive for one year. She discontinued the contraceptive due to irregular bleeding, nausea, headache and missing period. After three month of discontinuing the contraceptive, she became amenorrhic. Her body mass index is 23.8 and blood pressure is 110/70mmhg.

What would be the priority side effect of discontinuing this contraceptive?

- (A) Nausea (B) Headache (C) Amenorrhea (D) Irregular bleeding ✓

4. A Multi-Para woman came to family planning clinic for the service of contraceptive. She has a repeated history of STI. The nurse discussed with the woman on family planning options, benefits, side effect and time to initiate the contraceptives.

What is the most priority contraceptive to be recommended for this woman?

- (A) Sino- Implant (B) LNG-IUD (C) CU-IUD (D) Injectable

5. A 24-year-old girl went to a nearby hospital with complaint of irregular menstrual periods. She stated that her menses comes every two month apart and the amount of bleeding is also very little.

What is the most likely pattern of this menstrual cycle?

- (A) Oligomenorrhea ✓ (C) Menorrhagia
(B) Hypomenorrhea (D) Metrorrhagia

6. A 54-year-old woman with complaints of pelvic pressure sensation, backache and painful intercourse came to a gynecologic clinic. She had urinary frequency, urgency and incontinence. On physical examination, ulcerated cervix was observed at the level of vaginal introitus.

What is the most likely manifestation used to reach the diagnosis?

- (A) Cervix on vaginal introitus ✓ (C) Painful sexual intercourse
(B) Pelvic pressure sensation (D) Urinary incontinence

7. A 29-year-old woman came to a hospital with a complaint of lower abdominal pain that aggravates during sexual intercourse. She developed fear and dissatisfaction toward her sexual life. On assessment, the woman has adnexal and cervical motion tenderness. Her blood pressure is 110/70mmhg, pulse rate is 78/min and temperature is 37.5°C.

What is the priority nursing diagnosis for this woman?

- (A) Ineffective sexuality pattern (C) Activity intolerance
(B) Sexual dysfunction ✓ (D) Hyperthermia

8. A woman came to a clinic with her husband with complaint of inability to conceive for one year after unprotected intercourse. They couples are highly concerned about conception and their health status. The Laboratory investigation results show normal semen analysis and hormonal section. Unexplained infertility is diagnosed for the couple.

What is the priority nursing intervention for this couple?

- (A) Provide medication to resume fertility
(B) Advise to reduce alcohol consumption
(C) Suggest alternative sources of childbearing
(D) Reassure the couple for psychological upset ✓

9. A nurse provides post abortion care for a pregnant woman who has vaginal bleeding for two days. She has lower abdominal pain and small uterus for dates. Her blood pressure is 100/60mmHg and pulse rate is 110/min. The woman is diagnosed with incomplete abortion.

What is the priority nursing intervention for this woman?

- (A) Give appointment after two weeks
- (B) Provide clear instruction on self-care
- (C) Counsel on complication of abortion
- (D) Resuscitate the woman with normal saline ✓

10. An adolescent girl with complaint of excessive menstrual bleeding for more than a week came to a health center. She also has fainting, breast tenderness and loss of appetite. She uses more than five pads per day. Her blood pressure is 80/60mmHg, pulse rate is 120/min, temperature is 37.5°C and her hemoglobin level is 10.0gm/dl.

What is the priority nursing intervention for this girl?

- (A) Administer iron-sulfate
- (B) Administer IV fluid ✓
- (C) Administer antipyretics
- (D) Administer oral contraceptive

11. A 60-year-old woman has just completed her ovarian cancer surgery and returned for postoperative care. She started chemotherapy with drugs cisplatin and carboplatin to increase the chance of good progress.

What is the priority nursing diagnosis for this woman?

- (A) Risk for aspiration
- (B) Risk for fluid volume deficit
- (C) Risk for nutritional imbalance
- (D) Risk for impaired tissue integrity ✓

12. A 48-year-old diabetic patient, diagnosed as first degree uterine prolapsed, was admitted for an elective surgery. She has complaints of urinary frequency, urgency and incontinence. Physical examination result shows that she has skin rash at the area of perineum and upper part of her thigh.

What is the priority intervention for the woman?

- (A) Catheterization ✓
- (B) Kegel exercises
- (C) Restriction of fluid intake
- (D) Use skin protection product

13. A four-year-old child was brought to pediatric OPD for follow up care. The child was on supplementary feeding in the community based management of acute malnutrition. On examination, child's weight-for-height was 65% and no other co-morbidity.

What would be the interpretation of the anthropometric measurement of this child?

- (A) Mild acute malnutrition
- (B) Severe acute malnutrition ✓
- (C) Severe chronic malnutrition
- (D) Moderate acute malnutrition

14. A premature neonate was admitted to neonatal intensive care unit for the reason of low birth weight. The neonate has weak suckling reflex, absence of grasping and reflexes.

What is the priority nursing diagnosis for this case?

- (A) Altered growth pattern (C) Altered developmental pattern
(B) Ineffective breast feeding (D) Altered neuro-muscular function

15. A primary health care unit has a total of 11,000 population in the catchment area, of which 20% were infants. The PHCU was planning to know the annual pentavalent vaccine consumption. The expected annual coverage is 90% with wastage factor of 1.05.

What will be an estimated annual need of pentavalent vaccine for this PHCU?

- (A) 1980 doses (B) 2200 doses (C) 2079 doses (D) 6237 doses ✓

16. The nurse found inappropriate arrangement of vaccine in cold box at a health center. temperature-monitoring device indicated 18°C. The nurse assessed the vaccine vial more to check whether the vaccines were damaged or not.

What would be the most likely finding used as a discarding point?

- (A) The inner square of the VVM was lighter than the outer circle
(B) The inner square of the VVM was highly darker than the outer circle ✓
(C) The inner square of the VVM was slightly lighter than the outer circle
(D) The inner square of the VVM was similar in color with the outer circle

17. A nurse has been observing a lactating mother on baby positioning during breast feeding. On observation, the infant faces to the mother, the whole body is supported and touches mother's abdomen.

What is the most likely additional finding used to confirm good positioning?

- (A) Chin of the infant should touch the breast
(B) The infant's mouth should be widely open
(C) More areola seen on the upper part of breast
(D) Head and body of the infant should be straight ✓

18. A pediatric patient, who was on nutritional rehabilitation for marasmus management, developed vomiting, diarrhea and hypothermia. On examination, the nurse suspected that the child has developed dehydration as a complication of severe acute malnutrition.

What would be the most likely clinical sign that supports the nurse's suspicion?

- (A) A history of sunken eye (C) Lethargy for level of consciousness
(B) Skin pinch goes very slowly ✓ (D) Weak or absence of peripheral pulses

19. A four-day-old neonate was brought to a hospital with red and swollen eyes of two days duration. On examination, the neonate has draining pus from the eyes.

What is the most appropriate initial nursing intervention for this neonate?

- (A) Apply 1% tetracycline eye ointment
- (B) Administer 1-gram ceftriaxone intrapartum IM stat
- (C) Clean the eyelids using sterile normal saline
- (D) Treat the neonate with stat dose of Ciprofloxacin

20. A very preterm neonate had no breathing at birth. A nurse started drying and rubbing its back with dry towel but the newborn had no spontaneous breathing.

What is the most appropriate nursing care for this neonate?

- (A) Clamp and cut the cord
- (B) Suck fluid from the nose
- (C) Bag and mask ventilation
- (D) Administer low pressure oxygen

21. A seven-day-old preterm neonate was treated for stage three necrotizing enterocolitis with antibiotics and was kept NPO. The nurse wants to assess the progress of this neonate after two days of treatment.

What is the most appropriate sign the nurse should observe to confirm good progress?

- (A) Soft and non-tender abdomen
- (B) Passing loose greenish stools
- (C) Ability of the neonate to feed breast milk
- (D) Absence of pneumatosis intestinalis on radiograph

22. A term newborn was found to be jaundiced and unable to suck breast milk within the first week after birth. A nurse plans to put the neonate under phototherapy.

What is the most appropriate next step the nurse should do?

- (A) Adjust the light of phototherapy
- (B) Secure intravenous line for feeding
- (C) Obtain the result of serum bilirubin level
- (D) Cover the eye of the neonate with plaster ✓

23. A three-day-old neonate with complaints of high grade fever and poor feeding was brought to a hospital. The neonate was from high land area. On examination, the neonate has a bulging fontanel, respiratory rate is 56/min and has normal urinalysis result.

What would be the most likely investigation to support the diagnosis of the neonate?

- (A) Chest x-ray
- (B) CSF analysis
- (C) Blood culture
- (D) Abdominal ultrasound

24. A neonate was born at 34 weeks of gestational age and weighed 1,900gm at birth. At assessment, the neonate had body temperature of 36.7°C at one hour of birth.

What is the most likely nursing intervention for this neonate?

- (A) Admit the neonate for two days ✓
- (B) Appoint the mother for two days follow up
- (C) Give the neonate polio zero and BCG vaccine
- (D) Tell the mother to wash the neonate after 24 hour

25. An 18-month-old child with the complaints of ear pain and draining of pus from the ear for the last eight days was brought to under-five OPD.

What is the appropriate management for this child according to IMNCI?

- (A) Treat with amoxicillin for 5 days ✓
- (B) Give first dose of ampicillin and refer
- (C) Give first dose chloranphenicol and refer
- (D) Treat with quinolone ear drop for 2 weeks

26. A nine-month-old infant with the complaints of cough and intermittent vomiting was brought to a health center. The nurse classified the patient as very severe diseases according to IMNCI.

What is the most likely finding to confirm this classification?

- (A) Stiffness of neck
- (B) Bulging fontanel
- (C) History of convulsion ✓
- (D) Weak sucking of breast

27. A known HIV positive child with the complaints of cough and fever for two weeks was brought to a health center. The child has history of contact with non MDR TB patient from the parent in the last one year.

What is the most likely TB status classification of the child according to IMNCI?

- (A) TB infection ✓
- (B) Suspected TB
- (C) No TB infection
- (D) TB exposed child

28. A three-year-old child, who was on treatment for uncomplicated severe acute malnutrition, came back after seven days of treatment for follow up care.

What should the nurse primarily check for this child according to IMNCI?

- (A) Appetite ✓
- (B) MUAC
- (C) WFH z-score
- (D) Danger signs

29. A 17-year-old child, who was on anti-TB for five weeks, became very sick. On laboratory investigation, child's WBC is $8 \times 10^3 / \text{mm}^3$. The nurse suspected drug toxicity and decided to stop the drug.

What is the most likely finding that supports the decision of the nurse?

- (A) Presence of orange/red urine
- (B) Presence of visual impairment ✓
- (C) Presence of anorexia and/or nausea
- (D) Presence of burning sensation in feet

30. A seven-month-old HIV exposed infant was brought to the health center with a complaint of fever for ten days duration. On examination, the child had severe pneumonia and oral thrush. The child was positive for HIV antibody test and DNA PCR test was not available.

What is the most appropriate intervention for this child?

- (A) Give anti fungal as a symptomatic management
- (B) Enroll mother of the baby in cohort follow up at PMTCT clinic ✓
- (C) Treat pneumonia with PO amoxicillin and send back to home
- (D) Put the child on ART for presumptive severe HIV disease

31. A two-year-old child was brought to pediatric OPD with the complaints of abdominal cramp, fever and bloody diarrhea.

What is the most likely cause of this child's problem?

- (A) Shigella ✓
- (B) Vibrio cholera
- (C) Giardia lamblia
- (D) Salmonella species

32. A child was admitted to pediatric ward for the treatment of acute gastroenteritis. A day after admission, the child complained unpleasant, wave-like sensation in the epigastric area and throughout abdomen that leads to vomiting.

What is the most likely nursing diagnosis of the child?

- (A) Nausea
- (B) Anorexia
- (C) Impaired swallow
- (D) Imbalance nutrition ✓

33. A five-year-old child was brought to a pediatric OPD with the clinical features of oliguria, rapid weak pulse, hematuria, proteinuria and generalized body edema.

What is the priority nursing diagnosis of the child?

- (A) Urinary retention
- (B) Fluid volume excess ✓
- (C) Decrease cardiac output
- (D) Impaired tissue perfusion

34. A two-year-old baby was admitted to pediatric ward with a diagnosis of septic arthritis. The nurse planned for an intervention that would enhance wound healing.

What is the priority intervention the nurse should give?

- (A) Debride of infected wound
- (B) Administer high protein diet
- (C) Administer systemic antibiotic
- (D) Install antibiotics to the affected joint

35. An adolescent came to a clinic with the complaints of warmth, erythema and tenderness. On examination, the lateral margins tended to be indistinct and there was pitting edema. The clinician wants to manage this problem.

What is the most important parameter for the empirical therapy of this patient?

- (A) Age
- (B) Sex
- (C) Height
- (D) Weight

36. A four-year-old child was brought to pediatric emergency with a complaint of breathing difficulty. On examination, the nurse suspected foreign body aspiration.

What is the most important clinical feature the nurse should check to confirm this diagnosis?

- (A) Gagging
- (B) Atelectasis
- (C) Hemoptysis
- (D) Sign of infections

37. An eight-year-old child was admitted to pediatric ward with a diagnosis of burn injury. The nurse planned to administer tetanus vaccine for this child.

What was the most likely finding of the nurse to make this decision?

- (A) Scald burn
- (B) Inhalation burn
- (C) Electrical injuries
- (D) Surface area of burn

38. A school-age child came to pediatric OPD with the manifestations of acute, rapidly progressive and potentially fulminating course of high grade fever, dyspnea, drooling and rapidly progressing respiratory obstruction. On history, the child did not take *H. influenza* type b vaccine.

What is the most likely diagnosis of this child?

- (A) Croup
- (B) Laryngitis
- (C) Pneumonia
- (D) Epiglottitis

39. A 10-year-old patient was brought to a health center with coma. On laboratory investigation, *P. falciparum* was found from the blood film result.

What is the first line drug to be given for this patient?

- (A) Quinidine
- (B) Artemether
- (C) Artesunate
- (D) Quinine dihydrochloride

A 12-year-old male patient with a complaint of scrotal swelling came to a health center. On examination, there was pink red color during transillumination test and no pain on palpation. What is the most likely diagnosis of this patient?

- (A) Orchitis (B) Hydrocele (C) Scrotal mass (D) Inguinal hernia

41. A 30-year-old woman came to a health center from an area where goiter is endemic (prevalence > 15%) for the first ANC follow up. On laboratory investigations, the nurse found decreased level of iodine in the maternal blood.

What is the most appropriate measure to prevent fetal hypothyroidism?

- (A) Advise the mother to food sea foods
(B) Counsel the mother to food iodized salt
(C) Give IM depot injections of iodized oil
(D) Advise the mother to avoid goitrogenic nutrients

42. A pediatric patient with the complaints of diarrhea, gaseous abdominal distention, and failure to gain weight came to the health center. The nurse suspected carbohydrate mal-absorption disorder.

What is the most important additional finding that could substantiate the nurse's suspicion?

- (A) Basic stool using PH
(B) Edema of lower extremities
(C) Increased nitrogen gas in the breath
(D) Increased hydrogen gas in the breath ✓

43. A three-year-old male child went to supermarket with his mother and asked her to buy him chocolate. The mother told him that she does not have sufficient money and promised him to buy next time. However, the baby did not agree, dropped to the floor and started crying, screaming and kicking in rage at the middle of the supermarket.

What is the most likely behavioral characteristic of this child?

- (A) Dawdling (C) Regression
(B) Negativism (D) Temper Tantrums ✓

44. A mother of a three-year-old male child came to a health center to get advice about her child. She stated that her son says "no" to every request and did opposite to any family order.

What is the most appropriate advice for this child's behavioral problem?

- (A) Extinct behavior by punishing the child on frequent no responses ✓
(B) Ask the child opposite question to perform the correct one
(C) Ignore the child while he responds with opposite answer
(D) Avoid questions that will have yes or no response

45. A 18-year-old girl came to a clinic complaining three weeks of persistent hallucinations which interfere with day-to-day functioning. Currently, her mother lacks insight. She has no previous history of mental illness.

What is the most likely criterion to diagnose for brief psychotic disorder?

- (A) Incoherent speech
- (B) Hallucinatory voices
- (C) Functional impairment
- (D) Duration of the symptoms

46. A 57-year-old man reported insomnia, fatigue, worthlessness and loss of interest. The onset of these symptoms has been following the accidental death of his wife six months ago. He was unable to work effectively and told his daughter that he felt hopeless about life. However, he agreed to go to hospital as per her request.

What is the most likely diagnosis for the above case?

- (A) Grieving
- (B) Adjustment disorder
- (C) Major depressive disorder
- (D) Post-traumatic stress disorder

47. A 45-year-old schizophrenic patient came to a clinic with worsening of symptoms. He has been treated with antipsychotics for the last two years but he has frequent discontinuation of his medication. His wife reported that she has difficulty to cope with his behavior.

What is the priority nursing diagnosis for this case?

- (A) Noncompliance
- (B) Ineffective coping
- (C) Impaired social interaction ✓
- (D) Ineffective role performance

48. A 35-year-old woman, who has severe depression, came to a clinic saying, "why it happens to me though I am good person for others". During the interview, she was crying and begging the nurse to help her recover soon to care for her children since she is the only one for them.

What is the best priority nursing action for this woman?

- (A) Provide tissue paper and encourage to clean her tear ✓
- (B) Refer the patient to psychiatrist for better management
- (C) Tell her it can happen to others too and advise to be strong
- (D) Tell her depression is a disorder that can be managed effectively

49. A 17-year-old boy with brief psychotic disorder came to a clinic with contractions of muscle that result in abnormal movement, tongue protrusion and difficulty of breathing. Symptom developed after taking two doses of prescribed haloperidol 5 mg orally.

What is the best initial treatment for this boy?

- (A) Reduce dose of antipsychotic
- (B) Discontinue the drug and refer
- (C) Switch to another antipsychotic
- (D) Give 10 mg diazepam intravenous ✓

50. A 21-year-old college student came to a psychiatry clinic reporting difficulty to speak in front of his class mates. He had repeated failure to score good mark because of it. The nurse reviews all what he is trying to minimize his problem.

What is the most effective method to minimize his anxiety?

- (A) Use two bottles of beer before presentation
 - (B) Focus on what he can do to compensate the loss
 - (C) Practice repeatedly alone and with his close friends ✓
 - (D) Discuss with the teacher to evaluate him with other activities
51. A 25-year-old man came to a hospital and reported auditory hallucination of one day duration. The onset is reported to be two hours after drinking five bottles of beer. He has no previous history of mental illness and no insight of what happened to him.

What is the most likely diagnosis for this case?

- (A) Brief psychotic disorder
- (B) Schizophreniform disorder
- (C) Alcohol withdrawal syndrome
- (D) Alcohol induced psychotic disorder ✓

52. A 25-year-old woman came to a clinic after an attempt of suicide with overdose of unspecified medication. She is agitated and continuously crying and saying, "Living in this world is not worthies". She is diagnosed as having severe depression.

What is the best tolerable drug of choice to treat her depression?

- (A) Diazepam
- (B) Fluoxetine ✓
- (C) Imipramine
- (D) Amitriptyline

53. A 48-year-old married woman in good health with no previous psychiatric problem came to a hospital with a complaint of sleep difficulties. Symptoms started two months after signing divorce with her husband and started to interfere with her day to day functioning.

What is the most likely diagnosis for this woman?

- (A) Acute stress disorder
- (B) Adjustment disorder
- (C) Separation Anxiety Disorder ✓
- (D) Posttraumatic stress disorder

54. A 25-year-old female was diagnosed as having post-traumatic stress disorder eight months after survival of threatened death from car accident. She has been on follow up for about three months. Now, a nurse is evaluating her awareness after three sessions of patient teaching.

What is the most likely indicator of good awareness in this patient?

- (A) She avoids external reminders of traumatic experience
- (B) She uses a glass of wine to relieve anxiety related to the trauma
- (C) She reports that avoidance behavior may perpetuate her problem
- (D) She reports use of diazepam to help her sleep for the last three months ✓

55. A 46-year-old man, with no medical illnesses, was hospitalized due to alcohol withdrawal symptoms two days after he stopped drinking. To help his effort to stop drinking a team of health experts evaluated him and decided withdrawal treatment.

What is the priority nursing action for this patient?

- (A) Relapse prevention
- (B) Enhance family support
- (C) Supportive psychotherapy ✓
- (D) Medication administration

56. A nurse prepares patient teaching plan for a 28-year-old married man whose marriage is on the verge of divorce because of his substance use behavior. He uses *khat* and cigarettes and justified that he uses only in the time of stress to make him feel better.

What is the immediate treatment outcome the nurse expects to see in this patient?

- (A) Improved relationship with his wife
- (B) Abstain from *khat* and cigarette use
- (C) Demonstrate positive coping strategies
- (D) Identifies health effects of substance use ✓

57. A 45-year-old patient was hospitalized for the management of delirium. On assessment, he looks confused, irritable and could not recognize where he is. He is frequently pulling at the IV infusion set and trying to beat the wall near to his bed.

What is the priority nursing diagnosis for the above patient?

- (A) Acute confusion
- (B) Impaired memory
- (C) Labile emotional control
- (D) Risk for Self-directed Violence ✓

58. A 53-year-old man was believed to be in good health when admitted for an elective surgery. Few hours after surgery, the nurse noted a sharp increase in his pulse rate and brief incontinence followed by a grand mal convulsion. His wife reported that he has 10 year history of excessive alcohol drinking.

What is the priority nursing action for this patient?

- (A) Follow the patient closely ✓
- (B) Consult the physician immediately
- (C) Record findings in recording book
- (D) Handover the patient properly to a nurse in next turn.

A chief executive officer (CEO) of a hospital formed a committee for developing rules and procedures for a new primary hospital. During the process, the committee designed excellent rules by referring to similar materials and experience sharing.

What is the most likely management function addressed by the CEO?

- (A) Leading (B) Controlling (C) Organizing ✓ (D) Planning

60. A head of health center organized a review meeting with health extension workers in the catchment area. Low involvement of the community was identified as major gap during the meeting. Based on the finding, the head designed activities, which strengthen the relationship with community leaders.

What is the most appropriate nursing managerial role played by the head of health center?

- (A) Collaborating (B) Advocating (C) Networking (D) Coordinating

61. A measles outbreak occurred in the woreda following mass population displacement because of conflict. Then, the head of woreda health office reported the outbreak situation for the Medias and other people outside the organization.

What is the most likely managerial role the head played at the time?

- (A) Liaison (B) Monitor (C) Disseminator (D) Spokesperson ✓

62. A regional health bureau planning team analyzed situation of external environment of the organization. In the course of developing the plan, the team found that growing cost of essential drugs will have negative impact on effectiveness of the health service provision.

What was the most likely planning tool identified by the team?

- (A) Threat ✓ (B) Strength (C) Weakness (D) Opportunity

63. A hospital wanted to promote the health care services delivered in the facility using television advertisement. During advertisement, the hospital announced as it is providing preventive, curative, and rehabilitative and health promotion services to the catchment community.

What is the most likely service delivery approach used by the hospital?

- (A) Quality (B) Coverage (C) Accessibility (D) Comprehensiveness ✓

64. A male nurse, who is appointed as CEO of a hospital, made introduction with the staff. He presented his interest in managing the hospital. The CEO mainly focused on the proper use of population based data, global standards and tools for the successful implementation of health service reforms in the facility.

What is the most likely organizational building block focused by the CEO?

(A) Communication

(C) Human resource

(B) Information

(D) Service delivery

65. In a referral hospital, a nurse and an anesthetist were in a conflict regarding the case of a preoperative patient care. On the contrary, the professionals pulled back from fully expressing their own demands with avoidance of lengthy debate and then the matter resolved.

What is the most likely conflict management style used by the professionals?

(A) Avoidance

(C) Collaboration

(B) Compromise

(D) Accommodation

66. A health team from abroad came to Ethiopia to develop joint health care service enhancing project with Ethiopian professionals. Then, the joint project team wanted to address farmers of the project to the beneficiaries based on the national policy guiding principles used to select health service delivery platforms.

What is the most likely health care policy principle used by the joint team?

(A) Ensuring Access

(C) Ensuring qualities

(B) Ensuring equity ✓

(D) Embracing opportunities

67. A head of the health center and the health extension workers discussed about service delivery of the health center by involving the catchment farmers. On their discussion, the farmers requested an insurance scheme, which addresses their health and members of their family.

What is the most likely health insurance scheme to be recommended in this scenario?

(A) Social Health Insurance ✓

(C) Mandatory Health Insurance

(B) Individual Health Insurance

(D) Community-Based Health Insurance

68. A nurse working in the woreda health office, planned to enhance child vaccination defaulter tracing program. During the program implementation, the nurse took a measure to the proper implementation of activities in order to improve the quality of their performance.

What is the most appropriate evaluation type used by the nurse?

(A) Impact evaluation

(C) program evaluation

(B) Process evaluation ✓

(D) Summative evaluation

A 32-year-old female patient was diagnosed with ovarian cancer and the surgeon suggested radiation therapy. The nurse in charge explained the risk of infertility secondary to radiation therapy. But, the patient refused radiation therapy and indicated she has strong desire to have children. Nonetheless, the procedure was done and she was free from ovarian cancer but developed infertility.

What is the most likely violated ethical principle?

(A) Justice

(B) Autonomy ✓

(C) Beneficence

(D) Nonmaleficence

70. A 42-year-old male patient, who was diagnosed with septic shock, takes medication on QID base. A nurse in charge failed to give medication at 12:00 pm which was to be given at 11:30 am but promised not to do it again.

What ethical principle is most likely violated in this case?

(A) Nonmaleficence

(B) Autonomy

(C) Beneficence ✓

(D) Justice

71. A 45-year-old female patient was admitted to psychiatry ward due to repeated suicidal attempt and hyperthyroidism secondary to toxic nodular goiter. She is depressed. The medical team decided surgery. The consent for surgery is obtained from her family.

What is the most likely reason for family involvement?

(A) Patient's family were autonomous

(B) The patient is not autonomous

(C) The patient lacks capacity ✓

(D) To fulfill the family need

72. A 12-year-old girl was admitted in surgical ward with diagnosis of acute lymphoblastic leukemia. The health care team decided whole blood transfusion and chemotherapy as management option. However, her family rejected blood transfusion because of their religion. The nurse knew that if the girl does not take blood, she will die.

What is the first thing the nurse should do?

(A) Counsel the family and apply paternalism ✓

(B) Identify stakeholders involved in the  e

(C) Identify ethical dilemma and alternative action

(D) Continue with management and report for ethical committee

73. Nurses working in a general hospital were not happy with work overload, busy schedule, budget constraint and lack of essential materials. To maintain compassionate care provided in the hospital, the manager uses compassion treatment principle in the work environment.

What is the most likely remedy to solve compassion threat in this case?

- (A) Teaching compassion
- (B) Overcoming compassion fatigue
- (C) Dealing with stress and burnout
- (D) Dealing with wider facility context

74. A 45-year-old male patient with diagnosis of end stage renal disease asked the clinical staff to end his life because he does not afford renal transplant procedure. But the health care team discharged the patient without fulfilling his will. The patient died after one day.

What is the most likely malpractice committed by the health care team?

- (A) Homicide
- (B) Mercy killing
- (C) Active euthanasia
- (D) Passive euthanasia ✓

75. A Nurses working in a comprehensive specialized hospital have a lot of complaint with their work environment. The hospital is not aesthetic but many patients visit the hospital. The hospital higher officials do not bother about the aesthetics. Due to this, the health care providers do not provide dignified care for patients.

What is the most likely factor associated with disrespectful care?

- (A) Patient factor
- (B) Staff attitude
- (C) Staff behavior
- (D) Health facility ✓

76. A 28-year-old male patient came to the health center for voluntary counseling and testing. The nurse in charge nods his head while the patient is talking. However, the patient was not telling the details about his past experience.

What question most likely encourages open discussion to get full information?

- (A) How have been things going?
- (B) What do you want to talk about? ✓
- (C) How many partners do you have?
- (D) Can we discuss about your partners and friends?

77. A 30-year-old female client with a diagnosis of diabetes came to chronic illness clinic. A nurse in charge plans a teaching session about non-pharmacologic management of diabetes. The nurse was trying to maintain appropriate distance during discussion.

What is the most likely recommended distance?

- (A) 1.5 to 4 feet
- (B) 6 to 10 feet ✓
- (C) 4 to 6 feet
- (D) 0 to 1 feet

A 22-year-old nurse assigned in medical ward takes care of patients under his care are not progressing well. As he is busy, he forgets to give medications on time. His colleague

- What is the first thing the colleague should do?
- (A) Confront the nurse and ask the effect of substance use
 - (B) Supervise while he is taking care of his patients
 - (C) Report to the legal person body
 - (D) Report to the nurse's director

79. A researcher conducted a study on "Factors contributing to high ~~prevalence~~ in selected health institutions of a district". The finding indicated that ~~lack of ANC~~ ~~in~~ ~~ANC~~ pregnancy has been highly associated with prenatal ~~control~~. After the ~~study~~ the researcher designed a health education program about the importance of ~~ANC~~ ~~follow up~~ during pregnancy.

- What is the most likely type of research used by a researcher?
- (A) Fundamental research
 - (B) Applied research
 - (C) Clinical research
 - (D) Conceptual research

80. A researcher wants to conduct a study on "Magnitude of depression among ~~pregnant~~ mothers who have ANC follow-up in a hospital".

- What is the most likely study design the researcher will use?
- (A) Cohort study design
 - (B) Ecological study design
 - (C) Case control study design
 - (D) Cross-sectional study design ✓

81. A researcher studied the proportion of adolescents who drink alcohol in a big city. The researcher recruited male adolescents by considering females are less likely to ~~drink alcohol~~. Finally, based on the findings, the researcher concluded that proportion of ~~alcohol~~ drinkers among adolescents was 65% in the city.

- What is the most likely research error committed by the researcher?
- (A) Recall bias
 - (B) Selection bias ✓
 - (C) Information bias
 - (D) Misclassification bias

82. A researcher wants to study prevalence of sexual transmitted infection among high school students by taking 548 students from 3800 students in the school. The researcher started to collect data from students using pretested questionnaire after getting permission from school director.

- What is the most likely ethical principle missed by the researcher?
- (A) Justice
 - (B) Autonomy ✓
 - (C) Beneficence
 - (D) Non-Maleficence

83. A nurse working in ART clinic of a hospital wants to summarize CD4 T cell counts for HIV positive patients who were treated with highly active antiretroviral therapy (HAART) for the last six months. Their CD4 T cell counts for the 13 subjects were 200, 205, 113, 207, 227, 245, 173, 58, 105, 181, 105, 301, and 169.

What is the mean CD4 T cell count of HIV positive patients?

- (A) 193.0 (B) 193.6 (C) 205.0 (D) 206.1

84. A nurse is working in a district with the catchment population of 30,000. The nurse observes 600 people who died from 1,200 individual who developed hepatitis B in 2018.

What is the case fatality rate of hepatitis B disease?

- (A) 1.3% (B) 2.7% (C) 40% (D) 50%

85. A team of nurses want to interpret the incidence rate of uterine cancer in a hospital with in the catchment area of 450,000 total populations out of which 14,000 were females. In 2018, the team found 12 cases from 10,000 women who were at risk of developing uterine cancer.

What is the most likely interpretation of uterine cancer incidence rate in this scenario?

- (A) 120 new uterine cancer case per 1000 women who were at risk in 2018
(B) 120 new uterine cancer case per 100 women who were at risk in 2018
(C) 120 new uterine cancer case per 10,000 women who were at risk in 2018
(D) 120 new uterine cancer case per 100,000 women who were at risk in 2018

86. A researcher studied the effect of maternal stress during pregnancy on birth weight of infants. The researcher selected 86 mothers with history of stress who had no known medical or obstetric risk factor that can affect birth weight. The result of the research indicated that 12.8% of the mothers gave low birth weight with 95% confidence interval of 8.8% - 16.8%.

What will be the interpretation of the research finding?

- (A) 95% confident that the sample proportion is between 8.8 - 16.8%
(B) 95% confident that the sample proportion is beyond 8.8 - 16.8%
(C) 95% confident that the population proportion is beyond 8.8 - 16.8%
(D) 95% confident that the population proportion is between 8.8 - 16.8%

87. A nurse who works as a lecturer in college of medicine and health sciences of a university wants to teach his students on how to pass sharps safely and how to correctly set up an operating theater.

What is the most likely teaching aid used by this nurse?

- (A) Flip chart (C) Slide projector
(B) writing board (D) Use of transparencies

A nurse working as a department head in a university understood that the existing curriculum of nursing is no longer working effectively as desired. Therefore, the nurse and his colleagues intended to introduce a new curriculum and on the process, they searched for real research, expository or analytical publications and presentations to elevate the curriculum work from local activity to more advanced one.

What is the most likely core process of nursing curriculum development used in this scenario?

- (A) Evaluation
- (B) Scholarship
- (C) Ongoing appraisal
- (D) Faculty development

89. A 28-month-old child was brought by his mother to under-five OPD with complaints of diarrhea, vomiting and swelling on his ankles. On history taking, the child grows in an area in which roots and tubers foods are staple diet. During physical examination, the nurse found edema (+1), open skin lesion and WFA: 76%.

What is the most likely nutritional deficiency of this child?

- (A) Marasmus
- (B) Underweight
- (C) Kwashiorkor ✓
- (D) Marasmic-kwashi

90. A 12-year-old child was brought to pediatrics OPD of a health center with a complaint of sustained fever and fatigue. On physical examination, the nurse noted rose spots in his skin and relative bradycardia.

What is the most likely cause of the child's illness?

- (A) Giardiasis
- (B) Amoebiasis
- (C) Typhoid fever ✓
- (D) Bacillary Dysentery

91. Nurses and other health care providers who work in a hospital had frequent contact with autopsy, contaminated discharges, blood, pipettes, and laboratory specimens during service provision.

What is the most likely health hazard these care providers are exposed?

- (A) Physical Hazards
- (B) Biological Hazards ✓
- (C) Ergonomic Hazards
- (D) Mechanical Hazards

92. An outreach team of health care workers gave Tetanus toxoid vaccination to adolescents in a high school in order to foster their immunity at the beginning of their reproductive age.

What is the most likely element of this service?

- (A) Health service ✓ (C) Extraordinary activities
(B) Health education (D) Environmental protection

93. A 21-year-old laboring woman came to a delivery room in the health center. During delivery, a nurse observed that her genital organ was too tight and noted that part of external genitalia was removed and stitched by leaving a small vaginal hole for urine and menstrual flow.

What is the most likely category of female genital mutilation of the woman?

- (A) Type I (B) Type II (C) Type III ✓ (D) Type IV

94. An Out-reach service team from health center provided VCT campaign in the prison. During the campaign, 1200 prisoners were tested. The test result showed 92 of them positive and 1108 of them became negative. However, from those who tested positive, 26 of them did not have HIV and 18 prisoners who tested negative had HIV.

What is the interpretation of positive predictive value for the test?

- (A) About 72% prisoners had HIV with a positive HIV test result ✓
(B) About 98% prisoners had HIV with a positive HIV test result
(C) About 97% prisoners had HIV with a positive HIV test result
(D) About 79% prisoners had HIV with a positive HIV test result

95. In the health care facility, a nurse was selected to be management member of health service. During the analysis, the management members found that waste disposal is one of the critical issues and then, they decided to use burial of waste that limit health risks with limited resources in the facility.

What is the most appropriate burial site selection criterion to be considered?

- (A) Fifty meters away from water source ✓
(B) Should be located uphill from any wells
(C) Access to the disposal site should be open
(D) Should be lined with a permeable material

96. A regional health bureau wants to communicate health information in a local language to the community which says "HIV /AIDS are still there! Keep on preventing it" in a word and at the same time pictures and symbols placed across a message.

What is the most appropriate teaching material for this message?

- (A) Posters ✓ (B) Flipchart (C) Mass Media (D) Health talks

In a country, internal conflicts result in mass evacuation. Health professionals in coordination with other emergency service professionals gave medical services that help to secure food and water in order to prevent looting.

What is the most likely disaster management category in the above case?

- (A) Disaster Response
- (B) Disaster mitigation
- (C) Declaration of disaster
- (D) Disaster preparedness ✓

98. A community-based research was conducted on children by the team of nurses in one of a region. The finding indicated that the prevalence of Vitamin A deficiency on XIB classification was 1% among under-five children. Therefore, the team recommended interventions to address the deficiency.

What is the most appropriate way of vitamin A supplementation to this community?

- (A) Supplementation of women 6-month intervals postpartum
- (B) Supplementation of women during 1st 1 months of pregnancy ✓
- (C) Supplementation of children from birth to 6-months of infancy
- (D) Supplementation of children 6-month intervals after 6 months of infancy

99. A referral hospital in country bought a new X-ray machine. Then after, a radiographer and nurse who were working in x-ray room developed a serious of disease from excess ray exposure soon after usage. The investigators found that the occupational hazard was related to the poor quality of a machine, which does not fulfill national safety standards.

What is the most appropriate strategy to control this damage?

- (A) Substitution
- (B) Elimination
- (C) Engineering controls ✓
- (D) Administrative Controls

100. A nurse team who works as supporter of health extension practitioner in a town wanted to give health services to a community. Then, the team members identified, planed and came to implement environmental measures to prevent and control malaria. However, the activities faced challenges from the community.

What is the most likely action missed by the team?

- (A) Adjustment of talk and action about the issues to suit the group
- (B) Engagement to a community to full involvement and ownership ✓
- (C) Explanation of issues using scientific findings and current knowledge
- (D) Explain their roles to be accepted and win the confidence of the community

THE END