

Landscape Graphics

Grant W. Reid ASLA



From concept sketch to presentation rendering


MÉTODO

VÁRIAS FASES DE TRABALHO


CONCEITO

PARTIDO


Concept Plan



Conceptual Diagram




Conceptual Diagram



DESENVOLVIMENTO

Design Development Sketch




PLANO GERAL

OU

PLANO DIRETOR

Master Plan



MASTER PLAN

NORTH BOULDER COMMUNITY PARK

CITY OF BOULDER PARKS AND RECREATION DEPARTMENT
BOULDER, COLORADO

WINSTON ASSOCIATES
1416 PEARL STREET, SUITE 200
BOULDER, COLORADO 80502
(303) 441-5000

SCALE: 1" = 100'-00"
DATE: JULY 10, 1990





Grading Plan

SECTION 'A'

SPOT ELEVATIONS - 1' TO 10' VERTICAL CURVE
CONST. SLOPE & CLEARLY
BLANKET - 1' TO 10' VERTICAL

○ REPRESENTS BUILDING TOWER
--- BUILDING CONTOUR
--- FORMED CONTOUR
--- ROAD DRAINAGE
+ TO SET ELEVATION






TERRAPLENAGEM

Grading Plan

SECTION 'A'

SPOT ELEVATIONS - 1' TO 10' VERTICAL CURVE
CONST. SLOPE & CLEARLY
BLANKET - 1' TO 10' VERTICAL

○ REPRESENTS BUILDING TOWER
--- BUILDING CONTOUR
--- FORMED CONTOUR
--- ROAD DRAINAGE
+ TO SET ELEVATION



SHEET 1 OF 1	LANDSCAPE ARCHITECT JOHN J. MARTINEZ 1115 S. 10TH AVE. DENVER, CO. 80202	DATE 10/1/81	GRADING PLAN	SECTION 'A' LEE MARTINEZ PARK CITY OF FORT COLLINS - PARKS & RECREATION DEPT COLORADO	
-----------------------	---	-----------------	--------------	--	--


Shows earth movement, drainage, and spot elevations of structures.

30% of actual size

ELEMENTOS CONSTRUÍDOS

Shows location, size, shape, dimensions, and materials of structural elements.


Shows location, size, shape, dimensions, and materials of structural elements.



40% of actual size

REDE DE IRRIGAÇÃO

Irrigation Plan




Shows type, size, and location of conduit, heads, valves, sleeves, and other elements of the irrigation system.

40% of actual size

DETALHES CONSTRUTIVOS

Construction Details

Usually expanded sections and plans, this kind of working drawing shows the detailed components of structures, including internal elements, and how they go together.




PLANTIO

Preliminary Planting Design Drawing

Rough freehand drawing that explores the optimum selection, location, and combination of plants.


A true planting plan for installation will be derived from this.



Detail shown actual size

Planting Plans

Final document used for installation of plant materials.
Precise locations are shown.



30% of actual size

GRAPHIC LANGUAGE AND THE DESIGN PROCESS

DESENHANDO


MATERIAL DE DESENHO

Tools and Materials

Choose the drawing tools that allow smooth, easy, gliding strokes with expressive line character. These are soft graphite-based tools, felt tip pens, and sketch fountain pens.

Soft graphite smudges easily, but allows a variety of very dark and very light lines. The ordinary 4B or 6B lead pencil sharpened to a point gives a fine line and, chiseled down, gives a wide line.

Lead holders are available for large diameter (3 mm) sketch leads, which are very good for bold preliminary work.



Graphite sticks get a little messy but are excellent for drawing fast, wide lines and for toning larger areas. The larger stick has a 1.35 cm width and the smaller stick has a 7 mm width.



The flat sketch pencil, or carpenter's pencil, has a rectangular cross section in the lead which allows very broad strokes.



More stable sketching media that will not smear or smudge include the following:

Soft color rendering pencil



Color art stick



Harder and more waxy than graphite, this product works well for sketching on Mylar.


Marker Lettering

Wide-tipped color markers are versatile tools for quick, functional diagrams, freehand title lettering, and color rendering. It is appropriate at this point to learn how to use them properly. Before beginning, put a backing sheet of tracing paper under the drawing surface. Markers will bleed through many papers and can permanently stain the drafting table surface. Keep markers tightly capped when not in use.


Marker Grip

A light touch is all that is needed. Even moderate pressure will destroy the tip. Wide-tip markers with a rectangular end need to be held so that this end touches the paper along the entire edge.

Side view



Top view



DESENHANDO

Felt tip pens are available in an almost unlimited variety of shapes and sizes. It is handy to have a range of point sizes, as shown in the small number of examples below.

Fine liner

Medium-point pen

Bullet-pointed marker

Chisel-point marker

Ink fountain sketch pens give strong black lines. Pressure variation yields interesting changes in line weight. A smooth surface is needed for good results.

Sketching surfaces, such as lightweight tracing paper ("linery" or "burn wad"), comes in rolls of various widths. The common colors are white, yellow, or buff (canary paper). This is used for freehand design-development drawings, refinement overlays, and quick sketches. It is inexpensive and yet transparent enough to print, although it is not recommended for finished drawings because it is easily ripped. Best results are obtained with a felt tip pen or a soft pencil. A backing sheet is needed for use with markers.

Sketch paper in many different brands is available in varying weights, surfaces, finishes, and transparencies. Select a surface which suits the type of sketching tool and the effect desired. Smooth, dense surfaces are good for detailed, fine line drawings. Coarser papers provide textured interest for pencil toning. Special dense, smooth papers are available for ink sketching. For reproducible work, use the more stable transparent sketch papers.

Bleed-proof marker papers are specially treated to prevent marker fluid from bleeding through. Some lateral bleeding should be expected, but this varies significantly from one brand to another. For some drawings, lateral bleeding and blending is desirable; for others, crisper lines and detail are needed.

Some marker papers have high-contrast, dense white surfaces and are not meant for reproduction. Others have a degree of transparency that allows for printing. Select the brand to suit the purpose.

Butcher paper or freezer paper can be bought in large rolls and is excellent for oversized conceptual or preliminary drawings done with markers, though not for reproduction.

Drafting film, such as Mylar, is traditionally used with ink for technical drawings, but it is also a versatile surface for pencil sketching. A wide range of tone densities can be easily and quickly drawn on the finely toothed surface. The best sketch tools for Mylar are the sharp 2B pencil, the fat sketch pencil, the graphite block, or the more waxy art sticks.

Techniques

Keep the pencil or pen at a low angle and hold with a relaxed grip. Practice sketching. Coordinate all of the arm and hand joints together. Note how different joints come into play when sketching the five types of lines discussed here.



Free-flowing lines

In drawing curved, interconnected lines over a relatively large surface area or sheet, the forearm is not supported and the wrist is held rigid. All movement comes from the elbow and shoulder with the small fingers gliding across the surface for stability. There is no finger or wrist movement.



GRAFISMOS

Some Symbols for Practice

Concept diagrams can be done with any freeflowing media, such as a 6B pencil, felt tip pens, or colored markers. Using the marker suggestions given in the previous chapter, try reproducing these various graphic symbols. Remember to put down a backing sheet.

For toning areas, first define with a narrower felt tip pen, then fill in with even, parallel strokes of a wide-tip marker. You may need to trim out the edges if a precise infill is desired.


For directional signatures, start with wide, broken strokes of a colored marker, then outline with thick and thin felt tip pens using a technique similar to that for title lettering (see page 43).

For narrower lines, change the marker grip to place the narrow edge on the paper.


Try vertical and horizontal strokes joined in a continuous movement—with no change of grip. You may need to change your body position to get a smooth curving symbol.

Parallel or radiating strokes of consistent width are effective symbols for landscape barriers.


On the following pages are just a few of the many abstract graphic language elements which have meaning for conceptual design. Using any of these symbols, try exercise 17.



Non-linear Symbols



Activity areas, use zones, functional spaces



Buildings and structures



Focal areas, points of interest, conflict zones



Activity or
circulation nodes

Static Lineal Symbols



Functional edges:
Barriers, screens, walls




Noise zones



Ecological edges:
Forested areas
Cliff area

Active Lineal Symbols

Automobile circulation
Pedestrian circulation
Access points
View direction
Wind direction
Ecological processes
Movement of anything



North Indication and Scale

Both north indication and scale must be drawn onto all landscape plans. Often they are integrated into a combined graphic element.


North indications should:

1. Be simple, unobtrusive, yet easy to find.
2. Have a prominent, straight shaft portion.
3. Point straight up, if possible, and always at some angle above horizontal.
4. Never point down.


The north indication is usually placed close to the scale and sometimes integrated with a graphic scale. It is usually placed near the bottom or the right side of the sheet and often in the title block area.

Graphic scales

The value of a graphic scale is that it retains its true relationship to the drawing in the event the drawings are reduced or enlarged.



North indicators



LETRAS EXPRESSIVAS


Freehand Lettering

Freehand titles and subtitles requiring larger letters can be accomplished with markers and felt tip pens. This technique is good for schematic and preliminary drawings on marker paper, but the freehand outlining techniques shown can be adapted to other media.

Begin with guidelines about 1½ inches apart.

Hold the marker gently. Make some letters, checking these pointers as you go:

- The entire tip edge touches the paper.
- The edge is aligned vertically all the time for vertical, diagonal, and circular strokes.
- The marker is not rotated with the fingers, which would tip the marking surface onto its point or the heel.
- Neither arm nor body are rotated.
- The letters are made with a light touch, letting the edge of the marker create line width changes.
- The toe and heel do not extend over horizontal guidelines.
- Vertical strokes are consistently vertical. Use light vertical guidelines if necessary.
- Smaller letters use the small edge at the tip of the marker.



Try exercises 15 and 16. But first check Chapter 5 for correct letter shapes.

VEGETAÇÃO

ÁRVORES

Trees with Foliage Texture

A simple shape is repeated around the edge and piled up on the shaded side to give an appearance of roundness.



Flower doodles



Star doodles

Leave a large area of each tree symbol uncluttered by detail.



Square-shaped doodles



Dots or stipple marks




Hatch lines to show palm fronds



Linked Us




Circle doodles



Loose squiggles with thick and thin lines

Trees with Branch Patterns




Simple straight lines

Many lines toward the outside defines the edge.



Irregular bumpy lines



Angular lines


Lightning bolts



Good for showing winter effects or layering other symbols underneath, this kind of symbol is also easy to color.

Five main branch spokes looks most natural. Make sure that any thickened center becomes gradually thinner toward the edge.

Smooth curved lines




Forks




When only a few branches are shown the outside of the symbol may need some edge definition.

OS ARBUSTOS


Fine-textured Shrubs




Repeated U-shaped strokes



Varied U shapes





Two or three rows on one side for showing roundness



Jagged strokes penetrating the circle


Good for shrubs with needle-like or pointed foliage, such as conifers and other sharp-leaved evergreens.



Conifers



Grass-like plants



Double circle guidelines






AS FORRAÇÕES

Ground Covers

Large areas of grass may be left untextured or shown with a stipple pattern of dots near the edges. For smaller areas where a denser tone is desired, the patterns shown here may work.

A fast method to obtain consistent rows is to tape two triangles together, leaving a small gap of $\frac{1}{8}$ -inch to $\frac{1}{4}$ -inch. Choose a doodle and quickly stroke between the triangles.

Best results are obtained by keeping rows horizontal and parallel. Make sure that successive rows touch or overlap slightly.



O RELEVO


Landform

Irregularly spaced fine lines run perpendicular to contour lines or contour dots. This is a fast technique and therefore good for larger areas of sloping landform.

Escarpments can be indicated by varying the thickness of lines and line spacing.


Closely spaced lines running directly down the slope. Do not show the contour lines. These are good for small areas needing dense tone but are very time-consuming to draw.

Small stipples or dots. Use contour guidelines and place dots along the uphill side of the guideline. Gradually widen the spacing between the dots. This pattern is also very time-consuming.



USO EXPRESSIVO DOS MATERIAIS


Rocks



Angular rocks. Vary the sizes.
Use thick and thin lines.




Rounded boulders. Draw with smooth
thick and thin lines. Offset the loops.



Flat, layered rocks. Show overlapping.
Pile up lines along the edges. Keep
lines directional to show stratification.

Water

Natural waterways, such as ponds, lakes, and streams can be left white. The addition of smooth, flowing lines near the edges give a hint of motion.



Waterfalls and rapids should be left white or be indicated with a few dots.

If a toned surface is desired for contrast, use closely spaced, thin parallel lines. Leave some breaks.


Paving



Aggregate.
Small circles
of varying
size.



Random cut
flagstone. Make
each unit with three
to five sides.




Rectangular stone
with round or
square corners.


Keep spacing
between the
units even.



Concrete with
dividers



Cobbles



All paving types on this page are freehand examples.


OS EDIFÍCIOS

Freehand Buildings



Quicker than drafted buildings, freehand structures are permissible if accuracy is not critical.

Roof shading is effective on larger-scale plans where ground details are less important. Leave buildings simple on small-scale plans. Use guidelines or graph paper.


Avoid roof patterns if large overhangs exist.



Roof shading adds a three-dimensional quality and indicates light direction.




Composite Shadows



AS PEÇAS GRÁFICAS

A PLANTA

Landscape Plan



LANDSCAPE PLAN

Mr. & Mrs. William Wall Residence
Denver, Colorado 7/12/85

EDAW Inc.



SYMBOL KEY

- SCULPTURE
- EX TREE
- PROPOSED TREE
- CONIFEROUS TREE
- DECIDUOUS TREE
- PROPOSED SHRUBS
- ✕ PLANT TO BE REMOVED


30% of actual size
Medium: Pencil on Mylar

Tone Contrast and Balance

These techniques are time-consuming and should only be used when the plan must read well without color.

Large area of untextured surface may be needed to balance areas of dense tone.


When ground covers are heavily toned, the shrub groups can be left white for contrast.



PERFIL E ELEVAÇÃO


Section-elevations

The relationship of a section-elevation to a landscape plan is demonstrated here by slicing a landform vertically with a large cleaver. When the pieces are pulled apart, a cross section is revealed.




Drawing a Section from a Plan

1. On an overlay, draw a cut line (AA) through the area to be shown in section. Using known vertical information, place marks on the line corresponding to each vertical elevation. In this case, each contour line represents five more feet above the pond level.



2. Remove the overlay and construct a series of horizontal lines above (and below) to represent even increments of vertical change. You may use the same scale or one which multiplies the horizontal scale by 1.5 or 2 for exaggeration. At each mark on the base line, draw a vertical guideline and mark with a dot where it intersects the correct elevation. Join the dots.



3. On another overlay, sketch the appropriate landscape features at their correct heights. Make the section line bold.





Section-elevation Characteristics

The **section-elevation** shows the cut surface and/or the profile line plus true-to-scale elements a selected distance beyond the profile line. It is up to the graphic artist to decide how much to show beyond, but normally the closer objects have bolder lines with ample detail and distant objects, if shown at all, rendered as lighter outline shapes. This can be accomplished by using ink for closer elements and pencil for middleground and distant elements, especially if making diazo prints from the finished drawing.


The two essential characteristics of a landscape section are:

1. A bold, prominent profile line.
2. All vertical features drawn at the same scale, no matter how far they are from this profile line.


This makes the section very easy to draw. It can be related to a corresponding plan view by labeling on the section (e.g., section through fishing pier) or a cut line showing view direction on the plan.



Section Sketch



Section Drawing




Section/Elevation WOLF AND SMALL MAMMAL EXHIBITS

NTS

2. To communicate hidden elements in plan view.

Caves, overhangs, depths of water, and underground features are some of the elements that are impossible to show in plan view.



ELEMENTOS GRÁFICOS PARA OS PERFÍS

AS ÁRVORES


Outline Trees with Branching

Also quick, this sketch technique takes one to two minutes per tree.

Use it to capture form and an abstraction of branches.

Place in middleground of preliminary sketches.

Medium: Felt tip pen on marker paper



OS ARBUSTOS

Shrubs

Use similar techniques as shown for trees: quick outline, branched forms, and textured shapes to show foliage or berries. The more detailed elements should be placed in the foreground, the simpler shapes in the middleground.

Medium: Felt tip pen on smooth paper



AS PESSOAS

Fast People


A very simple method of drawing people is to begin with the head (1); add the angular trunk (2), leaving a gap for the neck. Then make quick strokes for the arms and legs (3).

Some other fast people are shown to the right of the sequence. A diagonal shading technique with stick legs gives a dark shape that is good for light backgrounds. Heads may be solid or open. Legs can be tapered or made as long rectangles.


These figures are ideal for quick preliminary sketches or for the back of the middleground in any style of sketch.

For more finished sketches, the middleground figures need to have a little more detail, as shown below. All adult eyes align on the horizon line—no matter how large the people are drawn.

Build up a file of people cut from magazines and trace them into your perspective drawings.



Horizon line




People


Placement and Composition

People bring a drawing to life and express the functional values of the space. In perspectives, they also emphasize depth, level change, and the scale of the environment.


Use these hints to guide the placement and choice of figure types.




A PERSPECTIVA




9. Draw vanishing lines.
Draw four lines which connect the vanishing point to the top and bottom of the left and right verticals.




10. Find depth or distance lines.
Draw another person at the correct fraction (one-half, one-fourth, one-fifth) of the original person to simulate the back of the space. In this case, the back of the space is two times the distance from the viewer as the front of the space. Draw the person one-half the original size, keeping the head on the horizon line.



11. Put in the ground line at the back of the space by drawing a horizontal line at the feet of the person in back. This is GL 40.



12. Draw the remaining back of the space.
Where the back ground line intersects with the vanishing lines, draw two more verticals to represent the back corners of the space.




13. Redraw the space.
On an overlay, draw the essential edges of the space—omitting hidden lines and construction lines.


Once you have completed a very simple space like this, you can add complexities and entourage. Use fractions of a person to get smaller objects, such as benches, low walls and shrubs. Add to this space two fifteen-foot-high trees anywhere. Now add a box two-and-a-half feet high, five-feet wide, and any length, anywhere. Place these elements within the space by first visualizing a five-foot person standing at that location. The element will be a multiple or a fraction of that person. Redo exercise 39 and compare it with your first try.

Perspectives from Slides of a Plan


1. Take several photographs at various angles to simulate a bird's-eye view of your plan. Frame the plan to fill the viewfinder.




2. Project the slide onto a sheet of tracing paper and adjust the image size for tracing. This will be much easier if you can set up a reverse projection where the slide is in the projector backwards and is projected onto the back side of a clear glass surface.




3. Trace the essential edges and objects. Throughout the space, draw in some scale figures with heights in correct proportion to the width of the plan elements they are standing next to.



4. Project vertical lines from all important corners and use the proportional method to get correct heights of all objects in the space.



Development Sketch



View from Prospect Street

Medium: Felt tip pen on tracing paper

Overhead Plane, Ground Plane, and Vertical Plane

A balance of all three planes conveys a greater sense of spatial organization.

Overhead planes are usually in the foreground or middleground and create a sense of enclosure.

Vertical planes can be defined loosely by vegetation or more solidly with structures.

Ground planes can be defined by directional patterns which show textures, ground shapes and edges. Make these patterns contiguous. Avoid isolated doodles.

Medium: Felt tip pen on marker paper



1

Landscape Drawings

and sketches

This work can also be viewed at
<http://paul-davenport.artistwebsites.com>

This is a POD gallery system - items can
be printed virtually any size required, on
a variety of surfaces.

or

www.behance.net/pauldavenport

selected images to - 2013



