

A stylized map of Ethiopia is centered on the page. The map is filled with a solid orange color and has a black outline. The title text is superimposed on the map.

**FOOD COMPOSITION TABLE FOR
USE IN ETHIOPIA
PART III**

EHNRI



All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, without the prior permission in writing of Ethiopian Health and Nutrition Research Institute (EHNRI).

Copies of this publication may be obtained by writing to Ethiopian Health and Nutrition Institute (EHNRI). Addis Ababa, P.O. Box 5654/1242.



FOOD COMPOSITION TABLE FOR USE IN ETHIOPIA

PART III

A RESEARCH PROJECT SPONSORED

BY

THE GOVERNMENT OF ETHIOPIA THROUGH FORMER ETHIOPIAN NUTRITION INSTITUTE (ENI) AND ETHIOPIAN
HEALTH AND NUTRITION RESEARCH INSTITUTE (EHNRI).

1968-1997

THE PRINTING OF THIS DOCUMENT WAS SUPPORTED BY ILRI.

The food analytical data reported in this table are carried out by former Ethiopian Nutrition Institute (ENI).

Compiled & Edited By:

W/o Abeba Gobezie..... Deputy Director
W/o Lakech Goitom..... Nutrition Researcher
W/o Asrat Wondimu..... Food Scientist

Laboratory Analysts:

Ato Petros Gebre
Ato Yelma Habteyas
Ato Getachew Zenebe
Ato Mengistu G/Tsadik

The Food Analytical Department, former Ethiopian Nutrition Institute (ENI), Addis Ababa.

Computer Data Entry:

W/o Lakech Goitom
W/o Asrat Wondimu
W/o Asnakech Mekonnen
Ato Woldemariam Girma

Samples collected by:

W/o Abeba Gobezie
W/o Elizabeth Wuhib

TABLE OF CONTENTS

	page		Page
Acknowledgements	V	Animal Origin	
Data collection areas.....	VI	Group 6.	12
Introduction	VII	Meat, Meat Products and Poultry	
Procedures for Laboratory		Group 7.	25
Analysis.....	VIII	Fish and Fish Products	
Summary and Recommendations.....	X	Group 8.	26
Symbols used.....	X	Dairy Products	
Plant Origin		Group 9.	27
Group 1.	1	Eggs	
Cereals & Cereal Products		Others	
Group 2.	6	Group 10.	27
Starchy Roots, Tubers		Sugars	
Group 3.	8	Group 11.	27
Legumes & Legume Products		Oils, Fats, Oilseeds, Nuts	
Group 4.	10	Group 12.	29
Vegetables		Herbs and Spices	
Group 5.	11	Group 13.	30
fruits & Berries		Non-Alcoholic Beverages (Home-made)	
		Group 14.	30
		Alcoholic Beverages (Home-Produced)	

Group 15.	30
Alcoholic Beverages (Commercial, local)	
Group 16.	31
Alcoholic Beverages (Imported)	
Group 17.	31
Wines (Commercial, Local)	
Group 18.	31
Spirits (Commercial, Local)	
Group 19.	31
Soft Drinks (Commercial, Local)	
Bibiliography.....	33

ACKNOWLEDGEMENTS

The editors would like to thank the Director of Ethiopian Health & Nutrition Research Institute (EHNRI) and the head of the Food Science & Nutrition Research Department for facilitating the work.

We are also grateful to Dr. Dawit Abebe, head of Drug Research Department for identifying unique & unknown food crops, Ato Frew Tekabe for his valuable assistance in computer data entry and W/o Zebib Tilahun for writing the manuscript.

Sincere thanks is given to International Livestock Research Institute (ILRI) for supporting the printing of this document.



INTRODUCTION

The first Food Composition Table for Ethiopia Published in 1968 which included information on 180 food types counter checked by the Institute of Medical Chemistry in Uppsala with the assistance of SIDA. While this food composition table generated some useful data and was the first of its kind in the whole continent for Ethiopians, it lacked some important data such as processed and cooked foods. Since there are some nutrient changes when food items are cooked or processed, it was felt necessary to include this information. Thus, analysis of food continued for many years and the information was being used by the institute staffs for many years but was never printed or circulated outside the institute. The food samples were collected from the test villages shown on the attached map. It is estimated that the main seven test areas were representative of more than half of the population of Ethiopia. In order to cover possible seasonal variations in food quality, samples of more important foods from each field stations were collected at least twice a year. The first time was immediately after harvesting and the second, immediately before time of sowing. The collection of food samples started in early 1970s. The food samples were brought from the selected areas in raw and prepared forms. However, some of the food samples which could not be prepared at local condition were brought to the experimental kitchen for preparation.

PROCEDURES FOR LABORATORY ANALYSIS

FOOD ENERGY: The energy values of the foods in the table represent the available energy calculated by the specific Atwater factors for protein, fat & total carbohydrate (1).

MOISTURE: The analytical procedure is described in reference (2). When the material had a high water content it was first dried at a low temperature (65°C), following the details given in paragraph 3:3. Further drying was then done as described in paragraph 3:9.

NITROGEN: Nitrogen was determined by the macro-Kjeldahl method. Details are given in reference (2) paragraph 3:22. To each digestion flask 0.6 g of pure copper and about 15 g K_2SO_4 was added.

PROTEIN: Values for protein content were computed from the nitrogen content as determined by the Kjeldahl procedure, multiplied by a conversion factor. From the fact that most proteins contain approximately 16% nitrogen, protein contents were calculated with the factor 6.25 for conversion of nitrogen to protein.

FAT: Fat was determined by Soxhlet method, described in reference (2), paragraph 3:14, on a semi-microscale, using 1 g samples.

CARBOHYDRATE: The values for carbohydrate given in this table refer to "total carbohydrate by difference", that is the sum of the figures for moisture, protein, fat and ash subtracted from 100. Soluble carbohydrate can be obtained by subtracting the crude fiber from the total carbohydrate.

CRUDE FIBER: Was determined as described in reference (3).

ASH: This was done as described in reference 2, but 2.5 g material was ashed at 555°C in a Gallencamp furnace. The ash was dissolved in 4N HCl as in paragraph 3:78 and the volume made up to 100 ml.

CALCIUM: Was determined by $KMnO_4$ - titration of calcium oxalate precipitate. The method is described either in reference (2) paragraph 3:79 or in reference (4). At ENI calcium was also determined with an EDTA method, using the modification described by Diehl and Ellungboe, reference (5).

PHOSPHORUS: The method followed for P-determination, was that of Fiske and Subbarow in reference (6). The phosphorus content was calculated with respect to a standard curve.

IRON: The method in principle was that described in reference (4). The iron content was read from a standard curve.

VITAMIN A: Carotene was determined by a chemical procedure, according to Gyorgy, reference (7), or later by spectrophotometric analysis of extracts purified by chromatography as described in reference (8).

The conversion factors used for the calculation of retinol and B-carotene from International Unit, are those given in reference (9), namely one International Unit is equivalent to 0.3 micrograms of retinol or, in the case of the provitamins, 0.6 micrograms B-carotene. The major source of vitamin A activity in Ethiopian diets is B-carotene. The Joint FAO/WHO Expert Group (9) recommends that in the absence of more specific data for foods, the availability of B-carotene be taken as one third and that the efficiency of conversion in the body be accepted as one half of the available B-carotene. Thus, in the human 1 microgram B-carotene in the diet is taken to have the same biological activity as 0.167 microgram retinol. In the food analytical work for this table, only B-carotene has been isolated of possible present provitamins.

The values for carotene written "Trace" are those under 200 micrograms per 100 g of food.

HIAMINE: Was determined as in reference (8).

RIBOFLAVIN: Was determined by a fluorometric method, reference (8).

NIACIN: Initially a chemical method was used as described in references (7) and (10). This method was rather time-consuming and later it was preferred to use a method described in "Methods of Vitamin Assay", reference (8).

TRYPTOPHAN: Was determined by a microbiological method. The organism used was Lactobacillus plantarum 8014. The basal medium of Henderson and Snell was used as described by Steele et al., references (11) and (12). Sodium acetate was substituted for sodium citrate. One gram of samples were hydrolyzed for 16 hours in the presence of nitrogen at 120°C and with 10 ml of 5N KOH in 30 ml glass bulbs, glass type Gerate 20, Jena Glaswerk Schott and Gen, Mainz, Germany. Each time 1.16 g cystein hydrochloride was added to protect tryptophan against destruction during hydrolysis, reference (13). Potassium was removed by precipitation with 5 N perchloric acid, p.a., from Merck Ab., Darmstadt.

In order to obtain complete precipitation the hydrolysates were kept frozen overnight before centrifugation. The results obtained by this modification were slightly higher than those obtained after hydrolysis with 5N NaOH during identical conditions. Probably the presence of sodium chloride after the

neutralization might be responsible for the slightly lower values with the latter method.

ASCORBIC ACID: Was determined according to a method described in reference (14) and later on modified by Lugg, reference (15).

REFUSE: It refers to the percentage of the total purchased weight that is discarded while preparing food. Refuse includes bones, pits, shells, and other inedible material. For some foods, it includes portions that could be eaten but as a rule are discarded; for example, potato parings and tough outer leaves of vegetables.

FACTORS FOR VITAMIN A CONVERSION

Available scheme for converting carotene values into retinol values, can be found in "Food Composition Table for Use in Africa", appendix 3, reference (16).

SUMMARY AND RECOMMENDATIONS

This publication comprises the analytical data available at the end of 1979. They might be representative for the common cultivated crops and diets of the field centers and field stations of CNU/ENI and the surrounding areas where more careful longitudinal nutritional surveys have been carried out.

X

Since it was estimated that the main five test areas were representative of more than half of the population of Ethiopia, it is difficult to have a more definite opinion of how much complementary work remains to be carried out.

The data for variety, length of storage or exposure in the market or other factors which would influence nutrient content, are not complete. New nutritional surveys in the remaining part of the country will certainly bring in more information of foods and diets which have not been analysed.

While the more immediate need is for more complete analytical data on the composition of the indigenous foods with particular emphasis on vitamins, consideration should be given to other studies, relating to the coefficient of digestibility and usefulness of the commonly used foods.

However, this table can provide basic data used by those involved in the evaluation and improvement of the diets consumed in Ethiopia. This food composition table would more or less complete the analysis work for the highland and lowland cropping areas. Another book that will cover the foods in the peripheral areas is under preparation and will be published soon.

SYMBOLS USED

- = Not determined
0 = Contains none
CHO = Carbohydrate

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																	
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Tryptophan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%
CEREALS & CEREAL PRODUCTS																				
1	Barley, black, Hordeum vulgare L.: flour	Gebs, t'iqur, duqyet	370.90	8.10	1.60	10.10	1.70	78.80	2.40	1.30	28.00	290.00	9.60	0.00	0.27	-	-	0.00	-	
2	Barley, black, Hordeum vulgare L.: enjera	Gebs, t'iqur, injera	124.90	68.30	0.54	3.40	0.10	27.60	0.80	0.60	34.00	96.00	3.60	0.00	0.13	0.07	1.00	-	0.00	
3	Barley, black, Hordeum vulgare L.: bread	Gebs, t'iqur, dabbo	195.60	50.50	0.81	5.10	0.40	42.90	1.10	1.10	13.00	144.00	5.10	0.00	0.20	0.09	1.90	-	0.00	
4	Barley, black, Hordeum vulgare L.: porridge	Gebs, t'iqur, genfo	150.30	68.50	0.39	2.40	6.30	21.00	0.80	1.80	20.00	76.00	2.70	0.00	0.10	0.15	1.10	-	0.00	
5	Barley, black, Hordeum vulgare L.: split, raw	Gebs, t'iqur, kikk, yalteqegele	374.80	7.00	1.63	8.90	1.60	81.20	2.00	1.30	22.00	274.00	7.40	0.00	0.27	-	3.70	-	16.00	
6	Barley, black, Hordeum vulgare L.: split, porridge	Gebs, t'iqur, kikk, genfo	134.60	74.50	0.26	1.60	7.40	15.40	0.20	1.10	27.00	58.00	1.20	0.00	0.07	0.03	0.60	-	0.00	
7	Barley, black, Hordeum vulgare L.: split, boiled	Gebs, t'iqur, kikk, nifro	69.00	81.40	0.27	1.70	0.30	14.90	0.40	1.70	32.00	56.00	1.50	0.00	0.08	0.03	0.40	-	0.00	
8	Barley, black, Hordeum vulgare L.: split, roasted	Gebs, t'iqur, kikk, qolo	386.70	4.20	1.64	10.20	1.90	82.20	2.80	1.50	39.00	294.00	5.60	0.00	0.09	0.11	4.60	-	16.00	
9	Barley, black, Hordeum vulgare L.: whole grain	Gebs, t'iqur, yaltefetege	370.80	8.00	1.56	9.80	1.60	79.30	2.60	1.30	23.00	274.00	7.20	0.00	0.33	-	3.00	-	12.00	
10	Barley, black, Hordeum vulgare L.: whole, boiled	Gebs, t'iqur, yaltefetege, nifro	108.80	72.90	0.45	2.80	0.40	23.50	0.80	0.40	9.00	30.00	3.10	0.00	0.08	0.03	0.90	-	0.00	
11	Barley, black, Hordeum vulgare L.: whole, roasted	Gebs, t'iqur, yaltefetege, qolo	390.00	3.50	1.64	10.20	2.00	82.80	3.10	1.50	41.00	2.82	5.20	0.00	0.09	0.31	4.70	-	8.00	
12	Barley, white, Hordeum vulgare L.: flour	Gebs, nech', duqyet	368.00	9.10	1.36	8.50	2.00	79.00	2.20	1.40	17.00	294.00	6.30	0.00	0.24	-	3.30	-	-	
13	Barley, white, Hordeum vulgare L.: enjera	Gebs, nech', injera	125.80	68.50	0.42	2.60	0.20	28.40	0.80	0.30	5.00	72.00	2.10	0.00	0.08	0.05	1.00	-	0.00	
14	Barley, white, Hordeum vulgare L.: bread	Gebs, nech', dabbo	202.40	49.50	0.71	4.40	0.40	45.30	1.10	1.40	16.00	160.00	3.50	0.00	0.21	0.12	1.60	-	0.00	
15	Barley, white, Hordeum vulgare L.: porridge	Gebs, nech', genfo	134.70	71.50	0.33	2.10	5.50	19.20	0.60	1.70	6.00	84.00	1.60	0.00	0.09	0.06	0.90	-	0.00	
16	Barley, white, Hordeum vulgare L.: split, raw	Gebs, nech', kikk, yalteqegele	368.30	9.90	1.33	8.30	1.90	79.50	1.80	1.30	17.00	280.00	6.20	0.00	0.28	-	3.70	-	18.00	
17	Barley, white, Hordeum vulgare L.: split, porridge	Gebs, nech', kikk, genfo	116.30	75.70	0.26	1.60	5.10	16.00	0.60	1.60	4.00	58.00	1.20	0.00	0.09	0.04	0.80	-	0.00	
18	Barley, white, Hordeum vulgare L.: split, boiled	Gebs, nech', kikk, nifro	83.90	78.10	0.31	1.90	0.30	18.40	0.40	1.30	7.00	70.00	1.20	0.00	0.10	0.05	0.90	-	0.00	
19	Barley, white, Hordeum vulgare L.: split, roasted	Gebs, nech', kikk, qolo	398.10	1.60	1.50	9.40	2.10	85.40	2.80	1.50	40.00	310.00	4.40	0.00	0.11	0.29	3.30	-	18.00	
20	Barley, white, Hordeum vulgare L.: whole grain	Gebs, nech', yaltefetege	372.30	7.70	1.33	8.30	1.90	80.50	2.00	1.60	38.00	288.00	6.20	0.00	0.26	0.08	4.30	-	16.00	
21	Barley, white, Hordeum vulgare L.: whole, boiled	Gebs, nech', yaltefetege, nifro	125.30	68.90	0.45	2.80	0.50	27.40	0.70	0.40	8.00	100.00	1.90	0.00	0.09	0.03	1.30	-	0.00	
22	Barley, white, Hordeum vulgare L.: whole, roasted	Gebs, nech', yaltefetege, qolo	355.80	3.30	1.43	8.90	2.20	84.00	2.80	1.60	38.00	318.00	4.30	0.00	0.10	0.21	3.00	-	15.00	
23	Corn (maize), yellow, Zea mays L.: flour	Beqqollo, byich'a, duqyet	376.00	10.30	1.30	8.10	4.40	76.00	2.10	1.20	16.00	248.00	5.60	0.00	0.31	0.15	1.60	-	4.00	
24	Corn (maize), Zea mays L.: yellow, enjera	Beqqollo, byich'a, injera	161.20	60.80	0.55	3.40	1.20	34.20	0.80	0.40	4.00	86.00	2.10	0.15	0.14	0.07	0.40	-	0.00	

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION											Riboflavin	Niacin	Trypto phan	Ascorbic acid	Refuse
									Fiber	Ash	Calcium	Phosphor ous	Iron	β-carotene Equiv.	Thiamine									
	FOOD & DESCRIPTION	LOCAL NAME	Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligra	Milligrams	%				
25	Corn (maize), Zea mays L.: yellow, bread	Beqqollo, byich'a, dabbo	233.00	43.30	0.81	5.10	2.20	48.20	1.00	1.20	5.00	156.00	2.90	0.00	0.19	0.04	0.50	-	-	0.00				
26	Corn (maize), Zea mays L.: yellow, porridge	Beqqollo, byich'a, genfo	141.40	69.40	0.42	2.60	4.60	22.40	1.00	1.00	14.00	72.00	2.40	0.74	0.14	0.04	0.60	-	-	0.00				
27	Corn (maize), Zea mays L.: yellow, split, raw	Beqqollo, byich'a, kikk, yalteqqeale	380.40	8.10	1.26	7.90	3.20	80.00	1.70	0.80	22.00	186.00	3.10	0.00	0.21	0.13	1.40	-	-	4.00				
28	Corn (maize), Zea mays L.: yellow, split, boiled	Beqqollo, byich'a, kikk, nifro	100.80	75.10	0.33	2.10	0.80	21.30	0.50	0.70	3.00	50.00	1.70	0.40	0.09	0.04	0.30	-	-	0.00				
29	Corn (maize), Zea mays L.: yellow, whole grain	Beqqollo, byich'a, yaltefetege	375.10	10.70	1.50	8.50	4.70	74.70	3.20	1.40	-	301.00	5.30	-	0.10	0.06	5.40	-	-	6.00				
30	Corn (maize), Zea mays L.: yellow, whole, boiled	Beqqollo, byich'a, yaltefetege, nifro	182.80	55.70	0.61	3.80	1.90	37.60	1.30	1.00	5.00	106.00	2.70	0.87	0.16	0.09	0.60	-	-	0.00				
31	Corn (maize), Zea mays L.: yellow, whole, roasted	Beqqollo, byich'a, yaltefetege, qolo	404.20	3.10	1.46	9.10	4.20	82.50	3.10	1.10	13.00	252.00	4.00	0.00	0.06	0.36	1.40	-	-	4.00				
32	Corn (maize), Zea mays L.: yellow, on cob, fresh	Beqqollo, byich'a, ishet', yaltefeletefe	235.60	43.90	0.98	6.10	2.80	46.60	1.80	0.70	10.00	150.00	1.50	1.18	0.24	0.15	0.70	-	5.00	41.00				
33	Corn (maize), Zea mays L.: ywllow, on cob, boiled	Beqqollo, bylch', ishet', yeteqeqqeale	186.50	55.80	0.73	4.20	2.50	36.80	2.10	0.70	7.00	123.00	1.10	1.29	0.12	0.09	0.30	-	3.00	41.00				
34	Corn (maize), Zea mays L.: yellow, on cob, roasted	Beqqollo, bylch'a, ishet', yetet'ebbese	300.70	28.90	1.19	7.40	3.90	59.00	2.90	0.80	14.00	186.00	2.00	1.64	0.15	0.25	1.10	-	4.00	41.00				
35	Corn (maize), Zea mays L.: white, flour	Beqqollo, nech', duqyet	378.20	10.00	1.44	9.00	4.60	75.20	2.20	1.20	19.00	288.00	7.00	0.00	0.29	0.07	2.10	-	-	7.00				
36	Corn (maize), Zea mays L.: white, enjera	Beqqollo, nech', injera	153.00	62.60	0.57	3.60	1.00	32.40	0.80	0.40	22.00	82.00	1.80	0.00	0.09	0.04	0.50	-	-	0.00				
37	Corn (maize), Zea mays L.: white, bread	Beqqollo, nech', dabbo	223.40	45.20	0.84	4.10	2.20	46.80	1.20	1.70	8.00	172.00	2.00	0.00	0.02	0.05	0.70	-	-	0.00				
38	Corn (maize), Zea mays L.: white, porridge	Beqqollo, nech', genfo	154.70	67.40	0.42	2.40	5.50	23.90	0.80	0.80	5.00	82.00	1.90	0.00	0.15	0.08	0.60	-	0.00	0.00				
39	Corn (maize), Zea mays L.: white, split, raw	Beqqollo, nech', kikk, yalteqqeale	378.20	9.50	1.41	8.10	4.20	77.00	1.60	1.20	17.00	270.00	3.00	0.00	0.30	0.07	1.70	-	2.00	10.00				
40	Corn (maize), Zea mays L.: white, boiled	Beqqollo, nech', nifro	88.10	78.00	0.37	2.10	0.50	18.80	0.40	0.60	3.00	36.00	0.90	0.17	0.07	0.04	0.20	-	1.00	0.00				
41	Corn (maize), Zea mays L.: white, whole grain	Beqqollo, nech', yaltafetege	375.00	10.70	1.50	8.60	4.60	74.80	2.60	1.30	-	282.00	4.40	-	0.22	0.08	3.90	-	-	-				
42	Corn (maize), Zea mays L.: white, whole, boiled	Beqqollo, nech', yaltafetege, nifro	170.10	58.90	0.63	3.60	1.70	35.10	1.20	0.70	5.00	116.00	1.70	0.00	0.15	0.05	0.50	-	-	0.00				
43	Corn (maize), Zea mays L.: white, whole, roasted	Beqqollo, nech', yaltafetege, qolo	387.20	7.10	1.41	8.10	4.40	78.80	3.30	1.60	19.00	264.00	2.40	0.00	0.23	0.19	1.50	-	-	4.00				
44	Corn (maize), Zea mays L.: white, on cob, fresh	Beqqollo, nech', ishet', yaltefeletefe	215.30	49.00	1.00	5.80	2.90	41.50	1.60	0.80	11.00	170.00	1.80	0.88	0.25	0.20	1.10	-	2.00	44.00				
45	Corn (maize), Zea mays L.: white, on cob, boiled	Beqqollo, nech', ishet, yeteqeqqeale	152.00	64.00	0.61	305.00	2.00	30.00	1.40	0.50	6.00	107.00	0.90	0.69	0.13	0.06	0.30	-	-	44.00				
46	Corn (maize), Zea mays L.: white, on cob, roasted	Beqqollo, nech', ishet, yetet'ebbese	276.50	34.40	1.26	7.30	3.70	53.50	2.40	1.10	13.00	218.00	2.80	1.22	0.21	0.26	1.00	-	-	44.00				
47	Emmer wheat, Triticum dicoccum.: flour	Alja, duqyet	379.70	6.60	2.21	12.70	2.50	76.60	2.50	1.60	12.00	342.00	7.00	0.00	0.39	0.12	2.40	-	-	0.00				
48	Emmer wheat, Triticum dicoccum.: bread	Alja, dabbo	239.30	40.20	1.36	7.50	0.90	50.30	1.30	1.10	14.00	206.00	8.40	0.00	0.20	0.09	2.90	-	-	0.00				

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																	
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Trypto phan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%
49	Emmer wheat, Triticum dicoccum.: porridge	Ajja, genfo	140.70	69.40	0.59	3.30	4.70	21.30	0.70	0.90	23.00	86.00	3.90	0.08	0.10	0.03	1.30	-	-	0.00
50	Emmer wheat, Triticum dicoccum.: split, raw	Ajja, kikk, yalteqqejele	361.60	10.50	2.60	14.40	2.00	71.50	1.70	1.60	40.00	380.00	8.80	0.00	0.34	0.12	5.40	-	-	0.00
51	Emmer wheat, Triticum dicoccum.: split, porridge	Ajja, kikk, genfo	105.50	78.20	0.43	2.40	4.30	14.30	0.60	0.80	5.00	57.00	1.40	0.00	0.05	0.02	0.60	-	-	0.00
52	Emmer wheat, Triticum dicoccum.: boiled	Ajja, kikk, nifro	103.60	73.40	0.78	4.30	0.40	20.70	0.70	1.20	5.00	73.00	1.60	0.00	0.08	0.02	0.80	-	-	0.00
53	Emmer wheat, Triticum dicoccum.: whole grain	Ajja,yaltefetege	359.90	11.00	2.30	12.40	2.30	72.40	2.40	1.90	55.00	341.00	8.80	0.00	0.41	0.13	7.10	162.00	2.00	3.00
54	Millet, Eleusine coracana (L.), black, flour	Dagussa, t'iqr, duqyet	350.40	11.50	1.17	6.40	1.20	78.50	6.20	2.40	353.00	286.00	37.90	0.13	0.07	0.10	0.50	-	-	-
55	Millet, Eleusine coracana (L.), black, enjera	Dagussa, t'iqr, enjera	156.10	60.50	0.53	2.90	0.50	35.00	2.90	1.10	1.29	88.00	16.80	0.00	0.09	0.04	0.20	-	-	-
56	Millet, Eleusine coracana (L.), black, bread	Dagussa, t'iqr, dabbo	216.50	44.50	0.73	4.00	0.50	49.00	4.10	2.00	231.00	177.00	23.50	0.00	0.08	0.06	0.50	-	-	-
57	Millet, Eleusine coracana (L.), black, whole grain	Dagussa, t'iqr, yaltefetege	350.50	11.50	1.18	6.50	1.30	78.20	6.80	2.50	364.00	290.00	37.80	0.16	0.08	0.11	0.80	-	1.00	-
58	Millet, Eleusine coracana (L.), white, flour	Dagussa, nech', duqyet	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	Millet, Eleusine coracana (L.), white, enjera	Dagussa, nech', enjera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	Millet, Eleusine coracana (L.), white, bread	Dagussa, nech', dabbo	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Millet, Eleusine coracana (L.), white, porridge	Dagussa, nech', genfo	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	Millet, Eleusine coracana (L.), white, whole grain	Dagussa, nech', yaltefetege	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	Millet, Eleusine coracana (L.), mixed, flour	Dagussa, dibilli, duqyet	362.80	7.60	1.49	8.20	1.60	78.90	7.50	3.70	457.00	272.00	40.60	0.00	0.10	0.10	0.70	-	-	-
64	Millet, Eleusine coracana (L.), mixed, enjera	Dagussa, dibilli, enjera	174.20	55.80	0.71	3.90	0.60	38.30	3.20	1.40	122.00	86.00	18.90	0.00	0.13	0.06	0.30	-	-	-
65	Millet, Eleusine coracana (L.), mixed, bread	Dagussa, dibilli, dabbo	222.60	42.80	0.91	5.00	0.60	49.30	3.50	2.30	244.00	168.00	23.20	0.00	0.14	0.04	0.20	-	-	-
66	Millet, Eleusine coracana (L.), mixed, porridge	Dagussa, dibilli, genfo	154.70	66.80	0.44	2.50	5.50	23.80	2.50	1.40	110.00	80.00	14.20	0.00	0.09	0.04	0.30	-	-	-
67	Millet, Eleusine coracana (L.), mixed, whole grain	Dagussa, dibilli, yaltefetege	351.40	11.70	1.38	7.50	1.80	76.30	5.80	2.70	376.00	255.00	36.50	0.14	0.19	0.17	0.70	-	1.00	-
68	Rice, Oryza sativa, whole grain	Ruz, yaltefetege	357.20	10.70	1.11	6.90	0.40	81.50	0.20	0.50	12.00	132.00	2.30	0.00	0.10	0.02	2.30	-	0.00	-
69	Rice, Oryza sativa, whole grain, boiled	Ruz, yaltefetege, qiqqil	110.90	71.50	0.33	2.10	0.10	25.40	0.20	0.90	5.00	47.00	0.50	0.00	0.03	0.01	0.60	-	0.00	-
70	Sorghum, sorghum spp: red, flour	Zengada, duqyet	377.40	8.60	1.14	6.30	3.40	80.40	1.80	1.30	9.00	250.00	6.00	0.00	0.35	0.20	1.00	-	-	-
71	Sorghum, Sorghum spp.: red, enjera	Zengda, injera	136.10	66.10	0.42	2.30	0.50	30.60	0.70	0.50	10.00	90.00	1.70	0.00	0.16	0.27	0.60	-	-	0.00
72	Sorghum, Sorghum spp.: red, bread	Zengada, dabbo	224.70	44.50	0.69	3.80	1.10	49.90	1.30	0.70	12.00	148.00	2.80	0.00	0.22	0.37	1.30	-	-	0.00
73	Sorghum, Sorghum spp.: red, porridge	Zengada, genfo	135.60	69.20	0.29	1.60	3.20	25.10	0.70	0.90	16.00	98.00	1.50	0.00	0.13	0.04	0.50	-	-	0.00

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.			COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																						
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Trypto phan	Ascorbic acid						
	FOOD & DESCRIPTION	LOCAL NAME	Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%					
74	Sorghum, Sorghum spp.; red, whole grain	Zengada, yaltefetege	380.50	7.60	0.98	5.40	3.30	82.30	2.50	1.40	14.00	360.00	3.20	0.00	0.30	0.15	1.50	-	-	-					
75	Sorghum, Sorghum spp.; red, whole grain, boiled	Zengada, yaltefetege, nifro	143.10	65.10	0.37	2.00	1.10	31.30	1.50	0.50	6.00	145.00	1.10	0.00	0.13	0.07	1.50	-	-	-					
76	Sorghum, Sorghum spp.; red, whole grain, roasted	Zengada, yaltefetege	407.60	1.10	1.07	5.90	3.60	87.90	3.60	1.50	18.00	3.64	5.60	0.00	0.06	0.12	1.18	-	-	-					
77	Sorghum, Sorghum spp.; white, flour	Mashylla, nech', duqyet	374.80	8.80	1.46	8.10	3.20	78.40	2.10	1.50	8.00	312.00	8.90	0.00	0.45	0.07	1.20	-	-	0.00					
78	Sorghum, Sorghum spp.; white, enjera	Mashylla, nech', injera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
79	Sorghum, Sorghum spp.; white, bread	Mashylla, nech', dabbo	203.70	48.50	1.02	5.70	0.50	44.10	1.20	1.20	25.00	186.00	2.50	0.11	0.29	0.16	2.10	-	-	0.00					
80	Sorghum, Sorghum spp.; white, porridge	Mashylla, nech', genfo	135.40	69.80	0.33	1.90	3.40	4.30	0.60	0.60	7.00	83.00	2.20	0.03	0.19	0.08	0.70	-	-	0.00					
81	Sorghum, Sorghum spp.; white, whole grain	Mashylla, nech', yaltefetege	359.20	12.10	1.30	7.10	2.80	76.40	2.30	1.60	30.00	282.00	7.80	0.00	0.54	0.12	3.30	-	3.00	4.00					
82	Sorghum, Sorghum spp.; white, whole grain, boiled	Mashylla, nech', yaltefetege, nifro	124.50	69.50	0.51	2.80	0.90	26.30	1.10	0.50	4.00	138.00	2.20	0.00	0.14	0.02	0.90	-	-	0.00					
83	Sorghum, Sorghum spp.; white, whole grain, roasted	Mashylla, nech', yaltefetege, qolo	402.40	1.90	1.62	8.90	3.20	84.50	3.50	1.50	12.00	361.00	6.50	0.00	0.08	0.06	1.40	-	-	3.00					
84	Sorghum, Sorghum spp.: mixed, flour	Mashylla, dibilliq, duqyet	363.90	11.50	1.31	7.30	3.10	76.70	2.80	1.40	20.00	253.00	5.90	0.16	0.36	0.23	2.50	-	-	-					
85	Sorghum, Sorghum spp.; mixed, enjera	Mashylla, dibilliq, injera	168.10	58.00	0.66	3.60	0.50	37.30	1.60	0.60	13.00	100.00	2.90	0.08	0.11	0.09	1.30	-	-	0.00					
86	Sorghum, Sorghum spp.; mixed, bread	Mashylla, dibilliq, dabbo	236.40	40.90	0.89	5.00	0.80	52.30	2.00	1.00	15.00	173.00	4.90	0.11	0.22	0.12	1.70	-	-	0.00					
87	Sorghum, Sorghum spp.; mixed, porridge	Mashylla, dibilliq, genfo	147.90	67.60	0.41	2.30	4.30	25.00	2.30	0.80	33.00	78.00	2.70	0.16	0.10	0.07	1.00	-	-	0.00					
88	Sorghum, Sorghum spp.; mixed, whole grain	Mashylla, dibilliq, yaltefetege	369.90	9.70	1.40	7.60	3.10	77.90	2.50	1.70	35.00	278.00	17.30	-	0.28	0.10	1.90	-	-	5.00					
89	Sorghum, Sorghum spp.; mixed, whole , boiled	Mashylla, dibilliq, yaltefetege, nifro	179.70	55.60	0.62	3.50	1.30	38.50	2.10	1.10	9.00	125.00	1.60	-	0.14	0.06	1.30	-	-	0.00					
90	Sorghum, Sorghum spp.; mixed, whole, roasted	Mashylla, dibilliq, yaltefetege, qolo	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
91	Tef,Eragrostis tef (Zucc.) Trott.; red, flour	T'yef, qeyy, duqyet	355.10	10.80	1.70	9.00	2.70	73.10	2.70	3.80	2.70	2.90	150.00	363.00	50.00	-	0.07	0.14	-	1.00					
92	Tef, Eragrostis tef (Zucc.) Trott.; red, enjera	T'yef, qeyy, injera	155.90	60.20	0.58	3.40	0.70	34.00	1.80	1.70	50.00	115.00	14.70	0.03	0.09	1.16	0.60	-	0.00	0.00					
93	Tef, Eragrostis tef (Zucc.) Trott.; red, bread	T'yef, qeyy, dabbo	220.00	44.10	0.91	5.40	1.20	46.90	2.50	2.40	73.00	234.00	21.40	0.00	0.15	0.22	1.50	-	-	0.00					
94	Tef, Eragrostis tef (Zucc.) Trott.; red, porridge	T'yef, qeyy, genfo	165.40	68.50	0.39	2.20	7.40	22.50	1.20	1.40	36.00	108.00	11.70	1.16	0.10	0.08	0.50	-	-	0.00					
95	Tef, Eragrostis tef (Zucc.) Trott.; white, flour	T'yef, nech', duqyet	358.80	10.90	1.60	9.30	2.40	75.00	2.00	2.40	130.00	354.00	23.40	0.00	0.42	0.10	1.80	-	-	0.00					
96	Tef, Eragrostis tef (Zucc.) Trott.; white, enjera	T'yef, nech', injera	145.00	63.80	0.51	3.00	0.60	31.90	1.00	0.70	56.00	100.00	7.00	-	0.21	0.11	0.50	-	1.00	0.00					
97	Tef, Eragrostis tef (Zucc.) Trott.; white, bread	T'yef, nech', dabbo	214.30	46.20	0.80	5.00	1.10	46.10	1.60	1.60	71.00	225.00	11.50	0.00	0.32	0.18	0.80	-	-	0.00					

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																	
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Tryptophan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%
98	Tef, Eragrostis tef (Zucc.) Trott., white, porridge	T'yef, nech', genfo	193.70	68.80	0.38	2.20	14.50	12.60	1.20	0.90	13.60	111.00	7.20	0.21	0.18	0.14	0.40	-	-	0.00
99	Tef, Eragrostis tef (Zucc.) Trott., mixed, flour	T'yef, dibilliq, duqyet	358.90	10.70	1.51	8.40	2.50	75.70	3.20	2.70	126.00	392.00	35.30	0.00	0.35	0.26	1.80	-	-	1.00
100	Tef Eragrostis tef (Zucc.) Trott., mixed, injera	T'yef, dibilliq, injera	150.20	62.20	0.64	3.80	0.60	32.40	1.40	1.00	68.00	105.00	13.80	0.04	0.21	0.17	0.50	-	0.00	0.00
101	Tef, Eragrostis tef (Zucc.) Trott., mixed, bread	T'yef, dibilliq, dabbo	218.80	45.90	0.91	5.40	1.20	46.60	1.80	0.90	16.00	139.00	3.50	0.00	0.27	0.28	1.20	-	-	0.00
102	Tef, Eragrostis tef (Zucc.) Trott., mixed, porridge	T'yef, dibilliq, genfo	173.40	63.80	0.52	3.00	6.60	25.50	1.40	1.10	49.00	122.00	13.60	0.27	0.18	0.14	1.20	-	-	0.00
103	Weat, Triticum vulgare Vill., black, flour	Sindye, t'iqur, duqyet	353.80	12.00	1.90	10.50	1.40	74.80	1.60	1.30	48.00	158.00	4.10	0.00	0.42	0.11	3.10	146.00	-	0.00
104	Wheat, Triticum vulgare Vill., black, injera	Sindye, t'iqur, injera	147.70	63.20	0.87	4.90	0.50	30.90	1.10	0.50	17.00	91.00	2.20	0.05	0.16	0.19	1.00	-	-	0.00
105	Wheat, Triticum vulgare Vill., black, bread	sindye, t'iqur, dabbo	205.30	47.50	1.01	5.70	0.50	44.50	1.30	1.80	76.00	222.00	19.60	0.00	0.20	0.13	1.80	-	-	0.00
106	Wheat, Triticum vulgare Vill., black, porridge	sindye, t'iqur, genfo	157.30	67.40	0.48	2.70	6.10	22.90	0.90	0.90	14.00	68.00	6.00	0.19	0.09	0.13	0.80	-	-	0.00
107	Wheat, Triticum vulgare Vill., black, split grain	Sindye, t'iqur, kikk	362.40	9.90	1.67	9.40	1.20	78.50	2.30	1.00	18.00	205.00	2.90	0.00	0.21	0.31	3.00	-	-	-
108	Wheat, Triticum vulgare Vill., black, split, porridge	Sindye, t'iqur, kikk, genfo	134.80	75.70	0.30	1.70	8.00	14.00	0.70	0.60	10.00	37.00	2.10	0.02	0.06	0.05	0.30	-	-	0.00
109	Wheat, Triticum vulgare Vill., black, split, boiled	Sindye, t'iqur, kikk, nifro	67.90	82.60	0.32	1.80	0.30	14.50	0.60	0.80	29.00	42.00	1.60	0.00	0.06	0.05	0.50	-	-	0.00
110	Wheat, Triticum vulgare Vill., black, whole grain	Sindye, t'iqur, yaltelefetege	357.10	11.30	1.90	10.40	1.90	74.60	3.00	1.80	52.00	319.00	12.90	Trace	0.27	0.12	3.40	169.00	-	14.00
111	Wheat, Triticum vulgare Vill., black, whole, boiled	Sindye, t'iqur, yaltelefetege, nifro	178.00	55.90	0.77	4.30	0.80	38.40	1.70	0.60	21.00	106.00	1.60	0.00	0.14	0.11	1.10	-	-	0.00
112	Wheat, Triticum vulgare Vill.:black, whole, roasted	Sindye, t'iqur, yaltelefetege, qolo	391.50	3.10	1.60	8.90	2.30	83.80	3.90	1.90	49.00	362.00	15.70	-	0.10	0.07	4.30	-	-	2.00
113	Wheat, Triticum vulgare Vill., white, flour	Sindye, nech', duqyet	362.90	10.60	1.93	10.90	2.10	75.10	3.00	1.30	31.00	245.00	5.70	0.00	0.31	0.25	4.20	-	-	3.00
114	Wheat, Triticum vulgare Vill., white, injera	Sindye, nech', injera	145.60	63.40	0.55	3.10	0.40	32.40	1.10	0.70	21.00	147.00	4.40	0.02	0.15	0.17	1.00	-	-	0.00
115	Wheat, Triticum vulgare Vill., white, bread	Sindye, nech', dabbo	222.00	44.50	1.22	6.80	0.80	46.90	1.20	1.00	27.00	213.00	2.70	0.08	0.21	0.15	1.90	-	-	0.00
116	Wheat, Triticum vulgare Vill., white, porridge	Sindye, nech', genfo	142.70	67.90	0.59	3.30	3.50	24.50	1.80	0.80	18.00	89.00	3.80	0.07	0.15	0.10	0.60	-	-	0.00
117	Wheat, Triticum vulgare Vill., white, split grain	Sindye, nech', yaltelefetege	365.00	9.50	1.93	10.90	1.80	76.30	2.30	1.50	41.00	208.00	4.60	0.00	0.39	0.32	2.60	-	-	-
118	Wheat, Triticum vulgare Vill., white, split, porridge	Sindye, nech', kikk, genfo	100.00	79.30	0.38	2.20	4.00	13.80	0.60	0.70	13.00	43.00	3.70	0.00	0.08	0.06	0.50	-	-	0.00
119	Wheat, Triticum vulgare Vill., white, split, boiled	Sindye, nech', kikk, nifro	65.10	83.10	0.37	2.10	0.30	13.50	0.70	0.70	12.00	42.00	1.90	0.00	0.07	0.05	0.50	-	-	0.00
120	Wheat, Triticum vulgare Vill., white, whole grain	Sindye, nech', yaltelefetege	362.30	10.80	1.80	10.30	1.90	75.50	3.00	1.50	49.00	276.00	7.50	0.00	0.34	0.09	2.90	-	4.00	-
121	Wheat, Triticum vulgare Vill., white, whole, boiled	Sindye, nech', yaltelefetege, nifro	211.30	47.00	1.13	7.10	0.90	43.70	1.60	1.30	30.00	125.00	4.00	0.00	0.17	0.25	1.50	-	-	0.00

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																		
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Trypto phan	Ascorbic acid	Refuse	
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%	
122	Wheat, Triticum vulgare Vill.: white, whole, roasted	Sindye, nech', yaltelefetege, qolo	391.60	2.80	2.00	11.30	2.00	82.10	3.20	1.80	42.00	292.00	4.10	0.13	0.18	0.35	3.00	-	-	-	
123	Wheat, Triticum vulgare Vill.: mixed, flour	Sindye, dibilliq, duqyet	355.10	12.10	1.71	9.60	1.90	74.90	2.60	1.50	44.00	327.00	5.80	0.16	0.28	0.29	2.30	-	-	3.00	
124	Wheat, Triticum vulgare Vill.: mixed, enjera	Sindye, dibilliq, injera	157.40	60.80	0.65	3.40	0.60	34.60	1.20	0.60	25.00	104.00	1.80	0.05	0.16	0.17	1.30	-	-	0.00	
125	Wheat, Triticum vulgare Vill.: mixed, bread	Sindye, dibilliq, dabbo	199.30	49.70	0.98	5.50	0.50	43.20	1.20	1.10	24.00	178.00	2.90	0.09	0.27	0.14	2.10	-	-	0.00	
126	Wheat, Triticum vulgare Vill.: mixed, porridge	Sindye, dibilliq, genfo	150.60	69.00	0.51	2.90	5.80	21.70	1.00	0.60	27.00	93.00	2.00	0.17	0.14	0.15	0.70	-	-	0.00	
127	Wheat, Triticum vulgare Vill.: mixed, split grain	Sindye, dibilliq, kikk	352.30	12.40	1.73	9.70	1.50	75.00	2.10	1.40	31.00	289.00	0.00	0.09	0.24	0.18	2.40	-	-	-	
128	Wheat, Triticum vulgare Vill.: mixed, split, porridge	Sindye, dibilliq, kikk, genfo	99.80	79.20	0.37	2.10	3.80	14.30	1.20	0.60	47.00	96.00	1.30	0.02	0.07	0.03	0.60	-	-	0.00	
129	Wheat, Triticum vulgare Vill.: mixed, split, boiled	Sindye, dibilliq, kikk, nifro	70.00	82.30	0.37	3.10	0.40	13.50	0.60	0.70	7.00	64.00	0.80	0.00	-	0.03	0.80	-	-	0.00	
130	Wheat, Triticum vulgare Vill.: mixed, whole grain	Sindye, dibilliq, yaltelefetege	357.40	11.30	1.77	10.00	1.80	75.30	3.00	1.60	24.00	325.00	3.70	0.00	0.28	0.15	3.10	-	3.00	-	
131	Wheat, Triticum vulgare Vill.: mixed, whole, boiled	Sindye, dibilliq, yaltelefetege, nifro	184.90	53.50	0.85	4.80	0.90	39.40	1.70	1.40	16.00	197.00	1.90	0.22	0.16	0.10	1.50	-	-	0.00	
132	Wheat, Triticum vulgare Vill.: mixed, whole, roasted	Sindye, dibilliq, yaltelefetege, qolo	394.20	2.30	1.81	10.20	2.20	83.40	2.80	1.90	28.00	440.00	5.00	0.22	0.10	0.24	3.50	-	-	-	
STARCHY ROOTS & TUBERS																					
133	False banana, Ensete ventricosum.: flour	Inset, karta	196.00	49.70	0.30	0.90	0.20	47.70	1.20	1.60	77.00	60.00	10.10	0.00	0.04	0.05	0.00	-	1.00	-	
134	False banana, Ensete ventricosum.: bulla	Bulla, itno	180.50	54.90	0.03	0.20	0.10	44.70	0.30	0.10	41.00	20.00	2.60	0.00	0.01	0.00	0.10	-	0.00	14.00	
135	False banana, Ensete ventricosum.: bulla, bread	Bulla, dabbo	186.10	53.30	0.03	0.30	0.10	46.00	0.30	0.30	45.00	18.00	4.60	0.00	0.01	0.00	0.10	-	1.00	0.00	
136	False banana, Ensete ventricosum.: bulla, porridge	Bulla, genfo	80.30	81.00	0.03	0.20	1.10	174.00	0.50	0.30	30.00	10.00	2.60	0.27	0.01	0.00	0.10	-	1.00	0.00	
137	False banana, Ensete ventricosum.: kocho	Qoch'o	211.10	46.70	0.20	0.60	0.30	51.50	1.20	0.90	32.00	36.00	3.70	0.00	0.03	0.04	0.30	-	0.00	-	
138	False banana, Ensete ventricosum.: kocho, bread	Qoch'o, babbo	219.40	43.70	0.20	1.00	0.20	53.40	1.30	1.70	93.00	43.00	2.40	0.00	-	0.10	0.20	52.00	0.00	-	
139	False banana, Ensete ventricosum.: kocho, porridge	Qoch'o, genfo	90.60	78.90	0.11	0.70	2.20	17.00	1.30	1.20	50.00	21.00	4.90	0.46	0.01	0.03	0.10	-	1.00	0.00	
140	potato Oromo, Coleus edulis L.: raw	Yeoromo dinnich, yalteqqeqqele	69.00	81.90	0.30	1.50	0.20	15.30	0.70	1.10	29.00	90.00	9.30	-	-	-	0.70	-	-	-	
141	Potato Oromo, Coleus edulis L.: boiled	Yeoromo dinnich, qiqqil	100.60	73.80	0.24	1.00	0.20	23.70	1.00	1.30	19.00	62.00	1.10	0.00	0.11	0.32	0.30	-	-	-	
142	Potato Irish, Solanum tuberosum.: raw	Yabesha dinnich, yalteqqeqqele	103.70	73.10	0.30	1.30	0.10	24.40	1.40	1.10	14.00	57.00	2.30	0.00	0.08	0.08	1.00	-	14.00	37.00	
143	Potato Irish, Solanum tuberosum.: boiled	Yabesha dinnich, qiqqil	89.70	76.80	0.26	1.10	0.10	21.10	0.90	0.90	9.00	49.00	1.50	0.04	0.05	0.09	0.80	-	-	11.00	
144	Potato Irish, Solanum tuberosum.: roasted	Yabesha dinnich, yetet'ebbese (ferm wiste)	81.70	53.10	0.54	2.40	0.10	42.80	4.10	1.60	6.00	44.00	1.00	0.00	0.10	0.17	1.90	-	-	15.00	

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																	
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Tryptophan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%
145	Potato Irish, Solanum tuberosum.: grilled	Yabesha dinnich, t'lbs	93.30	75.70	0.37	1.60	0.10	21.50	5.40	1.10	6.00	64.00	1.30	0.00	0.08	0.05	1.50	-	-	16.00
146	Potato Irish, Solanum tuberosum.: fried	Yabesha dinnich, t'lbs (beqibat)	329.80	25.80	0.60	2.60	9.40	58.70	1.90	3.50	32.00	131.00	3.40	0.00	0.08	0.14	2.30	-	-	0.00
147	Potato Irish, Solanum tuberosum.: baked	Yabesha dinnich, yetegaggere,	199.70	45.70	0.71	3.00	0.10	46.70	2.90	4.50	22.00	106.00	5.60	0.00	0.15	0.11	2.60	-	-	11.00
148	Potato Irish, Solanum tuberosum.: baked, with fat	Yabesha dinnich, yetegaggere (beqibat)	169.90	58.90	0.52	2.30	4.30	30.50	1.00	4.00	18.00	108.00	2.40	0.00	0.08	0.16	2.00	-	-	0.00
149	Potato Irish, Solanum tuberosum.: boiled, fried	Yabesha dinnich, teqeqqilo yetet'ebbese	199.00	52.60	0.44	1.90	4.60	37.50	1.40	3.40	20.00	90.00	1.70	0.00	0.08	0.09	1.70	-	-	0.00
150	Sweet potato, Ipomoea batatas (L.), sweet potato, raw	Sikkwar dinnich, yalteqqequele	136.00	67.40	0.30	1.30	2.00	28.20	1.10	1.10	52.00	34.00	3.40	0.00	0.08	0.05	0.90	-	9.00	26.00
151	Sweet potato, Ipomoea batatas (L.), boiled	Sikkwar dinnich, qiqqil	134.20	65.60	0.13	0.50	0.20	32.80	1.50	1.10	35.00	54.00	0.90	0.00	0.06	0.01	0.40	-	-	7.00
152	Sweet potato, Ipomoea batatas (L.), grilled	Sikkwar dinnich, t'lbs	149.40	61.60	0.13	0.50	0.20	36.40	1.50	1.30	35.00	73.00	1.70	0.00	0.07	0.01	0.60	-	-	10.00
153	Sweet potato, Ipomoea batatas (L.), fried	Sikkwar dinnich, t'lbs beqibat	351.20	27.20	0.22	0.90	13.20	57.20	2.30	1.50	73.00	90.00	2.50	0.04	0.09	0.14	0.80	-	-	0.00
154	Sweet potato, Ipomoea batatas (L.), boiled, fried	Sikkwar dinnich, teqeqqelo yetet'ebbese	245.60	49.00	0.11	0.50	9.20	40.20	1.60	1.10	49.00	72.00	1.40	0.03	0.09	0.02	0.30	-	-	6.00
155	Tuber/Anch'otye, Coccinia abyssinica:, raw	Anch'otye, yalteqqequele	98.10	74.50	0.70	3.20	0.10	21.10	1.70	1.10	119.00	0.00	1.30	0.00	0.00	0.00	0.00	-	-	11.00
156	Tuber/Anch'otye, Coccinia abyssinica:, boiled	Anch'otye, qiqqil	71.30	81.00	0.48	3.00	1.00	14.60	1.20	1.30	47.00	114.00	1.80	0.00	0.12	0.04	0.60	-	-	10.00
157	Taro, Colacasia antiquorum:, raw	Goderyi, yalteqqequele	124.20	67.90	0.35	2.20	0.20	28.40	1.00	1.30	29.00	42.00	2.00	0.00	0.12	0.06	0.50	-	14.00	10.00
158	Taro, Colacasia antiquorum:, boiled	Goderyi, qiqqil	103.80	73.50	0.20	1.30	0.20	24.20	1.30	0.80	55.00	22.00	2.00	0.00	0.04	0.06	0.40	-	9.00	13.00
159	Tuber/Wochino, raw	Wochino, yalteqqequele	100.50	74.30	0.26	1.60	0.10	23.30	0.10	0.70	9.00	56.00	1.10	0.00	0.04	0.05	0.50	-	12.00	11.00
160	Tuber/Wochino, boiled	Wochino, qiqqil	102.10	73.90	0.27	1.70	0.10	23.60	0.80	0.70	11.00	55.00	1.30	0.00	0.03	0.02	0.30	-	-	5.00
161	Tuber/Buryi, raw	Buryi, yalteqqequele	154.60	60.70	0.27	1.70	0.20	36.50	0.90	0.90	4.00	74.00	1.50	0.00	0.16	0.15	0.40	-	17.00	5.00
162	Tuber/Buryi, boiled	Buryi, qiqqil	102.90	73.60	1.24	1.50	0.10	24.00	1.40	0.80	69.00	42.00	4.20	0.00	0.02	0.04	0.90	-	-	6.00
163	Tuber/Buryi, grilled	Buryi, t'lbs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164	Tuber/Kottye harrye, raw	Kottye harrye, yalteqqequele	110.90	71.30	0.36	2.30	0.10	25.20	1.10	1.10	13.00	50.00	1.60	0.00	0.10	0.04	0.20	-	9.00	10.00
165	Tuber/Kottye harrye, boiled	Kottye harrye, qiqqil	116.50	69.70	0.50	3.10	0.10	25.80	1.60	1.30	37.00	53.00	3.30	0.00	0.05	0.03	0.20	-	7.00	15.00
166	Tuber/Kottye harrye, grilled	Kottye harrye, t'lbs	131.40	66.50	0.37	2.30	0.20	30.10	1.60	0.90	33.00	41.00	1.00	0.09	0.05	0.07	0.60	-	-	2.00
167	Tuber/Qyichye, raw	Qyichye, yalteqqequele	159.40	59.40	0.54	3.40	0.20	36.00	1.00	1.00	7.00	54.00	2.40	0.00	0.10	0.07	0.40	-	12.00	18.00
168	Tuber/Qyichye, boiled	Qyichye, qiqqil	131.70	65.90	0.44	2.30	0.10	30.40	2.00	1.30	42.00	68.00	5.00	0.00	0.05	0.05	0.20	-	8.00	-
169	Tuber/Qyichye, grilled	Qyichye, t'lbs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Tuber/Badia, raw	Badia, yalteqqequele	78.90	79.50	0.25	1.60	0.10	17.90	1.00	0.90	11.00	64.00	1.70	0.00	0.14	0.02	0.00	-	13.00	9.00

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																		
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Tryptophan	Ascorbic acid	Refuse	
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%	
171	Tuber/Badia, boiled	Badia, qiqqil	98.80	74.70	0.51	3.20	0.40	20.60	0.80	1.10	22.00	60.00	2.70	0.00	0.15	0.09	0.20	-	5.00	-	
172	Tuber/Badia, grilled	Badia, t'ibs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
173	Tuber/Lokote, raw	Lokote, yalteqqe	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
174	Tuber/Lokote, boiled	Lokote, qiqqil	255.70	34.10	0.10	0.60	0.10	63.10	3.00	2.10	423.00	108.00	6.00	0.00	0.03	0.44	0.30	-	12.00	-	
175	Tuber/Imi, raw	Imi, yalteqqe	149.40	62.00	0.64	4.00	0.20	32.90	1.10	0.90	132.00	138.00	3.60	0.00	0.26	0.22	0.70	-	39.00	-	
LEGUMES & LEGUME PRODUCTS																					
176	Broad beans,Vicia faba L., flour	Baqyela, duqyet	349.80	11.70	4.39	23.10	1.40	61.20	1.30	2.60	49.00	338.00	6.10	0.00	0.39	0.28	2.10	-	2.00	0.00	
177	Broad beans, Vicia faba L., sauce with out chili	Baqyela wet', allyich'a	96.90	81.50	0.46	2.40	5.70	9.00	0.50	1.40	15.00	35.00	1.50	0.00	0.04	0.01	0.40	-	1.00	0.00	
178	Broad beans, Vicia faba L., split	Beqyela, kikk	353.10	10.60	4.70	24.80	1.50	60.10	1.90	3.00	47.00	469.00	14.50	Trace	72.00	0.40	1.90	219.00	3.00	23.00	
179	Broad beans, Vicia faba L.,split, sauce with out chili	Baqyela, kikk wet' allyich'a	143.80	70.50	0.99	5.20	6.20	16.80	1.50	1.30	29.00	70.00	4.30	0.00	0.13	0.02	0.60	-	1.00	0.00	
180	Broad beans, Vicia faba L., whole, fresh, boiled	Baqyela, ishet, nifro	133.70	65.70	1.50	7.90	0.50	24.40	5.20	1.50	44.00	197.00	2.30	0.89	0.19	0.62	1.10	-	-	45.00	
181	Broad beans, Vicia faba L., whole, fresh, roasted	Baqyela, ishet, qolo	182.80	53.30	2.10	11.10	0.80	32.80	7.50	2.00	59.00	276.00	2.70	1.60	0.21	0.39	1.70	-	-	45.00	
182	Broad beans, Vicia faba L., whole, fresh, raw	Baqyela, ishet	152.60	61.10	1.70	9.30	0.60	27.50	7.50	1.50	63.00	189.00	2.10	-	0.17	0.23	2.90	-	7.00	44.00	
183	Broad beans, Vicia faba L., whole, dried	Baqyela, difin, dereq	351.40	11.00	4.00	21.50	1.40	63.20	9.60	2.90	99.00	420.00	8.40	Trace	0.44	0.30	2.10	174.00	-	2.00	
184	Broad beans, Vicia faba L., whole, dried, boiled	Baqyela, difin, dereq, nifro	149.50	62.00	1.90	9.90	0.70	25.90	3.70	1.50	54.00	165.00	2.90	-	-	0.20	1.00	-	-	2.00	
185	Broad beans,Vicia faba L.: whole,dried,roasted/boiled	Baqyela, difin, dereq, teqolto yeteqqe	275.90	30.20	3.10	16.40	1.10	50.10	7.20	2.20	87.00	340.00	4.30	0.10	0.19	0.55	1.20	-	-	1.00	
186	Broad beans, Vicia faba L.: germinated, boiled	Baqyela, beqolt, nifro	137.80	64.60	1.52	8.00	0.60	25.10	24.50	1.70	44.00	138.00	1.90	0.14	0.15	0.21	0.70	-	3.00	2.00	
187	Broad beans, Vicia faba L., germinated, roasted	Baqyela, beqolt, qolo	246.60	37.30	2.75	14.50	1.00	44.90	7.40	2.30	105.00	315.00	4.50	0.22	0.19	0.24	1.50	-	5.00	2.00	
188	Broad beans, Vicia faba L., germinated, raw	Baqyela, beqolt, yalteqqe	177.50	55.10	2.02	10.60	0.70	32.20	5.20	1.40	74.00	218.00	2.70	0.16	0.24	0.20	1.00	-	8.00	2.00	
189	Kidney beans, Phaseolus vulgaris L.: whole,fresh,boiled	Adengwarrye, difin, ishet, nifro	170.30	56.50	1.74	9.10	0.70	31.90	2.90	1.80	65.00	216.00	3.30	0.06	0.26	0.15	0.70	-	1.00	-	
190	Kidney beans,Phaseolus vulgaris L.: whole, fresh, raw	Adengwarrye, difin, ishet, yalteqqe	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
191	Kidney beans,Phaseolus vulgaris L.: whole, dried	Adengwarrye, difin, dereq	354.40	9.50	3.70	19.10	1.60	65.90	6.70	3.90	144.00	414.00	8.70	Trace	0.43	0.14	2.00	-	0.00	3.00	
192	Kidney beans,Phaseolus vulgaris L.: whole,dried,boiled	Adengwarrye, difin, dereq, nifro	170.30	56.50	1.74	9.10	0.70	31.90	2.90	1.80	65.00	216.00	3.30	0.06	0.26	0.15	0.70	-	-	-	
193	Chickpeas, Cicer arietinum L., flour	Shimbra, duqyet	383.40	8.00	3.60	19.40	5.80	63.40	4.80	3.40	117.00	330.00	68.20	2411.00	0.32	0.11	0.90	-	-	-	
194	Chickpeas, Cicer arietinum L., sauce, with out chili	Shimbra wet', allyich'a	123.30	79.20	0.41	2.30	8.90	8.50	0.70	1.10	23.00	40.00	2.60	0.00	0.02	0.01	0.20	-	4.00	0.00	
195	Chickpeas, Cicer arietinum L., split	Shimbra, kikk	377.60	10.00	3.30	17.60	6.00	63.30	2.70	3.10	96.00	216.00	11.60	Trace	0.69	0.16	1.20	237.00	-	-	
196	Chickpeas,Cicer arietinum L.: split,sauce without chili	Shimbra, kikk wet', allyich'a	142.30	68.60	0.88	4.80	4.30	21.10	1.60	1.20	35.00	68.00	2.10	0.00	0.11	0.03	0.30	-	5.00	0.00	

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																	
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (Inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Trypto phan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	%	
197	Chickpeas, Cicer arietinum L., whole, fresh, boiled	Shimbira, ishet, nifro	167.20	59.30	1.32	7.30	2.00	30.00	5.50	1.40	83.00	101.00	3.40	0.45	0.13	0.11	0.80	-	-	-
198	Chickpeas, Cicer arietinum L., whole, fresh, roasted	Shimbira, ishet, qolo	238.10	42.70	1.82	10.10	2.90	42.90	8.80	1.40	150.00	162.00	7.40	0.42	0.17	0.16	1.50	-	-	-
199	Chickpeas, Cicer arietinum L., whole, fresh, raw	Shimbira, ishet, yalteqqeqele	91.40	77.60	0.90	4.60	1.00	16.00	4.20	0.80	52.00	73.00	6.30	Trace	0.18	0.09	3.80	-	-	-
200	Chickpeas, Cicer arietinum L., whole, dried	Shimbira, difin, dereq	372.30	10.50	2.84	10.40	4.70	72.10	9.90	2.30	200.00	238.00	7.00	1.21	0.21	0.30	0.90	-	-	-
201	Chickpeas, Cicer arietinum L., whole, dried, boiled	Shimbira, difin, dereq, nifro	180.90	56.60	1.40	7.80	2.50	31.80	5.70	1.30	96.00	103.00	2.20	0.39	0.11	0.10	0.60	-	-	-
202	Chickpeas, Cicer arietinum L., dried, roasted, boiled	Shimbira, dereq, teqolto yeteqeqele	289.20	29.40	2.35	13.00	4.00	50.30	9.40	3.30	172.00	174.00	5.70	1.84	0.09	0.21	0.70	-	-	-
203	Chickpeas, Cicer arietinum L., germinated, boiled	shimbira, beqolt, nifro	184.50	55.50	1.46	8.00	2.50	32.50	6.00	1.50	101.00	123.00	2.70	0.01	0.16	0.08	0.50	-	6.00	-
204	Chickpeas, Cicer arietinum L., germinated, roasted	Shimbira, beqolt, qolo	301.70	27.60	2.51	13.80	4.10	52.40	9.90	2.10	170.00	210.00	5.20	1.39	0.21	0.15	1.00	-	-	-
205	Chickpeas, Cicer arietinum L., germinated, raw	Shimbira, beqolt, yalteqqeqele	210.00	49.70	1.71	9.40	2.80	36.80	0.70	1.30	117.00	135.00	3.70	7.60	0.24	0.18	0.70	-	11.00	-
206	Fenugreek, Trigonlla foenum-graecum L., flour	Abish, duqyet	382.40	10.80	3.90	19.30	7.20	60.10	8.30	2.60	173.00	283.00	11.20	1.23	0.21	0.43	2.00	-	12.00	-
207	Fenugreek, Trigonella foenum-graecum L., porridge	Abish, genfo	162.00	69.80	0.98	4.80	9.20	15.00	3.70	1.20	56.00	70.00	4.00	0.78	0.06	0.09	0.60	-	3.00	-
208	Lentils, Lens culinaris Med., flour	Missir, duqyet,	356.60	9.40	3.85	21.80	0.80	66.00	2.30	2.20	27.00	262.00	8.50	6.63	0.41	0.46	1.30	-	3.00	0.00
209	Lentil, Lens culinaris Med., sauce, with out chili	Missir, wet', allyich'a	151.20	70.30	0.75	3.70	8.00	62.80	1.50	1.90	25.00	75.00	3.60	0.00	0.08	0.02	0.40	-	3.00	-
210	Lentil, Lens culinaris Med., split	Missir, kikk	355.10	9.80	4.20	23.00	1.10	62.80	2.40	2.40	36.00	317.00	43.10	Trace	0.29	0.14	1.80	191.00	3.00	-
211	Lentil, Lens culinaris Med., split, boiled	Missir, kikk, nifro	113.10	71.50	1.24	7.10	0.30	20.50	1.30	0.60	16.00	80.00	2.20	0.05	0.17	0.16	0.50	-	-	0.00
212	Lentils, Lens culinaris Med., whole, dried	Missir, difin, dereq	352.20	10.20	4.00	22.60	1.00	63.20	4.80	3.00	68.00	359.00	28.30	Trace	0.37	0.15	1.60	190.00	-	-
213	Lentil, Lens culinaris Med., whole, boiled	Missir, difin, nifro	152.90	61.50	1.59	9.00	0.50	28.10	2.60	0.90	25.00	93.00	2.10	0.04	0.08	0.28	0.40	-	-	-
214	Peas, field, Pisum sativum L., flour	Arer, duqyet	352.20	10.70	3.70	20.10	1.40	64.80	4.30	3.00	79.00	309.00	13.90	Trace	0.30	0.16	2.40	162.00	3.00	0.00
215	Peas, field, Pisum sativum L., sauce, with out chili	Ater, wet', allyich'a	100.60	80.60	0.51	2.80	5.80	9.30	1.20	1.50	61.00	190.00	6.80	0.00	0.02	0.01	0.40	-	1.00	0.00
216	Peas, field, Pisum sativum L., split	Ater, kikk	353.80	10.50	4.00	21.60	21.40	63.70	2.80	2.80	64.00	347.00	13.60	Trace	0.51	0.13	2.70	208.00	4.00	-
217	Peas, field, Pisum sativum L.,split,sauce,without chill	Ater, kikk wet', allyich'a	162.00	67.20	1.07	5.30	7.20	19.00	1.30	1.30	38.00	119.00	2.40	0.00	0.12	0.02	0.60	-	1.00	0.00
218	Peas, field,Pisum sativum L., whole, fresh, boiled	Ater,difin, ishet, nifro	134.10	66.40	1.33	7.20	0.50	25.20	2.90	0.70	31.00	130.00	1.80	0.12	0.14	0.05	0.80	-	-	-
219	Peas, field, Pisum sativum L., whole, fresh, roasted	Ater, difin, ishet, qolo	207.10	47.70	2.01	10.90	0.70	39.30	4.60	1.40	45.00	216.00	3.10	1.05	0.24	0.13	1.60	-	-	-
220	Peas, field, Pisum sativum L., whole, fresh, raw	Ater, difin, ishet, yalteqqeqele	139.50	64.60	0.82	4.40	0.30	29.80	3.90	0.90	32.00	144.00	1.90	0.62	0.18	0.10	0.80	-	24.00	40.00
221	Peas, field, Pisum sativum L., whole, dried	Ater, difin, dereq	355.30	9.90	3.38	18.30	0.90	68.50	7.50	2.40	98.00	364.00	5.90	0.10	0.45	0.34	2.00	-	-	-
222	Peas, field, Pisum sativum L., whole, dried, boiled	Ater, difin, dereq, nifro	157.80	60.30	1.38	7.50	0.60	30.60	3.90	1.00	47.00	141.00	1.90	0.00	0.13	0.12	0.40	-	-	-

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																	
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Tryptophan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%
223	Peas, field, Pisum sativum L., whole, roasted,boiled	Ater, difin, teqolto yeteqeqqe	271.30	30.70	2.42	13.10	0.90	52.70	5.70	2.60	73.00	274.00	8.00	0.00	0.09	0.38	1.30	-	-	-
224	Peas, field, Pisum sativum L., germinated, boiled	Ater, beqolt, nifro	166.70	57.90	1.47	8.00	0.70	32.10	4.50	1.30	44.00	153.00	2.90	0.12	0.21	0.12	0.60	-	4.00	-
225	Peas, field, Pisum sativum L., germinated, roasted	Ater, beqolt, qolo	245.00	38.40	2.31	12.50	1.00	46.50	5.70	1.60	58.00	236.00	3.50	0.00	0.33	0.27	1.40	-	4.00	-
226	Peas, field, Pisum sativum L., germinated, raw	Ater, beqolt, yalteqeqqe	175.90	55.70	1.69	9.20	0.70	33.20	4.10	1.20	50.00	175.00	2.70	0.06	0.30	0.15	1.30	-	14.00	-
227	Vetch, Lathyrus sativus L., flour	Gwayya, duqyet	360.50	9.30	4.02	22.10	0.90	66.00	2.40	1.70	136.00	174.00	4.20	0.00	0.32	0.26	1.30	-	3.00	0.00
228	Vetch, Lathyrus sativus L., sauce, with out chill	Gwayya, wet', allyich'a	124.10	79.60	0.42	2.30	9.30	7.80	0.90	1.00	18.00	24.00	1.60	0.00	0.01	0.00	0.60	-	2.00	0.00
229	Vetch, Lathyrus sativus L., dried	Gwayya, dereq	347.00	10.70	4.10	22.60	1.40	61.00	8.20	4.30	336.00	273.00	108.20	Trace	-	0.17	-	290.00	-	17.00
230	Vetch, Lathyrus sativus L., boiled	Gwayya, nifro	177.70	55.30	1.90	10.50	0.50	32.80	3.80	0.90	94.00	85.00	4.70	0.50	0.13	0.08	1.50	-	3.00	-
231	Lupine, Lupinus spp., boiled	Gibtto, nifro	240.10	44.50	3.06	19.10	4.90	29.90	8.50	1.60	117.00	154.00	3.90	0.00	0.09	0.15	1.30	-	2.00	-
232	Lupine, Lupinus spp., roasted	Gibtto, qolo	390.70	10.00	4.92	30.80	7.90	49.10	14.40	2.20	211.00	282.00	5.70	0.00	0.06	0.26	2.10	-	4.00	-
233	Lupine, Lupinus spp., raw	Gibtto, yalteqeqqe	394.30	9.30	5.25	32.80	8.30	47.10	12.90	2.50	213.00	292.00	8.60	0.20	0.09	0.32	1.80	-	3.00	-
VEGETABLES																				
234	Carrot, Daucus carota L., boiled	Carrot, qlqqil	27.80	91.40	0.09	0.40	0.20	6.10	1.30	1.90	31.00	20.00	0.50	1.15	0.03	0.00	0.40	-	6.00	32.00
235	Carrot, Daucus carota L., raw	Carrot, yalteqeqqe	42.00	89.10	0.40	1.70	0.40	7.90	1.00	0.90	31.00	33.00	1.30	4780.00	0.04	0.03	0.50	-	3.00	28.00
236	Cabbage, Brassica oleracea, boiled	T'iqill gommen, qiqqil	23.70	93.30	0.18	1.10	0.10	4.60	1.30	0.90	43.00	37.00	0.70	0.09	0.03	0.15	0.30	-	5.00	4.00
237	Cabbage, Brassica oleracea, raw	T'iqill gommen, yalteqeqqe	20.50	94.70	0.14	0.90	0.10	4.00	0.90	0.30	43.00	29.00	0.80	0.04	0.04	0.01	-	-	9.00	4.00
238	Cauliflower, Brassica oleracea var. botrytis, boiled	Yabeba gommen, qiqqil	22.50	93.40	0.29	1.80	0.10	3.60	1.40	1.10	24.00	34.00	0.80	0.02	0.03	0.06	0.10	-	4.00	65.00
239	Cauliflower, Brassica oleracea var. botrytis, raw	Yabeba gommen, yalteqeqqe	28.50	92.10	0.43	2.70	0.10	4.20	1.30	0.90	30.00	62.00	0.80	0.08	0.08	0.19	0.50	-	12.00	65.00
240	Celery, Apium graveolens, boiled	Syeleryi, qlqqil	49.60	83.30	0.82	3.90	0.40	7.60	2.30	4.80	423.00	80.00	6.30	1546.00	0.05	0.61	0.60	-	20.00	76.00
241	Celery, Apium graveolens, raw	Syeleryi, yalteqeqqe	47.70	86.70	0.52	3.30	0.50	7.50	1.90	2.00	317.00	52.00	5.20	12.10	0.11	0.23	0.80	-	38.00	78.00
242	Cucumber, Cucurbita spp., raw	Kiyyar/kukkumber, yalteqeqqe	12.10	96.60	0.09	0.60	0.10	2.20	0.50	0.50	8.00	20.00	0.30	0.00	0.03	0.01	-	-	8.00	6.00
243	Ethiopian kale,Brassica carinata braun., boiled	Gommen, qiqqil	40.10	87.50	0.63	2.50	0.50	6.40	1.70	3.10	5.00	69.00	2.20	11.25	0.04	0.62	0.06	-	-	42.00
244	Ethiopian kale, Brassica carinata braun., raw	Gommen, yalteqeqqe	46.00	87.60	0.70	2.80	0.80	6.90	1.50	1.90	260.00	64.00	4.10	2330.00	0.12	0.23	1.20	165.00	20.00	48.00
245	Garlic, Allium sativum L., boiled	Nech' shinkurt, qiqqil	125.70	67.70	0.72	4.50	0.10	26.70	1.00	1.00	28.00	82.00	1.10	0.00	0.24	0.12	-	-	1.00	13.00
246	Garlic, Allium sativum L., raw	Nech' shinkurt, yalteqeqqe	138.30	64.40	0.60	4.10	0.30	29.80	1.10	1.40	36.00	133.00	2.10	0.00	0.21	0.07	0.30	-	3.00	31.00
247	Garlic, Allium sativum L., fried	Nech' shinkurt, t'ibs (beqibat)	182.90	64.30	0.25	1.60	10.50	20.50	1.90	3.10	63.00	44.00	2.80	0.00	0.01	0.04	-	-	-	-
248	Green pepper,Capsicum annum .: boiled	Qarya, qiqqil	36.60	89.70	0.21	1.30	0.20	7.40	4.20	1.40	11.00	24.00	1.10	0.24	0.04	0.11	-	-	25.00	19.00
249	Green pepper, Capsicum annum .:, raw	Qarya, yalteqeqqe	46.50	88.10	0.30	1.70	0.50	8.80	3.40	0.90	15.00	38.00	1.50	500.00	0.07	0.06	1.00	-	100.00	40.00
250	Swiss chard, Beta vulgaris, boiled	Qosta, qiqqil	31.90	88.40	0.42	2.60	0.30	4.70	1.80	4.00	103.00	35.00	3.10	2.19	0.01	0.23	0.40	-	9.00	-

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																		
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Tryptophan	Ascorbic acid	Refuse	
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%	
251	Swiss chard, Beta vulgaris, raw	Qosta, yalteqqeqele	27.60	91.50	0.35	2.20	0.40	3.80	1.10	2.10	85.00	41.00	3.60	3.06	0.11	0.57	0.60	-	18.00	-	
252	Leek, Allium porrum L.;, boiled	Baro, qiqqil	75.30	78.90	0.31	1.90	0.10	16.70	1.60	2.40	57.00	62.00	1.10	0.04	0.11	0.07	-	-	1.70	69.00	
253	Leek, Allium porrum L.;, raw	Baro, yalteqqeqele	58.60	85.30	0.30	1.20	0.60	12.10	1.60	0.80	60.00	41.00	1.50	Trace	0.06	0.06	6.00	-	5.00	46.00	
254	Lettuce, Lactuca sativa, raw	Selat'a, yalteqqeqele	15.40	95.50	0.16	1.00	0.20	2.40	0.70	0.50	22.00	31.00	1.60	0.72	0.08	0.18	-	-	5.00	6.00	
255	Mustard greens, Brassica juncea, seed, boiled	Senafic'h, yeteqqeqele	172.60	68.10	1.46	9.10	10.20	11.10	8.10	1.50	180.00	222.00	8.60	0.18	0.11	0.14	1.90	-	2.00	-	
256	Mustard greens, Brassica Juncea, seed, raw	Senafich, yalteqqeqqele	491.00	5.50	4.28	26.80	27.40	34.30	12.90	6.00	527.00	694.00	225.00	0.88	0.01	0.29	4.50	-	24.00	-	
257	Onion(Shallot), Allium cepa L.;, boiled	Qeyy shinkurt, qiqqil	92.60	73.40	0.37	2.30	0.20	20.40	1.30	3.70	71.00	67.00	1.30	0.08	0.04	0.02	-	-	6.00	-	
258	Onion(shallot), Allium cepa L.;, fried	Qeyy shinkurt, t'ibs(beqibat)	376.10	13.60	0.51	3.20	10.10	68.00	3.10	5.00	93.00	85.00	3.20	0.13	0.06	0.05	-	-	5.00	-	
259	Onion(shallot), Allium cepa L.;, raw	Qeyy shinkurt, yalteqqeqqele	71.30	81.40	0.26	1.06	0.10	16.00	0.80	0.90	41.00	52.00	0.80	0.00	0.06	0.02	-	-	7.00	10.00	
260	Okra,Hibiscus esculentus, boiled	Bamia, qiqqil	29.70	91.00	0.30	1.90	0.10	4.50	5.30	1.70	107.00	59.00	0.60	1.00	0.06	0.11	0.40	-	2.00	20.00	
261	Okra, Hiniscus esculentus, raw	Bamia, yalteqqeqqele	47.70	87.60	0.40	2.30	0.50	8.50	4.50	1.10	79.00	74.00	3.80	Trace	0.06	0.10	0.70	-	11.00	18.00	
262	Pumpkin,Cucurbita pepo,boiled	Dubba, qiqqil	24.90	92.80	0.19	1.10	0.10	4.90	1.50	1.10	40.00	37.00	0.90	0.00	0.03	0.09	-	-	4.00	13.00	
263	Pumpkin, Cucurbita pepo, raw	Dubba, yalteqqeqqele	42.60	88.70	0.20	1.20	0.20	9.00	1.80	0.90	22.00	41.00	1.80	280.00	0.04	0.04	0.70	-	12.00	28.00	
264	Raddish, Raphanus sativus, raw	Fijil, yalteqqeqqele	22.50	93.20	0.18	1.10	0.10	4.30	1.40	1.30	48.00	46.00	0.70	0.01	0.04	0.30	-	-	27.00	32.00	
265	Pepper(chili), Capsicum annum, boiled	Berberrye, qiqqil	149.30	65.60	0.72	4.50	4.10	23.60	9.60	2.20	29.00	92.00	6.00	32.80	0.14	0.35	3.40	-	6.00	6.00	
266	Pepper(chilii), Capsicum annum, fried	Berberrye, t'ibs(beqibat)	525.70	4.20	1.48	9.30	32.10	49.90	21.60	4.50	72.00	172.00	12.00	2.16	0.12	1.30	6.60	-	-	6.00	
267	Pepper(chilli), Capsicum annum, raw	Berberrye, yalteqqeqqele	93.30	78.20	0.50	2.00	2.50	15.70	8.50	1.60	19.00	78.00	3.70	1720.00	0.10	0.42	2.30	-	88.00	51.00	
268	Spinach, Spinacea oleracea, boiled	Spinach, qiqqil	36.00	89.80	0.55	3.40	0.80	3.80	1.20	2.20	102.00	53.00	3.10	4.63	0.05	0.08	0.40	-	27.00	48.00	
269	Spinach, Spinacea, oleracea, raw	Spinach, yalteqqeqqele	54.00	83.30	0.89	5.60	0.80	6.10	1.60	4.20	122.00	110.00	5.90	5.77	0.22	0.23	1.10	-	32.00	48.00	
270	Squash, Cucurbita pepo, boiled	Skwash, qiqqil	29.70	90.80	0.28	1.80	0.10	5.40	1.20	1.90	23.00	52.00	0.70	0.02	0.05	0.00	-	-	-	36.00	
271	Squash, Cucurbita pepo, raw	Skwash, yalteqqeqqele	23.70	93.70	0.21	1.30	0.10	4.40	0.60	0.50	17.00	39.00	0.50	0.00	0.09	0.01	-	-	16.00	36.00	
272	Tomato, Lycopersicum esculentum, boiled	Tyimatyim, qiqqil	20.50	94.40	0.16	1.00	0.10	3.90	0.70	0.60	7.00	19.00	0.50	1.85	0.03	0.01	-	-	15.00	6.00	
273	Tomato, Lycopersicum esculentum, fried	Tyimatyim, t'ibs (beqibat)	138.00	76.20	0.35	2.20	10.80	8.00	2.00	2.80	19.00	37.00	1.50	0.33	0.02	0.04	-	-	9.00	2.00	
274	Tomato, Lycopersicum esculentum, raw	Tyimatyim, yalteqqeqqele	30.70	92.50	0.20	1.30	0.70	4.80	1.50	0.70	9.00	29.00	0.90	620.00	0.06	0.05	0.50	26.00	29.00	26.00	
275	Yam, Dioscorea spp., boiled	Yam, yalteqqeqqele	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
276	Yam, Dioscorea spp., raw	Yam, yalteqqeqqele	98.10	74.50	0.70	3.10	0.10	21.20	1.70	1.10	119.00	13.30	1.80	-	-	-	-	-	-	-	
FRUITS & BERRIES																					
277	Apple, Malus sylvestria, fresh	Tuffah	56.70	86.00	0.03	0.20	0.30	13.30	0.90	0.20	9.00	15.00	0.70	0.00	0.02	0.04	-	-	5.00	19.00	
278	Avocado, Persea americana, fresh	Avokado	110.10	83.30	0.25	1.60	9.30	5.00	3.10	0.80	13.00	40.00	1.70	0.00	0.06	0.11	0.80	-	13.00	33.00	
279	Apricot,Prunus armeniaca, fresh	Apryikot	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
280	Banana, Musa sapientum, fresh	Muz	87.80	77.70	0.20	0.80	0.60	19.80	0.40	1.40	8.00	30.00	0.50	0.00	0.04	0.10	1.00	-	2.00	42.00	

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																	
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Trypto phan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%
281	Cherry, Prunus Cerasus, fresh	Chyeryi	34.10	91.10	0.12	0.80	0.10	7.50	1.40	0.50	37.00	29.00	1.50	0.03	0.02	0.04	-	-	59.00	4.00
282	Citron, Citrus medica, fresh	Tringo	38.60	90.30	0.08	0.50	0.20	8.70	1.40	0.30	17.00	27.00	1.10	0.00	0.04	0.02	0.40	-	9.00	24.00
283	Coconut, Cocos nucifera, fresh	Kokonut	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
284	Date, Phoenix dactylifera, fresh	Tyemir	329.30	16.40	0.39	2.40	0.50	78.80	4.30	1.90	106.00	71.00	7.40	0.19	0.01	0.10	-	-	4.00	-
285	Fig, Ficus Carica, boiled	Sholla, qiqqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
286	Fig, Ficus carica, fresh	Sholla	45.90	88.10	0.12	0.80	0.30	10.00	2.70	0.80	101.00	17.00	0.90	0.05	0.06	0.05	0.80	-	15.00	26.00
287	Grapes, Vitis vinifera, fresh	Wein	49.90	88.40	0.10	0.60	1.10	9.40	0.70	0.50	31.00	39.00	2.40	0.00	0.07	0.05	0.50	-	32.00	44.00
288	Grapefruit, Citrus paradisi, fresh	Gryepfrut	40.90	89.60	0.10	0.40	0.10	9.60	0.60	0.30	26.00	14.00	0.70	0.00	0.03	-	-	-	33.00	27.00
289	Guava, Psidium Guajava, fresh	Zeytun	66.30	84.20	0.20	1.10	1.10	13.00	8.70	0.60	17.00	27.00	1.60	960.00	0.02	0.08	9.00	-	33.00	27.00
290	Lemon, Citrus aurantifolia, fresh	Lomyi	48.50	88.50	0.10	0.40	0.90	9.70	0.90	0.50	41.00	17.00	0.50	0.00	0.05	0.05	-	-	51.00	34.00
291	Lime, Citrus limon, fresh	Yabesha lomyi	55.80	88.30	0.10	0.60	2.20	8.40	1.10	0.60	44.00	24.00	0.80	Trace	0.07	0.04	0.70	-	26.00	36.00
292	Mango, Mangifera indica, fresh	Mango	43.80	88.90	0.05	0.30	0.20	10.20	1.20	0.40	20.00	9.00	0.60	0.00	0.03	0.02	-	-	45.00	43.00
293	Melon-cantaloupe, Cucumis melo, fresh	Melon-cantaloupe	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
294	Water melon, Citrullus vulgaris, fresh	Habhab	30.60	92.30	0.13	0.80	0.20	6.40	0.10	0.30	13.00	13.00	0.70	0.08	0.02	0.07	-	-	6.00	48.00
295	Orange, Citrus sinensis, fresh	Birtukan	33.90	87.90	0.20	0.70	1.10	5.30	1.40	5.00	50.00	23.00	0.80	335.00	0.08	0.05	0.60	-	38.00	48.00
296	Palm, Hyphaene thebaica, fresh	Akkat	331.90	11.60	0.37	2.30	0.30	80.00	22.10	5.80	15.10	180.00	11.00	0.47	0.00	0.00	-	-	8.00	89.00
297	Papaya, Carica papaya, fresh	Pappayya	34.90	90.80	0.11	0.70	0.10	7.80	0.80	0.60	15.00	13.00	0.50	0.04	0.01	0.09	-	-	59.00	21.00
298	Peach,Prunus persica, fresh	Kok	76.30	81.20	0.14	0.90	0.70	16.60	1.80	0.60	11.00	25.00	2.70	0.00	0.02	0.18	0.70	-	22.00	9.00
299	Pear, Pirus communis, fresh	Pear	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
300	Pineapple, Ananus comosus fresh	Ananas	35.30	90.90	0.06	0.40	0.10	8.20	0.90	0.40	34.00	15.00	0.09	0.00	0.04	0.05	-	-	20.00	22.00
301	Plum, Prunus domestica, boiled	Plum, qiqqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
302	Plum, Prunus domestica, fresh	Plum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
303	Pomegranate, Punica granatum, fresh	Roman	119.20	69.90	0.34	2.10	0.40	26.80	3.00	0.80	57.00	37.00	2.80	0.00	0.08	0.20	-	-	51.00	57.00
304	Tangerine, Citrus reticulata, fresh	Mandarine	66.00	83.50	0.16	1.00	0.40	14.60	1.00	0.50	48.00	21.00	0.60	0.12	0.08	0.07	-	-	17.00	34.00
	MEAT, MEAT PRODUCTS & POULTRY																			
305	Brain, beef, boiled	Yeberye angol, qiqqil	138.90	74.80	1.86	11.60	9.30	2.20	0.10	2.10	22.00	304.00	5.00	0.39	0.11	0.12	1.80	-	11.00	-
306	Brain, beef, grilled	Yeberye angol, t'ibs	145.50	74.30	1.82	11.40	9.90	2.70	0.30	1.70	43.00	364.00	4.40	0.49	0.14	0.14	1.90	-	10.00	-
307	Brain, beef, fried with fat	Yeberye angol, t'ibs (beqibat)	156.30	73.10	1.79	11.20	11.50	2.00	0.10	2.20	56.00	369.00	3.40	0.55	0.13	0.11	1.40	-	10.00	-
308	Brain, beef, baked	Yeberye angol, yetegaggere	209.80	61.60	2.68	16.80	13.40	5.50	0.10	2.70	33.00	534.00	5.00	0.57	0.10	0.18	2.90	-	2.00	-
309	Brain, beef, baked with fat	Yeberye angol, yetegaggere (beqibat)	255.90	56.80	2.52	15.80	18.70	6.10	0.50	2.60	21.00	326.00	4.00	0.65	0.12	0.18	2.00	-	9.00	-
310	Brain, beef, boiled, fried	Yeberye angol, teqeqqillo yetet'ebbese	176.00	70.80	1.85	11.70	13.20	2.60	1.10	1.70	22.00	316.00	6.00	0.47	0.07	0.12	1.30	-	7.00	-
311	Brain, beef, fried, boiled	Yeberye angol, tet'ebso yeteqeqqe	178.80	68.80	2.13	13.30	12.80	2.60	0.10	2.50	17.00	380.00	3.90	0.47	0.17	0.12	1.50	-	10.00	-
312	Brain, beef, raw	Yeberye angol, t'rye	123.80	78.50	1.52	9.50	8.60	2.10	0.40	1.30	19.00	263.00	3.00	0.21	0.13	0.10	2.90	-	12.00	-

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION										Riboflavin	Niacin	Trypto phan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%		
313	Heart, beef, boiled	Yeberye libb, qiqqil	171.50	64.30	4.13	25.80	6.70	2.00	0.10	1.20	29.00	236.00	8.70	0.39	0.10	0.57	2.80	-	4.00	4.00			
314	Heart, beef, grilled	Yeberye libb, t'ibs	159.60	61.60	4.06	25.40	2.80	8.20	1.40	2.00	146.00	383.00	12.00	0.00	0.50	2.75	11.80	-	18.00	4.00			
315	Heart, beef, fried with fat	Yeberye libb,t'ibs (beqibat)	238.30	53.10	4.34	27.10	12.30	4.80	0.20	2.70	24.00	308.00	8.30	0.16	0.14	0.73	3.90	-	2.00	4.00			
316	Heart, beef, baked	Yeberye libb, yetegaggere	165.30	61.00	4.35	27.20	3.70	5.80	0.20	2.30	81.00	447.00	12.00	0.70	0.32	3.05	9.70	-	19.00	4.00			
317	Heart, beef, baked with fat	Yeberye libb, yetegaggere (beqibat)	201.70	58.00	4.20	26.30	8.50	5.00	0.20	2.20	34.00	432.00	13.00	0.63	0.50	3.53	9.70	-	7.00	4.00			
318	Heart, beef, boiled, fried	Yeberye libb,teqeqqilo yetet'ebese	219.70	55.40	4.60	28.80	9.70	4.30	0.40	1.80	30.00	269.00	8.20	0.26	0.09	0.67	3.10	-	8.00	4.00			
319	Heart, beef, fried, boiled	Yeberye libb, tat'ebso yeteqeqqeie	287.20	49.60	4.07	25.40	19.20	3.20	0.70	2.60	28.00	255.00	7.20	0.18	0.11	0.72	3.40	-	1.00	4.00			
320	Heart, beef, raw	Yeberye libb, t'rye	127.10	75.00	266.00	16.60	6.30	1.00	0.40	1.10	15.00	171.00	4.40	0.30	0.13	0.58	2.20	-	20.00	4.00			
321	Intestine, beef, boiled	Yeberye anjet, t'rye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
322	Intestine, beef, raw	Yeberye anjet, t'rye	64.80	85.00	1.93	12.10	1.20	1.40	0.10	0.30	11.00	0.83	4.50	0.12	0.03	0.10	1.70	-	5.00	-			
323	Kidney, beef, boiled	Yeberye kulalyit, qiqqil	184.10	62.80	4.32	27.00	8.10	0.80	0.20	1.30	50.00	232.00	20.00	1.22	0.14	5.13	3.70	-	2.00	12.00			
324	Kidney, beef, grilled	Yeberye kulalyit, t'ibs	175.20	61.20	4.63	28.90	5.60	2.30	0.40	2.00	43.00	370.00	18.90	0.11	0.11	3.77	6.70	-	1.00	-			
325	Kidney, beef, fried with fat	Yeberye kulalyit, t'ibs (beqibat)	203.80	58.60	4.18	26.10	9.00	4.60	0.20	1.70	37.00	265.00	8.00	0.16	0.25	0.48	5.40	-	7.00	12.00			
326	Kidney, beef, baked	Yeberye kulalyit, yetegaggere	164.00	61.00	4.63	28.90	3.20	4.90	0.20	2.00	41.00	351.00	15.00	0.90	0.33	5.23	7.90	-	5.00	12.00			
327	Kidney, beef, baked with fat	Yeberye kulalyit, yetegaggere (beqibat)	219.50	55.70	4.53	28.30	9.90	4.30	0.20	1.80	32.00	356.00	16.00	1.11	0.36	4.85	9.00	-	7.00	12.00			
328	Kidney, beef, raw	Yeberye kulalyit, t'rye	128.20	70.00	2.81	17.00	2.60	8.60	0.10	1.20	34.00	241.00	13.00	0.54	0.30	5.20	6.10	-	7.00	12.00			
329	Liver, beef, boiled	Yeberye gubbet, qiqqil	140.80	68.60	3.78	23.60	4.40	1.70	0.10	1.70	15.00	355.00	11.80	1.17	0.14	1.68	4.70	-	14.00	-			
330	Liver, beef, grilled	Yeberye gubbet, t'ibs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
331	Liver, beef, fried with fat	Yeberye gubbet, t'ibs (beqibt)	148.50	67.70	3.53	22.10	5.30	3.10	0.30	1.80	12.00	392.00	11.30	0.04	0.18	1.35	7.00	-	12.00	-			
332	Liver, beef, baked	Yeberye gubbet, yetegaggere	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
333	Liver, beef, baked with fat	Yeberye gubbet, yetegaggere (beqibat)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
334	Liver, beef, raw	Yeberye gubbet, t'rye	118.90	72.10	3.41	21.30	2.90	1.90	0.30	1.80	15.00	298.00	10.20	0.37	0.19	1.93	6.30	-	14.00	-			
335	Beef, boiled	Yeberye siga, qiqqil	177.40	61.50	4.81	30.10	5.40	2.10	0.10	0.90	18.00	190.00	6.90	0.87	0.03	0.10	2.80	-	1.00	10.00			
336	Beef, roasted	Yeberye siga, arosto	172.50	60.90	4.88	30.50	4.50	2.50	0.30	1.60	19.00	250.00	5.70	0.22	0.03	0.18	5.10	-	2.00	10.00			

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																		
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Tryptophan	Ascorbic acid	Refuse	
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%	
337	Beef, grilled	Yeberye siga, t'ibs	212.30	53.70	5.72	35.80	6.70	2.20	0.50	1.60	88.00	316.00	10.60	0.19	0.04	0.09	6.10	-	4.00	10.00	
338	Beef, fried with fat	yeberye siga, t'ibs (beqibat)	256.80	46.50	5.19	32.40	11.20	6.60	0.40	3.30	36.00	296.00	7.50	0.43	0.04	0.11	6.10	-	3.00	10.00	
339	Beef, baked	Yeberye siga, yetegaggere	124.90	68.30	4.42	27.60	0.90	1.60	0.40	1.60	30.00	247.00	4.00	0.45	0.04	0.24	7.70	-	4.00	5.00	
340	Beef, baked with fat	Yeberye siga, yetegaggere (beqibat)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
341	Beef, boiled, fried	Yeberye siga, teqeqqilo yetet'ebbese	269.80	48.40	5.06	31.60	13.80	4.80	0.30	1.40	21.00	165.00	6.40	0.25	0.03	0.14	3.10	-	2.00	10.00	
342	Beef, fried, boiled	Yeberye siga, tet'ebso yeteqeqqele	210.10	55.40	5.30	33.10	8.10	1.20	0.20	2.20	22.00	336.00	8.00	0.00	0.03	0.17	7.80	-	2.00	10.00	
343	Beef, raw	Yeberye siga, t'rye	114.80	74.90	3.16	19.80	3.60	0.80	0.20	0.90	17.00	157.00	3.30	0.46	0.06	0.15	3.10	-	13.00	10.00	
344	Beef, dried, boiled	Yeberye siga, qwant'a, qiqqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
345	Beef, dried, boiled, fried	Yeberye siga, qwant'a, teqeqqilo yetet'ebbese	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
346	Beef, dried	Yeberye siga, qwant'a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
347	Sausage, beef, fried with fat	Yeberye siga, qwalyima, t'ibs (beqibat)	193.10	57.50	4.52	28.30	7.10	4.00	0.40	3.10	44.00	409.00	4.80	0.06	0.04	0.22	5.80	-	-	-	
348	Sausage, beef, raw	Yeberye siga, qwalyima, t'rye	146.30	65.50	4.00	25.00	3.50	3.70	0.40	2.30	8.00	339.00	7.70	0.02	0.08	0.16	5.30	-	12.00	-	
349	Tongue, beef, boiled	Yeberye melas, qiqqil	408.10	42.30	2.84	17.80	36.10	3.00	0.90	0.80	18.00	128.00	3.30	0.42	0.04	0.25	1.50	-	-	-	
350	Tongue, beef, raw	Yeberye melas, t'rye	216.00	65.80	2.30	14.40	16.40	2.70	0.90	0.70	14.00	117.00	2.10	0.33	0.08	0.23	2.00	-	1.00	-	
351	Tripe, beef, boiled	Yeberye ch'eggwarra, qiqqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
352	Tripe, beef, raw	Yeberye ch'eggwarra, t'rye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
353	Brain, camel, boiled	Yegime! angol, qiqqil	330.30	76.90	1.70	10.60	8.70	2.40	0.40	1.40	66.00	337.00	5.20	0.11	0.07	0.06	1.80	-	10.00	-	
354	Brain, camel, grilled	Yegime! angol, t'ibs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
355	Brain, camel, fried with fat	Yegime! angol, t'ibs (beqibat)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
356	Brain, camel, baked	Yegime! angol, yetegaggere	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
357	Brain, camel, baked with fat	Yegime! angol, yetegaggere (beqibat)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
358	Brain, camel, boiled, fried	Yegime! angol, teqeqqilo yetet'ebbese	-	-	1.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION							Riboflavin	Niacin	Trypto phan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Fiber	Ash	Calcium	Phosphor ous	Iron	β-carotene Equiv.	Thlamine	Miligrams	Miligrams	Milligra	Miligrams
359	Brain, camel, fried, boiled	Yegimel angol, tet'ebso yeteqeqqelo	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
360	Brain, camel, raw	Yegimel angol, t'rye	111.90	79.50	1.64	10.30	7.10	1.70	0.10	1.40	72.00	300.00	2.80	0.14	0.13	0.11	0.90	-	12.00	-
361	Heart, camel, boiled	Yegimel libb, qiqqil	372.40	40.30	4.00	25.00	28.00	5.10	0.20	1.60	17.00	295.00	9.80	0.00	0.17	0.40	8.10	-	2.00	-
362	Heart, camel, grilled	Yegimel libb, t'ibs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
363	Heart, camel, fried with fat	Yegimel libb, t'ibs (beqibat)	413.30	37.70	3.07	19.20	33.70	8.30	0.50	1.10	17.00	220.00	7.50	0.48	0.19	0.55	4.60	-	1.00	-
364	Heart, camel, baked	Yegimel libb, yetegaggere	328.90	46.10	4.02	25.10	23.70	3.80	0.40	1.30	14.00	247.00	11.50	0.00	0.23	0.56	3.40	-	1.00	-
365	Heart, camel, baked with fat	Yegimel libb, yetegaggere (beqibat)	480.10	32.20	2.27	17.00	42.50	7.40	0.10	0.90	19.00	173.00	6.50	0.00	0.20	0.14	5.90	-	1.00	-
366	Heart, camel, boiled, fried	Yegimel libb, teqeqqilo yetet'ebbese	635.60	15.00	2.26	14.10	59.60	10.70	0.30	0.60	19.00	141.00	6.90	0.00	0.06	0.23	2.10	-	3.00	-
367	Heart, camel, fried boiled	Yegimel libb, tet'ebso yeteqeqqe	527.80	29.00	1.96	12.30	49.40	8.50	0.20	0.80	23.00	184.00	8.40	0.00	0.20	0.47	3.00	-	2.00	-
368	Heart, camel, raw	Yegimel libb, t'rye	245.00	63.70	1.95	12.20	20.60	2.70	0.10	0.80	12.00	154.00	4.70	0.00	0.24	0.31	1.60	-	5.00	-
369	Intestine, camel, boiled	Yegimel anjet, qiqqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
370	Intestine, camel, raw	Yegimel anjet, t'rye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
371	Kidney, camel, boiled	Yegimel kulalyit, qiqqil	139.10	67.90	4.02	25.10	3.10	2.70	0.10	1.20	16.00	258.00	10.20	0.00	0.97	3.75	3.00	-	2.00	14.00
372	Kidney, camel, grilled	Yegimel kulalyit, t'ibs	181.10	57.90	5.14	32.10	3.50	5.30	0.10	2.10	22.00	413.00	14.00	0.00	1.17	6.41	8.50	-	3.00	14.00
373	Kidney, camel, fried with fat	Yegimel kulalyit, t'ibs (beqibat)	229.30	55.70	4.01	25.10	11.70	5.90	0.20	1.60	15.00	273.00	11.80	0.00	1.17	4.24	9.70	-	4.00	14.00
374	Kidney, camel, baked	Yegimel kulalyit, yetegaggere	154.20	64.50	4.28	26.80	3.80	3.20	0.10	1.70	14.00	322.00	11.00	0.00	1.68	5.67	11.20	-	3.00	14.00
375	Kidney, camel, baked with fat	Yegimel kulalyit, yetegaggere (beqibat)	123.20	58.00	3.74	23.40	12.40	4.50	0.10	1.70	19.00	303.00	13.00	0.00	1.51	5.16	8.80	-	4.00	14.00
376	Kidney, camel, raw	Yegimel kulalyit, t'rye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
377	Liver, camel, boiled	Yegimel gubbet, qiqqil	219.80	51.00	5.15	32.20	6.20	8.80	0.20	1.80	18.00	462.00	10.80	0.00	0.32	4.06	12.30	-	14.00	13.00
378	Liver, camel, grilled	Yegimel gubbet, t'ibs	307.20	34.70	6.73	42.10	11.20	9.50	0.20	2.50	28.00	640.00	12.10	0.10	0.40	7.01	16.90	-	25.00	13.00
379	Liver, camel, fried with fat	Yegimel gubbet, t'ibs (beqibat)	228.40	45.30	4.80	30.00	14.40	8.20	0.20	2.10	16.00	501.00	12.00	0.05	0.42	4.33	13.30	-	17.00	13.00
380	Liver, camel, baked	Yegimel gubbet, yetegaggere	281.80	39.20	6.10	38.10	9.40	11.20	0.20	2.10	18.00	569.00	11.70	0.05	0.36	1.08	15.10	-	15.00	13.00
381	Liver, camel, baked with fat	Yegimel gubbet, yetegaggere (beqibat)	320.40	37.10	5.07	31.70	15.60	13.30	0.60	2.30	13.00	588.00	14.40	0.10	0.32	1.10	14.60	-	20.00	13.00

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																	
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Tryptophan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%
382	Liver, camel, raw	Yegimel gubbet, t'rye	332.60	70.30	2.84	17.80	3.80	6.80	0.10	1.30	6.00	322.00	5.70	0.07	0.34	0.79	7.90	-	25.00	13.00
383	Meat, camel, boiled	Yegimel siga, qiqqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
384	Meat, camel, roasted	Yegimel siga, arosto	478.70	27.20	4.11	25.70	38.70	6.90	0.50	1.50	19.00	257.00	6.70	0.00	0.04	0.15	6.00	-	0.00	-
385	Meat, camel, Grilled	Yegimel siga, t'lbs	406.20	36.00	4.53	28.30	31.00	3.50	0.10	1.20	15.00	253.00	5.60	0.00	0.04	0.18	4.50	-	1.00	-
386	Meat, camel, fried with fat	Yegimel siga, t'lbs (beqibat)	505.80	27.80	2.09	13.10	44.20	13.90	0.50	1.00	14.00	176.00	3.60	0.34	0.04	0.13	5.00	-	0.00	-
387	Meat, camel, baked	Yegimel siga, yetegaggere	381.60	34.50	5.38	33.60	25.20	5.10	0.20	1.60	30.00	320.00	14.00	0.00	0.05	0.13	6.20	-	2.00	-
388	Meat, camel, baked with fat	Yegimel siga, yetegaggere (beqibat)	444.40	28.60	5.40	33.80	32.80	3.50	0.30	1.30	21.00	263.00	11.00	0.00	0.03	0.19	5.20	-	2.00	-
389	Meat, camel, boiled, fried	Yegimel siga, teqeqqilo yete'ebbese	393.50	28.10	7.30	45.60	22.30	2.60	0.40	1.40	19.00	275.00	9.70	0.00	0.03	0.09	5.40	-	3.00	-
390	Meat, camel, fried, boiled	Yegimel siga, tet'ebso yeteqeqqile	350.70	38.80	5.52	34.50	22.30	3.00	0.30	1.40	15.00	266.00	7.50	0.00	0.05	0.39	6.40	-	1.00	-
391	Meat, camel, raw	Yegimel siga, t'rye	247.70	60.90	2.60	16.30	18.90	3.10	0.20	0.80	8.00	156.00	3.20	0.00	0.06	0.16	2.00	-	3.00	-
392	Meat, camel, dried, boiled	Yegimel siga, qwant'a, qiqqil	464.60	30.60	4.37	27.40	38.60	1.90	0.00	1.50	16.00	276.00	5.80	0.00	0.05	14.00	5.30	-	3.00	-
393	Meat, camel, dried, boiled, fried	Yegimel siga, qwant'a, teqeqqilo yetet'ebbese	617.40	2.20	6.81	42.60	47.00	6.00	0.10	2.20	16.00	428.00	9.00	0.00	0.06	0.22	7.00	-	14.00	-
394	Meat, camel, dried	Yegimel siga, qwant'a	554.30	6.50	7.56	47.30	37.90	6.00	0.30	2.30	15.00	449.00	8.90	0.00	0.10	0.37	9.30	-	4.00	-
395	Sausage, camel, fried with fat	Yegimel qwalyima, t'lbs (beqibat)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
396	Sasuage, camel, raw	Yegimel qwalyima, t'rye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
397	Tongue, camel, boiled	Yegimel melas, qiqqil	265.30	56.60	3.25	20.30	18.90	3.50	0.10	0.70	27.00	155.00	5.00	0.00	0.03	0.24	3.00	-	2.60	-
398	Tongue, camel, raw	Yegimel melas, t'rye	194.90	66.30	2.87	17.90	12.50	2.70	0.20	0.60	13.00	133.00	2.60	0.00	0.05	0.08	2.60	-	3.00	-
399	Tripe, camel, boiled	Yegimel ch'eggwarra, qiqqil	146.50	69.00	3.77	23.60	4.90	2.00	0.30	0.50	13.00	82.00	2.10	0.00	0.03	0.14	1.60	-	1.00	-
400	Tripe, camel, raw	Yegimel ch'eggwarra, t'rye	111.20	76.50	2.71	16.90	4.00	1.90	0.20	0.70	14.00	99.00	3.90	0.00	0.03	0.12	2.50	-	1.00	-
401	Chicken, whole, boiled	Doro, mulu, qiqqil	148.10	68.20	4.17	20.90	4.90	5.10	0.10	0.90	49.00	175.00	5.40	0.00	0.05	0.12	2.70	-	2.00	47.00
402	Chicken, whole, roasted	Doro, mulu, arosto	147.40	64.10	4.94	24.80	2.20	7.10	0.10	1.80	55.00	265.00	5.10	0.00	0.13	0.16	5.10	-	5.00	47.00
403	Chicken, whole, grilled	Doro, mulu, t'lbs	165.30	64.10	4.60	23.00	5.30	6.30	0.20	1.20	79.00	231.00	10.10	0.00	0.05	0.16	4.30	-	4.00	47.00
404	Chicken, whole, fried with fat	Doro, mulu, t'lbs (beqibat)	190.90	60.40	4.60	23.10	8.10	6.40	0.10	2.00	38.00	245.00	4.20	0.00	0.07	0.12	4.30	-	2.00	47.00
405	Chicken, whole, baked	Doro, mulu, yetegaggere	210.30	53.20	5.80	29.10	7.10	7.50	0.20	3.10	85.00	303.00	17.00	0.00	0.08	0.18	4.90	-	2.00	47.00

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																	
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Tryptophan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%
406	Chicken, whole, baked with fat	Doro, mulu, yetegaggere (beqibat)	264.60	49.40	5.37	26.90	14.20	7.30	0.30	2.20	95.00	352.00	10.00	0.00	0.06	0.20	5.10	-	5.00	47.00
407	Chicken, whole, boiled, fried	Doro, mulu, teqeqqilo yete'ebbese	196.30	60.30	4.36	21.90	9.50	5.80	0.10	2.50	52.00	316.00	14.00	0.00	0.09	0.19	3.80	-	3.00	47.00
408	Chicken, whole, fried, boiled	Doro, mulu, tet'ebso yeteqqele	214.90	59.50	3.99	20.00	12.10	6.50	0.30	1.90	61.00	264.00	8.00	0.00	0.11	0.22	4.00	-	4.00	47.00
409	Chicken, whole, raw	Doro, mulu, t'rye	92.90	77.00	3.26	16.40	0.90	4.80	0.10	0.90	36.00	156.00	4.00	0.00	0.09	0.11	5.40	-	6.00	47.00
410	Brain, goat, boiled	Yefiyyel angol, qiqqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
411	Brain, goat, grilled	Yefiyyel angol, t'ibs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	Brain, goat, fried with fat	Yefiyyel angol, t'ibs (beqibat)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
413	Brain, goat, baked	Yefiyyel angol, yetegaggere	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
414	Brain, goat, baked with fat	Yefiyyel angol, yetegaggere (beqibat)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
415	Brain, goat, boiled, fried	Yefiyyel angol, teqeqqilo yetet'ebbese	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
416	Brain, goat, fried, boiled	Yefiyyel angol, tet'ebso yeteqqele	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
417	Brain, goat, raw	Yefiyyel angol, t'rye	559.20	73.80	1.60	10.00	12.00	2.80	0.10	1.40	13.00	302.00	4.80	-	0.11	0.05	-	-	-	13.00
418	Heart, goat, boiled	Yefiyyel libb, qiqqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
419	Heart, goat, grilled	Yefiyyel libb, t'ibs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Heart, goat, fried with fat	Yefiyyel libb, t'ibs (beqibat)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
421	Heart, goat, baked	Yefiyyel libb, yetegaggere	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
422	Heart, goat, baked	Yefiyyel libb, yetegaggere	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
423	Heart, goat, boiled, fried	Yefiyyel libb, teqeqqilo yetet'ebbese	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
424	Heart, goat, fried, boiled	Yefiyyel libb, tet'ebso yeteqqele	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
425	Heart, goat, raw	Yefiyyel libb, t'rye	128.90	75.50	2.44	15.30	6.90	1.40	0.10	0.90	6.00	153.00	4.00	0.12	0.32	0.33	2.80	-	2.00	-
426	Intestine, goat, boiled	Yefiyyel anjet, qiqqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
427	Intestine, goat, raw	Yefiyyel anjet, t'rye	73.30	84.00	1.79	11.20	2.50	1.50	0.10	0.80	11.00	150.00	5.60	0.12	0.07	0.20	-	-	10.00	-
428	Kidney, goat, boiled	Yefiyyel kulalyit, qiaqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																	
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Tryptophan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%
429	Kidney, goat, grilled	Yefiyyel kulalyit, t'ibs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430	Kidney, goat, fried with fat	Yefiyyel kulalyit, t'ibs (beqibat)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
431	Kidney, goat, baked	Yefiyyel kulalyit, yetegaggere	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
432	Kidney, goat, baked	Yefiyyel kulalyit, yetegaggere	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
433	Kidney, goat, raw	Yefiyyel kulalyit, t'rye	88.10	79.50	2.38	14.90	2.10	2.40	0.10	1.10	23.00	186.00	2.40	-	0.56	0.69	-	-	10.00	-
434	Liver, goat, boiled	Yefiyyel gubbet, qiqqil	182.70	61.90	4.07	25.40	7.50	3.40	0.10	1.80	8.00	379.00	4.40	0.11	0.20	3.17	8.40	-	7.00	1.00
435	Liver, goat, grilled	Yefiyyel gubbet, t'ibs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
436	Liver, goat, fried with fat	Yefiyyel gubbet, t'ibs (beqibat)	201.80	60.30	3.65	22.80	10.20	4.70	0.10	2.00	2.00	374.00	4.90	0.19	0.22	3.47	8.50	-	3.00	3.00
437	Liver, goat, baked	Yefiyyel gubbet, yetegaggere	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
438	Goat,liver, baked with fat	Yefiyyel gubbet, yetegaggere (beqibat)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
439	Liver, goat, raw	Yefiyyel gubbet, t'rye	150.00	67.60	3.08	19.30	5.20	6.50	0.10	1.40	0.00	279.00	1.50	0.07	0.32	3.62	7.00	-	12.00	2.00
440	Meat, goat, boiled	Yefiyyel siga, qiqqil	200.00	59.90	4.35	27.20	8.80	3.00	0.20	1.10	10.00	198.00	3.10	0.00	0.12	0.22	3.40	-	2.00	-
441	Meat, goat, roasted	Yefiyyel siga, arosto	210.10	56.80	4.90	30.60	8.50	2.80	1.30	1.30	12.00	255.00	5.40	0.00	0.13	0.33	4.00	-	3.00	-
442	Meat, goat, grilled	Yefiyyel siga, t'ibs	176.80	58.70	5.21	32.60	3.60	3.50	0.40	1.60	18.00	352.00	7.10	0.00	0.31	0.31	4.50	-	4.00	-
443	Meat, goat, fried with fat	Yefiyyel siga, t'ibs (beqibat)	212.80	59.00	4.14	5.90	10.80	3.00	0.20	1.30	7.00	232.00	3.10	0.00	0.16	0.26	4.10	-	3.00	-
444	Meat, goat, baked	Yefiyyel siga, yetegaggere	173.20	60.20	4.95	30.90	4.00	3.40	0.40	1.50	15.00	287.00	5.20	0.00	0.14	0.30	-	-	4.00	-
445	Meat, goat, baked with fat	Yefiyyel siga, yetegaggere (beqibat)	261.10	47.30	6.00	37.50	11.50	1.90	0.30	1.80	24.00	320.00	8.00	0.00	0.18	0.31	4.40	-	2.00	-
446	Meat, goat, boiled, fried	Yefiyyel siga, teqeqqilo yetet'ebbese	139.30	48.50	6.21	38.80	8.10	2.80	0.30	1.80	23.00	354.00	8.00	0.00	0.13	0.34	4.50	-	3.00	-
447	Meat, goat, fried, boiled	Yefiyyel siga, tet'ebso yeteqeqqe	228.70	55.60	4.68	29.30	11.10	2.90	0.50	1.10	12.00	215.00	4.20	0.00	0.10	0.28	3.40	-	3.00	-
448	Meat, goat, raw	Yefiyyel siga, t'rye	98.80	76.30	3.19	19.90	1.60	1.20	0.70	1.00	7.00	177.00	2.60	0.00	0.17	0.20	2.40	-	4.00	-
449	Meat, goat, dried, boiled	Yefiyyel siga, qwant'a, qiqqil	368.90	33.40	6.33	39.60	70	3.80	0.60	1.50	17.00	282.00	5.20	0.00	0.13	0.39	3.20	-	2.00	-
450	Meat, goat, dried, boiled, fried	Yefiyyel siga, qwant'a, teqeqqilo yetet'ebbese	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451	Meat, goat, dried	Yefiyyel siga, qwant'a	469.50	11.60	9.39	58.70	25.50	1.30	0.50	2.90	14.00	548.00	8.00	0.00	0.25	0.37	7.40	-	5.00	-

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																	
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Tryptophan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%
452	Sausage, goat, fried with fat	Yeffiyel qwalyima, t'ibs (beqibat)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
453	Sausage, goat, raw	Yeffiyel qwalyima, t'rye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
454	Tongue, goat, boiled	Yeffiyel melas, qiqqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
455	Tongue, goat, raw	Yeffiyel melas, t'rye	151.50	71.70	2.80	17.50	8.30	1.70	0.20	0.80	3.00	118.00	-	-	0.19	0.23	-	-	3.00	2.00
456	Tripe, goat, boiled	Yeffiyel ch'eggwarra, qiqqil	104.40	76.60	2.80	17.50	2.80	2.30	-	0.80	66.00	159.00	2.30	0.03	0.03	0.18	-	-	5.00	-
457	Tripe, goat, raw	Yeffiyel ch'eggwarra, t'rye	70.90	83.20	2.04	12.80	1.30	2.00	0.30	0.70	84.00	133.00	1.80	0.04	0.04	0.13	1.60	-	7.00	-
458	Brain, sheep, boiled	Yebeg angol, qiqqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
459	Brain, sheep, grilled	Yebeg angol, t'ibs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
460	Brain, sheep, fried with fat	Yebeg angol, t'ibs (beqibat)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
461	Brain, sheep, baked	Yebeg angol, yetegaggere	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
462	Brain, sheep, baked with fat	Yebeg angol, yetegaggere (beqibat)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
463	Brain, sheep, boiled, fried	Yebeg angol, teqeqqilo yetet'ebbese	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
464	Brain, sheep, fried, boiled	Yebeg angol, tet'ebso yeteqeqqele	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
465	Brain, sheep, raw	Yebeg angol, t'rye	105.90	80.50	1.51	9.40	6.70	2.00	0.00	1.40	7.00	303.00	3.90	0.00	0.08	0.08	-	-	-	-
466	Heart, sheep, boiled	Yebeg libb, qiqqil	132.20	71.80	3.36	21.00	4.60	1.70	0.40	0.90	28.00	207.00	8.60	0.08	0.16	0.52	2.00	-	3.00	4.00
467	Heart, sheep, grilled	Yebeg libb, t'ibs	117.80	74.80	2.44	18.70	4.20	1.30	0.20	1.00	41.00	208.00	6.00	0.00	0.22	0.55	3.50	-	4.00	-
468	Heart, sheep, fried with fat	Yebeg libb, t'ibs (beqibat)	191.30	63.40	3.65	22.80	10.10	2.30	0.40	1.40	28.00	239.00	7.00	0.00	0.21	0.59	2.60	-	2.00	-
469	Heart, sheep, baked	Yebeg libb, yetegaggere	251.60	43.50	6.29	39.30	10.50	4.20	0.50	2.50	47.00	413.00	13.00	0.00	0.33	0.85	4.30	-	2.00	-
470	Heart, sheep, baked with fat	Yebeg libb, yetegaggere (beqibat)	551.60	52.70	4.64	29.00	14.40	1.50	0.40	2.40	22.00	345.00	8.00	0.06	0.38	0.84	3.80	-	2.00	-
471	Heart, sheep, boiled, fried	Yebeg libb, teqeqqilo yetet'ebbese	227.90	59.50	3.61	22.60	14.30	2.20	0.50	1.40	46.00	243.00	7.00	0.00	0.19	0.84	2.60	-	1.00	-
472	Heart, sheep, fried, boiled	Yebeg libb, tet'ebso yeteqeqqele	194.40	62.50	3.78	23.60	10.00	2.50	0.60	1.40	34.00	225.00	6.00	0.00	0.15	0.63	2.90	-	1.00	-
473	Heart, sheep, raw	Yebeg libb, t'rye	118.70	76.50	2.46	15.40	5.90	1.00	0.20	1.20	9.00	164.00	4.00	0.00	0.41	0.58	3.60	-	4.00	-
474	Intestine, sheep, boiled	Yebeg anjet, qiqqil	105.80	74.50	3.46	21.60	1.40	1.70	0.20	0.80	19.00	221.00	6.00	0.00	0.04	0.16	1.50	-	5.00	-
475	Intestine, sheep, raw	Yebeg anjet, t'rye	53.90	86.80	1.72	10.80	0.70	1.10	0.10	0.60	21.00	145.00	3.00	0.00	0.02	0.21	1.40	-	8.00	9.00
476	Kidney, sheep, boiled	Yebeg, kulalyit, qiqqil	120.80	71.40	3.64	22.80	2.40	2.00	0.20	1.40	33.00	329.00	10.00	0.00	0.23	1.55	6.30	-	7.00	3.00

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (Inc.fiber)	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION											Riboflavin	Niacin	Trypto phan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	%			
477	Kidney, sheep, grilled	Yebeg, kulalyit, t'ibs	149.70	65.60	4.14	25.90	4.10	2.30	0.40	2.10	24.00	427.00	8.90	0.39	0.09	0.27	4.50	-	3.00	-				
478	Kidney, sheep, fried with fat	Yebeg, kulalyit, t'ibs (beqibat)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
479	Kidney, sheep, baked	Yebeg, kulalyit, yetegaggere	93.00	76.00	2.60	17.50	1.80	1.70	0.10	2.30	27.00	295.00	7.00	0.00	0.24	1.58	7.40	-	-	-				
480	Kidney, sheep, baked with fat	Yebeg, kulalyit, yetegaggere (beqibat)	138.50	70.20	3.34	20.90	5.70	0.90	0.10	2.30	23.00	325.00	9.00	0.00	0.23	1.45	6.40	-	4.00	-				
481	Kidney, sheep, raw	yebeg, kulalyit, t'rye	87.70	79.90	2.35	14.70	2.50	1.60	0.00	1.30	14.00	257.00	8.00	0.00	0.50	1.65	6.90	-	7.00	-				
482	Liver, sheep, boiled	Yebeg gubbet, qiqqil	169.30	62.30	4.35	27.20	5.30	3.20	0.10	2.00	27.00	403.00	13.00	0.07	0.17	2.30	7.90	-	8.00	13.00				
483	Liver, sheep, grilled	Yebeg, gubbet, t'ibs	164.90	62.00	4.44	27.80	4.50	3.30	0.50	2.40	59.00	464.00	13.30	0.07	0.01	3.48	10.60	-	11.00	13.00				
484	Liver, sheep, fried with fat	Yebeg gubbet, t'ibs (beqibat)	176.70	62.40	3.88	24.30	7.10	3.90	0.10	2.30	19.00	447.00	13.70	0.11	0.20	2.73	7.70	-	12.00	13.00				
485	Liver, sheep, baked	Yebeg, gubbet, yetegaggere	143.50	66.40	3.99	24.90	3.50	3.10	0.10	2.10	13.00	414.00	11.30	0.04	0.25	0.70	6.50	-	11.00	13.00				
486	Liver, sheep, baked with fat	Yebeg, gubbrt, yetegaggere (beqibat)	229.70	58.10	3.77	23.60	14.50	1.20	0.20	2.60	15.00	433.00	15.90	0.18	0.21	3.23	7.30	-	12.00	13.00				
487	Liver, sheep, raw	Yebeg, gubbet, t'rye	130.80	69.50	3.47	21.70	3.20	3.80	0.30	1.80	9.00	354.00	10.70	0.00	0.25	3.18	9.90	-	18.00	13.00				
488	Mutton, boiled	Yebeg siga, qiqqil	152.90	68.70	3.86	24.10	6.10	0.40	0.20	0.70	32.00	149.00	4.40	0.00	0.04	0.15	2.50	-	2.00	24.00				
489	Mutton, roasted	Yebeg siga, arosto	170.30	59.70	5.24	32.80	3.90	1.00	0.20	2.80	35.00	312.00	5.20	0.00	0.06	0.24	4.30	-	2.00	14.00				
490	Mutton, grilled	Yebeg siga, t'ibs	194.40	53.60	6.37	35.80	4.40	2.90	0.70	3.30	136.00	573.00	14.90	0.00	0.19	0.34	5.40	-	1.00	24.00				
491	Mutton, fried with fat	Yegeg siga, t'ibs (beqibat)	201.10	57.80	4.37	27.30	9.10	2.50	0.20	3.30	24.00	270.00	4.60	0.05	0.05	0.22	4.10	-	0.00	24.00				
492	Mutton, baked	Yebeg siga, yetegaggere	136.20	67.60	4.34	27.10	2.60	1.10	0.10	1.60	25.00	250.00	4.00	0.00	0.10	0.15	4.80	-	2.00	24.00				
493	Mutton, baked with fat	Yebeg siga, yetegaggere (beqibat)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
494	Mutton, boiled, fried	Yebeg siga, teqeqqilo yetet'ebbese	203.00	59.50	4.38	27.40	10.20	0.40	0.20	2.50	18.00	170.00	3.30	0.00	0.05	0.18	2.20	-	1.00	24.00				
495	Mutton, fried, boiled	Yebeg siga, tet'ebso yeteqeqqele	201.70	57.70	4.75	29.70	8.90	0.70	0.20	3.00	17.00	240.00	3.70	0.00	0.06	0.23	3.60	-	2.00	24.00				
496	Mutton, raw	Yebeg siga, t'rye	90.70	77.70	3.15	19.70	1.10	0.50	0.20	1.00	19.00	171.00	2.40	0.00	0.14	0.16	3.90	-	3.00	24.00				
497	Mutton, dried, boiled	Yebeg siga, qwant'a, qiqqil	229.50	46.50	7.30	45.60	4.30	2.10	0.20	1.50	54.00	259.00	9.00	0.00	0.10	0.27	9.20	-	3.00	-				
498	Mutton, dried, boiled, fried	Yebeg siga, qwant'a, teqeqqilo yetet'ebbese	371.40	15.60	10.75	67.20	9.80	3.60	0.60	3.80	37.00	654.00	9.00	0.00	0.24	0.34	15.20	-	5.00	-				
499	Mutton, dried	Yebeg siga, qwant'a	299.20	24.20	10.94	68.40	2.40	1.00	0.30	4.00	21.00	704.00	7.00	0.00	0.18	0.47	19.40	-	7.00	-				

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																	
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Tryptophan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%
500	Sausage, mutton, fried with fat	Yebeg qwalyima, t'ibs (beqibat)	164.30	65.10	3.77	23.60	6.70	2.40	0.20	2.20	16.00	260.00	11.00	0.02	0.08	0.16	0.90	-	2.00	-
501	Sasuage, mutton, raw	Yebeg qwalyima, t'rye	111.90	73.70	3.11	19.40	2.70	2.50	0.40	1.70	12.00	174.00	25.00	0.00	0.06	0.08	3.60	-	3.00	-
502	Tongue, sheep, boiled	Yebeg melas, qiqqil	274.30	57.00	3.29	20.60	21.10	0.50	0.30	0.80	15.00	166.00	6.00	0.22	0.21	1.80	-	-	1.00	-
503	Tongue, sheep, raw	Yebeg melas, t'rye	284.40	57.20	2.77	17.30	23.20	1.60	0.20	0.70	14.00	170.00	5.00	0.43	0.21	2.20	-	-	2.00	-
504	Tripe, sheep, boiled	Yebeg ch'eggwarra, qiqqil	105.90	75.20	3.27	20.40	2.30	0.90	0.50	1.20	77.00	139.00	10.00	0.00	0.17	0.90	-	-	1.00	10.00
505	Tripe, sheep, raw	Yebeg ch'eggwarra, t'rye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
506	Brain, pig, boiled	Yasama angol, qiqqil	139.30	76.30	1.60	10.00	10.10	2.10	0.40	1.50	17.00	311.00	4.90	0.13	0.11	0.08	1.50	-	8.00	-
507	Brain, pig, grilled	Yasama angol, t'ibs	177.40	67.70	2.42	15.10	11.80	2.70	1.00	2.70	27.00	392.00	6.50	0.14	0.19	0.14	2.80	-	6.00	-
508	Brain, pig, fried with fat	Yasama angol, t'ibs (beqibat)	251.50	60.10	2.60	16.20	20.30	1.00	0.40	2.40	17.00	481.00	5.60	0.16	0.16	0.14	2.20	-	9.00	-
509	Brain, pig, baked	Yasama angol, yetegaggere	254.90	57.70	3.04	19.00	18.90	2.20	0.30	2.40	10.00	266.00	5.60	0.19	0.15	0.14	2.80	-	2.00	-
510	Brain, pig, baked with fat	Yasama angol, yetegaggere (beqibat)	307.70	52.20	2.90	18.10	25.30	1.90	0.40	2.50	20.00	479.00	7.90	0.29	0.16	0.15	3.70	-	3.00	-
511	Brain, pig, boiled, fried	Yasama angol, teqeqqilo yetet'ebbese	277.80	55.00	2.77	17.30	21.40	4.00	0.30	2.30	12.00	529.00	8.20	0.30	0.13	0.17	2.20	-	7.00	-
512	Brain, pig, fried, boiled	Yasama angol, tet'ebso yeteqeqqele	258.90	58.70	2.45	15.30	20.50	3.30	0.10	2.20	16.00	433.00	10.00	0.30	0.12	0.07	2.90	-	9.00	-
513	Brain, pig, raw	Yasama angol, t'rye	127.80	77.90	1.48	9.30	9.00	2.40	0.10	1.40	5.00	265.00	3.40	0.15	0.05	0.05	2.10	-	10.00	-
514	Heart, pig, boiled	Yasama libb, qiqqil	197.50	61.70	4.17	26.10	9.90	1.00	0.20	1.30	19.00	272.00	9.00	0.00	0.30	1.10	4.80	-	5.00	10.00
515	Heart, pig, grilled	Yasama libb, t'ibs	165.80	65.50	3.72	23.30	6.60	3.30	0.20	1.30	17.00	280.00	7.60	0.72	0.47	0.87	5.10	-	2.00	10.00
516	Heart, pig, fried with fat	Yasama libb, t'ibs (beqibat)	220.20	57.10	4.26	26.60	11.40	2.80	0.40	2.10	38.00	303.00	5.00	0.00	0.06	0.26	9.50	-	5.00	10.00
517	Heart, pig, baked	Yasama libb, yetegaggere	243.80	47.60	6.03	37.70	8.20	4.80	0.30	1.70	46.00	460.00	16.70	0.84	0.27	1.45	7.50	-	2.00	10.00
518	Heart, pig, baked with fat	Yasama libb yetegaggere (beqibat)	253.50	53.70	4.36	27.30	14.70	3.00	0.10	1.30	37.00	332.00	12.30	0.03	0.26	1.21	6.10	-	2.00	10.00
519	Heart, pig, boiled, fried	Yasama libb, teqeqqilo yetet'ebbese	239.80	54.40	4.50	28.10	12.80	3.00	0.20	1.70	10.00	307.00	10.30	0.03	0.25	0.86	0.70	-	2.00	10.00
520	Heart, pig, fried, boiled	Yasama libb, tet'ebso yeteqeqqele	222.60	56.10	4.41	27.60	10.60	4.20	0.10	1.50	13.00	347.00	15.50	0.05	0.45	0.65	8.00	-	3.00	10.00
521	Heart, pig, raw	Yasama libb, t'rye	90.60	79.30	2.38	14.90	2.20	2.28	0.10	0.80	6.00	186.00	7.20	0.00	0.23	0.71	6.30	-	-	10.00
522	Intestine, pig, boiled	Yasama anjet, qiqqil	141.20	67.10	4.16	26.00	2.40	3.90	0.10	0.60	56.00	48.00	2.00	0.00	0.02	0.04	0.40	-	1.00	-
523	Intestine, pig, raw	Yasama anjet, t'rye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION										Riboflavin	Niacin	Trypto phan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%	
524	Kidney, pig, boiled	Yasama kulalyit, qiqqil	156.30	66.20	3.89	24.30	5.90	1.50	0.00	2.10	19.00	335.00	8.00	0.00	0.34	1.83	8.60	-	8.00	25.00			
525	Kidney, pig, grilled	Yasama kulalyit, t'ibs	177.20	60.40	4.32	27.00	5.20	5.60	0.40	1.80	119.00	402.00	15.00	0.06	0.26	1.99	8.50	-	4.00	25.00			
526	Kidney, pig, fried with fat	Yasama kulalyit, t'ibs (beqibat)	172.30	62.40	4.08	25.50	6.70	2.50	0.10	2.90	24.00	360.00	9.00	0.00	0.32	1.70	9.10	-	3.00	25.00			
527	Kidney, pig, baked	Yasama kulalyit, yetegaggere	167.60	60.40	4.54	28.40	4.00	4.50	0.10	2.70	14.00	383.00	10.00	0.00	0.38	2.28	12.10	-	7.00	25.00			
528	Kidney, pig, baked with fat	Yasama kulalyit, yetegaggere (beqibat)	207.90	57.10	4.49	28.10	9.10	3.40	0.30	2.30	17.00	402.00	6.00	0.00	0.42	-	11.50	-	1.00	25.00			
529	Kidney, pig, raw	Yasama kulalyit, t'rye	87.70	80.80	2.14	13.10	2.29	2.00	0.10	0.90	13.00	240.00	6.40	0.04	0.28	0.90	4.10	-	16.00	25.00			
530	Liver, pig, boiled	Yasama gubbet, qiqqil	147.00	66.50	4.03	25.10	3.80	2.80	0.20	1.50	9.00	399.00	12.20	0.00	0.60	1.75	10.40	-	6.00	6.00			
531	Liver, pig, grilled	Yasama gubbet, t'ibs	173.60	60.00	4.33	27.10	4.40	6.40	0.10	2.10	16.00	469.00	13.80	0.07	0.31	2.60	20.60	-	4.00	6.00			
532	Liver, pig, fried with fat	Yasama gubbet, t'ibs (beqibat)	205.50	57.10	4.55	28.40	8.70	3.40	0.50	2.40	18.00	499.00	16.00	0.00	0.55	3.05	13.20	-	4.00	6.00			
533	Liver, pig, baked	Yasama gubbet, yetegaggere	200.30	54.10	5.23	32.70	5.50	5.00	0.50	2.70	10.00	611.00	16.00	0.00	0.60	3.65	20.20	-	13.00	6.00			
534	Liver, pig, baked with fat	Yasama gubbet, yetegaggere (beqibat)	251.30	46.50	5.73	35.80	9.70	5.20	0.50	2.80	14.00	675.00	21.00	0.00	0.60	3.65	11.30	-	12.00	6.00			
535	Liver, pig, raw	Yasama gubbet, t'rye	128.40	71.60	3.19	19.90	3.60	4.10	0.20	0.80	18.00	382.00	13.00	0.00	0.55	1.55	6.10	-	20.00	6.00			
536	Pork, fresh, boiled	Yasama siga, tikkus, qiqqil	332.50	46.10	4.00	25.00	24.90	2.10	0.60	1.90	20.00	229.00	4.00	0.00	0.79	0.12	1.90	-	3.00	6.00			
537	Pork, fresh, roasted	Yasama siga, tikkus, arosto	186.40	58.50	5.23	32.70	5.60	1.30	0.20	1.90	18.00	348.00	4.00	0.00	2.30	0.09	2.90	-	5.00	6.00			
538	Pork, fresh, grilled	Yasama siga, tikkus, t'ibs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
539	Pork, fresh, fried with fat	Yasama siga, tikkus, t'ibs (beqibat)	255.00	51.30	5.04	31.50	13.80	1.20	0.50	2.20	19.00	335.00	4.00	0.00	2.18	0.13	1.90	-	6.00	6.00			
540	Pork, fresh, baked with fat	Yasama siga, tikkus, yetegaggere (beqibat)	395.50	33.60	5.58	34.90	27.50	2.20	0.40	1.80	31.00	302.00	4.00	0.00	1.00	0.20	3.90	-	4.00	6.00			
541	Pork, fresh, baked	Yasama siga, tikkus, yetegaggere	298.10	49.80	4.49	28.10	20.50	0.30	0.40	1.30	23.00	249.00	9.00	0.00	1.03	0.15	4.20	-	4.00	6.00			
542	Pork, fresh, boiled, fried	Yasama siga, tikkus, teqeqqilo yetet'ebese	351.70	42.40	4.69	29.30	25.30	1.70	0.20	1.30	27.00	227.00	4.00	0.00	0.95	0.20	3.70	-	4.00	6.00			
543	Pork, fresh, fried, boiled	Yasama siga, tikkus, tet'ebso yeteqeqqe	316.60	46.50	4.76	29.80	21.80	0.30	0.20	1.60	34.00	213.00	3.00	0.00	0.50	0.00	3.30	-	5.00	6.00			

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																	
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β -carotene Equiv.	Thiamine	Riboflavin	Niacin	Tryptophan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%
544	Pork, fresh, raw	Yasama siga, tikkus, t'rye	267.00	58.10	2.80	17.80	20.60	2.80	0.30	0.90	20.00	166.00	4.00	0.00	1.63	0.00	3.60	-	12.00	6.00
545	Pork, dried, boiled	Yasama siga, qwant'a, qiqqil	486.90	29.60	3.61	22.60	41.70	5.30	0.40	0.80	18.00	180.00	3.80	0.00	0.44	0.90	3.40	-	3.00	6.00
546	Pork, dried, boiled, fried	Yasama siga, qwant'a, teqeqqilo yete'ebese	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
547	Pork, dried	Yasama siga, qwant'a	555.10	10.70	7.25	45.30	41.50	0.10	0.20	2.40	37.00	432.00	5.60	0.25	0.02	0.15	6.80	-	4.00	6.00
548	Sasuage, pork, fried with fat	Yasama qwalyima, t'ibs (beqibat)	462.90	14.00	6.94	43.40	27.70	10.00	0.30	4.90	51.00	300.00	8.50	0.05	0.24	0.16	9.40	-	3.00	-
549	Sasuage, pork, raw	Yasama qwalyima, t'rye	491.00	17.40	5.60	35.00	33.40	12.60	1.00	1.60	46.00	212.00	5.30	0.09	0.28	0.13	7.70	-	13.00	-
550	Tongue, pig, boiled	Yasama melas, qiqqil	286.30	54.50	3.33	20.80	21.60	2.40	0.10	0.80	11.00	179.00	7.60	0.00	0.10	0.02	2.10	-	2.00	21.00
551	Tongue, pig, raw	Yasama melas, t'rye	205.20	66.00	2.72	17.00	14.40	1.90	0.30	0.70	7.00	163.00	6.00	0.00	0.27	0.26	2.90	-	2.00	21.00
552	Tripe, pig, boiled	Yasama ch'eggwarra, qiqqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
553	Tripe, pig, raw	Yasama ch'eggwarra, t'rye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
554	Bacon, fried	Bacon, t'ibs	599.40	16.50	2.54	15.90	58.20	3.00	1.70	6.40	24.00	112.00	1.00	0.00	0.46	0.09	1.50	-	2.00	-
555	Bacon, raw	Bacon, t'rye	540.10	27.50	1.98	12.40	54.50	0.00	0.40	5.80	14.00	79.00	1.00	0.00	0.34	0.04	1.60	-	2.00	-
556	Ham, boiled	Ham, qiqqil	472.20	31.70	2.75	17.20	43.40	3.20	0.20	4.50	21.00	120.00	1.00	0.00	0.31	0.04	1.50	-	1.00	-
557	Ham, fried	Ham, t'ibs	246.60	54.60	3.65	22.80	17.20	0.20	0.10	5.20	14.00	315.00	3.00	0.00	0.38	0.12	1.90	-	3.00	-
558	Ham, baked	Ham, yetegaggere	427.90	30.50	4.61	28.80	34.70	0.10	0.20	6.90	43.00	348.00	3.00	0.00	0.44	0.12	2.60	-	3.00	-
559	Ham, raw	Ham, t'rye	255.40	58.50	2.91	18.20	20.20	0.20	0.10	2.90	12.00	268.00	4.00	0.00	0.31	0.11	1.80	-	13.00	-
560	Brain, calf, boiled	Yet'yijja angol, qiqqil	157.90	73.40	1.83	11.40	11.50	2.20	0.10	1.50	8.00	356.00	6.50	0.00	0.13	0.01	2.00	-	7.00	-
561	Brain, calf, grilled	Yet'yijja angol, t'ibs	163.50	71.90	1.91	11.90	11.50	3.10	0.10	1.60	11.00	305.00	4.70	0.00	0.14	0.15	3.00	-	11.00	-
562	Brain, calf, fried with fat	Yet'yijja angol, t'ibs (beqibat)	202.70	67.20	2.08	13.00	15.90	1.90	0.10	2.00	12.00	419.00	6.10	0.00	0.11	0.10	2.80	-	6.00	-
563	Brain, calf, baked	Yet'yijja angol, yetegaggere	234.80	58.50	3.02	18.90	16.00	3.80	0.10	2.80	29.00	613.00	13.00	0.00	0.15	0.16	2.60	-	3.00	-
564	Brain, calf, baked with fat	Yet'yijja angol, yetegaggere (beqibat)	283.40	50.50	3.19	19.90	19.40	7.30	0.10	2.90	17.00	658.00	14.00	0.00	0.14	0.14	2.60	-	3.00	-
565	Brain, calf, boiled, fried	Yet'yijja angol, teqeqqilo yete'ebese	218.50	63.10	2.10	13.10	15.70	6.20	0.20	1.90	21.00	390.00	6.00	0.00	0.09	0.14	2.00	-	3.00	-
566	Brain, calf, fried, boiled	Yet'yijja angol, tete'ebso yeteqeqqele	232.70	62.60	2.41	15.10	18.30	1.90	0.40	2.10	8.00	398.00	6.00	0.00	0.12	0.08	1.90	-	4.00	-
567	Brain, calf, raw	Yet'yijja angol, t'rye	131.30	76.00	1.67	10.40	8.10	4.20	0.00	0.30	8.00	334.00	4.00	0.00	0.11	0.10	2.30	-	10.00	-
568	Heart, calf, boiled	Yet'yijja libb, qiqqil	256.10	57.50	3.75	23.30	18.10	0.00	1.00	1.10	21.00	252.00	8.10	0.00	0.24	0.49	6.20	-	3.00	-
569	Heart, calf, grilled	Yet'yijja libb, t'ibs	165.40	67.70	3.42	21.30	8.20	1.60	0.40	1.20	18.00	255.00	9.00	0.00	0.21	0.64	6.40	-	4.00	-
570	Heart, calf, fried with fat	Yet'yijja libb, t'ibs (beqibat)	259.70	55.80	3.82	23.90	17.30	2.10	0.40	0.90	36.00	269.00	10.90	0.00	0.12	0.70	6.20	-	2.00	-

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION													Riboflavin	Niacin	Trypto phan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Fiber	Ash	Calcium	Phosphor ous	Iron	β-carotene Equiv.	Thiamine	Milligrams	Milligrams	Milligs	Milligrams	%					
571	Heart, calf, baked	Yet'yijja libb, yetegaggere	285.10	47.60	4.79	29.90	16.30	4.70	0.40	1.50	14.00	288.00	15.40	0.00	0.14	0.65	6.50	-	2.00	-						
572	Heart, calf, baked with fat	Yet'yijja libb, yetegaggere (beqibat)	281.80	51.60	4.05	25.30	18.60	3.30	0.80	1.20	34.00	307.00	16.60	0.00	0.15	0.38	5.80	-	3.00	-						
573	Heart, calf, boiled, fried	Yet'yijja libb, teqeqqilo	234.00	57.10	4.13	25.80	13.60	2.10	0.40	1.40	9.00	278.00	8.70	0.00	0.19	0.84	4.80	-	3.00	-						
574	Heart, calf, fried, boiled	Yet'yijja libb, tet'ebso yeteqeqqele	307.80	48.90	3.90	24.40	21.60	3.90	0.90	1.20	14.00	240.00	8.50	0.00	0.25	0.45	3.50	-	1.00	-						
575	Heart, calf, raw	Yet'yijja libb, t'rye	160.90	73.70	2.42	15.10	9.70	0.80	0.50	0.70	7.00	147.00	7.60	0.00	0.21	0.48	3.60	-	4.00	-						
576	Intestine, calf, boiled	Yet'yijja anjet, qiqqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
577	Intestine, calf, raw	Yet'yijja anjet, t'rye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
578	Kidney, calf, boiled	Yet'yijja kulalyit, qiqqil	189.10	59.10	4.67	29.20	6.30	3.90	0.10	1.50	15.00	344.00	12.40	0.00	0.22	1.36	8.30	-	4.00	2.00						
579	Kidney, calf, grilled	Yet'yijja kulalyit, t'ibs	186.80	61.70	4.08	25.50	8.00	3.20	0.20	1.60	63.00	361.00	13.00	0.29	0.29	2.22	4.90	-	8.00	-						
580	Kidney, calf, fried with fat	Yet'yijja kulalyit, t'ibs (beqibat)	178.00	69.00	4.04	25.30	8.40	4.80	0.10	2.60	13.00	398.00	15.00	0.00	0.41	1.95	7.30	-	7.00	-						
581	Kidney, calf, baked	Yet'yijja kulalyit, yetegaggere	188.40	55.30	5.31	33.20	4.00	4.90	0.20	2.60	26.00	486.00	15.00	0.55	0.46	4.52	8.10	-	6.00	-						
582	Kidney, calf, baked with fat	Yet'yijja kulalyit, yetegaggere (beqibat)	185.70	59.90	4.43	27.70	8.90	3.20	0.10	2.30	25.00	438.00	15.00	0.29	0.38	1.98	7.00	-	6.00	-						
583	Kidney, calf, raw	Yet'yijja kulalyit, t'rye	98.60	78.20	2.55	15.20	3.00	2.00	0.00	0.90	13.00	242.00	8.00	0.47	0.32	1.68	5.10	-	7.00	-						
584	Liver, calf, boiled	Yet'yijja gubbet, qiqqil	148.90	66.80	3.99	24.90	4.50	2.20	0.10	1.60	8.00	421.00	12.90	0.00	0.24	2.45	9.00	-	17.00	2.00						
585	Liver, calf, grilled	Yet'yijja gubbet, t'ibs	185.20	60.80	4.45	27.80	3.20	6.30	0.70	1.90	15.00	440.00	14.40	0.00	0.20	2.55	10.90	-	16.00	2.00						
586	Liver, calf, fried with fat	Yet'yijja gubbet, t'ibs (beqibat)	225.80	55.30	4.19	26.20	11.00	5.50	0.20	2.00	8.00	466.00	17.10	0.00	0.23	2.03	9.50	-	17.00	2.00						
587	Liver, calf, baked	Yet'yijja gubbet, yetegaggere	182.80	57.50	4.75	29.70	4.40	8.10	0.30	2.30	24.00	518.00	18.00	0.00	0.27	3.49	14.80	-	12.00	2.00						
588	Liver, calf, baked with fat	Yet'yijja gubbet, yetegaggere (beqibat)	207.70	54.80	4.83	30.20	7.30	5.30	0.20	2.40	11.00	532.00	18.60	0.00	0.35	3.42	16.70	-	17.00	2.00						
589	Liver, calf, raw	Yet'yijja gubbet, t'rye	129.80	68.40	3.44	21.50	4.20	1.50	0.10	4.40	18.00	344.00	12.60	0.00	0.41	3.13	9.90	-	19.00	2.00						
590	Veal, boiled	Yet'yijja siga, qiqqil	153.50	63.20	5.12	32.00	2.70	0.30	0.30	1.80	48.00	280.00	3.00	0.00	0.18	0.58	5.40	-	8.00	5.00						
591	Veal, roasted	Yet'yijja siga, arosto	185.30	53.40	5.62	35.10	2.50	5.60	0.70	3.40	24.00	339.00	3.00	0.00	0.08	0.15	5.90	-	13.00	5.00						
592	Veal, grilled	Yet'yijja siga, t'ibs	184.80	54.50	6.51	40.70	2.40	0.10	0.70	2.80	42.00	372.00	12.00	0.00	0.05	0.25	10.50	-	27.00	5.00						
593	Veal, fried with fat	Yet'yijja siga, t'ibs (beqibat)	188.00	59.00	5.05	31.60	6.40	1.00	0.40	2.00	23.00	319.00	6.00	0.00	0.06	0.13	5.00	-	11.00	5.00						

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION										Riboflavin	Niacin	Trypto phan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Fiber	Ash	Calcium	Phosphor ous	Iron	β-carotene Equiv.	Thiamine	Milligrams	Milligrams	Milligrams					
594	Veal, baked	Yet'yijja siga, yetegaggere	185.90	53.10	6.36	39.80	2.90	0.90	0.20	3.30	14.00	395.00	11.00	0.00	0.04	0.25	7.80	-	12.00	5.00			
595	Veal, baked with fat	Yet'yijja siga, yetegaggere (beqibat)	241.00	43.60	7.12	44.50	5.00	4.50	0.30	2.40	17.00	428.00	10.00	0.00	0.05	0.23	7.90	-	5.00	5.00			
596	Veal, boiled, fried	Yet'yijja siga, teqeqlilo yetet'ebbese	397.50	34.10	5.15	32.20	27.90	4.40	0.50	1.40	25.00	236.00	4.00	0.00	0.03	0.19	4.10	-	6.00	5.00			
597	Veal, fried, boiled	Yet'yijja siga, tat'ebso yeteqeqqele	176.60	58.50	5.28	33.00	3.80	2.60	0.80	2.10	11.00	222.00	4.00	0.00	0.09	0.20	5.10	-	7.00	5.00			
598	Veal, raw	Yet'yijja siga, t'rye	95.30	76.20	3.28	20.50	0.90	1.30	0.50	1.10	15.00	194.00	3.00	0.00	0.10	0.10	4.10	-	21.00	5.00			
599	Veal, dried, boiled	Yet'yijja siga, qwant'a, qiqqil	352.30	13.50	11.77	73.60	4.30	4.80	0.20	3.80	19.00	540.00	12.20	0.00	0.05	0.25	17.80	-	20.00	-			
600	Veal, dried, boiled, fried	Yet'yijja siga, qwant'a, teqeqlilo yetet'ebbese	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
601	Veal, dried	Yet'yijja siga, qwant'a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
602	Sasuage, calf, fried	Yet'yijja qwalyima, t'ibs	284.90	44.50	4.66	29.10	16.50	5.00	0.40	4.90	34.00	449.00	9.00	0.00	0.06	0.17	5.00	-	4.00	-			
603	Sasuage, calf, raw	Yet'yijja qwalyima, t'rye	149.00	67.60	3.40	21.30	5.00	4.70	0.30	1.40	15.00	211.00	4.10	0.02	0.08	0.08	4.20	-	3.00	-			
604	Tongue, calf, boiled	Yet'yijja melas, qiqqil	166.90	61.40	3.99	24.90	3.30	9.40	0.20	1.00	15.00	196.00	12.00	0.08	0.08	0.16	2.90	-	4.00	9.00			
605	Tongue, calf, raw	Yet'yijja melas, t'rye	144.50	72.10	2.95	18.40	7.30	1.30	0.10	0.90	14.00	163.00	6.50	0.06	0.09	0.13	3.20	-	10.00	9.00			
606	Tripe, calf, boiled	Yet'yijja ch'eggwarra, qiqqil	135.20	73.00	2.90	18.10	6.00	2.20	0.50	0.70	35.00	135.00	10.50	0.00	0.04	0.09	2.40	-	1.00	-			
607	Tripe, calf, raw	Yet'yijja ch'eggwarra, t'rye	92.00	79.90	2.48	15.50	2.60	1.20	0.30	0.60	17.00	109.00	4.00	0.04	0.04	0.17	2.50	-	2.00	-			
FISH & FISH PRODUCTS																							
608	Lake fish, boiled	Yehayq asa, qiqqil	134.10	72.40	3.39	21.20	5.30	0.40	0.00	0.70	60.00	147.00	3.00	0.00	0.02	0.05	1.80	-	1.00	51.00			
609	Lake fish, grilled	Yehayq asa, t'ibs	168.70	64.20	4.44	27.80	5.90	1.10	0.30	1.00	168.00	261.00	4.00	0.02	0.04	0.11	2.60	-	2.00	51.00			
610	Lake fish, fried with fat	Yehayq asa, t'ibs (beqibat)	167.80	84.80	3.50	21.90	6.20	6.10	0.10	1.00	163.00	249.00	4.00	0.02	-	-	1.70	-	2.00	51.00			
611	Lake fish, baked with fat	Yehayq asa, yetegaggere (beqibat)	117.40	52.90	5.70	35.80	7.00	3.00	2.90	1.50	172.00	332.00	4.00	0.07	0.01	0.11	2.30	-	2.00	51.00			
612	Lake fish, baked	Yehayq asa, yetegaggere	187.10	53.00	5.21	32.60	1.10	11.70	0.10	1.60	236.00	337.00	6.00	0.00	0.02	0.13	2.50	-	2.00	51.00			
613	Lake fish, raw	Yehayq asa, t'rye	106.70	77.00	2.82	17.60	3.50	1.20	0.10	0.70	51.00	167.00	3.00	0.02	0.01	0.05	1.70	-	3.00	51.00			
614	Lake fish, dried, boiled	Yehayq asa, qwant'a, qiqqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
615	Lake fish, dried, boiled, fried	Yehayq asa, qwant'a, teqeqlilo yetet'ebbese	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
616	Lake fish, dried, raw	Yehayq asa, qwant'a, t'rye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

									COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																	
ITEM NO.			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (Inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Trypto phan	Ascorbic acid	Refuse						
	FOOD & DESCRIPTION	LOCAL NAME																								
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%						
617	River fish, boiled	Yewenz asa, qiqqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
618	River fish, grilled	Yewenz asa, t'ibs	207.90	54.90	5.56	34.80	6.70	2.10	0.10	1.50	106.00	297.00	1.90	0.00	0.01	0.17	2.50	-	2.00	65.00						
619	River fish, fried with fat	Yewenz asa, t'ibs (beqibat)	242.90	54.40	4.38	27.40	13.30	3.40	0.10	1.50	129.00	290.00	1.90	0.00	0.03	0.04	2.00	-	3.00	65.00						
620	River fish, baked	Yewenz asa, yetegaggere	233.70	50.20	6.17	38.60	8.10	1.60	0.20	1.50	57.00	283.00	3.50	0.00	0.02	0.04	3.50	-	3.00	65.00						
621	River fish, baked with fat	Yewenz asa, yetagaggere (beqibat)	287.10	46.40	5.55	34.70	15.90	1.30	0.10	1.70	181.00	378.00	3.80	0.00	0.01	0.04	3.50	-	3.00	65.00						
622	River fish, raw	Yewenz asa, t'rye	136.50	72.70	3.03	18.90	6.10	1.50	0.00	0.80	32.00	153.00	1.50	0.00	0.01	0.04	2.00	-	4.00	65.00						
623	River fish, dried, boiled	Yewenz asa, qwant'a, qiqqil	242.00	43.90	7.27	45.40	5.60	2.50	0.00	2.60	146.00	414.00	2.90	0.10	0.01	0.15	3.00	-	2.00	65.00						
624	River fish, boiled, fried	Yewenz asa, teqeqqilo yetet'ebbese	410.90	6.00	11.66	72.90	11.70	3.50	0.60	5.90	223.00	673.00	4.60	0.03	0.01	0.27	5.90	-	3.00	65.00						
625	River fish, raw	Yewenz asa, t'rye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.00	-						
626	Sea fish, boiled	Yebahir asa, qiqqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
627	Sea fish, grilled	Yebahir asa, t'ibs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
628	Sea fish, fried with fat	Yebahir asa, t'ibs (beqibat)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
629	Sea fish, baked	Yebahir asa, yetegaggere	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
630	Sea fish, baked with fat	Yebahir asa, yetegaggere (beqibat)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
631	Sea fish, raw	Yebahir asa, t'rye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
632	Sea fish, dried, boiled	Yebahir asa, qwant'a, qiqqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
633	Sea fish, boiled, fried	Yebahir asa, teqeqqilo yetet'ebbese	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
634	Sea fish, raw	Yebahir asa, t'rye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
DAIRY PRODUCTS																										
635	Milk, camel, boiled	Yegime! wetet, yefella	85.90	84.80	0.72	4.50	5.50	4.60	3.40	0.80	133.00	118.00	0.50	0.00	0.03	0.04	0.50	-	2.00	-						
636	Milk, camel, fresh	Yegime! wetet, yafella	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
637	Milk, camel, cottage cheese	Yegime! wetet, ayib	47.60	88.90	0.71	4.40	1.20	4.80	0.00	0.70	92.00	98.00	0.60	0.00	0.01	0.02	0.60	-	4.00	-						
638	Buttermilk, camel	Yegime! wetet, aryera	44.40	90.40	0.40	2.50	1.60	5.00	0.00	0.50	103.00	84.00	0.10	0.00	0.01	0.02	-	-	5.00	-						
639	Sourmilk, camel	Yegime! wetet, lrgo	89.20	80.00	0.48	3.00	2.40	13.90	0.00	0.70	124.00	85.00	0.40	0.00	0.01	0.02	-	-	5.00	-						
640	Whey, camel	Yegime! wetet, aggwat	55.20	89.10	0.12	0.80	3.20	5.80	0.00	1.10	135.00	99.00	0.30	0.02	0.01	0.01	0.40	-	5.00	-						
641	Milk, cow, boiled	Yelam wetet, yefella	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
642	Milk, cow, fresh	Yelam wetet, yaitefella	73.70	87.60	0.60	3.40	5.30	3.10	0.00	0.60	59.00	94.00	1.00	0.00	0.04	0.21	0.20	478.00	2.00	-						

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																	
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Tryptophan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	%	
643	Cottage cheese, cow	Yelam wetet, ayib	132.40	73.70	2.40	15.20	6.40	3.40	0.20	1.20	110.00	206.00	2.30	-	-	-	-	-	-	
644	Buttermilk, cow	Yelam wetet, aryera	38.60	91.50	0.50	3.10	1.40	3.40	0.10	0.60	95.00	84.00	1.00	0.00	0.03	0.21	0.10	-	0.00	
645	Sourmilk, cow	Yelam wetet, irgo	82.60	86.40	0.60	3.50	6.20	3.20	3.80	0.70	52.00	88.00	0.10	-	0.04	0.29	0.00	-	1.00	
646	Whey, cow	Yelam wetet, aggwat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
647	Milk, goat, boiled	Yefiyyel wetet, yefella	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
648	Milk, goat, fresh	Yefiyyel wetet, yalfella	59.30	88.20	0.53	3.30	2.90	5.00	2.80	0.60	133.00	97.00	0.38	0.00	0.04	0.03	0.50	-	2.00	
649	Cottage cheese, goat	Yefiyyel wetet, ayib	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
650	Buttermilk, goat	Yefiyyel wetet, aryera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
651	Sourmilk, goat	Yefiyyel wetet, irgo	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
652	Whey, goat	Yefiyyel wetet, aggwat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
653	Milk, sheep, boiled	Yebeg wetet, yefella	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
654	Milk, sheep, fresh	Yebeg wetet, yalfella	72.50	86.40	0.70	4.40	4.10	4.50	3.70	0.60	144.00	122.00	0.00	0.01	0.04	0.04	0.40	-	1.00	
655	Cottage cheese, sheep	Yebeg wetet, ayib	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
656	Buttermilk, sheep	Yebeg wetet, aryera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
657	Sourmilk, sheep	Yebeg wetet, irgo	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
658	Whey, sheep	Yebeg wetet, aggwat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EGGS																				
659	Egg,whole,boiled	Inqulat, difin, qiqqli	152.90	74.40	1.86	11.60	10.90	2.10	0.10	1.00	51.00	210.00	4.30	0.57	0.13	0.11	0.40	-	0.00	
660	Egg, whole, fried with fat	Inqulat, difin, t'ibs (beqibat)	295.10	58.00	1.57	9.60	26.30	4.80	0.50	1.10	63.00	207.00	3.40	0.00	0.13	0.20	0.30	-	1.00	
661	Egg, whole, raw	Inqulat, difin, t'rye	152.70	73.80	1.94	12.10	10.30	2.90	0.10	0.90	56.00	214.00	7.00	0.61	0.13	0.31	0.30	-	0.00	
662	Egg white, raw	Inqulat, nech', t'rye	82.10	78.60	3.10	18.40	0.10	1.90	0.40	1.00	0.00	40.00	1.00	0.00	-	-	0.20	-	-	
663	Egg yolk, raw	Inqulat, askwai, t'rye	344.60	52.20	2.40	13.90	31.80	0.70	0.90	1.40	47.00	360.00	5.30	1014.00	-	-	0.30	-	-	
SUGARS																				
664	Corn sticks	Yebeqqollo ageda	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
665	Honey	Mar	360.50	11.90	0.07	0.40	-	85.90	0.30	0.10	0.00	0.00	0.00	1.04	0.02	0.10	-	-	20.00	
666	Sorghum sticks	Tinkish	69.50	82.70	0.10	0.60	0.70	15.20	3.70	0.80	8.00	10.00	0.40	0.00	0.01	0.01	2.00	-	3.00	
667	Sugar, refined	Sikkwar	385.00	0.50	0.00	0.00	0.00	99.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
668	Sugar cane	Shenkora ageda	95.30	76.20	0.10	0.50	0.50	22.20	4.80	0.60	49.00	37.00	0.08	0.00	-	-	-	-	-	
OILS, FATS, OILSEEDS & NUTS																				
669	Butter, unspiced, melted	Qibye, qimem yelellew, yeqelet'e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
670	Butter, unspiced, clarified	Qibye, qimem yelellew, vetenet't'ere	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																		
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Tryptophan	Ascorbic acid	Refuse	
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%	
671	Butter, unspiced, raw	Qibye, qimem yefellew, t'rye	736.40	17.20	0.20	1.30	81.20	0.10	0.10	0.20	24.00	-	1.50	-	-	-	-	-	-	-	
672	Butter, spiced, melted	Qibye, qimem yafellew, yaqale'te	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
673	Butter, spiced, clarified	Qibye, qimem yafellew, yetenet'tere	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
674	Butter, spiced, raw	Qibye, qimem yafellew, t'rye	760.40	17.20	0.20	1.30	81.20	0.10	0.10	0.20	24.00	-	1.50	-	-	-	-	-	-	-	
675	Oil, niger seed, boiled	Zeyt, nug, yafella	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
676	Oil, Niger seed, fried	Zeyt, nug, yetenet'tere	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
677	Oil, niger seed, fresh	Zeyt, nug	896.40	0.50	0.00	0.00	99.80	0.00	0.00	0.00	-	-	-	-	-	-	-	-	-	-	
678	Ethiopian kale seed, Brassica spp., boiled	Gommen zer, qiqqil	278.70	50.50	2.27	14.20	18.30	14.30	5.70	2.70	217.00	393.00	20.00	0.12	0.07	0.13	2.80	-	4.00	-	
679	Ethiopian kale seed, Brassica spp., roasted	Gommen zer, yeteqwolla	573.50	0.90	4.13	25.80	39.10	29.60	13.00	4.60	314.00	720.00	40.00	0.00	0.00	0.12	6.40	-	0.00	-	
680	Ethiopian kale seed, Brassica spp., dried	Gommen zer, dereq	517.40	6.10	3.90	4.50	35.00	26.10	7.80	8.30	368.00	594.00	392.00	850.00	0.54	0.32	7.00	-	4.00	-	
681	Linseed, Linum uttatissimum L., boiled	Telba, qiqqil	186.60	86.10	0.99	6.20	11.00	15.70	3.90	1.00	139.00	181.00	4.00	0.00	0.14	0.04	0.80	-	4.00	-	
682	Linseed, Linum uttatissimum L., roasted	Telba, yeteqwolla	620.20	0.90	2.66	16.30	47.00	33.00	6.80	2.80	304.00	483.00	8.00	0.00	0.04	0.13	1.60	-	1.00	-	
683	Linseed, Linum uttatissimum L., dried	Telba, dereq	510.90	5.80	3.20	17.00	29.70	43.90	10.30	3.60	227.00	454.00	29.40	0.00	0.35	0.11	2.00	381.00	8.00	5.00	
684	Niger seed, Guizotia abyssinica cass., Boiled	Nug, qiqqil	334.10	73.20	1.92	12.00	23.70	18.20	10.90	2.90	260.00	514.00	12.00	0.00	0.45	0.20	1.40	-	3.00	-	
685	Niger seed, Guizotia abyssinica cass., roasted	Nug, yeteqwolla	589.60	1.40	3.19	19.00	42.80	31.90	16.40	4.70	472.00	856.00	12.00	0.00	0.43	0.39	3.50	-	0.00	-	
686	Niger seed, Guizotia abyssinica cass., dried	Nug, dereq	519.80	5.90	3.30	18.30	33.40	36.50	18.30	5.90	331.00	843.00	72.50	0.00	0.88	0.43	-	222.00	7.00	15.00	
687	Pumpkin seed, Curcubita spp., boiled	Yedubba frye, qiqqil	288.50	51.70	2.39	14.90	20.50	11.10	9.00	1.80	25.00	456.00	6.50	0.00	0.13	0.02	2.20	-	8.00	-	
688	Pumpkin seed, Curcubita spp., roasted	Yedubba frye, yeteqwolla	603.50	2.30	4.02	25.10	45.10	24.30	12.50	3.20	35.00	714.00	13.00	0.00	0.08	0.10	2.40	-	2.00	-	
689	Pumpkin seed, Curcubita spp., dried	Yedubba frye, dereq	543.40	7.10	4.00	30.00	37.40	21.70	22.70	3.80	74.00	841.00	21.70	Trace	0.29	0.12	4.90	-	-	11.00	
690	Sesame seed, Sesamum indicum L., boiled	Selyit', qiqqil	324.00	49.20	2.33	14.80	26.00	7.90	5.80	2.30	482.00	427.00	11.00	0.00	0.43	0.10	2.20	-	4.00	-	
691	Sesame seed, Sesamum indicum L., roasted	Selyit', yeteqwolla	662.50	0.20	4.01	25.30	56.10	14.10	7.10	4.30	816.00	631.00	25.00	0.00	0.17	0.17	5.00	-	2.00	-	
692	Sesame seed, Sesamum indicum L., dried	Selyit', dereq	597.00	3.60	3.59	22.40	45.80	23.80	14.50	4.40	1445.00	459.00	10.80	0.32	0.15	0.04	5.50	-	5.00	-	
693	Sunflower, Helianthus annuus L., boiled	Yeferenj suf, qiqqil	317.80	33.40	2.65	16.60	11.00	36.10	21.70	0.90	122.00	189.00	5.00	0.00	0.38	0.10	0.80	-	20.00	-	
694	Sunflower seed, Helianthus annuus L., roasted	Yeferenj suf, yeteqwolla	559.80	1.00	2.57	16.10	33.80	47.80	33.00	1.30	179.00	265.00	6.00	0.00	0.06	0.15	1.00	-	11.00	-	
695	Sunflower seed, Helianthus annuus L., dried	Yeferenj suf, dereq	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																	
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (Inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Tryptophan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%
696	Safflower seed, Carthamus tinctorius L., boiled	Suf, qiqqil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
697	Safflower seed, Carthamus tinctorius L., roasted	Suf, yeteqwolla	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
698	Safflower seed, Carthamus tinctorius L., dried	Suf, dereq	491.90	5.30	2.30	11.30	24.30	57.00	30.30	2.10	162.00	309.00	11.80	0.00	0.44	0.08	1.30	126.00	-	16.00
699	Peanut, Arachis hypogaea L., roasted	Lewz (ocholoni), yeteqwolla	612.50	1.80	4.89	30.60	45.20	20.90	4.00	1.50	79.00	383.00	7.00	0.00	0.15	0.07	13.30	-	0.00	-
700	Peanut, Arachis hypogaea L., dried	Lewz (ocholoni), dereq	581.70	5.70	4.40	23.00	42.50	26.80	3.80	2.00	51.00	252.00	3.00	-	-	-	-	289.00	1.00	-
HERBS & SPICES																				
701	Chili, unspiced, Capsicum frutescens L., boiled	Berberrye, qiqqil	153.10	64.50	0.74	4.60	3.90	24.90	9.90	2.10	30.00	197.00	10.00	0.21	0.26	0.23	1.70	-	24.00	-
702	Chili, unspiced, Capsicum frutescens L.,fried with fat	Berberrye, qu'lett (beqibat)	513.10	1.20	1.33	8.30	27.50	58.10	21.40	4.90	58.00	388.00	19.00	1.04	0.32	2.14	5.90	-	25.00	-
703	Chili, unspiced, Capsicum frutescens L., raw	Berberrye, zala	93.30	78.20	0.50	2.00	2.50	15.70	8.50	1.60	19.00	78.00	3.70	1720.00	0.10	0.42	2.30	-	88.00	51.00
704	Chili, seedless, Capisium frutescens., boiled	Berberrye, frye yelellew (awaze), qiqqil	189.50	53.00	0.57	3.60	4.50	27.90	7.40	11.00	159.00	133.00	13.00	21.92	0.02	0.23	3.30	-	6.00	-
705	Chili seedless, Capsicum frutescens.: fried with fat	Berberrye, frye yelellew (awaze), qu'lett (beqibat)	507.50	1.30	0.87	5.40	35.90	40.70	12.00	18.70	211.00	209.00	29.00	1.73	0.04	0.41	4.20	-	21.00	-
706	Chili seedless, Capsicum frutescens., dried	Berberrye, frye yelellew (awaze), dereq	334.70	5.30	1.15	7.20	8.70	56.90	15.40	21.90	241.00	266.00	27.00	7.10	0.13	0.37	5.00	-	44.00	-
707	Chili, spiced, Capsicum frutescens., boiled	Berberrye, qimem yellow, qiqqil	195.70	57.60	0.67	4.20	12.10	17.80	7.50	8.60	115.00	138.00	2.00	4.80	0.16	0.17	2.20	-	10.00	-
708	Chili, spiced, Capsicum frutescens.: fried with fat	Berberrye, qimem yellow, qu'lett (beqibat)	474.20	1.00	1.13	7.10	26.20	51.60	14.00	13.70	250.00	273.00	3.40	131.00	0.23	0.44	3.40	-	29.00	-
709	Chili, spiced, Capsicum frutescens.: dried	Berberrye, qimem yellow, dereq	360.10	5.90	1.48	9.30	12.10	53.50	14.50	19.20	282.00	322.00	15.00	7.15	0.26	0.29	4.80	-	35.00	-
710	Birds eye, Capsicum minimum L., raw	Mit'mit'a, t'rye	131.30	69.40	0.60	2.20	3.30	23.20	1.80	1.90	49.00	127.00	3.30	-	0.04	0.22	1.30	-	44.00	21.00
711	Bishop's weed, Carum copticum L., fresh, dried	Nech'azmud, dereq	336.90	5.50	2.39	13.60	19.30	52.20	27.40	6.40	1335.00	380.00	66.00	0.44	0.30	0.01	3.60	-	9.00	-
712	Cardamom, Aframomum korarima.: fresh, dried	Koreryima, dereq	353.10	12.70	1.14	7.10	3.10	74.20	13.80	2.90	124.00	168.00	2.00	0.00	0.08	0.18	0.80	-	7.00	5.00
713	Cinnamon, Cinnamomum zeylanicum L., fresh, dried	Qerefa, dereq	351.40	12.80	0.43	2.70	1.80	81.10	32.50	1.60	661.00	35.00	7.00	0.59	0.00	0.02	0.00	-	1.00	-
714	Cloves, Syzgium guineense L., fresh, dried	Qirinfud, dereq	399.00	13.40	1.01	6.30	13.30	62.40	13.00	4.20	663.00	138.00	21.00	0.16	0.04	0.01	4.40	-	24.00	-
715	Coriander, Coriandrum sativum L., fresh, dried	Dinbilal, dereq	368.80	13.70	190.00	11.90	8.00	62.30	37.90	4.10	846.00	298.00	34.00	0.00	0.22	0.09	3.20	-	1.00	-
716	Cummin, black, Nigella sativa L., fresh, dried	T'iqur azmud, dereq	504.60	5.60	2.20	13.80	32.20	39.90	16.40	7.50	519.00	594.00	17.00	0.00	0.62	-	9.50	-	-	-
717	Cumin, Cuminum cyminum L., fresh, dried	Kumun, dereq	390.00	9.80	2.59	16.20	10.40	57.90	27.60	5.70	955.00	441.00	30.00	0.00	0.33	0.05	4.60	-	4.00	-

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS,EDIBLE PORTION																	
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphor- ous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Trypto- phan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligra	Milligrams	%
718	Garlic, Allium sativum L.;, fresh, dried	Nech' shinkurt, dereq	144.60	62.70	1.03	6.40	0.20	29.30	1.70	1.40	61.00	153.00	2.00	0.00	0.33	0.10	-	-	13.00	-
719	Hell, Elettaria cardamomum L.;, fresh, dried	Hyel, dereq	355.90	11.20	1.27	7.90	3.90	72.30	16.20	4.70	288.00	126.00	11.00	0.19	0.16	0.11	1.50	-	3.00	-
720	Rue, Rutta graveolens L.;, fresh, dried	T'ena addam, dereq	385.50	9.00	2.47	15.40	9.10	60.50	18.50	6.00	1735.00	435.00	23.90	0.61	0.70	3.20	-	-	4.00	-
721	Sacred basil, Ocimum sanctum var.anisatum L.;, dried	Bessobila, dereq	329.20	15.40	1.95	12.20	5.60	57.50	25.20	9.30	1496.00	404.00	65.00	0.34	0.03	0.18	2.00	-	26.00	-
722	Sacred basil, Ocimum sanctum var.anisatum L.;, fresh	Bessobila, irt'ib	71.70	81.60	0.43	2.70	1.30	12.30	4.40	2.10	330.00	143.00	15.00	0.85	0.03	0.22	0.70	-	42.00	15.00
723	Turmeric, Curcoma longa L.;, dried	Ird, dereq	332.10	13.40	1.00	6.30	2.90	70.20	5.30	7.20	137.00	268.00	36.00	6560.00	0.24	0.26	5.30	-	2.00	-
724	Mekmeqo, Embella schempri, dried	Meqmeqo, dereq	345.00	12.10	1.87	5.40	1.00	78.60	9.60	2.90	241.00	153.00	13.20	0.14	0.11	0.00	0.50	-	15.00	-
	NON-ALCOHOLIC BEVERAGES (home made)																			
725	Coffee beans, Coffea arabica L.;, fresh	Yebunna frye, irt'ib	110.30	73.30	0.40	2.40	1.90	20.90	8.20	1.50	32.00	40.00	2.30	0.00	0.15	0.02	1.10	-	25.00	-
726	Coffee beans, Coffea arabica L.;, boiled	Bunna, yefella	169.20	60.30	0.80	5.00	2.80	31.00	12.10	0.90	84.00	72.00	4.00	0.00	0.07	0.03	1.40	-	7.00	-
727	Emmer wheat, Triticum dicoccum :. gruel	Yajja at'myit	39.30	90.10	0.26	1.60	0.10	8.00	0.20	0.20	4.00	29.00	1.20	0.00	0.04	0.00	0.40	-	0.00	-
728	Linseed, Linum usitatissimum L.: ground,mixed with H2o	Telba, duqyet, yetebet'ebet'e	85.20	82.70	0.53	3.30	3.60	9.90	1.90	0.50	52.00	102.00	2.20	0.00	0.02	0.02	0.40	-	4.00	-
729	Tef, Eragrostis tef (zucc.) Trott.;, gruel	Yet'yef at'myit	93.10	79.90	0.18	1.10	3.10	15.20	0.50	0.70	28.00	33.00	7.60	0.00	0.04	0.01	0.70	-	1.00	-
730	Tea leaves, Camillia sinensis L.;, dried	Shay qetel, dereq	363.60	7.20	4.10	25.60	1.20	62.60	10.60	3.40	478.00	415.00	14.10	15.50	0.00	0.00	2.00	-	29.00	-
731	Tea leaves, Camillia Sinensis (L.) boiled	Shay, yefella	119.70	70.60	0.90	5.60	1.70	20.50	7.00	1.60	168.00	56.00	16.00	1.19	0.02	0.01	-	-	2.00	-
	ALCOHOLIC BEVERAGES (home produced)																			
732	Tella (local alcoholic beverage)	T'ella	7.90	98.30	0.10	0.30	0.30	1.00	0.00	0.10	8.00	-	0.50	-	-	0.05	0.20	-	1.00	-
733	Mead (tejj, local alcoholic beverage)	T'ejj	-	97.20	-	-	-	-	-	-	-	-	-	-	-	0.40	0.10	-	0.00	-
734	Mead (birz, local alcoholic beverage)	Berz	43.60	88.90	0.04	0.30	0.00	10.60	0.00	0.20	7.00	15.00	0.30	0.26	0.01	0.10	-	-	2.00	-
735	Shamita (local alcoholic beverage (Gurage origin)	Shamita (yegurage tella)	76.00	80.00	0.50	2.90	0.30	16.00	0.70	1.10	24.00	70.00	3.60	0.00	-	0.05	0.90	-	1.00	-
736	Katikala (local alcoholic beverage)	Katyikala	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALCOHOLIC BEVERAGES (commercial,local)																			
737	Beer, meta, (commercial, local)	Myetta byira (yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
738	Beer, Addis (commercial, local)	Addis byira (yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
739	Beer, Bedele (commercial, local)	Bedele byira (yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740	Beer, Harar (commercial, local)	Harar byira (yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO.	FOOD & DESCRIPTION	LOCAL NAME	COMPOSITION IN TERMS OF 100 GRAMS EDIBLE PORTION																	
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	β-carotene Equiv.	Thiamine	Riboflavin	Niacin	Tryptophan	Ascorbic acid	Refuse
			Calories	%	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Micrograms	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	%
	ALCOHOLIC BEVERAGES (Imported)																			
741	Beer, Melotti (Imported)	Melotti byira (yewich)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742	Beer, Amstel (Imported)	Amstel byira (yewich)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
743	Beer, Becks (Imported)	Becks byira (yewich)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WINES (commercial,local)																			
744	Wine, Axumite (Commercial,local)	Weyn t'ejj, axumite (yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
745	Wine, Crystal (commercial, local)	Weyn t'ejj, crystal (yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746	Wine, Dukam (commercial, local)	Weyn t'ejj, dukam (yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
747	Wine, Gouder, (commercial, local)	Weyn t'ejj, gouder (yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748	Wine, Kemila (commercial, local)	Weyn t'ejj, kemila (yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
749	Wine, Moscatello (commercial, local)	Weyn t'ejj, moscatello (yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750	Wine, Red special (commercial, local)	Weyn t'ejj, red special (yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751	Wine, Sarris white (commercial, local)	Weyn t'ejj, sarris white (yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
752	Wine, Suave (commercial, local)	Weyn t'ejj, suave (yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
753	Wine, V.S. Messa (commercial, local)	Weyn t'ejj, v.a. messa (yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SPIRITS (Commercial,local)																			
754	Bitter (Commercial,local)	Merara areqal (Yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
755	Brandy (Commercial,local)	Brandy (Yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756	Cognac (Commercial,local)	Cognac (Yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
757	Double Ouzo (Commercial,local)	Double Ouzo (Yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
758	Fernet (Commercial,local)	Fernet (Yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759	Gin (Commercial,local)	Gin (Yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760	Pernod (Commercial, local)	Pernod (Yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761	Ouzo (Commercial, local)	Ouzo (Yager wiste')	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SOFT DRINKS (Commercial,local)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

[illegible]

BIBLIOGRAPHY

1. FAO.
1968 Food Composition Table for Use in
Africa. Energy Factors. p. 226.
2. Kungliga Lantbruksstyrelsens Kungorelser
M.M., 1950 Nr 6.
Moisture Paragraph 3:3 and 3:9
p.29-31
Nitrogen Paragraph 3:21 and 3:22
p. 33-34
Fat Paragraph 3:14 p. 32
Ash Paragraph 3:78 p. 50
Calcium Paragraph 3:79 p. 50
3. Winton A.L. and Winton K.B.
1947 The Analysis of Foods. John Wiley,
New York.
(Crude fiber)
4. Horwiz W.
1960 Official Methods of Analysis-AOAC.
9th Ed.
(Calcium, Iron)
5. Diehl H. and Ellungboe J.L.
1956 Analytical Chemistry 28:882
(Calcium).
6. Hawk P.B., Oser B.L., and Summersson W.H.
1947 Practical Physiological Chemistry
12th Ed. Blackiston Co. Philadelphia.
(Phosphorus).
7. Gyorgy P. and Rubin S.H.
1950 Vitamin Methods.
Academic Press Inc. - New York
(Vit. A, Niacin).
8. Freed M.
1966 Methods of Vitamin Assay.
Interscience Publishers
Carotene p. 104
Thiamine p. 128
Riboflavin p. 158
Niacin p. 186
9. FAO/WHO
1967 Requirements of Vitamin A, Thiamine,
Riboflavin and Niacin.
Report of a Joint FAO/WHO Expert
Group FAO Nutr. mtgs. rept. ser. no. 41
10. 1951 Methods of Vitamin Assay Association
of Vitamin Chemists Inc. Interscience
Publishers.
(Niacin).
11. Hendersson L.M. and Snell E.E. 1948
Journal of Biological Chemistry 15,
172
(Tryptophan).
12. Steele B.F., Sauberlich H.E., Reynolds
M.S., and Baumann C.A.
1949 Journal of Biological Chemistry 177,
533
13. Lunven P.
1963 Qualitas Plantarum et Materiae
Vegetabiles
X: 276
14. Bessey O.A.
1938 Journal of Biological Chemistry 126:
771
(Ascorbic acid).

15. Lugg J.W.H.
1943 Journal of Biological Medical
Science 20:275
(Ascorbic acid).
16. Interdepartmental Committee on Nutrition
for National Defense, Report, Sept.
1959 Ethiopia-Nutrition Survey.
Bethesda, Md., Sept.

**FOOD COMPOSITION TABLE FOR
USE IN ETHIOPIA
PART IV**

EHNRI

FAO

Copyright © 1998 Ethiopian Health and Nutrition Research Institute (EHNRI)

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, without the prior permission in writing of Ethiopian Health and Nutrition Research Institute (EHNRI).

Copies of this publication can be obtained by writing to Ethiopian Health and Nutrition Research Institute (EHNRI),
Addis Ababa, P.O. Box 5654/1242.

FOOD COMPOSITION TABLE FOR USE IN ETHIOPIA

PART IV

A RESEARCH PROJECT SPONSORED JOINTLY

BY

THE ETHIOPIAN HEALTH AND NUTRITION RESEARCH INSTITUTE (EHNRI)

AND

FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS (FAO)

1995-1997

The scientific and technical staff involved in the food analytical data reported in this table are:

Project co-ordinator: **Ababa Gobezie**
Project scientific officer: **Lakech Goitom**

Collaborators:

Ahmed Ismail
Asfaw Husen
Asnakech Mekonnen
Asrat Wondimu
Eskinder Biratu
Frew Tekabe
Habtamu Fufa
Melaku Umeta
Mengistu G/Tsadik
Mengistu Mekuria
Sosina Fanta
Woldemariam Girma
Yohannes Tesfaye

* List of collaborators is in alphabetical arrangement and the order does not imply degree of involvement into the project activities

CONTENTS


	PAGE		PAGE
Acknowledgement	IV	Group 5	27
Data collection areas	V	Fruits and Berries	
Introduction	VI	Group 6	28
Note on Analytical Procedures	VIII	Meat, Meat Based Products and Poultry	
Terms & Symbols Used	X	Group 7	29
FOOD GROUPS		Fish and Fish Based Products	
Group 1	1	Group 8	30
Cereals and Cereal Based Products		Dairy and Dairy Based Products	
Group 2	14	Group 9	31
Starchy Roots and Tuber Based Products		Oil Seeds and Nut Based Products	
Group 3	19	Group 10	31
Legumes and Legume Based Products		Condiments	
Group 4	22	Group 11	32
Vegetables and Vegetable Based Products		Non-Alcoholic and Alcoholic Beverages	
		Reference	33

ACKNOWLEDGEMENTS

Special appreciation is expressed to Dr. Hailu Yeneneh the Director and to Dr. Hailhemicheal Gebreselassie the head of the Food Science and Nutrition Research Department of the Ethiopian Health and Nutrition Research Institute (EHNRI) for facilitating the work. Words of gratitude are also due to Dr. Dawit Abebe, head of Drug Research Department of the Institute and Dr. Sebsebe Demessew, Addis Ababa University Faculty of Science, for identifying unique and unknown food crops.

Special thanks are also due to professor C.E. West for facilitating the project from its inception. Appreciation should go as well to Dr. P. Deurenberg, Mr. C. Murphy and MS. Lidwien van der Heijden for their consultancy service. Sincere thanks are also due to Dr. Anteneh Kifle for assisting in data collection, to Dr. Jemal Haidar for facilitating the work at the initial stage and to Tesegenesh Tsegaye for rendering photographic assistance as well as to Dr. Ronan Doorly, Dereje Chebssie and Almaz Mamo for assisting in computer work.

The Ministry of Agriculture extension workers who have assisted in collecting food samples deserve special mention for their co-operation. Last but not least, thanks are due to the laboratory assistants; Anjulo Asha, Alemtsehay Teferra, Fantaye Kebede, and Tsehay Teshome for assisting in the laboratory and to Almaz Mulatu for typing the manuscript. Finally, words of appreciation should also go to the drivers and to the kitchen assistants who have assisted in the work.



ETHIOPIA

● DATA AND FOOD SAMPLES COLLECTIONS AREAS

INTRODUCTION

The first Food Composition Table for Ethiopia which was published in 1968 and which included information on 180 food types was the result of a co-operative work under the sponsorship of Swedish International Development Authority (SIDA) and the Ministry of Health. While this food composition table generated some useful data and was the first of its kind in the nation and for that matter in the whole continent, it lacked some important information such as data on processed and cooked foods.

Part two food composition table was also developed later and published in the same year containing amino acids using the same food samples from the first food composition table. Since there are nutrient changes when food items are cooked or processed, it was felt necessary to include this information in subsequent studies. As a result of this, another attempt of expansion was carried out in the early seventies and part three food composition table for use in Ethiopia was developed and published in 1997 containing 700 food items mainly, prepared foods. However, all the three food composition tables did not cover all the regions of Ethiopia, especially the peripheral areas of the country as well as the diversified and unique ethnic-based foods. Therefore, further expansion was required and part four food composition table was proposed. This project is jointly sponsored by the Ethiopian Health and Nutrition Research Institute (EHNRI) and the Food and Agriculture Organization of the United Nations (FAO).

The project started in 1995 with the aim of producing part four food composition table covering the representative regions especially focusing on peripheral areas of the country. The selection of representative regions where food samples would be collected was a result of detailed discussion with the co-ordinator of the project and the Food Science Team. It was decided that food collection would concentrate on regions and ethnic groups that were not included in the previous food composition tables.

Using 24-hour dietary recall method, women were interviewed to extract as much information as possible on the detail preparation methods and the ingredients included in every dish. Households where food samples would be collected were randomly selected. Prepared (composite dishes) and raw foods that are commonly consumed in the specific locality were collected. The samples were put in plastic containers or polyethylene bags carefully sealed, labelled with local names and code numbers and were transported to EHNRI laboratory in cool boxes and kept in deep freezers at -20 degree centigrade until analysis was completed. The different regions where the food samples were collected are shown on the attached map.

The analytical data appearing in this table are original and are analyzed in the Laboratory Service Department of the Institute.

This food composition table is different from the previous ones because additional nutrients have been included for analysis and modern laboratory techniques and equipment are used for this purpose. It is, therefore, hoped that it would have greater usefulness, all the more so because, it covers a larger portion of Ethiopia's population, especially those whose food habits had been forgotten.

This food composition data is prepared in two versions. A printed text available to all users and a VBS Nutrition Software which is available only to the Institute Food and Nutrition Researchers.

Food composition work is of course a continuous process. As food habits change, new and improved agricultural crops are produced, and new and improved food products are developed, information should be gathered to make the composition of the feeding habits complete. The work should have a set budget so the work of revising/updating and expanding the existing manuals and data bases continues.

NOTE ON ANALYTICAL PROCEDURES

For many nutrients several reliable analytical methods are available which give comparable results. The choice of the analytical methods, however, may be limited by the available resources. In choosing the analytical method, focus has been made on the analytical principle involved rather than concentrating on instrumental techniques. Hence, both instrumental as well as the classical chemical methods have been used to obtain good analytical results. The validity of the chosen analytical methods have been checked routinely by running standard reference materials (SRMs) of certified values (1).

SAMPLE HANDLING:

Samples brought in for analysis contained relevant information such as food type, major ingredient composition, source, etc. They were then given sequential laboratory numbers and registered in laboratory registration book. All samples were stored in -20°C until analysis.

Before analysis, samples were equilibrated to room temperature. Care has been taken for components in the food which can easily undergo chemical changes by exposure to air and light. Solid foods were properly mixed while liquid or semi-solid foods were homogenized very carefully before sampling.

FOOD ENERGY:

The units used for food energy are calories. Prepared foods included in this publication are heterogeneous in nature which were prepared by traditional practice as there is no standardized procedure. The major ingredients of the prepared foods are known but the exact proportion of each

ingredient is not known. Thus, specific calorie factors are not used. Instead, the food energy factor which were based on the physiological energy factor usually called the Atwater's Factors, 4,9,4 to the percentage composition of protein, fat and carbohydrates (without crude fibre) were used, respectively (2,3).

MOISTURE:

Moisture content included free water and volatile substances. Dry matter in the food sample was determined by oven drying method at 105°C. A known weight of sample was heated in an oven to constant weight. The difference in weight was moisture content of the sample (4,5). Foods with high water content were first dried at low temperature (65°C) and further drying was carried out as above.

TOTAL NITROGEN:

Total nitrogen was determined using Kjeldahl procedure (6,7). To each digestion tuber, a catalyst mixture of Se and K_2SO_4 (0.5g Se and 100g K_2SO_4) was added.

TOTAL PROTEIN:

In all cases, protein values have been calculated from the nitrogen content as determined by the Kjeldahl procedure multiplied by the factor 6.25. ie. $N \times 6.25$. This might over estimate the values compared to the use of individual factors.

FAT:

Fat refers to the "Ether extractable" material. Oven dried sample was extracted in soxhlet apparatus using anhydrous diethyl ether as described in the Official Methods of Analysis, Association of Official Analytical Chemists and as described in the Tecator Manual (6,8).

CARBOHYDRATE:

The values given for carbohydrate in this table refers to the "total carbohydrate by difference". i.e. the difference between 100 percent and the sum of the percentage of moisture, protein fat and ash. The carbohydrate portion that is supposed to be utilized can be obtained by subtracting the crude fibre from the total carbohydrate.

CRUDE FIBRE:

The crude fibre was estimated as the portion of the carbohydrate that resist digestion when boiled in dilute sulfuric acid followed by subsequent boiling with dilute alkali and followed by subsequent washing, drying, weighing and igniting as described in Official Methods of Analysis, AOAC (6). It is largely cellulose, hemicellulose and lignin.

ASH:

Refers to the total inorganic material residue after igniting the sample at 550°C to burn off all the organic matter (5,6).

MINERALS:

a) Ca, Fe, Zn and Cu:

A similar procedure was followed for the determination of Ca, Fe, Zn and Cu. After removing the organic matter by dry ashing, the residue was dissolved in dilute hydrochloric acid followed by an appropriate dilution and the determination of the elements were carried by Atomic Absorption Spectrophotometry at a specific wavelength in a Varian Model 10/20 Spectra A. (5,6). For Ca determination, 5 ml of Lanthanum Chloride solution per 100 ml of the solution was added.

b) SODIUM and POTASSIUM:

An aliquot of the digested ash was used for the estimation of sodium and potassium by Flame Photometric Method (5,6).

c) PHOSPHOROUS:

An aliquot of the digested ash was used for the estimation of phosphorous by the standard ammonium molybdate calorimetric procedure of Fiske and Subbarow (9).

β-CAROTENE:

A general Open Column Chromatographic method consisting of sample extraction, saponification, concentration and separation on MgO:Hyflo Supercel column was used. Quantification of β-carotene was done spectrophotometrically (10,11). Values were expressed as retinol equivalent (RE).

The conversion factors used for calculation are those given by
FAO/WHO 1967, (12,13).

ie.

1(Retinol equivalent) RE = 1 ug all trans retinol
= 6 ug all trans β -carotene
= 12 ug other provitamin A carotenoid
= 3.33 IU Vitamin A
= 10 IU Provitamin A carotenoids

THIAMINE:

Thiamin was determined fluorometrically by the thiochrome
procedure (5,6) which employs purification by column
chromatography.

RIBOFLAVIN:

Riboflavin was determined flurometrically in terms of
differences between fluorescence before and after chemical
reduction (5,6). The intensity of fluorescence is proportional
to the concentration of riboflavin in dilute solution. The
method involves extraction, adjustment of extraction to PH
4.5, filtration and discolorization.

ASCORBIC ACID:

Ascorbic acid was determined by dye titration method (5,6)

TERMS & SYMBOLS USED

RE = Retinol Equivalent

CHO = Carbohydrate

O = Contains none

- = Not determined

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

					Composition in Terms of 100 grams Edible Portion																		
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid		
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams		
	CEREALS & CEREAL BASED PRODUCTS																						
1	Barley flour (roasted) + butter + spices	Buratu (Bale)	556.00	4.60	1.06	6.60	37.20	49.90	1.30		18.60	147.40	3.20	1.24	0.25	207.50	222.50	28.10	0.02	0.30	0.00		
2	Barley flour (roasted) + whey + chili + salt: sauce	Hazo (Tigray/Eastern Zone)	76.00	80.10	0.50	3.10	8.70	15.10	0.70	1.00	49.30	106.60	2.60	0.52	0.45	135.30	152.60	70.00	0.06	0.04	0.00		
3	Barley flour (roasted) + butter + spices	Firfiro (Bale)	232.00	39.70	0.76	4.80	9.30	45.00	1.00	1.20	21.90	84.90	3.40	1.14	0.39	263.30	183.20	16.50	0.04	0.03	0.00		
4	Barley, <i>Hordeum vulgare</i> L. : roasted	Benga-shasha (Dorze)	373.00	2.90	1.44	9.00	2.00	83.80	4.10	2.30	76.00	344.00	31.50	1.80	1.75	34.00	539.00	8.00	0.03	0.09	0.00		
5	Barley flour (roasted) + butter + spices	Michiro (Bale)	447.00	7.20	1.34	8.40	18.00	64.60	1.70	1.80	26.90	299.20	3.40	1.80	0.32	287.70	275.70	10.30	0.03	0.11	0.00		
6	Barley, <i>Hordeum vulgare</i> L. : fresh	Benga-tiya (Dorze)	158.00	57.20	0.66	4.10	1.00	36.00	2.90	1.70	38.00	181.30	14.00	1.30	2.40	534.00	366.00	5.50	0.07	0.02	2.83		
7	Barley flour (roasted) + butter	Besso (Guji)	224.00	41.20	1.06	6.60	2.00	48.40	3.40	1.80	20.00	163.50	3.40	1.40	0.20	294.00	283.00	0.00	0.02	0.06	0.00		
8	Barley + milk + salt: soup	Shuro (E.Hararge/Jarso)	110.00	71.20	0.56	3.50	0.80	23.10	0.90	1.40	45.10	110.50	2.40	0.78	2.44	236.70	130.60	47.60	0.02	0.08	0.00		
9	Barley, <i>Hordeum vulgare</i> L. : enjera	Tayeta (Tigray/Southern Zone)	164.00	56.30	0.84	5.20	1.10	35.90	2.50	1.50	53.70	184.90	30.10	1.58	0.95	18.90	253.40	1.30	0.07	0.03	0.00		

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

					Composition in Terms of 100 grams Edible Portion																					
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid					
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams					
10	Barley flour (roasted) + salt + water	Becho (E.Hararge/Jarso)	193.00	49.60	0.94	5.90	0.80	42.20	1.70	1.50	17.60	206.70	4.60	1.38	1.61	177.40	278.20	5.00	0.02	0.09	0.00					
11	Barley flour (roasted) + salt + water	Teblo (Tigray/Eastern Zone)	144.00	62.40	0.78	4.90	0.70	30.90	1.30	1.10	20.70	175.90	5.40	0.92	0.90	144.71	173.70	0.00	0.05	0.10	0.00					
12	Barley flour (roasted) + butter + salt	Ch'iko (Guji)	542.00	3.70	1.15	7.20	36.60	50.60	4.70	1.90	29.00	282.10	8.60	0.92	1.92	495.00	204.00	0.00	0.08	0.05	0.00					
13	Emmer wheat + sugar + salt + oil: soup	Shurba (E.Hararge/Jarso)	93.00	79.30	0.26	1.60	2.50	16.30	0.40	0.30	80.10	46.20	1.90	0.46	0.34	5.30	46.20	2.80	0.03	0.01	0.00					
14	Maize, <i>Zea mays</i> L. : porridge with salt	Merqa (Borena)	123.00	68.90	0.46	2.90	1.40	26.10	1.30	0.70	5.00	164.50	1.00	0.64	4.00	171.00	77.00	0.00	0.04	0.01	0.00					
15	Maize + milk + salt + water: porridge	Shuro (E.Hararge/Kersa)	92.00	76.70	0.31	1.90	1.10	19.20	0.50	1.10	34.70	60.50	2.30	0.52	0.12	233.70	112.20	6.40	0.03	0.01	0.00					
16	Maize + kidney beans: boiled	Ugno (Gambella/Agnuak)	177.00	55.60	1.15	7.20	1.70	34.70	1.60	0.80	15.70	166.50	2.20	2.00	0.30	5.50	234.70	18.00	0.03	0.07	0.00					
17	Maize + kidney beans: boiled	Shumo (E.Hararge/Kersa)	126.00	67.40	0.58	3.60	0.50	27.70	1.00	0.80	34.70	35.10	2.20	0.33	0.27	109.50	110.10	20.30	0.02	0.05	0.00					
18	Maize, <i>Zea mays</i> L. : porridge	Kuown (Gambella/Agnuak)	118.00	70.50	0.49	3.10	0.04	26.40	0.10	0.10	2.30	16.60	2.20	0.12	0.11	2.10	6.80	14.30	0.01	0.01	0.00					
19	Maize + fish: porridge	Wolewol (Gambella/Nuer)	111.00	72.80	1.06	6.60	1.40	18.50	0.50	0.70	11.00	56.60	5.30	0.46	0.14	137.10	90.80	6.60	0.01	0.08	0.00					

ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Composition in Terms of 100 grams Edible Portion																Thiamine	Riboflavin	Ascorbic Acid
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE			
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms			
20	Maize, <i>Zea mays</i> L. : unleavened bread	Torocho (Kembata)	152.00	38.30	0.85	5.30	2.70	52.90	1.40	0.80	3.50	94.80	3.60	1.33	0.10	9.50	174.70	5.10	0.04	0.28	0.00
21	Maize (75%) + wheat (25%): whole, unleavened bread	Tilis (Welayita)	255.00	36.50	0.98	6.10	2.30	54.10	1.60	1.00	11.00	182.80	8.00	1.60	0.74	140.00	195.00	5.00	0.04	0.02	2.12
22	Maize, <i>Zea mays</i> L. : gruel with salt	Butiqa (Borena)	76.00	81.20	0.27	1.70	0.40	16.00	0.30	0.70	4.00	46.30	2.00	0.20	0.94	182.00	33.00	0.00	0.01	0.03	0.00
23	Maize + milk: porridge	Wolewol (Gambella/Nuer)	100.00	76.10	0.48	3.00	1.90	18.40	0.60	0.60	37.80	59.70	2.70	0.49	0.08	12.50	110.50	4.60	0.02	0.04	0.00
24	Maize, <i>Zea mays</i> L.: porridge with salt	Hufisa (Sidama)	122.00	71.90	0.34	2.10	0.90	24.60	0.80	0.50	4.60	108.94	3.00	0.45	5.80	125.30	59.00	0.00	0.03	-	0.00
25	Maize, <i>Zea mays</i> L. : split, boiled with salt	Qinchye (Borena)	85.00	75.60	0.36	2.20	0.40	21.20	3.10	0.60	4.40	50.00	0.75	0.20	0.00	188.00	34.00	0.00	0.02	0.08	0.00
26	Maize + sesame powder + salt: boiled	Selmaen-fofel thesha (Asossa/Berta)	132.00	67.40	0.50	3.10	2.30	25.90	1.10	1.30	32.80	73.20	1.60	0.16	0.11	242.50	58.10	2.20	0.02	0.05	0.00
27	Maize, <i>Zea mays</i> L. : bread	Dabbo (W. Wellega)	192.00	52.20	0.72	4.50	1.90	40.60	1.30	0.80	10.50	126.90	22.80	1.23	0.30	19.00	236.00	3.60	0.10	0.09	0.00
28	Maize, <i>Zea mays</i> L. : steamed	Gafuma (Sidama)	154.00	58.80	0.56	3.50	1.60	35.10	3.70	1.00	3.60	102.10	2.00	1.40	0.17	162.00	96.00	0.00	0.05	0.01	0.00
29	Maize, <i>Zea mays</i> L. : enjera	Tayeta (Tigray/Shire)	159.00	60.20	0.71	4.40	1.30	33.50	1.20	0.60	2.40	111.10	9.80	0.60	0.40	7.80	113.02	38.10	0.03	0.05	0.00

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

			Composition in Terms of 100 grams Edible Portion																			
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid	
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams	
30	Maize, <i>Zea mays</i> L.: enjera	Bud (Bench and Maji Zone/Bench)	179.00	54.00	0.65	4.10	0.90	40.50	1.80	0.50	3.60	119.90	3.90	0.74	0.73	36.60	97.90	2.10	0.04	0.02	0.00	
31	Maize, <i>Zea mays</i> L.: unleavened bread	Bud (Bench and Maji Zone/Bench)	199.00	50.00	0.76	4.90	1.80	42.40	1.60	1.00	7.70	175.80	14.40	1.54	0.61	141.90	151.50	6.00	0.09	0.03	0.00	
32	Maize, <i>Zea mays</i> L.: unleavened bread	Sheti-tesa (Bench and Maji Zone/Sheko)	200.00	49.60	0.68	4.10	0.80	44.90	0.90	0.50	2.40	260.50	4.12	0.81	0.14	10.90	114.40	3.00	0.03	0.03	0.00	
33	Maize, <i>Zea mays</i> L.: enjera	Algurassa amule (Asossa/Berta)	189.00	54.90	0.72	4.50	1.40	38.50	1.20	0.70	6.30	163.00	8.80	0.53	0.17	7.70	133.40	0.00	0.02	0.04	0.00	
34	Maize + milk + salt: porridge	Shuro (E.Hararge/Jarso)	97.00	75.30	0.35	2.20	0.90	20.50	0.50	1.10	21.50	72.20	5.70	0.50	2.17	285.80	98.50	45.60	0.02	0.09	0.00	
35	Maize, <i>Zea mays</i> L.: Unleavened bread	Qyit't'a (Sidama)	233.00	37.10	0.78	4.90	2.60	54.20	6.60	1.20	8.10	217.20	3.20	1.20	0.90	321.00	287.00	0.00	0.07	0.03	0.00	
36	Maize (75%) + wheat (25%), dehulled: unleavened bread	Tillie (Welayita)	259.00	36.40	0.92	5.80	2.60	54.10	0.90	1.10	5.00	189.00	4.40	1.40	0.42	17.00	186.00	1.80	0.29	0.13	0.00	
37	Maize, <i>Zea mays</i> L.: roasted	Baro bungo (Keficho Zone/Keficho)	376.00	6.20	1.50	9.40	3.80	78.70	2.70	1.40	4.10	247.30	2.90	1.80	0.50	204.10	204.10	2.00	0.07	0.03	0.00	
38	Maize, <i>Zea mays</i> L.: porridge	Boru-de-weida (Bench and Maji Zone/Menit)	148.00	62.90	0.50	3.10	1.20	32.30	1.10	0.50	3.10	108.90	3.30	0.77	0.11	5.50	132.40	2.80	0.03	0.16	0.00	
39	Maize, <i>Zea mays</i> L.: unleavened bread	Bedella-uessa(Dorze)	220.00	43.20	0.92	5.80	2.60	47.50	4.10	0.90	45.00	167.90	6.80	1.40	0.68	20.90	250.00	4.00	0.04	0.14	0.00	

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

					Composition in Terms of 100 grams Edible Portion																		
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (Inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid		
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams		
40	Maize, <i>Zea mays</i> L.: unleavened bread	Bedella-uessa (Gamo)	250.00	38.40	0.78	4.90	2.60	53.20	1.40	0.90	47.40	459.60	10.70	2.60	1.30	416.00	160.00	4.30	0.02	0.63	0.00		
41	Maize, <i>Zea mays</i> L.: unleavened bread	Qicha (Tigray/Eastern Zone)	314.00	21.90	1.09	6.80	3.20	66.50	1.90	1.60	5.80	174.10	2.70	1.22	0.31	241.60	223.90	10.60	0.06	0.05	0.00		
42	Maize, <i>Zea mays</i> L.: enjera	Tayeta (Tigray/Eastern Zone)	182.00	53.90	0.81	5.10	1.40	38.80	1.60	0.80	13.40	123.30	2.30	0.88	0.38	3.60	154.00	15.70	0.03	0.15	0.00		
43	Maize (75%) + cassava (25%) + salt: boiled	Karsha (Konso)	193.00	49.30	0.52	3.20	1.70	44.50	3.20	1.30	18.00	157.30	7.00	1.10	1.20	152.00	231.00	2.40	0.01	-	0.00		
44	Maize (80%) + tef (20%): bread	Balsha-de-weida-o-gachit (Bench and Maji Zone/Menit)	179.00	55.00	0.71	4.40	1.20	38.60	1.00	0.80	17.80	168.30	16.10	1.06	0.24	9.90	180.00	7.40	0.04	-	0.00		
45	Maize (75%) + wheat (25%): unleavened bread	Maxinoo (E. Wellega)	180.00	55.10	0.70	4.40	1.60	38.20	1.10	0.70	3.30	111.70	12.00	0.63	0.27	10.00	231.00	81.00	0.14	0.13	0.00		
46	Maize, <i>Zea mays</i> L.: bread	Tirwashe (Gurage/Cheha)	207.00	47.60	0.73	4.60	2.00	44.00	1.40	1.80	6.50	149.20	5.30	0.83	0.14	295.20	180.60	2.20	0.04	0.21	0.00		
47	Maize (90%) + tef (10%): enjera	Kosho (Keficho Zone/Keficho)	178.00	55.00	0.65	4.10	1.20	38.80	1.00	0.90	26.50	155.70	52.40	0.97	0.52	10.20	141.30	5.90	0.05	0.16	0.00		
48	Maize (75%) + kidney beans (25%): boiled	Shotel bera-de-weida (Bench and Maji Zone/Menit)	207.00	47.20	1.15	7.20	1.80	42.60	2.10	1.20	28.80	189.40	5.90	1.15	0.43	68.10	346.90	4.80	0.02	0.02	0.00		
49	Maize + false banana + sweet potato + aleko: cooked	Fosesse (Gamo)	147.00	61.40	0.59	3.70	1.70	31.10	1.80	2.10	62.00	236.00	4.00	0.70	0.80	233.00	216.00	968.10	0.03	0.06	2.12		

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

						Composition in Terms of 100 grams Edible Portion																	
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid		
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams		
50	Maize + aleko + kidney bean: cooked	Fosesse (Gamo)	142.00	54.90	1.02	6.40	1.50	33.90	6.10	1.30	65.00	376.60	8.00	0.84	0.90	500.00	523.00	252.90	0.01	0.02	2.83		
51	Maize (50%) + wheat (50%): unleavened bread	Mufe (Afar)	259.00	34.90	1.05	6.60	1.90	55.60	1.70	1.90	2.60	176.80	1.20	0.23	0.04	34.60	35.70	23.30	0.03	0.13	0.00		
52	Maize, Zea mays L.: boiled	Beqqollo, nifro (Kembata)	198.00	56.60	0.81	5.10	2.00	41.40	1.60	0.90	3.00	149.80	0.90	1.10	0.14	11.30	259.60	4.70	0.02	0.05	0.00		
53	Maize, Zea mays L.: roasted	Beqqollo, qolo (Kembata)	186.00	53.80	0.77	4.80	1.80	38.70	1.00	0.90	3.10	132.50	0.60	0.80	0.08	11.80	199.90	6.70	0.02	0.04	0.00		
54	Maize, Zea mays L.: unfermented enjera	Budeena boqollo (E. Wellega)	157.00	61.80	0.64	4.00	2.20	31.30	0.90	0.70	5.30	144.50	4.00	1.24	0.25	12.00	161.00	13.10	0.16	0.20	0.00		
55	Maize (75%) + wheat (25%) + butter + sour milk: porridge	Merqa (E. Wellega)	120.00	71.00	0.59	3.70	2.00	22.40	0.70	0.90	14.00	103.00	3.60	0.87	0.23	146.00	153.00	20.40	0.03	0.01	0.00		
56	Maize (50%) + sorghum (50%): bread	Dabu-tera-sheti-donqa (Bench and Maji Zone/Sheko)	185.00	53.10	0.69	4.30	1.00	40.80	1.00	0.80	5.90	179.90	3.10	0.95	0.20	17.20	163.60	16.60	0.03	0.01	0.00		
57	Maize (75%) + false banana (25%): baked	Gindessa-uessa (Gamo)	197.00	45.80	0.62	3.90	1.70	47.50	6.10	1.10	26.00	388.40	9.00	0.90	1.00	95.00	456.00	6.60	0.02	0.44	0.00		
58	Maize + milk (cow's): porridge	Genfo (Afar)	109.00	72.20	0.41	2.60	0.90	23.30	0.60	1.00	25.50	68.10	8.10	1.45	0.19	361.40	257.40	10.70	0.02	0.03	0.00		
59	Maize (50%) + broad beans (50%): boiled	Shotel weida-de-beqelo (Beach and Maji Zone/Menit)	147.00	55.50	1.40	8.80	1.20	33.50	3.30	1.00	23.80	176.40	3.30	2.02	0.78	22.70	331.90	6.70	0.01	0.06	0.00		

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

			Composition in Terms of 100 grams Edible Portion																			
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid	
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams	
60	Millet (75%) + sorghum (red) (75%): enjera	Injera (Gonder/Negede Weyto)	172.00	56.00	0.86	5.40	1.10	36.40	1.30	1.10	34.30	167.40	30.70	0.85	0.29	11.40	176.90	9.40	0.03	0.03	0.00	
61	Millet (red) <i>Eleusine coracana L.</i> : whole	Dagussa, qeyy (Tigray/Shire)	338.00	10.20	0.93	5.80	1.40	79.90	4.20	2.70	417.60	283.10	7.70	1.74	0.94	540.30	448.50	20.40	0.03	0.08	0.00	
62	Millet, <i>Eleusine coracana L.</i> : enjera	Injera (Gonder/Negede Weyto)	164.00	55.00	0.65	4.10	0.70	38.30	3.10	1.90	110.70	137.20	37.30	0.75	0.45	24.90	318.80	5.30	0.04	0.05	0.00	
63	Millet (black), <i>Eleusine coracana L.</i> : whole	Dagussa, t'iqur (Tigray/Shire)	339.00	7.90	1.02	6.40	1.40	81.70	6.50	2.60	397.00	229.50	21.60	1.99	0.80	36.40	411.00	9.50	0.02	0.15	0.00	
64	Millet (white), <i>Eleusine coracana L.</i> : whole	Dagussa, nech' (Tigray/Shire)	341.00	10.30	0.93	5.80	1.40	79.80	3.40	2.70	407.20	286.00	7.50	2.02	0.95	33.00	437.70	24.80	0.04	0.05	0.00	
65	Millet, <i>Eleusine coracana L.</i> : unleavened bread	Pantsa (Metekel/Gumuz)	165.00	55.40	0.53	3.30	0.60	39.20	2.50	1.50	173.80	128.90	27.70	1.11	0.49	35.10	222.60	3.00	0.02	0.28	0.00	
66	Sorghum (75%) + maize (25%): unleavened bread	Bud (Bench and Maji Zone/Bench)	194.00	48.70	0.77	4.80	1.20	44.30	3.20	1.00	7.30	185.80	6.40	0.89	0.95	110.50	156.90	10.40	0.08	0.02	0.00	
67	Sorghum (75%) + maize (25%): enjera	Algurassa selmtsigi-we-amule (Asossa/Berta)	184.00	52.60	0.69	4.30	1.00	41.00	1.50	1.10	9.50	120.30	32.40	0.55	0.25	11.80	160.20	0.00	0.03	0.06	0.00	
68	Sorghum, <i>Sorghum</i> spp.: enjera	Budeena bobee (W.Wellega)	172.00	56.10	0.56	3.50	0.70	39.10	1.20	0.60	10.10	92.90	6.90	0.63	0.16	33.90	109.70	34.70	0.08	0.02	0.00	
69	Sorghum, <i>Sorghum</i> spp.: fermented porridge	Duqa-selmtsigi (Asossa/Berta)	104.00	73.40	0.36	2.30	0.40	23.50	0.70	0.40	6.60	67.80	5.50	0.35	0.10	6.50	110.30	0.00	0.03	0.20	0.00	

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Composition in Terms of 100 grams Edible Portion											Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc. fiber)	Fiber	Ash	Calcium	Phosphorous	Iron								
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams								
70	Sorghum (75%) + aleko (25%): boiled	Dama (Konso)	159.00	59.90	0.72	4.50	1.80	32.40	1.30	1.40	91.00	130.00	4.40	0.76	0.44	174.00	213.00	153.80	0.16	-	4.78
71	Sorghum (red), Sorghum spp.: boiled	Mullu bisinga (E. Wellega)	139.00	64.90	0.48	3.00	1.00	30.40	0.90	0.70	6.90	98.20	2.40	0.50	0.50	134.00	111.00	21.00	0.08	0.06	0.00
72	Sorghum + milk (camel's): porridge	Genfo (Afar)	129.00	68.60	0.44	2.80	1.40	26.70	0.30	0.50	25.20	64.60	1.90	0.59	0.70	10.70	107.60	0.60	0.02	0.08	0.00
73	Sorghum, Sorghum spp.: boiled	Gembo uessa (N.Omo/Konta)	204.00	47.80	0.67	4.20	1.10	45.80	2.20	1.10	16.70	126.70	11.70	0.77	0.88	15.90	286.00	10.30	0.06	0.12	0.00
74	Sorghum, Sorghum spp.: porridge	Merqa (Kemache zone/Gumuz)	146.00	64.40	0.43	2.70	0.70	31.50	0.80	0.70	8.10	112.10	10.50	0.69	1.30	17.00	137.00	1348.80	0.05	0.02	0.00
75	Sorghum, Sorghum spp.: unfermented enjera	Budeena bisinga (E. Wellega)	171.00	56.80	0.67	4.20	0.90	37.40	1.00	0.70	10.40	109.40	6.30	0.84	0.60	39.00	76.00	34.60	0.07	0.20	0.00
76	Sorghum + milk (cow's): boiled	Bokha (Afar)	120.00	70.50	0.53	3.30	1.90	23.20	0.80	1.10	35.30	90.30	1.20	0.62	0.09	229.60	118.50	10.20	0.02	0.00	0.00
77	Sorghum, Sorghum spp.: porridge	Boru-de-libajun (Bench and Maji Zone/Menit)	147.00	62.60	0.46	2.90	0.60	23.20	0.70	0.70	8.90	124.60	14.80	0.62	0.13	9.50	154.30	1.90	0.03	0.05	0.00
78	Sorghum + kidney beans: boiled	Wehene-gemboni kokia (N.Omo/Konta)	143.00	62.10	0.94	5.90	0.80	30.30	2.20	0.90	30.90	133.50	3.60	0.85	0.52	19.90	316.80	7.00	0.01	0.01	0.00
79	Sorghum, Sorghum spp.: enjera	Bedella tabeta (Kemache zone/Gumuz)	150.00	62.10	0.46	2.90	0.70	33.60	0.70	0.70	20.80	90.30	6.00	0.54	1.00	41.00	139.00	7.30	0.02	0.06	0.00

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

			Composition in Terms of 100 grams Edible Portion																								
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid						
			Kcalorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Microgram	Milligram	Milligrams	Milligrams						
80	Sorghum + cassava + aleko: boiled	Dama (Konso)	128.00	62.60	0.52	3.10	0.80	31.70	4.90	1.70	93.00	74.20	13.00	0.52	0.60	131.00	194.00	110.00	0.01	-	4.25						
81	Sorghum, Sorghum spp.: enjera	Tayeta (Tigray/Shire)	164.00	58.30	0.66	4.10	1.00	35.70	1.10	0.90	7.50	100.70	36.00	0.73	0.72	10.90	123.40	4.20	0.03	0.16	0.00						
82	Sorghum, Sorghum spp.: enjera	Chaka kina (Tigray/Kunama)	176.00	55.30	0.84	5.20	1.20	37.40	1.20	1.00	27.10	140.40	9.30	1.24	0.38	11.60	185.40	2.10	0.03	0.07	0.00						
83	Sorghum (50%) + millet (50%): enjera	Injera (Gonder/Negede Weyto)	165.00	56.30	0.60	3.80	0.80	37.50	1.90	1.60	57.90	128.10	73.00	0.70	0.48	16.80	180.50	2.70	0.03	0.05	0.00						
84	Sorghum (75%) + emmer wheat (25%): enjera	Budeena (E.Hararge/Kersa)	196.00	49.70	0.64	4.00	1.10	44.40	1.80	0.80	22.50	133.40	9.50	0.86	0.42	13.40	180.60	10.00	0.05	0.07	0.00						
85	Sorghum (50%) + maize (50%): enjera + birds eye chili + shallot + salt + spices	Tayeta + dequa (Tigray/Shire)	170.00	55.30	0.70	4.40	1.20	36.80	1.40	2.30	127.40	108.60	22.00	0.75	1.05	501.50	181.00	12.20	0.03	0.95	0.00						
86	Sorghum, Sorghum spp.: enjera	Budeena (E.Hararge/Kersa)	224.00	42.80	0.92	5.80	1.30	48.80	1.50	1.30	127.50	227.10	7.40	1.33	0.43	15.50	282.50	24.00	0.06	0.18	0.00						
87	Sorghum, Sorghum spp.: bread with spices	Chimbo (Metake/Shinasha)	160.00	58.60	0.65	4.10	1.10	34.20	0.90	2.00	27.40	112.20	34.10	0.49	0.41	166.90	200.90	8.20	0.03	0.15	0.00						
88	Sorghum (white,50%) + millet (30%)+ sorghum (red,20%): enjera	Injera (Gonder/Negede Weyto)	169.00	55.70	0.67	4.20	0.90	38.00	1.90	1.20	45.20	122.70	34.10	0.69	0.32	16.80	182.90	10.20	0.03	0.01	0.00						
89	Sorghum + fish: steamed, porridge	Akoba (Gambella/Nuer)	139.00	64.90	1.56	9.80	1.00	23.40	0.60	0.90	14.00	163.40	5.30	0.89	0.23	155.30	171.40	16.70	0.02	0.14	0.00						

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

						Composition in Terms of 100 grams Edible Portion																		
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid			
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams			
90	Sorghum (60%) + tef (40%): enjera	Ukhat (Harari)	192.00	49.90	0.86	5.40	1.00	41.60	2.30	1.10	31.30	109.40	9.30	1.10	0.58	47.80	164.80	0.00	0.03	0.11	0.00			
91	Sorghum (red, 85%) + sorghum (white, 15%): enjera	Injera (Gonder/Negede Weyto)	167.00	55.80	0.65	4.10	1.00	37.50	2.00	1.60	40.70	134.90	36.70	0.75	0.27	26.70	254.50	7.20	0.02	0.02	0.00			
92	Sorghum + kidney bean + kema (unidentified vegetable) + green pepper + garlic + ginger + salt: porridge with sauce	Mua (Metekel/Shinasha)	100.00	72.40	0.42	1.60	0.50	22.00	0.70	2.50	38.40	70.00	19.50	0.46	0.25	152.70	287.70	41.40	0.02	0.04	0.00			
93	Sorghum + milk: steamed,porridge	Akob (Gambella/Nuer)	144.00	66.40	0.68	4.30	3.10	25.60	0.70	0.70	52.10	152.30	2.70	0.78	0.15	19.80	169.30	12.60	0.02	0.03	0.00			
94	Sorghum (50%) + tef (50%): enjera	Ukhat (Harari)	193.00	50.40	1.00	6.50	0.80	41.20	1.20	1.10	35.20	85.80	4.80	0.90	0.53	42.90	153.70	2.80	0.04	0.07	0.00			
95	Sorghum (65%) + emmer wheat (35%): enjera + fenugreek + shallot + tomato + oil + salt : sauce	Lafiso (E.Hararge/Jarso)	103.00	72.10	0.53	3.30	2.00	18.80	0.90	3.30	27.80	76.30	3.80	0.46	0.28	242.00	120.20	5.90	0.02	0.09	0.00			
96	Tef (75%) + sorghum (25%): enjera	Budeena xaafii bisinga (W.Wellega)	161.00	58.20	0.71	4.40	0.70	35.60	1.40	1.10	43.30	155.80	45.60	0.97	0.34	11.80	148.30	7.50	0.08	0.12	0.00			
97	Tef (75%) + sorghum (25%) + birds eye chili: unfermented thick enjera	Galagalcha (E. Wellega)	159.00	58.60	0.78	4.90	1.10	34.00	1.60	1.40	116.30	142.30	29.00	1.40	0.66	208.00	272.00	33.80	0.17	0.07	0.00			
98	Tef, Eragrostis tef: fermented enjera	Budeena xaafii (E. Wellega)	166.00	56.30	0.78	4.90	1.00	36.30	2.20	1.30	73.00	164.10	56.00	1.00	0.60	25.00	185.00	14.60	0.15	0.06	0.00			
99	Tef (50%) + sorghum (50%): enjera	Budeena xaafii bisinga (E. Wellega)	151.00	61.20	0.75	4.70	1.00	32.20	1.40	0.90	40.00	130.50	19.00	1.08	0.50	8.00	184.00	13.60	0.14	0.05	0.00			

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

						Composition in Terms of 100 grams Edible Portion																		
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid			
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams			
100	Tef, <i>Eragrostis tef</i> : unfermented enjera	Budeena xaafii (E.Wellega)	178.00	54.20	0.70	4.40	0.90	38.90	2.00	1.60	86.00	183.40	50.20	1.10	0.64	17.00	257.00	5.20	0.08	0.02	0.00			
101	Tef, <i>Eragrostis tef</i> : enjera	Injera (N. Gonder/Dembia)	169.00	52.10	0.79	4.90	1.00	40.60	5.40	1.40	56.70	214.10	40.80	1.81	0.57	9.30	234.50	6.00	0.08	0.07	0.00			
102	Tef (75%) + wheat (25%): enjera	Tayeta (Tigray/Central Zone)	175.00	54.70	0.78	4.90	0.90	38.10	1.30	1.40	53.70	136.90	48.80	1.12	1.16	3.90	156.30	13.00	0.03	0.09	0.00			
103	Teff (75%) + sorghum (25%): enjera	Tayeta (Tigray/Shire)	178.00	56.00	0.82	5.10	1.00	36.50	1.30	1.40	49.90	136.60	43.70	1.20	0.93	16.10	199.30	2.90	0.03	0.03	0.00			
104	Tef (50%) + sorghum (50%): enjera	Budeena xaafii bisinga (W.Wellega)	176.00	54.20	0.84	5.20	0.70	38.90	1.60	1.00	51.90	143.90	22.20	1.60	35.50	9.30	135.10	11.00	0.08	0.05	0.00			
105	Tef, <i>Eragrostis tef</i> : enjera	Gasha sholowa (N.Omo/Konta)	162.00	59.40	0.66	4.10	0.90	34.50	0.10	1.10	69.00	160.70	11.50	1.10	0.67	7.70	232.60	11.30	0.03	0.01	0.00			
106	Tef (50%) + sorghum (50%): enjera	Injera (Gonder/Negede Weyto)	186.00	52.20	0.74	4.60	1.00	41.00	1.40	1.20	34.90	164.90	25.00	0.89	0.29	9.30	183.00	3.20	0.06	0.08	0.00			
107	Tef (65%) + sorghum (35%): unleavened bread	Tesa-gacho-donqa (Bench and Maji Zone/Shoko)	174.00	52.40	0.78	4.90	0.90	40.30	3.50	1.60	52.80	200.00	62.90	1.63	0.53	19.90	231.70	16.50	0.08	0.02	0.00			
108	Tef (75%) + barley (25%): enjera	Tayeta (Tigray/Central Zone)	142.00	62.70	0.66	4.10	0.70	31.10	1.40	1.40	48.30	112.60	39.40	1.20	0.98	8.50	198.10	4.10	0.03		0.00			
109	Wheat + oil + sugar + salt: unleavened bread	Tuitufa (E.Hararge/Kersa)	227.00	39.50	0.94	5.90	3.00	45.70	1.60	5.90	29.60	194.60	17.40	1.79	0.49	167.60	237.10	8.80	0.07	0.23	0.00			

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

						Composition in Terms of 100 grams Edible Portion																		
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid			
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams			
110	Wheat + milk + sugar + oil: Soup	Shurba (E.Hararge/Kersa)	82.00	78.90	0.35	2.20	0.40	17.70	0.40	0.80	49.40	59.40	2.40	0.53	0.19	116.50	77.20	2.10	0.02	0.02	0.00			
111	Wheat (75%) + maize (25%): unleavened bread	Qyit't'a (Borena)	239.00	38.30	1.28	8.00	1.50	50.40	2.10	1.80	15.40	157.20	5.00	2.00	2.12	101.00	107.00	15.60	0.06	0.04	0.00			
112	Wheat flour (refined) + butter + oil + baking powder + salt: baked	Mulawwah (Harari)	389.00	30.90	1.10	6.90	15.70	55.60	0.60	0.90	20.20	62.50	4.00	0.74	0.13	165.30	97.30	7.60	0.03	0.02	0.00			
113	Wheat flour (refined) + sesame seed + eggs + sugar + salt + baking powder + vanilla: fried	Kuskus (Harari)	385.00	20.90	1.13	7.10	15.30	55.40	0.80	1.30	57.00	70.00	5.00	0.70	0.11	247.50	125.00	14.60	0.03	0.25	0.00			
114	Wheat (50%) + emmer wheat (50%) + salt: unleavened bread	Qinta (E.Hararge/Jarso)	190.00	50.00	0.99	6.20	0.70	41.30	1.50	1.80	20.30	152.60	15.10	1.62	9.58	353.90	217.50	90.10	0.03	0.16	0.00			
115	Wheat, <i>Triticum vulgare</i> : unleavened bread	Hapi (Bale)	240.00	31.40	1.08	6.80	4.30	57.30	0.30	0.20	3.40	45.50	0.50	0.22	0.06	30.50	50.00	8.50	0.04	0.09	0.00			
116	Wheat (50%) + maize (50%): unfermented enjera	Budeena chabita (W.Wellega)	169.00	57.20	0.78	4.90	0.90	36.40	1.00	0.60	10.20	101.20	2.51	0.90	0.12	8.49	126.90	1.70	0.05	0.03	0.00			
117	Wheat flour + butter + salt: unleavened bread	Mermere (Bale)	327.00	23.50	1.20	7.50	5.40	6.10	1.10	1.50	29.00	285.30	3.10	1.84	0.42	104.70	268.90	11.80	0.04	0.01	0.00			
118	Wheat flour + butter + water: similar to pasta	Sanketa (Bale)	152.00	65.00	0.64	4.00	3.40	26.70	0.40	0.90	12.70	70.00	1.80	0.66	0.17	31.30	111.10	10.30	0.02	0.10	0.00			
119	Wheat (75%) + maize (25%): thick enjera	Galagaicha (W.Wellega)	178.00	55.40	0.70	4.40	1.50	37.90	1.30	0.80	17.80	148.00	10.30	1.40	0.40	18.00	211.00	8.70	0.05	0.02	0.00			

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

					Composition in Terms of 100 grams Edible Portion																		
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid		
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams		
120	Wheat flour + salt + water: unleavened bread	Tuftuf (Harari)	251.00	33.40	1.24	7.80	0.80	55.60	2.50	2.40	27.60	196.50	7.10	1.73	0.65	374.20	306.90	4.60	0.03	0.05	0.00		
121	Wheat (refined) +eggs + shallot + green pepper + oil + salt + garlic: fried	Fatira (Harari)	372.00	30.60	1.60	10.00	20.70	37.60	0.60	1.70	36.10	190.70	2.20	1.00	0.32	487.10	176.90	5.80	0.03	0.07	0.00		
122	Wheat, <i>Triticum vulgare</i> : porridge	Ga'at (Tigray/Eastern Zone)	119.00	69.30	0.46	2.90	0.40	26.90	0.90	0.50	14.10	100.10	1.70	0.80	0.35	108.45	111.10	9.00	0.04	0.02	0.00		
123	Wheat (black), <i>Triticum vulgare</i> : bread	Ambasha (Tigray/Southern Zone)	219.00	40.10	1.32	8.20	0.70	49.60	2.20	1.40	48.20	187.70	11.60	2.08	0.57	247.90	262.90	6.90	0.08	0.01	0.00		
124	Wheat, <i>Triticum vulgare</i> : enjera	Tayeta (Tigray/Eastern Zone)	162.00	57.90	1.00	6.20	0.50	34.30	1.20	1.00	19.20	194.20	2.70	0.92	0.42	10.70	241.60	9.00	0.05	0.02	0.00		
125	Wheat, <i>Triticum vulgare</i> : unleavened bread	Qicha (Tigray/Eastern Zone)	244.00	36.60	1.50	9.40	0.90	51.50	2.00	1.60	29.20	234.80	0.80	1.17	0.43	176.20	299.20	3.60	0.11	0.02	0.00		
126	Wheat (75%) + chickpea (25%): roasted	Qolo (Tigray/Central Zone)	367.00	3.50	2.29	14.30	2.90	76.70	5.80	2.60	77.70	252.80	2.80	3.16	0.76	99.40	478.60	19.80	0.03	0.65	0.00		
127	Wheat (white), <i>Triticum vulgare</i> : bread	Ambasha (Tigray/Southern Zone)	208.00	44.80	1.06	6.60	0.70	45.60	1.70	2.30	38.40	147.70	3.40	1.63	0.27	183.70	204.20	2.50	0.05	0.13	0.00		
128	Wheat (white), <i>Triticum vulgare</i> : boiled	Nifro (Tigray/Southern Zone)	156.00	60.50	0.90	5.60	0.70	32.60	0.90	0.60	17.20	105.90	11.80	1.10	0.11	13.10	132.70	2.20	0.12	0.03	0.00		
129	Wheat, <i>Triticum vulgare</i> : thick enjera	Hanza (Tigray/Southern Zone)	187.00	52.30	0.74	4.70	0.90	41.30	1.30	0.80	11.00	114.10	2.30	1.38	0.39	42.20	184.80	1.10	0.20	0.13	0.00		

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

					Composition in Terms of 100 grams Edible Portion																		
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid		
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams		
130	Wheat (50%) + maize (50%): unleavened bread	Qicha (Tigray/Southern Zone)	254.00	36.20	1.01	6.30	1.80	54.60	1.50	1.10	12.49	184.20	3.60	1.57	0.45	126.30	248.10	4.80	0.06	0.03	0.00		
131	Wheat (50%) + maize (50%): thick enjera	Hanza (Tigray/Southern Zone)	196.00	50.30	0.76	4.80	1.00	43.20	1.30	0.70	8.00	129.80	2.10	1.27	0.41	7.60	184.80	4.50	0.40	0.10	0.00		
	<u>STARCHY ROOTS & TUBER BASED PRODUCTS</u>																						
132	Anchotye + butter + shallot + garlic + ginger + turmeric: sauce	Ancootee Ispeeshali (E. Wellega)	108.00	77.10	0.29	1.80	5.90	13.00	1.00	2.10	37.40	63.40	2.00	0.45	0.13	565.00	295.00	26.60	0.03	0.04	0.71		
133	Anchotye, <i>Coccinia abyssinica</i> : boiled	Ancootee (W.Wellega)	81.00	76.70	0.51	3.20	0.20	18.70	2.00	1.20	117.60	98.00	5.00	0.60	1.00	12.90	233.60	33.50	0.02	0.03	7.00		
134	Anchotye, <i>Coccinia abyssinica</i> + butter + shallot + fenugreek + turmeric + salt: sauce	Itto ancootee (E. Wellega)	61.00	83.90	0.26	1.60	2.60	8.60	0.70	3.30	21.00	65.80	6.30	0.44	0.20	645.00	303.00	187.30	0.02	-	0.00		
135	Cassava + aleko: boiled	Mogo-aleko (Konso)	124.00	66.80	0.21	1.30	0.20	36.40	1.10	1.30	82.00	42.60	4.50	0.20	0.30	52.00	167.00	547.00	0.01	0.02	4.96		
136	False banana + butter + mixed spices: scrambled	Bachira (Welayita)	122.00	66.40	0.12	0.80	2.20	28.30	3.40	2.30	50.00	26.50	7.50	0.76	0.33	406.00	274.00	11.90	0.04	-	0.68		
137	False banana + maize + aleko: cooked	Kurkufa (Gamo)	139.00	64.40	0.60	3.80	1.80	28.20	1.20	1.80	120.80	268.60	5.40	1.10	0.40	169.00	263.00	193.80	0.03	0.04	0.69		
138	False banana, <i>Ensete ventricosum</i> : baked	Wassa qyit't'a (Kembata)	138.00	61.90	0.13	0.80	0.10	36.20	2.70	1.00	70.20	78.20	3.30	0.47	0.09	10.20	209.90	10.70	-	0.07	0.00		

			Composition in Terms of 100 grams Edible Portion																			
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid	
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams	
139	False banana (root), Ensete ventricosum: boiled	Amicho (Kembata)	131.00	65.30	0.19	1.20	0.20	32.10	1.20	1.10	29.00	36.20	0.80	1.70	0.30	17.20	336.90	24.80	0.01	0.06	1.34	
140	False banana, Ensete ventricosum: baked	Gunja (Gedeo)	204.00	46.00	0.20	1.20	0.10	51.40	1.90	1.30	59.00	35.90	5.00	0.85	0.26	10.00	336.00	20.70	0.01	0.01	0.00	
141	False banana, Ensete ventricosum: baked	Kunchissa (Gedeo)	215.00	43.60	0.27	1.70	0.10	53.40	1.70	1.20	80.00	37.60	11.00	0.68	0.07	13.00	299.00	8.30	0.03	0.03	0.00	
142	False banana, Ensete ventricosum: baked	Uncha(Welayita)	145.00	61.30	0.13	0.80	0.10	36.60	1.30	1.20	42.00	26.10	4.20	0.72	0.30	7.00	169.50	10.20	0.01	0.02	0.00	
143	False banana, Ensete ventricosum: baked	Worki/qyit't'a (Guji)	188.00	46.30	0.28	1.80	0.20	50.00	5.40	1.70	192.00	67.50	7.30	0.56	1.83	102.00	213.00	7.20	0.02	0.04	0.00	
144	False banana, Ensete ventricosum: baked	Omolcho (Sidama)	209.00	45.60	0.20	1.20	0.10	51.90	2.90	1.20	208.00	69.19	3.10	0.60	0.14	13.00	116.00	19.40	0.02	0.03	0.00	
145	False banana (refined) + butter + chili + salt: porridge	Bulla, genfo (Gurage/Cheha)	105.00	77.30	0.01	0.10	3.80	17.90	0.20	0.90	18.30	1.90	0.60	0.10	0.02	200.80	36.00	79.90	0.01	0.07	0.00	
146	False banana, Ensete ventricosum: baked	Kebo (Gedeo)	190.00	49.90	0.24	1.50	0.10	47.40	1.70	1.10	76.00	30.70	11.00	0.65	0.61	9.00	358.00	22.60	0.12	0.02	0.00	
147	False banana (refined) + butter + birds eye chili + spice + salt: scrambled	Beraperat (Gurage/Cheha)	413.00	11.10	0.07	0.40	13.30	73.80	0.90	1.40	74.50	12.00	5.20	0.03	0.05	88.20	286.30	364.60	-	0.04	0.00	
148	False banana, Ensete ventricosum: baked	Omolcho (Guji)	185.00	47.40	0.26	1.60	0.10	49.60	5.20	1.30	2.50	72.40	7.00	0.56	0.19	96.00	244.00	7.30	0.02	0.05	0.00	

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Composition in Terms of 100 grams Edible Portion																		
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams
149	False banana (refined) + butter + sugar + salt: gruel	Bulla, at'mit (Gurage/Cheha)	56.00	87.70	0.01	0.03	1.50	10.70	0.14	0.10	6.50	6.60	0.50	0.12	0.05	21.90	11.40	1.30	-	0.19	0.00
150	False banana: baked, mixed with little butter	Wassa (Sidama)	203.00	43.70	0.21	1.30	2.20	50.40	6.00	2.40	306.00	68.30	6.50	0.50	0.16	227.00	210.00	8.30	0.03	-	1.42
151	False banana, <i>Ensete ventricosum</i> : baked	Wassa (Gurage/Cheha)	157.00	56.80	0.15	1.00	0.10	41.00	3.10	1.10	108.60	71.30	8.50	0.43	0.16	8.90	240.60	14.30	0.01	0.23	0.00
152	False banana + maize + aleko: cooked	Fosesse (Gamo)	146.00	58.60	0.75	4.70	1.60	31.60	1.90	3.50	161.00	252.50	9.60	1.00	0.60	192.00	306.00	404.20	0.03	0.44	2.12
153	False banana + sweet pepper + garlic + sacred basil: cooked	Fosesse (Dorze)	150.00	53.00	0.16	1.00	0.10	44.20	8.10	2.70	74.00	31.00	5.00	0.67	0.29	370.00	396.00	6.80	0.04	0.06	0.00
154	False banana, <i>Ensete ventricosum</i> : baked	Uncha-uessa (Dorze)	135.00	61.70	0.18	1.10	0.10	35.40	2.90	1.70	98.00	32.40	15.00	0.49	0.50	192.00	512.00	18.90	0.01	0.06	0.00
155	False banana (root + stem) + kale: boiled	Chede (Dorze)	82.00	75.00	0.22	1.40	0.20	21.60	3.00	1.80	61.00	50.20	2.50	0.52	0.20	166.00	527.00	310.30	0.02	0.00	1.39
156	False banana + kale + barley: cooked	Keshka (Dorze)	110.00	65.60	0.50	3.10	0.70	27.40	4.60	3.20	117.00	78.70	9.30	0.72	0.60	454.00	402.00	172.70	0.04	0.04	1.42
157	False banana, <i>Ensete ventricosum</i> : porridge	Uncha shandra (N.Omo/Konta)	97.00	74.00	0.09	0.60	0.10	14.60	1.30	0.70	51.50	24.90	2.30	0.14	0.22	14.30	190.80	19.80	0.04	0.04	1.38
158	False banana (root) + kale + salt: boiled	Wheta-tamber (Gurage/Cheha)	93.00	74.50	0.37	2.30	0.40	21.50	1.40	1.30	70.80	41.00	1.60	1.14	0.13	35.10	347.40	2383.40	-	0.24	0.70

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

			Composition in Terms of 100 grams Edible Portion																					
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid			
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams			
159	False banana (75%) + maize (25%): baked	Sareta (Welayita)	167.00	57.10	0.44	2.80	1.00	38.10	1.50	1.00	48.00	82.80	6.40	0.90	0.40	7.00	42.00	8.00	0.04	0.01	0.00			
160	False banana (root), <i>Ensete ventricosum</i> : boiled	Kudite-o-gene (Bench and Maji Zone/Menit)	128.00	65.80	0.21	1.30	0.10	31.90	1.40	0.90	24.80	92.10	0.70	2.80	0.24	14.90	311.80	72.20	0.01	0.01	2.05			
161	False banana, <i>Ensete ventricosum</i> : baked	Qeche qyit't'a (Kaficho Zone/Keficho)	178.00	52.90	0.25	1.60	0.10	44.10	1.40	1.30	71.30	98.80	2.80	0.42	0.25	38.70	371.60	14.50	0.03	0.02	0.00			
162	False banana, <i>Ensete ventricosum</i> : baked	Uncha uessa (N.Omo/Konta)	157.00	57.20	0.18	1.10	0.10	40.50	2.70	1.10	90.50	37.20	13.70	0.25	0.51	21.70	332.10	7.50	0.01	0.06	0.00			
163	False banana (75%) + maize (25%): cooked	Keshka (Dorze)	143.00	61.30	0.50	3.10	1.20	31.90	1.90	2.50	92.00	92.40	9.70	0.66	0.80	111.00	395.00	147.00	0.04	0.01	1.42			
164	False banana (refined), <i>Ensete ventricosum</i> : baked	Wassa qyit't'a, nech' (Kembata)	197.00	49.70	0.09	0.60	0.10	48.80	0.50	0.80	29.10	20.60	3.60	0.31	0.09	15.80	219.40	8.00	0.01	0.09	0.00			
165	Kesqe, <i>Dioscorea abyssinica Hochst.</i> : roasted	Kesqe (Axossa/Mao)	41.00	81.10	0.18	1.10	0.20	15.60	6.80	2.00	98.10	38.40	102.00	0.65	0.32	9.60	229.50	1.60	0.01	0.02	0.00			
166	Potato, <i>Solanum tuberosum L.</i> : boiled with skin	Welayita dono (Welayita)	84.00	77.20	0.24	1.50	0.20	19.80	0.70	1.30	18.40	74.30	3.60	0.40	0.29	8.00	444.00	12.60	0.01	0.01	2.83			
167	Potato + shallot + garlic + chili + oil + ginger + salt: sauce	Itto dinicha (W.Wellega)	63.00	81.10	0.23	1.40	1.40	12.60	1.50	3.50	14.80	34.60	2.02	1.50	0.17	1018.50	235.70	58.00	0.03	0.02	0.00			
168	Potato + shallot + chili + oil + garlic + salt: sauce	Dinnich wet' (N. Gonder/Dembia)	80.00	78.80	0.25	1.60	3.90	12.10	2.50	3.60	29.80	42.20	6.30	0.29	0.11	1117.40	279.80	115.30	0.02	0.04	0.00			

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

					Composition in Terms of 100 grams Edible Portion																		
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid		
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams		
169	Sweet potato, <i>Ipomoea batatas</i> L. : boiled	Metatish (Welayita)	137.00	64.00	0.11	0.70	0.20	34.10	1.00	1.00	13.00	53.70	0.70	0.20	0.70	18.00	569.00	469.70	0.02	0.08	1.42		
170	Sweet potato, <i>Ipomoea batatas</i> L. : boiled	Shukarita (Kembata)	121.00	68.10	0.12	0.08	0.20	30.60	1.00	1.00	23.60	9.10	0.90	0.13	0.14	18.40	342.50	5.20	0.02	0.03	2.09		
171	Sweet potato, <i>Ipomoea batatas</i> L. : boiled	Metate (Gamo)	111.00	65.40	0.20	1.20	0.20	29.70	2.20	3.50	24.00	52.70	0.70	0.20	0.70	59.00	590.00	530.40	0.04	0.02	4.24		
172	Taro, <i>Colocasia antiquorum</i> : boiled	Boyina doesa (N. Omo/Konta)	95.00	74.40	0.30	1.90	0.10	28.60	1.00	1.00	29.20	60.70	1.00	0.14	0.18	5.80	323.00	0.70	0.03	0.09	1.29		
173	Taro, <i>Colocasia antiquorum</i> , tepi variety: boiled	Jong (Bench and Maji Zone/Bench)	132.00	64.50	0.35	2.30	0.10	32.20	1.80	0.90	9.90	52.90	1.74	0.46	0.37	33.70	335.80	1.90	0.09	-	0.00		
174	Taro, <i>Colocasia antiquorum</i> , bench variety: boiled	Jong (Bench and Maji Zone/Bench)	91.00	75.10	0.26	1.60	0.10	22.00	1.20	1.20	33.30	71.20	0.72	3.64	0.21	17.60	671.70	3.00	0.03	0.04	0.00		
175	Taro, <i>Colocasia antiquorum</i> : boiled	Baka (Bench and Maji Zone/ Sheko)	105.00	71.20	0.24	1.60	0.10	25.70	1.20	1.40	32.40	72.40	1.60	3.54	0.23	127.60	415.20	1.90	0.05	0.02	0.00		
176	Taro, <i>Colocasia antiquorum</i> : boiled	Upelo (Gambella/Agnuak)	105.00	71.50	0.54	3.40	0.10	23.20	1.00	1.80	91.80	69.60	1.20	0.99	1.16	6.20	422.90	14.50	0.02	0.10	0.00		
177	Yam, <i>Dioscorea</i> spp.: boiled	Boyna (Welayita)	85.00	77.00	0.28	1.80	0.10	19.90	0.70	1.20	16.00	56.80	0.92	2.20	0.50	7.00	464.00	5.00	0.01	0.04	2.12		
178	Yam, <i>Dioscorea</i> spp. : boiled	Ouskia (Metekel/Shinasha)	116.00	68.10	0.18	1.10	0.10	30.10	2.50	0.60	8.60	29.40	1.30	0.19	0.14	20.80	211.80	3.60	0.03	0.15	2.71		

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

					Composition in Terms of 100 grams Edible Portion																		
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid		
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams		
179	Yam, <i>Dioscorea spp.</i> : boiled	Boyna (Sidama)	113.00	69.20	0.28	1.80	0.10	26.00	0.70	0.90	6.00	69.10	0.00	0.36	0.57	115.00	310.00	6.00	0.01	0.04	1.99		
	<u>LEGUMES & LEGUME BASED PRODUCTS</u>																						
180	Broad bean flour (roasted, 60%) + chickpea flour (roasted, 40%) + oil + shallot + salt: sauce	Habesh (Tigray/Central Zone)	58.80	86.00	0.58	3.60	1.00	8.40	0.30	1.00	9.90	35.30	3.30	0.46	0.14	260.40	113.90	8.50	0.02	0.03	0.00		
181	Broad bean (split,75%) + lentil (split,25%) + oil + shallot + salt: sauce	Kikk wet' (Tigray/Central Zone)	106.00	72.50	1.36	8.50	0.70	17.00	0.50	1.30	15.00	170.00	4.30	1.38	0.34	289.20	288.70	32.50	0.07	0.04	0.00		
182	Broad bean flour (75%) + lentil flour (15%) + fenugreek flour (10%) + water: sauce	Hilbet (Tigray/Central Zone)	53.00	86.40	0.71	4.40	0.30	8.50	0.30	0.40	11.70	80.40	3.30	0.66	0.41	4.90	117.10	4.10	0.01	0.02	1.40		
183	Broad bean (split) + butter + chili: sauce	Itto baqella kiki (E. Wellega)	79.00	78.00	1.04	6.50	0.90	11.70	0.60	1.90	26.00	84.60	4.00	0.94	0.33	820.00	439.00	47.60	0.02	0.01	0.00		
184	Broad bean (split) + shallot + oil + chili + garlic + ginger + salt: sauce	Itto baqella kiki (W.Wellega)	91.00	73.40	1.19	7.40	0.60	15.90	1.80	2.70	24.90	99.20	2.05	1.50	0.30	1598.60	1199.30	9.00	0.04	0.02	0.00		
185	Broad bean (split) + pea flour (roasted) + oil + chili: sauce	Itto baqella kiki (E. Wellega)	63.00	81.50	0.85	5.30	0.20	10.60	0.50	2.40	17.00	70.50	3.40	0.64	0.30	586.00	239.00	27.80	0.03	0.06	0.00		
186	Broad bean (split) + shallot + garlic + turmeric + salt: sauce	Weto (Keficho Zone/Keficho)	104.00	72.20	1.42	8.90	0.40	16.80	0.50	1.70	18.90	37.70	10.90	1.80	0.73	451.90	268.80	8.30	0.05	0.04	0.00		
187	Broad bean (split) + pea flour + shallot + chili + butter + garlic + fenugreek + salt: sauce	Itto baqella kiki (W.Wellega)	67.00	81.60	0.74	4.60	1.20	10.60	1.10	2.00	21.70	72.90	4.70	0.68	0.22	492.30	229.00	141.50	0.07	0.03	0.00		

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

			Composition in Terms of 100 grams Edible Portion																									
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid							
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams							
188	Chick pea (split) + shallot + chili + oil + garlic + salt: sauce	Shimbira, kikk wet' (N. Gonder/Dembia)	127.00	67.90	0.95	5.90	5.20	18.30	4.10	2.70	48.50	118.50	4.40	0.81	0.18	603.30	289.50	40.80	0.02	0.14	0.00							
189	Chick pea, <i>Cicer arietinum</i> L. : + salt: roasted	Shimbira, qolo (Gurage/Cheha)	327.00	12.00	2.83	17.70	4.90	62.50	9.60	2.90	175.90	241.30	8.90	3.96	0.77	98.80	668.30	26.90	0.05	0.08	0.00							
190	Chick pea flour (roasted) + chili + sunflower extract + salt: sauce	Shimbira, shiro wet' (N. Gonder/Dembia)	84.00	80.90	0.55	3.40	2.00	10.40	1.40	3.30	97.60	76.90	11.70	0.72	0.24	8.60	168.90	60.20	0.02	0.05	0.00							
191	Chick pea, <i>Cicer arietinum</i> L.: roasted	Sumbura qolo (Kembata)	287.00	22.30	2.36	14.80	4.60	54.40	7.90	2.90	154.60	156.80	13.00	2.32	0.80	15.90	590.80	19.20	0.05	0.10	0.00							
192	Fenugreek + shallot + salt + water: sauce	Denfa hulbeta (E.Hararge/Kersa)	10.00	96.00	0.11	0.80	0.20	2.00	0.80	1.00	10.20	8.00	2.00	0.10	0.03	263.00	36.00	322.50	0.01	0.14	1.30							
193	Fenugreek (white variety), <i>Trigonella foenum-graecum</i> : powder	Abish (Tigray/Central Zone)	360.00	7.40	4.62	28.90	7.20	52.90	7.90	3.60	155.90	218.30	9.70	3.80	1.49	35.80	880.50	7.10	0.09	0.29	3.52							
194	Grass pea flour (roasted) + chili + sunflower extract + salt: sauce	Shiro wet' (Gonder/Negede Weyto)	96.00	75.30	1.06	6.60	2.90	11.80	1.00	3.40	43.60	115.70	16.80	0.69	0.30	816.20	249.40	33.30	0.03	0.04	0.00							
195	Grass pea flour (roasted), <i>Lathyrus sativus</i> L. : + oil + salt: sauce	Habesh (Tigray/Southern Zone)	58.00	84.40	0.63	3.90	1.10	8.40	0.30	2.20	18.90	52.00	3.30	0.53	0.19	336.90	134.50	10.00	0.10	0.01	0.00							
196	Grass pea flour (roasted, 50%) + broad bean flour (roasted, 50%) + oil + shallot + salt: sauce	Habesh (Tigray/Central Zone)	73.00	79.70	0.80	5.00	1.40	10.60	0.60	3.30	22.80	82.90	5.10	0.60	0.23	1056.40	224.10	181.70	0.03	0.08	0.00							
197	Kidney bean + okra powder + shallot + oil + salt: sauce	Debere-we- qanqes hargne (Asossa/Berta)	59.00	83.50	0.48	3.00	1.80	8.90	1.10	2.80	15.60	66.30	2.40	0.32	0.08	681.40	233.30	10.50	0.01	0.19	0.00							

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

					Composition in Terms of 100 grams Edible Portion																		
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid		
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams		
198	Kidney bean (whole) + fenugreek + shallot + salt: sauce	Wehe wete (N.Omo/Konta)	81.00	76.40	1.04	6.50	0.40	14.80	1.90	1.90	35.00	122.40	2.40	0.93	0.37	244.20	402.40	13.20	0.03	0.10	0.00		
199	Kidney bean (red), <i>Phaseolus vulgaris</i> L.: boiled	Wahe (Sidama)	122.00	67.00	1.18	7.40	0.50	23.50	2.30	1.60	88.80	116.80	1.80	0.30	0.33	90.00	125.00	8.60	0.13	0.06	0.00		
200	Kidney bean leaf, <i>Phaseolus vulgaris</i> L.: boiled	Hameru, nodei (Gambella/Agnuak)	21.00	92.50	0.32	2.00	0.30	4.10	1.60	1.10	138.50	27.60	2.40	0.57	0.11	148.50	99.60	899.50	0.01	0.08	0.00		
201	Kidney bean (black,red), <i>Phaseolus vulgaris</i> L.: boiled	Nifro (Gurage/Cheha)	162.00	54.70	1.44	9.00	0.70	33.70	3.70	1.90	72.70	64.20	2.40	1.10	0.79	27.70	489.00	3.50	0.09	0.16	0.00		
202	Kidney bean + spices: boiled	Atsekeya (Metekel/Shinasha)	117.00	66.50	1.30	8.10	0.60	22.90	3.20	1.90	41.40	123.20	1.50	0.81	0.33	365.40	312.30	8.40	0.03	0.06	0.10		
203	Kidney bean + shallot + tomato + chili + oil: sauce	Denfa atera (E.Hararge/Kersa)	67.00	83.90	0.47	2.90	2.40	8.80	0.40	2.00	13.80	52.70	3.30	0.35	0.14	549.80	720.70	11.00	0.01	0.02	68.00		
204	Kidney bean, <i>Phaseolus vulgaris</i> L.: boiled	Karsha-alqoqa (Konso)	180.00	58.20	1.44	9.00	0.70	37.20	2.90	3.00	95.00	166.00	2.00	0.96	0.90	182.00	243.00	4.60	0.04	0.03	2.83		
205	Kidney bean + agenbgne (unidentified vegetable) + sesame powder + salt: sauce	Kanste-ugu-agenbegne gupi (Asossa/Komo)	85.00	80.60	0.66	4.10	4.00	10.20	2.10	1.10	74.10	91.70	1.90	0.84	0.28	43.20	264.40	7.00	0.02	0.04	0.00		
206	Kidney bean + bello (unidentified vegetable) + green pepper + garlic + salt: sauce	Ko-gogowa (Kemache zone/Gumuz)	34.00	90.40	0.31	1.90	0.20	6.90	0.70	0.60	48.00	23.30	8.00	0.24	0.12	212.00	312.00	13.50	0.01	0.03	3.41		
207	Lentil (split) + butter + shallot + chili + salt: sauce	Itto misira kiki (W.Wellega)	86.00	79.80	0.64	4.00	2.50	12.40	0.70	2.20	16.00	63.70	4.60	0.58	0.17	680.60	152.50	266.70	0.05	0.10	0.00		

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Composition in Terms of 100 grams Edible Portion																		
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc. fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams
208	Lentil (split) + chili + shallot + oil + salt: sauce	Itto misira kiki (W.Wellega)	101.40	73.40	0.89	5.60	2.60	14.90	1.00	3.50	25.70	76.60	8.80	0.78	0.21	1079.80	272.50	572.10	0.01	0.02	0.00
209	Opa (unidentified legume) + kema (unidentified vegetable) + garlic + ginger + coriander leaf + salt + green pepper : sauce	Opa kuha (Metekel/Gumuz)	77.00	76.60	0.87	5.40	0.20	14.90	1.60	2.90	22.50	68.70	5.40	0.58	0.22	232.00	527.70	15.60	0.02	0.05	0.00
210	Pea flour (roasted) + chili + shallot + oil: sauce	Meten shiro wet' (Tigray/Southern Zone)	53.00	86.60	0.55	3.40	1.20	7.60	0.50	1.20	11.20	62.60	2.70	0.42	0.60	378.50	130.90	114.80	0.01	0.06	0.00
211	Pea flour (roasted) + butter + chili + shallot + salt + spices: sauce	Itto shiro (E. Wellega)	51.00	85.40	0.51	3.20	1.00	8.20	0.80	2.20	32.00	39.80	12.60	0.41	0.20	60.00	174.90	25.60	0.01	-	0.00
212	Pea, <i>Pisum sativum</i> L. : + salt: roasted	Ater, qolo (Gurage/Cheha)	320.00	11.00	3.30	20.60	1.30	64.00	7.50	3.10	65.90	302.50	6.50	2.46	0.41	136.90	842.00	6.70	0.05	0.06	0.00
213	Pea flour + shallot + oil + turmeric + salt: sauce	Itto shiro (W.Wellega)	43.00	87.60	0.46	2.90	0.60	7.50	1.50	1.40	20.80	33.20	12.30	0.43	0.09	454.60	119.60	7.00	0.01	0.06	0.00
214	Pigeon pea, <i>Cajanus cajan</i> : boiled	Karsha-ashkilteta (Konso)	141.00	60.70	1.26	7.90	0.80	29.30	3.80	1.30	60.00	129.30	9.50	0.90	0.80	23.00	489.00	17.30	0.03	0.01	0.00
VEGETABLES & VEGETABLE BASED PRODUCTS																					
215	Achobo (unidentified vegetable): boiled	Hameru, achobo (Gambella/Agnuak)	18.00	92.60	0.22	1.40	0.20	4.20	1.50	1.60	156.10	28.10	15.70	0.58	0.27	111.30	317.60	208.80	0.01	0.16	3.43
216	Adek (unidentified vegetable): boiled	Hameru, adek (Gambella/Agnuak)	31.00	89.20	0.41	2.60	0.30	6.70	2.30	1.20	120.90	26.50	8.00	0.82	0.14	84.60	112.00	84.40	0.01	0.10	3.28

			Composition in Terms of 100 grams Edible Portion																								
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (Inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid						
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams						
217	Adilegi (unidentified vegetable): boiled	Hameru, adilegi (Gambella/Agnuak)	22.00	91.90	0.20	1.30	0.30	4.80	1.20	1.70	85.00	15.80	1.50	0.68	0.06	91.50	428.20	57.70	0.02	0.10	3.39						
218	Agenbegne (unidentified vegetable) + shallot + oil + garlic + ginger + green pepper + salt: sauce	Agenbegne hargne (Asossa/Berta)	29.00	91.20	0.18	1.10	1.60	3.60	1.10	2.50	61.60	39.60	6.10	0.15	0.08	516.10	338.90	337.80	0.01	0.10	1.38						
219	Aleko, <i>Moringa stenopetala</i> : boiled	Aleko (Gamo)	35.00	89.20	0.42	2.60	1.20	4.50	1.10	2.50	115.60	80.40	9.70	0.23	0.60	533.00	190.00	2807.70	0.02	0.10	2.74						
220	Bamboo shoot + green pepper + coriander leaf + garlic + ginger + salt: sauce	Kamba kuha (Metekel/Gumuz)	32.00	88.10	0.29	1.80	0.60	5.60	0.80	3.90	25.90	39.80	8.10	0.43	0.10	1069.90	345.90	29.40	0.02	0.03	0.00						
221	Bamboo shoot + okra powder + coriander leaf + green pepper + dill: sauce	Quenstu-de-qenqes hargne (Asossa/Berta)	14.00	91.30	0.17	1.10	0.30	3.40	1.80	2.90	24.10	23.20	6.30	0.41	0.13	791.90	332.50	16.90	-	0.15	0.00						
222	Bamboo shoot + green pepper + garlic + coriander leaf + ginger + salt: sauce	Qontse (Asossa/Mao)	29.00	90.80	0.27	1.70	0.60	5.40	1.10	1.50	17.20	32.00	8.60	0.47	0.11	205.40	307.90	238.90	0.01	0.06	0.70						
223	Green onion, <i>Allium cepa</i> : fresh	Arangale (Bale)	38.00	89.80	0.35	2.20	0.20	6.90	0.90	0.90	37.80	30.10	2.10	0.24	0.06	5.00	303.10	33.80	0.02	0.08	3.75						
224	Kakem (unidentified vegetable): toasted	Mehube kakem (Metekel/Gumuz)	41.00	85.60	0.64	4.00	1.00	6.80	2.90	2.60	338.90	100.30	10.90	0.66	0.21	15.90	600.70	145.10	0.03	0.03	0.00						
225	Kale + butter + green pepper + salt: sauce	Qinote-o-geni (Bench and Maji Zone/Menit)	47.00	85.80	0.63	3.90	1.40	6.60	2.00	2.30	193.50	45.30	7.20	0.51	0.21	326.20	403.60	119.40	0.02	-	4.00						
226	Kale + meat + shallot + green pepper + chili + salt: sauce	Shana mala (Gedeo)	53.00	86.20	1.03	6.40	1.80	3.40	0.60	2.20	133.00	128.30	1.70	1.60	0.30	440.00	555.00	760.30	0.01	0.06	4.21						

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

						Composition in Terms of 100 grams Edible Portion																		
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid			
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams			
227	Kale + shallot + oil + salt + spices: sauce	Amber (Gurage/Cheha)	79.00	79.20	0.87	5.40	4.80	7.90	4.30	2.70	187.80	77.10	8.80	0.99	0.17	440.70	348.70	1518.20	0.02	0.22	0.00			
228	Kale + butter + shallot + garlic + spices + salt: sauce	Santara (Welayita)	93.00	81.70	0.46	2.90	7.30	5.70	1.80	2.40	147.00	80.70	1.50	0.70	0.00	519.00	412.00	560.40	0.06	0.06	4.96			
229	Kale + salt: boiled	Amber (Gurage/Cheha)	65.00	78.30	0.88	5.50	1.60	10.60	3.50	4.00	438.40	78.90	4.90	0.86	0.15	333.90	458.80	87.60	0.01	0.50	1.32			
230	Kale, <i>Brassica carinata Braun</i> : toasted, powder	Amber-kashye (Gurage/Cheba)	287.00	2.60	4.48	28.00	6.10	47.90	17.90	15.40	2715.20	364.30	52.20	2.10	0.76	177.70	3208.40	3694.30	0.01	0.20	0.00			
231	Kale + pumpkin + salt: boiled	Shano buqo (Keficho Zone/Keficho)	47.00	83.90	0.71	4.40	0.90	7.20	2.00	3.60	297.80	51.30	17.80	0.86	0.20	523.10	729.80	650.00	0.04	0.03	6.23			
232	Kale + green pepper + shallot + oil + salt: sauce	Sause (Dorze)	33.00	88.10	0.36	2.20	1.80	5.20	3.00	2.70	178.00	39.00	4.40	0.26	0.03	461.00	446.00	347.00	0.01	0.00	3.54			
233	Kale + salt + water: boiled	Shano (Keficho Zone/Keficho)	41.00	84.90	0.52	3.20	0.90	7.60	2.50	3.40	215.90	49.60	3.80	0.56	0.16	550.30	806.20	4400.00	0.01	0.02	5.23			
234	Kale + oil + shallot + garlic + sweet pepper + salt : sauce	Shana (Gedeo)	49.00	83.10	0.48	3.00	3.50	7.70	6.40	2.70	120.00	84.50	1.70	0.70	0.30	568.00	924.00	654.20	0.01	0.09	4.96			
235	Kale + shallot + green pepper + oil + salt: sauce	Shana (Guji)	12.00	93.90	0.29	1.80	0.30	1.80	1.20	2.20	40.00	55.50	1.00	0.60	0.08	149.00	516.00	181.30	0.03	0.01	2.06			
236	Kale, <i>Brassica carinata Braun</i> : + oil + salt : sauce	Adabalo (Sidama)	16.00	94.40	0.21	1.30	0.60	2.20	0.80	1.50	27.00	30.30	0.56	0.42	0.04	146.00	308.00	317.30	0.02	0.09	2.68			

					Composition in Terms of 100 grams Edible Portion																		
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid		
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams		
237	Kale + butter + chili + spices + salt: side dish	Amber-kitfo (Gurage/Cheha)	220.00	67.10	0.41	2.40	23.20	5.50	5.40	1.60	90.70	46.50	1.90	0.04	0.12	182.50	237.70	3205.50	0.01	0.20	0.06		
238	Kale + green pepper + salt: boiled	Samkatsu (Keficho Zone/Keficho)	30.00	86.20	0.76	4.80	1.00	5.20	4.80	2.80	186.30	74.70	5.10	0.70	0.21	372.60	439.80	1025.80	0.02	0.05	3.98		
239	Kale + beef + butter + shallot + spices + salt: sauce	Yefekur-amber (Gurage/Cheha)	126.00	76.60	0.92	5.80	10.90	4.20	2.40	2.50	138.90	49.80	3.10	1.07	0.12	290.90	462.90	763.90	0.02	0.33	8.00		
240	Kuwe, <i>Solanum nigrum</i> L. : + dumbeshe (unidentified vegetable) + green pepper + garlic + ginger + coriander leaf + salt : sauce	Hu-qurse (Asossa/Mao)	54.00	78.10	0.55	3.40	0.90	12.90	4.80	4.70	394.80	59.60	45.00	0.44	0.29	815.90	426.60	4336.50	0.01	0.06	6.70		
241	Mushroom + shallot + garlic + chili + butter + salt: sauce	Waka-ita (Metekel/Shinasha)	87.00	78.60	0.83	5.20	3.90	10.00	2.30	3.00	26.60	87.70	12.90	0.70	0.21	789.20	283.30	17.10	0.03	0.11	0.00		
242	Mushroom + (kema,unidentified vegetable) + green pepper + coriander leaf + ginger + garlic + salt: sauce	Metsega kuha (Metekel/Gumuz)	28.00	89.10	0.16	1.00	0.10	6.60	0.90	3.20	27.70	23.30	7.40	0.39	0.05	989.50	97.20	140.20	0.02	0.06	0.00		
243	Okra powder + chili + salt: sauce	Debella dana (Tigray/Kunama)	2.00	96.90	0.04	0.30	0.10	0.30	0.30	2.50	31.00	5.00	2.40	0.07	0.02	474.40	43.40	0.00	-	0.05	0.00		
244	Pumpkin + okra + (adek, unidentified vegetable): boiled	Hameru (Gambella/Agnuak)	17.00	93.60	0.25	1.60	0.20	3.20	0.90	1.40	48.80	35.20	3.30	0.43	0.09	194.80	228.30	77.80	0.01	0.11	1.49		
245	Pumpkin + shallot + garlic + salt: sauce	Ko-matia (Kemache zone/Gumuz)	62.00	81.00	0.38	2.40	0.20	14.20	1.70	2.00	32.00	63.70	7.90	0.47	0.70	475.00	399.00	3.70	0.02	-	3.50		
246	Pumpkin + butter + shallot + turmeric + fenugreek + salt: sauce	Itto buqqee (E. Wellega)	41.00	86.50	0.27	1.70	0.20	9.90	1.70	1.70	17.00	25.80	2.50	0.33	0.30	379.00	458.00	8.20	0.02	0.04	0.00		

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Composition in Terms of 100 grams Edible Portion																		
			Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams
247	Pumpkin, <i>Cucurbita</i> spp.: boiled	Hameru, okozo (Gambella/Aguak)	19.00	92.30	0.12	0.80	0.20	5.90	2.30	0.80	22.80	20.90	1.20	0.19	0.31	169.50	3.90	345.10	0.01	0.04	4.09
248	Pumpkin leaf, <i>Cucurbita</i> spp.: boiled	Hameru, okono (Gambella/Aguak)	28.00	90.80	0.39	2.40	0.10	3.80	5.00	6.90	55.80	37.70	1.90	0.69	0.09	111.80	139.80	40.80	0.01	0.03	1.41
249	Pumpkin, <i>Cucurbita</i> spp.: boiled with salt	Muq'ule (Sidama)	27.00	91.50	0.28	1.00	0.30	3.00	0.70	1.40	23.00	42.70	0.30	0.40	0.13	167.00	371.00	758.20	0.06	0.35	0.06
250	Pumpkin leaf + (kema, unidentified vegetable) + green pepper + garlic + ginger + salt: sauce	Matimara-ita (Metekel/Shinasha)	40.00	87.10	0.73	4.60	1.20	5.30	2.50	1.70	84.70	48.90	17.50	0.52	0.34	246.90	238.10	396.10	0.02	0.35	0.60
251	Pumpkin + shallot + garlic + oil + salt: sauce	Itto buqqe (W. Wollega)	20.00	92.00	0.09	0.60	0.60	4.30	1.20	2.50	29.40	23.40	2.20	0.83	0.06	842.70	122.80	110.40	0.07	0.03	0.00
252	Pumpkin + pumpkin leaf + kema (unidentified vegetable) + green pepper + garlic + ginger + coriander leaf + salt: sauce	Patuwa-kechetsema kuha (Metekel/Gumuz)	93.00	73.10	0.24	1.50	0.20	23.60	2.40	1.60	15.90	45.90	1.20	0.34	0.21	221.30	385.10	4169.10	0.02	0.10	1.42
253	Pumpkin + aleko: boiled	Lelehe-aleko (Gamo)	55.00	82.60	0.44	2.80	0.50	11.00	1.20	3.10	103.00	98.80	4.00	0.74	0.34	568.00	313.00	646.50	0.01	0.10	2.12
254	Rafo (unidentified vegetable): boiled	Rafo (Kembata)	20.00	90.50	0.44	2.80	0.40	4.20	2.80	2.10	1104.10	49.00	24.90	6.77	0.59	406.00	2273.80	2204.50	0.01	0.16	1.31
255	Shallot + oil + chili: sauce	Selai (Tigray/Shire)	72.00	82.90	0.20	1.20	4.20	8.10	0.70	3.60	21.50	31.70	6.00	0.24	0.10	1022.40	115.40	25.40	0.01	0.03	0.69
256	Shashe (unidentified vegetable) + green pepper + garlic + ginger + coriander leaf + salt: sauce	Shashe (Arassa/Mao)	41.00	84.10	0.62	3.90	0.70	7.00	2.20	4.30	170.00	78.80	10.20	0.34	0.21	892.90	472.70	4744.60	0.02	0.13	0.90

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

			Composition in Terms of 100 grams Edible Portion																			
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (Inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid	
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams	
257	Shingella, <i>Balanites aegyptica Del.:</i> + chili + shallot + salt + oil: sauce	Shingella dana (Tigray/Kunama)	50.00	86.40	0.36	1.20	2.80	6.80	2.90	1.80	150.20	20.40	6.90	0.18	0.11	367.10	174.40	675.60	0.01	0.13	1.32	
258	Shokese (unidentified vegetable) + green pepper + garlic + ginger + coriander leaf + salt: sauce	Shokese (Asossa/Mao)	39.00	84.20	0.28	1.80	0.50	8.90	2.00	4.60	95.50	19.10	42.50	0.46	0.27	744.70	580.40	167.60	0.01	0.10	0.66	
259	Tuafe + shashe (unidentified vegetables) + green pepper + garlic + ginger + coriander leaf + salt : sauce '	Tuafe (Asossa/Mao)	37.00	85.20	0.77	4.80	0.70	7.00	4.10	2.30	95.70	68.10	20.30	0.46	0.39	61.60	546.90	4626.90	0.01	0.35	0.00	
	<u>FRUITS & BERRIES</u>																					
260	Aye, <i>Diospyrus mespiliformis A. DC.:</i> fresh, fruit	Aye (Tigray/Shire)	131.00	61.90	0.18	1.20	0.90	34.70	5.10	1.30	103.90	27.00	2.30	0.21	0.52	11.20	386.70	16.30	0.03	0.12	2.95	
261	Citron, <i>Citrus medica</i> : fresh, fruit	Tiringo (Metekel/Shinasha)	36.00	89.30	0.08	0.50	0.30	9.20	1.50	0.70	30.90	13.20	1.00	0.08	0.12	145.90	7.40	0.00	0.01	0.04	1.37	
262	Custard apple, <i>Annona muricata:</i> fresh, fruit	Gishta (Sidama)	66.00	72.20	0.20	1.20	0.40	25.10	10.60	1.10	16.00	54.70	0.34	0.17	0.03	19.00	468.00	585.60	0.02	0.03	7.61	
263	Geba, <i>Zizyphus spina christi:</i> Whole, dried, fruit	Geba, dereq (Tigray/Mekele)	339.00	12.40	0.81	5.10	3.20	78.20	5.70	1.10	230.20	126.30	12.00	1.38	0.56	268.70	133.00	17.80	0.02	0.02	0.00	
264	Geba powder, <i>Zizyphus spina-Christi</i> : + water	Shikutta (Tigray/Kunama)	284.00	20.50	0.67	4.20	1.40	69.70	6.00	4.20	289.40	92.80	27.00	0.55	0.70	35.80	895.10	8.00	0.03	0.06	0.00	
265	Guava, <i>Psidium guajava:</i> fresh, fruit	Zeytun (Sidama)	25.00	82.00	0.14	0.90	1.10	15.30	12.50	0.70	17.00	28.40	0.64	0.24	0.84	7.20	229.00	928.90	0.01	0.11	9.20	

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

					Composition in Terms of 100 grams Edible Portion																					
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid					
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams					
266	Guava, <i>Psidium guajava</i> : fresh, fruit	Zeytun (Konaso)	38.00	85.80	0.10	0.60	0.80	12.20	5.10	0.60	32.00	19.60	3.00	0.14	0.37	6.00	211.00	827.60	0.01	0.06	3.50					
267	Mello, <i>Ximenia americana</i> L. : fresh, fruit	Mello (Tigray/Shire)	112.00	68.90	0.44	2.80	0.20	26.30	1.60	1.80	29.20	42.70	1.30	0.30	0.40	15.30	806.80	103.70	0.03	0.05	6.97					
268	Passion fruit, <i>Passiflora edulis</i> : fresh, fruit	Hopi (Sidama)	61.00	77.80	0.28	1.80	2.10	17.20	8.50	1.10	11.00	39.80	1.20	0.45	0.33	13.00	379.00	491.70	0.02	0.01	17.70					
269	Prickly pear, <i>Opuntia ficus indica</i> : fresh, fruit	Abushoka (Bale)	66.00	79.70	0.14	0.90	0.70	17.90	3.80	0.90	131.60	14.30	0.40	0.15	0.06	7.70	235.80	11.20	0.01	0.05	10.09					
270	Prickly pear, <i>Opuntia ficus indica</i> : fresh, fruit	Beles (Tigray/Mekele)	55.00	81.70	0.18	1.10	0.80	15.40	4.60	1.00	122.80	22.30	1.00	1.20	0.18	8.70	238.50	81.10	0.01	0.04	14.20					
271	Tamarind, <i>Tamarindus indica</i> : dried, fruit	Roka (Gambella/Nuer)	329.00	11.90	0.64	4.00	2.80	77.80	5.90	3.50	167.10	135.90	1.90	0.68	0.39	32.50	810.40	12.80	0.10	0.05	5.16					
	<u>MEAT, MEAT BASED PRODUCTS & POULTRY</u>																									
272	Beef, raw (minced) + butter + birds eye chili: main dish	Kitfo (Gurage/Chaha)	283.00	56.30	2.62	16.40	18.90	4.80	0.60	3.60	9.90	154.10	3.50	3.67	0.13	346.70	626.30	9.90	0.02	0.22	0.00					
273	Beef + okra + salt: sauce	Shum-ugu-qenqes gupi (Asossa/Komo)	126.00	76.30	1.49	9.30	8.70	3.70	1.90	2.00	21.50	46.30	1.90	2.00	0.16	562.70	169.40	54.40		0.06	0.00					
274	Beef + eggplant + chili + shallot + oil + garlic + ginger + green pepper + salt: sauce	U'U'-we-betfingal hargne (Asossa/Berta)	75.00	81.40	1.14	7.10	3.30	5.50	1.30	2.70	20.10	62.50	0.90	2.20	0.15	74.40	257.80	45.10	0.01	0.06	0.00					

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

					Composition in Terms of 100 grams Edible Portion																		
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid		
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams		
275	Beef + okra + shallot + chili + garlic + ginger + oil + salt: sauce	U'U'-de-qenqes hargne (Asossa/Berta)	111.00	78.90	0.93	5.80	9.00	2.60	0.80	3.70	194.10	23.20	3.70	1.32	0.07	319.40	965.80	51.00	0.01	0.19	0.00		
276	Beef + tripe + tomato + potato + oil + chili + fenugreek + shallot + garlic + salt: sauce	Hulbet merakh (Harari)	99.00	79.10	1.06	6.60	6.70	6.40	3.40	1.20	10.30	35.60	1.50	0.75	0.10	238.70	147.50	35.80	0.01	0.12	0.00		
277	Chicken (pieces) + butter + green pepper + garlic + ginger + salt: roasted	Bak-misa (Metekel/Shinasha)	167.00	60.40	4.00	25.00	7.80	0.70	0.40	6.10	437.30	389.80	6.70	2.48	0.15	222.70	822.20	30.40	0.02	0.17	0.00		
278	Goat's meat (three weeks old): roasted	Bekel (Afar)	237.00	50.00	5.69	35.60	9.50	2.50	0.20	2.40	55.40	298.10	4.40	6.40	0.26	303.70	550.50	10.10	0.01	0.17	0.00		
<u>FISH & FISH BASED PRODUCTS</u>																							
279	Fish (local name/gur) + banana: cooked, mashed	Agna (Gambella/Agnuak)	99.00	74.50	1.20	7.50	1.20	15.00	0.50	1.80	11.80	94.70	0.90	0.40	0.19	264.60	369.00	9.90	0.03	0.15	3.31		
280	Fish (local name/ujack) + banana: cooked, mashed	Agna (Gambella/Agnuak)	99.00	74.80	1.22	7.60	1.40	14.30	0.40	1.90	17.10	68.10	1.70	0.30	0.13	383.30	295.50	91.70	0.02	0.09	2.61		
281	Fish (dried) + chili + sunflower extract + salt: sauce	Ambaza wet' (Gonder/Negede Weyto)	134.00	64.50	3.70	23.10	3.60	3.20	0.80	5.60	91.70	205.60	39.50	0.95	0.26	1268.80	212.20	83.40	0.04	0.11	1.29		
282	Fish + bello (unidentified vegetable) + green pepper + salt: sauce	Ko-wa (Kemache zone/Gumuz)	127.00	65.00	3.46	21.60	3.40	2.50	0.10	7.50	1983.00	948.70	11.50	2.30	98.00	604.00	321.00	31.20	0.02	0.02	4.25		
283	Fishes (local name/ujack,gur,lout): dried, boiled	Reo (Gambella/Nuer)	141.00	68.70	3.88	24.30	4.00	2.00	0.10	1.00	72.50	178.70	3.20	1.87	0.27	49.70	191.40	113.10	0.02	0.13	0.00		

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

						Composition in Terms of 100 grams Edible Portion																
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (Inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid	
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams	
	<u>DAIRY & DAIRY BASED PRODUCTS</u>																					
284	Buttermilk (cow's)	Etehan (Afar)	40.00	89.60	0.62	3.94	0.50	5.00	0.02	1.00	327.90	96.70	1.70	1.23	0.08	108.60	430.60	13.20	0.03	0.20	0.00	
285	Cottage cheese	Burbuto (Kembata)	163.00	69.20	2.02	12.60	10.00	6.40	0.20	1.80	102.20	149.60	2.30	0.48	0.05	403.80	162.80	20.40	0.01	0.00	0.00	
286	Cottage cheese + kale + butter + chili + spices + salt	Zemamujet (Gurage/Cheha)	152.00	70.40	1.88	11.80	9.60	5.80	1.20	2.40	138.30	166.00	3.70	0.61	0.12	441.50	186.10	1690.30	0.01	0.30	0.00	
287	Cottage cheese + toasted kale + butter + chili + spices + salt	Kashye (Gurage/Cheha)	227.00	60.30	2.56	16.00	15.50	6.30	0.40	2.40	140.10	199.80	3.80	0.78	0.08	398.00	176.00	70.00	0.01	0.30	0.00	
288	Milk (cow's) + coffee husk + sugar + salt + water: beverage	Hashara (Afar)	18.00	95.80	0.11	0.74	1.00	1.70	0.10	0.80	32.60	22.20	2.20	0.10	0.01	202.20	64.70	15.30	0.01	0.01	1.32	
289	Sour milk (cow's)	Ititu (Borena)	147.00	77.80	0.80	5.00	12.40	3.90	0.10	0.90	79.00	113.60	0.80	0.50	0.04	170.00	300.00	4.80	0.01	0.28	2.81	
290	Sour milk (cow's)	Ete-ete-han (Afar)	74.00	85.40	0.82	5.10	3.70	5.00	0.03	0.80	122.00	110.20	0.60	0.42	0.03	47.10	125.80	8.90	0.03	0.24	1.40	
291	Whey	Angwa (Gurage/Cheha)	23.00	93.40	0.12	0.80	0.10	4.80	0.03	0.90	134.30	55.70	11.70	0.50	0.01	44.40	121.00	0.80	0.01	0.23	0.00	

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

			Composition in Terms of 100 grams Edible Portion																								
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid						
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams						
	<u>OILSEEDS & NUT BASED PRODUCTS</u>																										
292	Niger seed (powder) + garlic + green pepper + salt: sauce	Ko-gezuka (Kemache zone/Gumuz)	109.00	76.40	0.69	4.30	7.40	9.60	3.40	2.30	10.70	171.30	22.40	0.85	0.30	524.00	277.00	3.10	0.08	0.02	2.10						
293	Peanut butter + (agenbegne, unidentified vegetable) + salt: sauce	Agenbegne-ugu-yekur gupi (Asossa/Komo)	144.00	73.50	1.21	7.60	10.90	7.90	2.10	1.00	63.10	117.20	1.50	0.83	0.22	77.10	215.80	2.50	0.03	0.38	0.00						
294	Sesame powder + garlic + chili + ginger + salt + water: sauce	Itto salixa (W.Wellega)	140.00	71.30	0.68	4.20	12.30	6.20	2.90	5.10	246.00	151.90	3.60	0.89	0.45	1037.90	188.80	108.10	0.06	0.03	0.00						
295	Sesame seed (powder) + honey + butter: sesame butter	Dallen (Harari)	506.00	0.50	0.80	5.10	24.40	66.60	2.60	0.80	55.70	126.60	3.50	0.98	0.44	36.60	131.30	18.10	0.03	0.08	0.00						
296	Sesame powder + niger seed powder + salt: sauce	Bu-ugu-butsegaa gupi (Asossa/Komo)	143.00	73.40	0.90	5.60	12.70	7.20	5.70	1.10	177.40	182.30	3.80	1.36	0.39	15.90	115.60	4.60	0.02	0.07	0.00						
	<u>CONDIMENTS</u>																										
297	Bello (unidentified vegetable), stem and leaf: fresh	Bello (Kemache zone/Gumuz)	46.00	84.60	0.20	1.20	0.30	11.60	2.10	2.50	128.00	49.20	19.40	0.48	1.12	17.00	473.00	33.50	0.02	0.03	4.16						
298	Bello (unidentified vegetable) + green pepper + garlic + salt: condiment	Bello fellange (Kemache zone/Gumuz)	6.90	97.10	0.03	0.20	0.10	1.40	0.30	1.20	14.00	9.20	2.20	0.07	0.13	69.00	60.00	124.20	0.01	0.05	5.60						
299	Birds eye chili + garlic + ginger + salt: condiment	Doqa (Bench and Maji Zone/Sheko)	51.00	82.00	0.45	2.80	2.30	10.20	5.40	2.70	21.90	58.50	1.90	0.37	0.20	655.90	383.60	2740.10	0.04	-	4.85						

COMPOSITION OF FOODS COMMONLY USED IN ETHIOPIA

					Composition in Terms of 100 grams Edible Portion																		
ITEM NO	FOOD AND DESCRIPTION	LOCAL NAME	Food Energy	Moisture	Nitrogen	Protein	Fat	CHO (inc.fiber)	Fiber	Ash	Calcium	Phosphorous	Iron	Zinc	Copper	Sodium	Potassium	RE	Thiamine	Riboflavin	Ascorbic Acid		
			Calorie	Percent	Grams	Grams	Grams	Grams	Grams	Grams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Milligrams	Micrograms	Milligram	Milligrams	Milligrams		
300	Birds eye chili + garlic + shallot + ginger + salt: condiment	Datta (Welayita)	132.00	66.20	0.37	2.30	9.70	13.80	5.00	8.00	23.00	114.00	5.70	0.50	0.70	1549.00	1261.00	23.20	0.02	0.14	3.29		
301	Green pepper + garlic + ginger + salt: condiment	Qochqocha (W.Wellega)	42.00	68.70	0.37	2.30	0.70	10.50	4.00	17.80	52.60	60.50	5.90	0.44	0.70	6886.10	355.80	57.80	0.03	0.09	9.78		
<u>NON- ALCOHOLIC & ALCOHOLIC BEVERAGES (HOME- MADE)</u>																							
302	Kerkede, <i>Hibiscus sabdarifa</i> L. : + sugar + water: non -alcoholic beverage (home- made)	Kerkede (Asossa/Mao)	11.00	95.90	0.01	0.03	0.02	3.80	0.01	0.30	9.50	2.70	0.20	0.08	0.01	1.50	17.40	111.40	-	0.04	0.00		
303	Maize, <i>Zea mays</i> L. : alcoholic beverage (home- made)	Abara (Gambella/Agnuak)	26.00	93.80	0.12	0.80	0.60	4.50	0.10	0.30	3.50	46.30	3.90	0.39	0.05	4.70	53.20	2.80	0.01	0.01	1.38		
304	Sorghum + maize: alcoholic beverage (home-made)	Cheqa (Konso)	49.00	98.00	0.31	1.90	0.90	8.90	0.50	0.30	8.00	53.90	4.00	0.43	0.10	4.00	69.00	0.00	0.01	0.03	2.12		
305	Sorghum + millet: alcoholic beverage (home-made)	Borda wesa (Metekel/Shinasha)	40.00	89.80	0.20	1.30	0.60	7.80	0.40	0.50	11.90	47.50	4.30	0.27	0.07	57.60	3.40	3.90	0.01	0.02	0.00		

REFERENCES

1. Standard Reference Materials Catalog. Special Publication 260: U.S. Department of Commerce, Technology Administration, National Institute of Standards and Technology, March 1995.
2. FAO 1968. Food Composition Table for Use in Africa. Energy factors. P. 226.
3. Composition of Foods: Raw, Processed, Prepared. 1950 U.S. Department of Agriculture. Agriculture Handbook No. 8.
4. Meyer, L.H. 1960. Food Chemistry. Reinhold Publishing Corporation, New York. p 8.
5. Osborne, D.R. and Voogt, V. 1978. The Analysis of Nutrients in Foods. Academic Press Inc. London.
 (Moisture determination: PP 107-12).
 (Crude Nitrogen: P 116).
 (Crude protein: P 116).
 (Crude fat: pp 156-57).
 (Ash : pp 166-67).
 (Minerals: pp 168-71).
 (Thiamine : pp 200-05).
 (Riboflavin : pp 205-07).
 (Ascorbic Acid : pp 230-32).
6. Official Methods of Analysis. Vol. Two, 15th edn, 1990. Association of Official Analytical Chemists, Food Composition; Additives; Natural Contaminants. Arlington, Virginia. (PP 783-4).
7. Tecator Manual, 1979. Tecator Digestion, Distillation and Titration System. Determination of Kjeldahl Nitrogen by using Kjeltec System II. Tecator AB, Hoganas, Sweeden.
8. Tecator Mannual, 1979. Fat extraction using Soxhlet Procedure.
9. Fiske, C.H. and Subbarow, Y. The calorimetric determination of phosphorous. J Biol. Chem. (1925), **66**: 375-400.
10. Rodriguez-Amaya, D.B., Rodriguez A., Mieko, K., et al. Assessment of Provitamin A Determination by Open Column Chromatography/Visible Absorption Spectrophotometry. J Chromatographic Sci. (1988), **26**: 624-29.
11. Rodriguez-Amaya, D.B., Raymundo, L.C., Lee, T.C., et al. Carotenoid pigment changes in ripening Momordica charanita. Ann. Bot. (1976), **40**: 615-24.
12. FAO/WHO 1967. Requirements for Vitamin A, Thiamine, Riboflavin and Niacin. Report of a Joint FAO/WHO Expert Group. FAO Nutr. mtgs. ser. no. 41.
13. Olson, J.A. Recommended dietary intake (RDI) of vitamin A in humans: Am J Clin. Nutrition: (1987), **45**:704-16.