Hinglish guide

ERP — CRUDs aur ENV

Har module mein kya bana / dekh / badal / mita sakte hain, aur saari settings (.env) kahan aur kaise daalni hain.

Enterprise ERP · 18 October 2026 · 89 resources · 483 API routes

Hissa 1 — CRUDs
1. CRUD kya hota hai
2. Har module ki CRUD list
3. Khaas buttons (Approve, Post, Pay…)

Hissa 2 — ENV
4. ENV kya hai
5. Kis folder / file mein
6. Backend settings ki list
7. Frontend settings
8. Badalne ke baad kya karein

1. CRUD kya hota hai?

Har screen par chaar buniyadi kaam hote hain:

Harf	Matlab	ERP mein kaise
C	Create — banana	"New employee", "New invoice" jaisa button
R	Read — dekhna	List page + kisi row pe click karke detail
U	Update — badalna	"Edit" button ya row ke ⋯ menu se
D	Delete — mitana	⋯ menu → Delete (aksar confirm maangta hai)

> **Dhyan rahe**
> Paison wali cheezein (approved invoice, posted journal, paid payroll) **delete nahi hoti** — unhein **Void** ya **Reverse** kiya jata hai taake hisaab saaf rahe. Sirf **Draft** wali cheez edit/delete hoti hai. Har kaam **Audit log** mein likha jata hai.

✓ = ho sakta hai — = yahan nahi (kisi aur tareeqe se, ya mumkin nahi)

"Kaun" = default roles; Owner har cheez kar sakta hai

2. Har module ki CRUD list

🏢 Company & Organisation

Cheez	Menu mein kahan	C	R	U	D	Khaas buttons	Kaun
Company profile (naam, logo, address)	Company → Profile & settings	—	✓	✓	—	Logo upload / remove	Owner, Admin

Cheez	Menu mein kahan	C	R	U	D	Khaas buttons	Kaun
Branches	Company → Branches	✓	✓	✓	✓	Map pe location	Owner, Admin
Departments	Company → Departments	✓	✓	✓	✓	Tree (parent / sub-department)	Owner, Admin
Locations map	Company → Locations map	—	✓	—	—	Branches, customers, suppliers map pe	Jinke paas branches dekhne ki ijazat

🔐 Users & Roles

Cheez	Menu mein kahan	C	R	U	D	Khaas buttons	Kaun
Users (login accounts)	Users & roles → Users	✓	✓	✓	✓	Invite (email jaati hai), invite dobara bhejna, deactivate, branch limit	Owner, Admin
Roles & permissions	Users & roles → Roles & permissions	✓	✓	✓	✓	Existing role se copy; Company Owner role locked	Owner, Admin

👥 HR

Cheez	Menu mein kahan	C	R	U	D	Khaas buttons	Kaun
Employees	HR → Employees	✓	✓	✓	✓	Terminate / reactivate, photo, "Reports to" badalna, org chart	HR Manager, Owner, Admin
Employee documents	Employee profile → Documents	✓	✓	—	✓	Upload, download	HR
Employment contracts	Employee profile → Contracts	✓	✓	✓	✓	Contract file	HR
Designations (job titles)	HR → Employees → "Manage designations"	✓	✓	✓	✓	—	HR
Attendance	HR → Attendance	✓	✓	✓	✓	Bulk entry, check-in / check-out, summary	HR (record), sab (apni)
Leave requests	HR → Leave	✓	✓	—	—	Approve, reject, cancel, attachment	Employee (maangna), HR / manager (approve)
Leave types & balances	HR → Leave	✓	✓	✓	✓	Saal ke balances banana, adjust	HR
Shifts	HR → Shifts & holidays	✓	✓	✓	✓	Employee ko shift dena	HR
Public holidays	HR → Shifts & holidays	✓	✓	✓	✓	Branch-wise; employees ko notification	HR (banana), sab (dekhna)
Performance reviews	HR → Performance	✓	✓	✓	✓	Submit, acknowledge	HR, manager, employee (apna)

💰 Payroll

Cheez	Menu mein kahan	C	R	U	D	Khaas buttons	Kaun
Pay components (allowance / deduction)	Payroll → Salary structures	✓	✓	✓	✓	—	HR, Owner
Salary structures	Payroll → Salary structures	✓	✓	✓	✓	—	HR, Owner
Tax tables	Payroll → Salary structures	✓	✓	✓	✓	Brackets	HR, Owner
Employee salary	Employee profile	✓	✓	—	—	Nayi salary (purani history rehti hai)	HR
Payroll runs	Payroll → Payroll runs	✓	✓	—	✓	Calculate → Approve → Finalize → Pay; cancel, export	HR (chalana), Owner (approve)
Payslips	Payroll run → Payslips / My payslips	—	✓	—	—	PDF download	HR; employee sirf apni

📒 Accounting

Cheez	Menu mein kahan	C	R	U	D	Khaas buttons	Kaun
Chart of accounts	Accounting → Chart of accounts	✓	✓	✓	✓	Account ledger, default accounts	Accountant, Owner, Admin
Journal entries	Accounting → Journal entries	✓	✓	✓	✓	Post, reverse (draft hi edit/delete hoti hai)	Accountant
Bank & cash accounts	Accounting → Bank & cash	✓	✓	✓	✓	—	Accountant
Tax rates	Accounting → Tax rates	✓	✓	✓	✓	—	Accountant
Financial years & periods	Accounting → Financial periods	✓	✓	—	—	Period close / reopen	Accountant, Owner
Financial reports	Accounting → Financial reports	—	✓	—	—	P&L, Balance sheet, Trial balance, Cash flow, General ledger, Aging	Accountant, Owner, Auditor

📜 Receivables & Payables

Cheez	Menu mein kahan	C	R	U	D	Khaas buttons	Kaun
Customer invoices	Receivables → Customer invoices	✓	✓	✓	✓	Submit → Approve (post) → Void; PDF; aging	Banana: Admin/Sales; approve: Accountant
Receipts (customer se paisa)	Receivables → Receipts	✓	✓	—	—	Invoices pe allocate, void	Accountant
Supplier bills	Payables → Supplier bills	✓	✓	✓	✓	Submit → Approve → Void	Banana: Admin/Procurement; approve: Accountant

Cheez	Menu mein kahan	C	R	U	D	Khaas buttons	Kaun
Payments (supplier ko paisa)	Payables → Payments	✓	✓	—	—	Bills pe allocate, void	Accountant
Expense claims	Payables → Expense claims	✓	✓	✓	✓	Receipt upload, submit, approve, reject	Employee (claim), manager / accountant

📈 Sales & CRM

Cheez	Menu mein kahan	C	R	U	D	Khaas buttons	Kaun
Customers	Sales & CRM → Customers	✓	✓	✓	✓	Contacts, notes (communications), map, statement	Sales Manager, Admin
Leads	Sales & CRM → Leads	✓	✓	✓	✓	Assign, convert (customer banana)	Sales
Opportunities / Pipeline	Sales & CRM → Pipeline	✓	✓	✓	✓	Stage badalna (board), stages ka order	Sales
Quotations	Sales & CRM → Quotations	✓	✓	✓	✓	Send, accept, reject, sales order mein convert	Sales
Sales orders	Sales & CRM → Sales orders	✓	✓	✓	✓	Confirm, approve, cancel	Sales
Deliveries	Sales & CRM → Deliveries	✓	✓	—	—	Order se banti hai; ship, deliver, cancel	Inventory / Sales

🛒 Procurement (kharidari)

Cheez	Menu mein kahan	C	R	U	D	Khaas buttons	Kaun
Suppliers	Procurement → Suppliers	✓	✓	✓	✓	Approve, contacts, map	Procurement, Admin
Purchase requisitions	Procurement → Requisitions	✓	✓	✓	✓	Submit, approve, reject, cancel, PO banana	Koi bhi staff (maangna), manager (approve)
Purchase orders	Procurement → Purchase orders	✓	✓	✓	✓	Submit, approve, send, cancel, close	Procurement
Goods receipts	Procurement → Goods receipts	✓	✓	✓	✓	PO se banti hai; confirm (stock barhta hai), cancel	Procurement / Inventory
Purchase returns	Procurement → Goods receipts	✓	✓	✓	✓	Confirm, cancel	Procurement

📦 Inventory

Cheez	Menu mein kahan	C	R	U	D	Khaas buttons	Kaun
Products	Inventory → Products	✓	✓	✓	✓	Image, stock, batches, movements, low-stock	Inventory Manager

Cheez	Menu mein kahan	C	R	U	D	Khaas buttons	Kaun
Product categories	Inventory → Products	✓	✓	✓	✓	Tree	Inventory
Units of measure	Inventory → Products	✓	✓	✓	✓	—	Inventory
Warehouses	Inventory → Warehouses	✓	✓	✓	✓	Andar ki locations	Inventory
Stock movements	Inventory → Movements / Stock levels	✓	✓	—	—	Receive, issue (in/out)	Inventory
Stock transfers	Inventory → Transfers	✓	✓	✓	✓	Ship, receive, cancel	Inventory
Stock adjustments	Inventory → Adjustments	✓	✓	✓	✓	Post (ginti theek karna)	Inventory

📂 Projects & Documents

Cheez	Menu mein kahan	C	R	U	D	Khaas buttons	Kaun
Projects	Projects	✓	✓	✓	✓	Board, summary, time summary	Manager, members
Tasks	Project → Tasks	✓	✓	✓	✓	Subtasks, comments, board pe move, "My tasks"	Project members
Milestones / Members / Time entries / Project expenses	Project ke andar	✓	✓	✓	✓	—	Project members
Document folders	Documents	✓	✓	✓	✓	—	Jinke paas documents ki ijazat
Documents	Documents	✓	✓	✓	✓	Naya version, download, share link	Jinke paas documents ki ijazat

🔔 Approvals, Reports, Audit, Settings

Cheez	Menu mein kahan	C	R	U	D	Khaas buttons	Kaun
Approvals inbox	Approvals	—	✓	—	—	Har pending cheez ek jagah (leave, invoice, bill, PO…)	Approve karne wale
Reports & exports	Reports & exports	—	✓	—	—	Excel/CSV export, download	Report ki ijazat wale
Audit log	Audit log	—	✓	—	—	Sirf dekhna — koi edit/delete nahi kar sakta	Owner, Admin, Auditor
Notifications	Upar bell 🔔	—	✓	—	✓	Read, sab read; email / in-app on-off	Har user (apni)
My profile / Security	Avatar → My profile / Security	—	✓	✓	—	Password badalna, 2-step sign-in on/off	Har user (apna)

Platform (sab se upar)

Cheez	Menu mein kahan	C	R	U	D	Khaas buttons	Kaun
Companies	Platform → Companies	✓	✓	✓	✓	Activate / deactivate, users & roles dekhna	Platform Owner / Admin
Platform users	Platform → Platform users	—	✓	✓	—	Deactivate, platform role dena	Platform Owner
System	Platform → System	—	✓	—	—	Health, database size, har company ki storage	Platform staff

3. Khaas buttons — ek cheez ka safar

Cheez	Qadam (left se right)
Customer invoice	Draft → **Submit** → Accountant **Approve** (accounts mein post) → Receipt aaye to **Paid** · galti ho to **Void**
Supplier bill	Draft → **Submit** → **Approve** → Payment → **Paid** · galti ho to **Void**
Payroll run	Create → **Calculate** → Owner **Approve** → **Finalize** (payslips jaari) → **Pay** (bank se)
Leave request	Employee maangta hai → HR / manager **Approve** ya **Reject** · employee **Cancel** bhi kar sakta hai
Purchase (kharidari)	Requisition → Approve → **Purchase order** → Send → **Goods receipt** confirm (stock barhta) → Bill → Payment
Sale (bechna)	Lead → Opportunity → **Quotation** → Accept → **Sales order** → **Delivery** (stock ghatta) → Invoice → Receipt
Journal entry	Draft → **Post** · galti ho to **Reverse** (ulti entry), delete nahi

4. ENV kya hai?

ENV (environment) settings woh cheezein hain jo har jagah alag hoti hain — database ka address, password, email ka account, website ka link. Inhein code mein nahi likhte; ek alag file (`.env`) ya hosting ki settings mein rakhte hain. Code wahi rehta hai, sirf settings badalti hain.

> **Sab se zaroori rule**
> `.env` file mein asli passwords hote hain — **isay kabhi GitHub pe commit na karein** (project mein yeh pehle se `.gitignore` mein hai). GitHub pe sirf `.env.example` jata hai, jis mein **koi asli password nahi** hota.

5. ENV kis folder / file mein daalni hai

```
ERP/
├── backend/
│   ├── .env                  ← LOCAL backend settings (aap banate hain, GitHub pe nahi jaati)
│   └── .env.example          ← namoona (GitHub pe hai, bina password)
├── frontend/
│   ├── .env.local            ← LOCAL frontend settings (aap banate hain)
│   └── .env.example          ← namoona
└── deployment/
    └── backend.env.production.example   ← apne server (VPS) ke liye namoona
```

Kahan chal raha hai	Settings kahan daalni hain	Kaise banayein
Apna PC — backend	`backend/.env`	`backend/.env.example` ki copy banayein, naam `.env` rakhein, values bharein, phir `php artisan key:generate`
Apna PC — frontend	`frontend/.env.local`	`frontend/.env.example` ki copy, naam `.env.local`
Live — backend	vercel.com → **erp-talha-api** → Settings → **Environment Variables**	Koi file nahi — har setting yahan ek line; password wali "Encrypted"
Live — frontend	vercel.com → **erp-talha** → Settings → Environment Variables	Sirf `BACKEND_URL`
Live — database viewer	vercel.com → **erp-talha-db** → Environment Variables	`DBVIEW_USER` , `DBVIEW_PASSWORD` , `DBVIEW_SERVER`
Apna server (VPS)	server pe `backend/.env`	`deployment/backend.env.production.example` se copy — `APP_ENV=production` , `APP_DEBUG=false`

Windows pe copy kaise karein (PowerShell)

```
cd C:\Users\Adnan\ERP
copy backend\.env.example backend\.env
copy frontend\.env.example frontend\.env.local
cd backend
php artisan key:generate          # APP_KEY khud bhar deta hai
```

6. Backend settings (`backend/.env` / Vercel erp-talha-api)

Asli passwords is PDF mein nahi likhe — un ki jagah "•••• (secret)". Asli values aap ki local `.env` aur Vercel ki settings mein hain.

App

Setting	Kya hai	Local (PC)	Live (Vercel)
`APP_NAME`	App ka naam (emails mein bhi)	Enterprise ERP	Enterprise ERP
`APP_ENV`	Kahan chal raha hai: local / demo / production	local	demo (asli business: production)
`APP_KEY`	Encryption ki chaabi — har installation ki apni	`php artisan key:generate`	•••• *(secret)*
`APP_DEBUG`	Error ki tafseel dikhaye? Live pe hamesha false	true	false
`APP_URL`	Backend ka address	http://localhost:8000	https://erp-talha-six.vercel.app

Database

Setting	Kya hai	Local (PC)	Live (Vercel)
`DB_CONNECTION`	Database ki qism	mysql	mysql
`DB_HOST`	Database server ka address	127.0.0.1	erp-mysql-... aivencloud.com
`DB_PORT`	Port	3306	13388
`DB_DATABASE`	Database ka naam	erp	defaultdb
`DB_USERNAME`	Database user	erp_app	avnadmin
`DB_PASSWORD`	Database password	•••• *(secret)*	•••• *(secret)*
`DB_SSL_CA`	SSL certificate file ka raasta (hosted DB)	(khaali)	(khud banta hai)
`DB_SSL_CA_PEM`	Certificate ka text — sirf Vercel pe	—	Aiven ka CA certificate
`DB_SSL_VERIFY`	Certificate check karna	true	true

Login / Session

Setting	Kya hai	Local (PC)	Live (Vercel)
`FRONTEND_URL`	Frontend ka address (email links isi pe jaate hain)	http://localhost:3000	https://erp-talha-six.vercel.app
`SANCTUM_STATEFUL_DOMAINS`	Kis website se login cookie chalegi (bina https)	localhost:3000,127.0.0.1:3000	erp-talha-six.vercel.app
`CORS_ALLOWED_ORIGINS`	Kaunsi website API ko call kar sakti hai	http://localhost:3000	(proxy ki wajah se zaroori nahi)
`SESSION_DRIVER`	Login session kahan save ho	database	database

Setting	Kya hai	Local (PC)	Live (Vercel)
`SESSION_LIFETIME`	Kitne minute baad logout	120	120
`SESSION_DOMAIN`	Cookie ka domain	localhost	(khaali)
`SESSION_SECURE_COOKIE`	Cookie sirf https pe	false	true
`SESSION_SAME_SITE`	Cookie policy	lax	lax
`AUTH_PASSWORD_TIMEOUT`	Sensitive kaam ke liye password dobara kitne second baad maange	900	900
`TRUSTED_PROXIES`	Proxy (Vercel) ke peeche asli IP pehchanna	(khaali)	*

Queue / Cache / Logs / Files

Setting	Kya hai	Local (PC)	Live (Vercel)
`QUEUE_CONNECTION`	Background kaam (emails) kaise chalein	database	sync (foran)
`CACHE_STORE`	Cache kahan	database	database
`LOG_CHANNEL`	Logs kahan likhein	stack	stderr (Vercel logs)
`LOG_LEVEL`	Kitni tafseel	debug	error
`FILESYSTEM_DISK`	Uploads kahan save hon	local	local (temporary)

Email (Gmail SMTP)

Setting	Kya hai	Local (PC)	Live (Vercel)
`MAIL_MAILER`	Email bhejne ka tareeqa	smtp (ya log = sirf file mein)	smtp
`MAIL_HOST / MAIL_PORT`	Mail server	smtp.gmail.com / 587	smtp.gmail.com / 587
`MAIL_USERNAME`	Gmail address	aap ka Gmail	aap ka Gmail
`MAIL_PASSWORD`	Gmail **App password** (asli Gmail password nahi)	•••• *(secret)*	•••• *(secret)*
`MAIL_FROM_ADDRESS / MAIL_FROM_NAME`	Email kis naam / address se jaye	aap ka Gmail / Enterprise ERP	same

ERP ki apni settings

Setting	Kya hai	Local (PC)	Live (Vercel)
`ERP_ALLOW_ADMIN_BOOTSTRAP`	Production mein `erp:create-admin` chalne de	false	false (sirf pehle admin ke waqt true)
`ERP_RETAIN_AUDIT_DAYS`	Audit log kitne din rakhein	730	730
`ERP_RETAIN_NOTIFICATIONS_DAYS`	Purani notifications kitne din	90	90
`ERP_UPLOAD_MAX_KB`	Upload ki max size	(default)	(default)

Setting	Kya hai	Local (PC)	Live (Vercel)
`DEMO_PASSWORD`	Demo seeder ke accounts ka password	password	(seeder chalate waqt)
`DEMO_COMPANIES`	Demo seeder kitni companies banaye	(sab)	1

7. Frontend settings (`frontend/.env.local` / Vercel erp-talha)

Setting	Kya hai	Local	Live
`NEXT_PUBLIC_API_URL`	Browser backend ko kis address pe call kare	http://localhost:8000	(khaali — khud set hota hai)
`BACKEND_URL`	Live pe frontend backend ko apne andar se aage bhejta hai (proxy) — login cookie isi se chalti hai	(nahi chahiye)	https://erp-talha-api.vercel.app

> **NEXT_PUBLIC_ kya hai?**
> Jis setting ke naam ke shuru mein `NEXT_PUBLIC_` ho woh **browser tak pahunchti hai** — is liye usmein kabhi password na rakhein. Frontend mein koi password nahi hota; saare secrets backend ke paas hain.

8. Setting badalne ke baad kya karein

Kahan badli	Asar lane ke liye
`backend/.env` (PC)	`php artisan config:clear`, phir backend band karke dobara chalayein (`start-dev.ps1`)
`frontend/.env.local` (PC)	Frontend (npm run dev) band karke dobara chalayein
Vercel settings (live)	Project → **Deployments** → sab se upar wali → ⋯ → **Redeploy** (sirf save karne se asar nahi hota)

> **Yaad rakhne ki 4 baatein**
> 1) `.env` kabhi commit nahi · 2) Live pe `APP_DEBUG=false` · 3) Gmail ke liye **App password**, asli Gmail password nahi · 4) Database / Gmail password badlein to Vercel mein bhi badal kar Redeploy karein.