


Grocery List Manager
Day 2 – Design Document
Presented by: Amaan Khan
Date: June 25, 2026

1. ARCHITECTURE DIAGRAM



2. ER DIAGRAM

ER Relationships:

Users 1 — many Categories

Users 1 — many Items

Categories 1 — many Items

Users	Categories
id (PK)	id (PK)
name	name
email	emoji
password	user_id (FK)

Items
id (PK)
name
quantity
unit
is_checked
category_id (FK)
user_id (FK)

3. CLASS DIAGRAM

Table 1 — User Class:

User	
id	int
name	string
email	string
password	string
register()	method
login()	method
logout()	method

Table 2 — Category Class:

Category	
id	int
name	string
emoji	string
user_id	FK
addCategory()	method
deleteCategory()	method

Table 3 — Item Class:

Item	
id	int
name	string

quantity	int
unit	string
is_checked	boolean
category_id	FK
user_id	FK
addItem()	method
checkItem()	method
deleteItem()	method

4. API LIST

Endpoint	Method	Description
/api/auth/register	POST	Register new user
/api/auth/login	POST	Login user
/api/auth/logout	POST	Logout user
/api/categories	GET	Get all categories
/api/categories	POST	Add new category
/api/categories/:id	DELETE	Delete category
/api/items/:categoryId	GET	Get items by category
/api/items	POST	Add new item
/api/items/:id/check	PATCH	Check/uncheck item
/api/items/:id	DELETE	Delete item