

vjoon
K4



Publishing Platform

EMAIL info@vjoon.com
BLOG vjoonity.com
WEB vjoon.com
TWITTER [@vjoon](https://twitter.com/vjoon)

K4 Integration with WordPress

→ Copyright

© 2023 vjoon GmbH, Kieler Straße 103-107, Haus D, 25474 Bönningstedt, Germany

PHONE +49 (0) 40 55 69 50-0

FAX +49 (0) 40 55 69 50-50

EMAIL info@vjoon.com

WEB www.vjoon.com

All rights reserved.

This manual – or parts of it – may not be reproduced, stored in a retrieval system, or transmitted, in any form or by any means electronic, mechanical, recording or otherwise, without the prior written permission of vjoon GmbH.

The software described in this manual is furnished under license and may be used or copied only in accordance with the terms of such license.

The information in this manual is furnished for informational use about the software only. vjoon GmbH reserves the right that the content of this manual is subject to change without notice, and assumes no responsibility or liability for any errors or inaccuracies that may appear in this manual.

vjoon and vjoon K4 are registered trademarks of vjoon GmbH in Germany and/or other countries. Other vjoon product, module, plug-in and technology names are trademarks or registered trademarks of vjoon GmbH in Germany and/or other countries. Adobe, InDesign and InCopy are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. All other names or product names mentioned in this manual are trademarks or registered trademarks of their respective holders.

This manual has been created using Adobe FrameMaker on a MacBook Pro. Text and headlines are set in Foundry Sans typefaces.

(14.0-EN-1/10/23)

→ Table of Contents

Chapter 1: Introduction..... 4

 System Requirements 4

 About the Documentation 4

Chapter 2: Getting Started 5

 Adding Licenses 5

 Multi-Threading 6

Chapter 3: Configuring Publication 7

 Connecting to WordPress..... 7

 Looking at Metadata 8

 Defining Image Quality..... 9

 Creating WordPress Tasks..... 9

Chapter 4: Creating Content..... 11

→ Chapter 1 Introduction

This module allows you to directly upload and publish vjoon K4 content stories from vjoon K4 to your WordPress system. The export is done using one or more automated tasks, which upload and/or publish HTML output of such stories, incl. images and metadata. Authentication is done via vjoon K4 publication setting.



Please note, that installation and use of the software described in this manual is subject to the terms and conditions set forth in the EULA documents provided on your disk image for this software.

System Requirements

K4 Integration with WordPress can be used with vjoon K4 version 13 or newer.

- K4 Content Portal, including Content Editor module and license key
- K4 Integration with WordPress module and license key
- Latest version of WordPress and vjoon WordPress Adapter

→ For a complete list of system requirements, refer to the vjoon K4 Versions and Requirements PDF on your disk image.

WordPress Setup and Connection

- Verify that your connection from K4 Server to the WordPress server is setup correctly. If you use firewalls within your network environment, make sure they do not block communication.
- For communication between K4 Server and WordPress, vjoon K4 uses the HTTP header "Authorization". Make sure, that this header is not blocked by your WordPress configuration.
- Communication between vjoon K4 and WordPress has to be done using https.

About the Documentation

This user guide describes how you set-up your vjoon K4 system to connect to WordPress. Detailed descriptions of dialog settings are supplied directly within the software and are referenced in these instructions. In addition, we assume that you are familiar with the use of:

- WordPress and the vjoon WordPress Adapter. Otherwise, refer to the WordPress documentation.
- vjoon K4, K4 Content Portal incl. Content Editor and K4 Admin and setting up publications. Otherwise, refer to the corresponding vjoon documentation.

→ Chapter 2 **Getting Started**

This section describes how you activate K4 Integration with WordPress functionality within your K4 system.

Updating the System

- (1)** Install or update your vjoon K4 system, including K4 Content Portal and Content Editor. For more information refer to the K4 Installation or Update user guide.
- (2)** Install the "vjoon WordPress Adapter" directly from the WordPress Plugins directory (do not install manually): Log in to WordPress, go to Plugins and click Add New. In the search field, type "vjoon WP Adapter" and click Search Plugins. Click Install Now.

Once activated, you have to connect your K4 publications with "vjoon WP Adapter" by providing authorization information as described under "Connecting to WordPress".

Adding Licenses

To activate the K4 Integration with WordPress module for your vjoon K4 system, you have to activate the corresponding license key delivered for your software.

- (1)** Launch K4 Admin, and log into K4 Server Admin. Refer to the K4 Administration user guide for more information about logging in.
- (2)** To add the license key, go to "Licenses", and follow the online instructions.

Access rights are added to the default license pool you are using. If you are using multiple license pools, go to "License Pools", and assign the module to the pools you want.

K4 Integration with WordPress is now available.

Multi-Threading

By default, one task is executed at a time for all publications. Using the ThreadCount setting, tasks from different publications can be executed at the same time. Within the same publication, however, one task is started after the other.



As tasks of this kind produce a high load on K4 Server, you should only change this setting, if you have tasks in different publications that have to be executed at the same time. In no way, the value may exceed the number of CPU cores available for K4 Server.

(1)

Log in to K4 Server Admin, and go to "Settings".

(2)

Select the setting "WordPress > ThreadCount" and click the Edit button at the top of the window.



The corresponding dialog appears.

(3)

Define the setting you want.

Your modifications take immediate effect, even while the server is up and running.

→ Chapter 3 **Configuring Publication**

This chapter describes how you connect your vjoon K4 system with your WordPress system, and how you configure a publication for working with WordPress.



The publication template "Advanced" provides settings and workflows for content stories and WordPress integration. You can adapt these settings to your needs as described in this chapter.

Connecting to WordPress

After you have installed or updated your K4 system to the newest version, a number of special publication settings become available. Use these settings to establish the connection between vjoon K4 and WordPress.

(1)

Log in to WordPress, and go to "Settings > vjoon WP Adapter".

(2)

Copy the values from the fields "APIURL" and "ApplicationPassword". You will need them to define publication settings as described next.



If you have generated new Application Password and URL, make sure to click Save Changes before leaving the vjoon WP Adapter settings dialog.

(3)

Launch K4 Admin and log in to the publication you want to edit.

(4)

Go to "Settings", select every key of the category WordPress and click the Edit button. The Edit Publication Setting dialog appears. Provide information as follows:

- **APIURL:** Enter the URL to the WordPress you want to connect to.
- **ApplicationPassword:** Enter the associated application password.

The connection between the publication and WordPress is now established. You can now continue to create the necessary metadata fields as described next.

Looking at Metadata

Besides basic metadata fields, you may define dedicated WordPress metadata fields that can be used when editing content stories in vjoon K4. These metadata fields have to be added to the WordPress tasks that are part of the corresponding workflows. Users can then use these settings when starting workflows, editing metadata or finishing tasks. The values from the following basic vjoon K4 metadata are automatically transferred to WordPress:

- **Title:** The title of a post is automatically created from the first block of a content story.
- **Author:** An entry from the metadata field "Author" appears as author of a post in WordPress. If not available, the full name of the user who last save a version of the content story is used.
- **Section:** A sections display name is added as custom metadata field to a post in WordPress.

(1) To create additional metadata fields, double-click the publication you want to view or edit in K4 Admin.

(2) Go to "Publication > Metadata", and click the Add button. The Add Metadata dialog appears. Select the corresponding entry from the Data Type pop-up menu:

- **WordPress Category:** Field or pop-up menu that allows a user to enter or select a category, which the-matically structures the post in WordPress.
- **WordPress Post Type:** Pop-up menu that allows a user to specify, whether a post is uploaded as post, page or custom post type.
- **WordPress Publishing Date:** Field that allows a user to enter the date and time for publishing the post on WordPress.
- **WordPress Tag Line:** Field or pop-up menu that allows a user to assign one or more tags to the post to make it easier to find it in WordPress.

(3) Define the settings you want to use and repeat these steps for all metadata fields, you want to create.

To assign the metadata fields you created to corresponding workflow channels, go to "Workflows", and edit your workflow set as described under "Creating WordPress Tasks".

Defining Image Quality

When adding images to content stories, vjoon K4 uses the K4 internal preview image in JPG format. These images are also used when exporting a content story to WordPress. The quality and availability of preview images depends on the corresponding vjoon K4 publications settings. When configuring image quality for Content Editor, keep in mind that WordPress reduces image quality when uploading or processing images.

→ For more information, refer to the separate K4 Content Portal Plug-ins Install PDF.



If you are working with vjoon seven integration, you can also insert DAM objects into content stories. In this case, the preview rendition supplied by vjoon seven instead of the K4 internal preview image is used .

Creating WordPress Tasks

To deliver content stories to WordPress, you add automated tasks to the corresponding workflow channels. They may include uploading and/or publishing content, unpublishing and/or deleting posts on WordPress. Any of these tasks can be executed immediately or scheduled for publishing by users. Or, you can create independent tasks that users may trigger manually.

→ For more information about the K4 workflow editor, refer to the corresponding K4 documentation. Detailed descriptions of all options is included in the online help of the corresponding dialogs.

(1)

In K4 Admin, log in to the corresponding publication and go to "Publication > Workflows". Select the workflow set you want to edit, and click the Edit button. (If you selected the active workflow set, a copy appears.) The Workflow Editor appears.

(2)

Go to the Content Story workflow you want to edit and define settings as follows.

(3)

Click the Output channel box (red), go to the tab Metadata Usage and define the WordPress metadata fields you want to be available for this workflow and define the access right presets you want. These settings are used when creating new tasks, but can be individually adapted for each task within the workflow.

(4) Add WordPress tasks to your workflow channel as follows:

- **Independent Task:** Click the numbered tab on the right of the output channel box (red), and click the Add button (+).
- **Automated Task:** To add a new task, click an existing task box (yellow), status box (blue) or task/status box (yellow/blue), and click the Add Task button. To change an existing task or task/status combination, double-click the corresponding box (yellow or yellow/blue).

The corresponding dialog appears.

(5) Enable the option "Automated Task", select "WordPress Task" from the pop-up menu and click "Configure". The Configure Automated Task dialog appears.

(6) Define the task using the available variables (Upload, Publish, Unpublish, Delete), define if the post is locked in WordPress for K4 exclusive editing only and define the WordPress editor used for the post (Classic, Gutenberg). Refer to the online help for details.

 By default, articles are always uploaded as "post" to WordPress. To create pages or custom post types, the "WordPress: Post Type" metadata field is required, which must have at least read permission for the corresponding automated task.

(7) In the Add/Edit Task dialog, go to the tab "Data Usage", add the metadata fields you want to use and define their editing rights. Click OK to close the dialog and save your configuration.

(8) Repeat these steps for all WordPress tasks that you want to add to a workflow channel. If necessary, add other elements to the workflow like dependencies and rewinds. For more information refer to the separate PDF "About Workflows".

(9) Save and close the workflow set and activate it.

(10) (Optional) If you want users to trigger WordPress tasks via K4 Query panels using custom buttons, in K4 Admin go to "Button Bars", and add the icons you want:



Your workflow is now ready to be used with WordPress.

→ Chapter 4 **Creating Content**

You have now configured your vjoon K4 integration with WordPress, and users can start creating content. This includes writing content stories and adding the images you want, displaying a preview in vjoon K4 to review the content you created, and once you like the result that you see, use automated tasks to upload and/or publish your content stories on WordPress.

All of this is done using the Content Editor client, which is a license that runs in vjoon's K4 Content Portal and adds to the vjoon K4 Integration with WordPress.

→ For more information about working with this client, refer to the separate Content Editor PDF. It contains a separate chapter that describes how to work with WordPress integration.