



MRL ELITE - MRL DELUX






CENTRE GUIDING SYSTEM


MRL -ELITE (Standard and economic product)

NOMINAL LOAD (Q)	320, 450, 630, 800 y 1000 kg
MAX STOPS	11
MAX SPEED	0.63 m/s - 1 m/s
APLICATIONS	Builder quotes
MAX EMPTY WEIGHT + PAYLOAD	2000 kg
TRACTION ROPES	Gustav Wolf - Ø6,5
CAR SLING	<p>TOPSLUNG - 2 x Poliamide diverters pulleys Ø240</p> <ul style="list-style-type: none"> - Thickness: 4 mm. - Weighing device: Not available beneath the flooring. - Safety gear: Dynatech ASG-120. - OSG mounted on car sling, by Dynatech QUASAR. - Car guiding system: ETN guide shoes.
COUNTERWEIGHT SLING	<p>- 1 x Poliamide diverters pulleys</p> <ul style="list-style-type: none"> - Thickness: 3 mm
WEIGHT FILLERS	Ferritic concrete
MOTOR BEDFRAME	Fixed to guides only
MOTORS	CEGUI (Ziehl Abegg as optional)
CONTROLLER	INELCA, EDEL (Newlift optional)
STANDARDS	EN81-20&50, EN81.21, EN81.70, EN81.73, BS9999

LT4 Car Sling




LUX - 0 CTW Sling



MRL -DELUX (Highly customisable)

320, 450, 630, 800, 1000, 1275, 1600 y 2000 kg
16
1 m/s - 2 m/s
UK consultant approved
<p>2300 kg</p> <p>Therefore more stetical solutions are available</p>
Gustav Wolf - Ø6,5, Ø8, Ø10 ...
<p>TOPSLUNG, UNDERSLUNG - 2 x Poliamide diverters pulleys Ø240-Ø320-Ø400 mm</p> <ul style="list-style-type: none"> - Thickness: 4 mm - Weighing device: Beneath the flooring (Micelet CAB800) - Safety Gear: Dynatech ASG-120, Schlosser, VG - OSG mounted in shaft (+ tension pulley), by Luezar LF20 - Car guiding system: ETN guide shoes, spring loaded shoes, spring loaded rollers (ELSCO, ETN)
<p>- 1 x Poliamide diverters pulleys</p> <ul style="list-style-type: none"> - Thickness: 4 mm
Metallic plates
<p>Fixed to guides only</p> <p>High quality Isolation pads by Shalberg</p>
ZIEHL ABEGG (LiftEquip optional)
NEWLIFT
EN81-20&50, EN81.21, EN81.70, EN81.71 CAT I or CAT II; EN81.72; EN81.73, EN81-20&50, EN81.21, EN81.70, EN81.73, BS9999

LUX - 2 Car Sling Deluxe



LTX CTW Sling Deluxe



BOTH MODELS INCLUDE

GUIDE BRACKETS	Fully adjustable
GUIDE RAILS	T89/62/16 1B - 70/65/9 (CTW)
DIVERTERS PULLEYS MANUFACTURER	Poliamid divertors pulleys by Roechling



CTV

COMPONENTES DE TRÁFICO VERTICAL

Pol. Ind. La Huertecilla. C/Generación n.º 44 29004 Málaga (España)

T+34 952 20 71 66

F+34 952 20 32 91

e-mail ctv@ctvlifts.com

www.ctvlifts.com