(Pages : 4)

Reg. No.	:	•••		 	 	 	 	•••	•••	
Name:					 		 			 

# Sixth Semester B.Sc. Degree Examination, April 2024 First Degree Programme under CBCSS

## **Physics**

**Core Course XII** 

PY 1644: DIGITAL ELECTRONICS AND COMPUTER SCIENCE

(2018 Admission Onwards)

Time: 3 Hours

Max. Marks: 80

## SECTION - A

Answer all questions in one or two sentences. Each question carries 1 mark.

- 1. Convert the binary number 1110010<sub>2</sub> to hexadecimal number.
- 2. Give the number of cells in an n-variable K-Map.
- 3. How will you define a variable in C++?
- 4. Give an example of single line comment in C++.
- 5. What '\t' means in C++?
- 6. State the duality theorem.
- 7. State whether 1010 is a BCD. Why?

- 8. Represent the given binary numbers in 1's complement form
  - (a) 11110<sub>2</sub>
  - (b) 101010<sub>2</sub>
  - (c) 0000011<sub>2</sub>
- 9. What is meant by cache memory?
- 10. Symbolically represent two input NOR gate.

 $(10 \times 1 = 10 \text{ Marks})$ 

SECTION - B

Answer any eight questions, not to exceeding a paragraph. Each question carries 2 marks.

- 11. Evaluate using binary arithmetic
  - (a)  $110_2 + 011_2$
  - (b)  $11010_2 + 0111_2$
  - (c)  $110_2 010_2$
  - (d)  $1011_2 1110_2$
- 12. Differentiate array and structure in C++.
- 13. What is an exit controlled loop?
- 14. What is an asynchronous DRAM?
- 15. What is a subtractor? Explain.
- 16. Give the truth table of EXOR gate.
- 17. What is mean by edge triggered flip flops?

- 18. Explain the difference between the 1's complement and 2's complement methods by considering the binary subtraction of the decimal number 20 from 25.
- 19. Why ASCII codes are needed?
- 20. How will you define an inline function in C++?
- 21. Name any four addressing modes in 8085 microprocessor.
- 22. Can unsigned int datatype be used to store the umber 50,000? Why?

  (8 × 2 = 16 Marks)

### SECTION - C

Answer any six questions. Each question carries 4 marks.

- 23. Subtract the decimal number 125 from 200 using 2's complement binary operation. Express the numbers in hexadecimal.
- 24. Write brief notes on functions in C++.
- 25. Distinguish between assembly language and machine language.
- 26. Draw the K-Map for the Boolean function F = A'B'C'D' + A'BC'D' + A'B'C'D + A'BC'D + A'B'CD'. Obtain the simplified expression for F.
- 27. Briefly explain the working of SR flip-flop.
- 28. Distinguish between the terms declaration, definition and initialization as applied to variables in C++.
- 29. How is virtual memory different from cache memory?
- 30. Contrast between relational and logical operators in C++.
- 31. Write a C++ code segment to display a matrix.

 $(6 \times 4 = 24 \text{ Marks})$ 

### SECTION - D

Answer any two questions. Each question carries 15 marks.

- 32. Write a C++ program to find the sum of even numbers between 0 and 100.
- 33. (a) Write down the procedure to convert binary number to hexadecimal numbers.
  - (b) Discuss the steps involved in subtracting smaller number from bigger number and vice versa in 2's compliment form.
  - (c) Subtract the following hexadecimal numbers and express the results in binary numbers:
    - (i)  $F_{H} 4_{H}$
    - (ii)  $1C_H 20_H$
    - (iii) AA<sub>H</sub> 11<sub>H</sub>
- 34. Obtain the truth table and logic circuit for the Boolean function F = x'y'z+x'yz+xy'+xz. Simplify the function using Boolean identities and draw the logic circuit for the same.
- 35. Distinguish between Basic and Universal gates with their standard symbols and truth tables. Why are they called so? Prove that NAND and NOR are Universal gates.

 $(2 \times 15 = 30 \text{ Marks})$