Nama : Amalia Fandaning Tyas

NIM : 19051397012

Prodi : D4 Manajemen Informatika 2019A

Mata Kuliah: Struktur Data

Materi 8

Double Linked List

Soal 1


Perhatikan script code double linked list non circular berikut ini dan tuliskan urutan langkah output node nya!

```
Telkom 🐣
                              STT Telematika
  #include<iostream>
                          n= new node;
   include<stdio.h>
  #include<comio.h>
                           n->data = 2;
                          n->prev = tail;
  #include<stdlib.h>
                          tail->next = n;
                          tail=n;
  typedef struct node
                          n=new node;
                         n->data = 3;
          int data;
                          n->prev = tail;
          node* prev;
                           tail->next= n;
          node* next;
                           tail=n;
      1:
                           tail->next=NULL;
  int main()
                           tail = head ;
      node *head;
      node *tail;
      node *n;
                           while ( tail! = NULL ) {
                              cout << "Data : " << tail->data << endl;
                               tail = tail->next;
      n= new node;
      n->data = 1;
      n->prev=NULL;
                           system("PAUSE");
      head = n;
                           return 0;
      tail = n;
Tenia Wahyuningrum
                                                     www.st3telkom.ac.id
```

Jawaban:

```
Data: 1
Data: 2
Data: 3
```

Soal no 2



```
n=new node;
n->data=50;
n->prev=NULL;
n->next = head;
head->prev = n;
head = n;
tail->next=NULL;
tail = head;
while( tail!= NULL ){
    cout << "Data : " << tail->data << endl;
    tail = tail->next;
}
system("PAUSE");
return 0;
```

Tenia Wahyuningrum

www.st3telkom.ac.id

Jawaban:

Data : 50

Data : 1

Data : 2

Data : 3

Soal no 3



ditambahkan statement berikut!

```
Telkom Indonesia
```

```
node *bantu, *bantu2;
n=new node;
n->data=9;
n->prev=NULL;
                            while ( tail! = NULL ) {
n->next=NULL;
                               cout << "Data : " << tail->data << endl;
bantu = head;
                                tail = tail->next;
while (bantu->data != 2)
bantu = bantu->next;}
                            system("PAUSE");
                            return 0;
bantu2 = bantu->next;
n->next = bantu2;
bantu2->prev = n;
bantu->next = n;
n->prev = bantu;
tail->next=NULL;
tail = head ;
```

Tenia Wahyuningrum

www.st3telkom.ac.id

Jawaban:

Data: 50

Data: 1

Data: 2

Data: 9

Data: 3



Tuliskan keluarannya, jika



ditambahkan statement berikut ! while (bantu->data != 2)

```
while(bantu->data != 2)
{
bantu = bantu->next;}

bantu2 = bantu->next;
n->next = bantu2;
bantu2->prev = n;
bantu->next = n;
n->prev = bantu;

hapus = head;
head = head->next;
head->prev = NULL;
delete hapus;

tail->next=NULL;

tail = head ;

while(tail!= NULL){
    cout << "Data : " << tail->data << endl;
    tail = tail->next;
```

Tenia Wahyuningrum

www.st3telkom.ac.id

Jawaban:

Data : 1			
Data : 2			
Data : 9			
Data : 3			

Soal no 5

Perhatikan script code double linked list circular sederhana berikut ini dan tuliskan urutan langkah output node nya!

```
TELKON
                                                                     Telkom 🕓
 Telkom
Foundation
  #include<iostream>
  #include<stdio.h>
                                                       n = new node;
                              n = new node;
                                                       n->next = n;
  #include<comio.h>
                              n->next = n;
                                                       n->prev = n;
  #include<stdlib.h>
                              n->prev = n;
                                                       n->data = 9;
                              n->data = 5;
                                                       tail->next = n;
                                                       n->prev = tail;
  //linked list circular
                             head = tail = n;
                                                       tail = n;
  typedef struct node{
                                                       tail->next = head;
           int data;
                              n = new node;
                                                       head->prev = tail;
           node* prev;
                              n->next = n;
           node* next;
                                                       bantu = head;
                              n->prev = n;
      };
                                                       do
                              n->data = 8;
                                                         cout<<bantu->data;
                                                         bantu = bantu->next;
                              tail->next = n;
  int main()
                                                       ) while (bantu!=head);
                              n->prev = tail;
  1
                              tail = n;
      node* head;
                                                       system("PAUSE");
      node* tail;
                                                       return 0;
                             tail->next = head;
      node* n;
                              head->prev = tail;
      node* bantu;
Tenia Wahyuningrum
                                                       www.st3telkom.ac.id
```

Jawaban:

589			