JILSE JACOB

BATCH A 43

EXPIRIMENT 1

create table DEPOSIT1 (ACTNO varchar(10) CHECK (ACTNO LIKE 'D%') primary key ,CNAME varchar(15) REFERENCES CUSTOMER1(CNAME),BNAME varchar(20) REFERENCES BRANCH1(BNAME),AMOUNT float(8,2) NOT NULL,ADATE DATE);

create table BRANCH1 (BNAME VARCHAR(20) PRIMARY KEY,CITY VARCHAR(30) CHECK (CITY IN ('NAGPUR','DELHI','BANGALORE','BOMBAY')) NOT NULL);

create table CUSTOMER1 (CNAME VARCHAR(15) PRIMARY KEY, CITY VARCHAR(20) NOT NULL);

create table BORROW1 (LOANNO VARCHAR(8) PRIMARY KEY check (LOANNO LIKE "L%"), CNAME VARCHAR(15), FOREIGN KEY (CNAME) REFERENCES CUSTOMER1(CNAME), BNAME VARCHAR(20), FOREIGN KEY(BNAME) REFERENCES BRANCH1(BNAME), AMOUNT FLOAT(8,2) CHECK (AMOUNT > 0) NOT NULL);

1. Inserting values to Branch

INSERT INTO BRANCH1 (BNAME,CITY) VALUES ('VRCE','NAGPUR');
INSERT INTO BRANCH1 (BNAME,CITY) VALUES ('AJNI','NAGPUR');
INSERT INTO BRANCH1 (BNAME,CITY) VALUES ('KAROLBAGH','DELHI');
INSERT INTO BRANCH1 (BNAME,CITY) VALUES ('CHANDNI','DELHI');
INSERT INTO BRANCH1 (BNAME,CITY) VALUES ('DHARAMPETH','NAGPUR');
INSERT INTO BRANCH1 (BNAME,CITY) VALUES ('MG-ROAD','BANGALORE');
INSERT INTO BRANCH1 (BNAME,CITY) VALUES ('ANDHERI','BOMBAY');
INSERT INTO BRANCH1 (BNAME,CITY) VALUES ('NEHRU-PALACE','DELHI');
INSERT INTO BRANCH1 (BNAME,CITY) VALUES ('POWAI','BOMBAY');

SELECT * FROM BRANCH1;



2. Inserting values into Customer table

```
INSERT INTO CUSTOMER1 VALUES('ANIL','CALCUTTA');
INSERT INTO CUSTOMER1 VALUES('SUNIL','DELHI');
INSERT INTO CUSTOMER1 VALUES('MEHUL','BARODA');
INSERT INTO CUSTOMER1 VALUES('MANDAR','PATNA');
INSERT INTO CUSTOMER1 VALUES('MADHURI','NAGPUR');
INSERT INTO CUSTOMER1 VALUES('PRAMOD', 'NAGPUR');
INSERT INTO CUSTOMER1 VALUES('SANDIP','SURAT');
INSERT INTO CUSTOMER1 VALUES('SHIVANI','BOMBAY');
INSERT INTO CUSTOMER1 VALUES('KRANTI','BOMBAY');
INSERT INTO CUSTOMER1 VALUES('NAREN','BOMBAY');
```


SELECT * FROM CUSTOMER1;



3. Inserting values into Deposite table

```
INSERT INTO DEPOSIT1 VALUES ('D100','ANIL','VRCE',1000.00,'1990-09-01');
INSERT INTO DEPOSIT1 VALUES ('D101','SUNIL','ANJNI',500.00,'1996-01-04');
INSERT INTO DEPOSIT1 VALUES ('D102','MEHUL','KAROLBAGH',3500.00,'1995-11-17');
INSERT INTO DEPOSIT1 VALUES ('D104','MADHURI','CHANDNI',1200.00,'1994-12-17');
INSERT INTO DEPOSIT1 VALUES ('D105','PRAMOD','MG-ROAD',3000.00,'1996-03-27');
INSERT INTO DEPOSIT1 VALUES ('D106','SANDIP','ANDHERI',2000.00,'1996-03-31');
INSERT INTO DEPOSIT1 VALUES ('D107','SHIVANI','VIRAR',1000.00,'1995-09-05');
INSERT INTO DEPOSIT1 VALUES ('D108','KRANTI','NEHRU-PLACE',5000.00,'1995-07-02');
INSERT INTO DEPOSIT1 VALUES ('D109',' MINU','WAI',7000.00,'1995-08-10');
```

SELECT * FROM DEPOSIT1;



4. Inserting values into borrow table

```
INSERT INTO BORROW1 VALUES ('L201', 'ANIL','VRCE',' 1000.00');
INSERT INTO BORROW1 VALUES ('L206', 'MEHUL', 'KAROLBAGH', '5000.00');
INSERT INTO BORROW1 VALUES ('L311', 'SUNIL', 'DHARAMPETH', '3000.00');
INSERT INTO BORROW1 VALUES ('L321', 'MADHURI', 'CHANDNI', '2000.00');
INSERT INTO BORROW1 VALUES ('L371', 'PRAMOD', 'MG-ROAD', '8000.00');
INSERT INTO BORROW1 VALUES ('L481', 'KRANTI', 'POWAI', '3000.00');
```

SELECT * FROM BORROW1;



2.5 SELECT ACTNO, AMOUNT FROM DEPOSIT1;



2.6 SELECT CNAME, ACTNO FROM DEPOSIT1;




2.7 SELECT CNAME FROM DEPOSIT1;



2.8 SELECT BNAME FROM DEPOSIT1;



2.9 SELECT CNAME FROM BORROW1;




2.10 SELECT CNAME FROM DEPOSIT1 WHERE BNAME IN (SELECT BNAME FROM BRANCH1 WHERE CITY IN ('NAGPUR'));




2.11 SELECT CNAME FROM DEPOSIT1 WHERE AMOUNT > 4000;



2.12 SELECT ADATE FROM DEPOSIT1 WHERE CNAME = 'ANIL';



2.13 SELECT BNAME FROM BRANCH1 WHERE CITY = 'BOMBAY';




2.14 SELECT BNAME FROM BORROW1 WHERE LOANNO = 'L206';



2.15 SELECT CNAME FROM DEPOSIT1 WHERE BNAME = 'VRCE';



2.16 SELECT BNAME FROM BRANCH1 WHERE CITY ='DELHI';




2.17 SELECT CNAME FROM DEPOSIT1 WHERE ADATE ='1990-09-01';




2.18 SELECT ACTNO, AMOUNT FROM DEPOSIT1 WHERE ADATE BETWEEN '1996-01-01' AND '1996-12-1';



2.19 SELECT CITY BNAME FROM BRANCH1 WHERE BNAME ='KAROLBAGH';



2.20 SELECT * FROM DEPOSIT1 WHERE CNAME = 'ANIL';



EXPIRIMENT 2:-


CREATE TABLE EMP1(empno numeric(4) PRIMARY KEY, ename varchar(10), hiredate DATE , salary FLOAT, commission INTEGER(10));

INSERT INTO EMP1 VALUES(101,"RAMESH","1980-01-17",5000,NULL);
INSERT INTO EMP1 VALUES(102,"AJAY","1985-07-05",5000,500);
INSERT INTO EMP1 VALUES(103,"RAVI","1981-08-12",1500,NULL);
INSERT INTO EMP1 VALUES(104,"NIKESH","1983-03-03",3000,700);
INSERT INTO EMP1 VALUES(105,"RAVI","1985-07-05",3000,NULL); select
* from EMP1;



ALTER TABLE EMP1 ADD COLUMN SAL NUMERIC(7,2);

ALTER TABLE EMP1 DROP SAL;



ALTER TABLE EMP1 MODIFY ename varchar(15);

RENAME TABLE EMP1 to emp;

SELECT * FROM emp;



TRUNCATE TABLE emp;

select * from emp;

```
7 INSERT INTO EMP1 VALUES(195, MAV1', 1965-07-09', 30000, NULL);

8 select * from EMP1;

13 ALTER TABLE EMP1 ADD COLUMN SAL NUMERIC(7,2);

13 ALTER TABLE EMP1 DROP SAL;

14 15 ALTER TABLE EMP1 MODIFY ename varchar(15);

16 17 REALME TABLE EMP1 to emp;

19 TAUNCATE TABLE EMP;

20 TAUNCATE TABLE emp;

21 select * from emp;

22 Query has no result
```

drop table emp; select

* from emp;

```
Table 'emp' doesn't exist
```