

PET SHELTER SQL ANALYSIS

Abstract

A relational database management project designed for managing pet shelter operations, adoption tracking, vaccination records, and staff activities using SQL.

Amal Farhan

Contents

Mochi Pets Store Database Case Study	1
Business Overview	2
Business Problem.....	2
Proposed Solution	2
Database Scope	3
Entity Relationship Diagram	3
Analytical Capabilities	4
Technologies Used	5
KEY SQL QUERIES & ANALYSIS.....	5
1. Adoption Tracking Analysis	5
2. Vaccination Pattern Analysis	7
3. Pet Availability Report	8
4. Shelter Performance Analysis	9
5. Unified Pet Vaccination Report	10
APPENDIX	13
 Figure 1 ERD diagram	4
Figure 2 Adoption Tracking Analysis	6
Figure 3 Vaccination Pattern Analysis	7
Figure 4 Pet Availability Monitoring	8
Figure 5 Shelter Performance Analysis	9
Figure 6 Unified Pet Vaccination Report	12

Mochi Pets Store Database Case Study

Business Overview

Mochi Pets is a Dubai-based pet store and adoption center that collaborates with multiple shelter organizations to house and care for rescued cats and dogs. The business manages pet adoption, vaccination records, staff operations, pet training, and customer information through a centralized database system.

The objective of this project was to design and implement a relational database capable of supporting daily shelter and adoption operations while enabling efficient reporting and analytical querying.

Business Problem

Managing rescued pets across multiple shelter organizations requires accurate tracking of:

- pet records
- shelter information
- customer adoptions
- vaccinations
- staff assignments
- dog training activities

Without a centralized system, operational data becomes difficult to manage, leading to inefficiencies in adoption tracking, vaccination monitoring, and reporting processes.

Proposed Solution

A relational SQL database was developed to centralize and organize operational data for Mochi Pets.

The system was designed to:

- manage cat and dog records
- track adoption history
- monitor vaccinations
- manage shelter organizations

- record training activities
- maintain customer and staff information

The database structure uses normalized relational design principles with primary and foreign key relationships to ensure data integrity and consistency.

Database Scope

The system includes entities such as:

- Customers
- Shelter Organizations
- Cats
- Dogs
- Staff
- Training Records
- Vaccination Records
- Adoption Records
- Pet Sitting Activities

The design supports one-to-many relationships between shelters and pets, customers and adoptions, as well as pets and vaccination records.

Entity Relationship Diagram

The following ERD illustrates the relational structure of the Mochi Pets database system, including entity relationships, primary keys, and foreign key constraints.




Figure 1 ERD diagram

Analytical Capabilities

The database enables operational and analytical reporting including:

- tracking adopted and available pets
- identifying vaccination history
- monitoring trainer activity
- analyzing shelter pet volumes
- generating combined pet reports
- evaluating adoption trends

Complex SQL queries were implemented using:

- JOIN operations
- subqueries
- aggregation
- UNION / UNION ALL
- EXISTS / NOT EXISTS

- GROUP BY and HAVING clauses

Technologies Used

- MySQL
- SQL
- Relational Database Design

KEY SQL QUERIES & ANALYSIS

1. Adoption Tracking Analysis

Objective

Retrieve adopted pets along with customer and shelter organization information.

SQL Concepts Used

- INNER JOIN
- LEFT JOIN
- COALESCE

```
1 • SELECT
2     a.adop_ID,
3     c.cust_name,
4     COALESCE(cat.cat_ID, dog.dog_ID) AS pet_ID,
5     COALESCE(cat.cat_name, dog.dog_name) AS pet_name,
6     COALESCE(cat.cat_breed, dog.dog_breed) AS pet_breed,
7     s.org_name,
8     a.adop_date
9 FROM adoption_record AS a
10 INNER JOIN customer AS c
11     ON a.cust_ID = c.cust_ID
12 LEFT JOIN cat
13     ON a.cat_ID = cat.cat_ID
14 LEFT JOIN dog
15     ON a.dog_ID = dog.dog_ID
16 INNER JOIN shelter_organisation AS s
17     ON s.org_ID = COALESCE(cat.org_ID, dog.org_ID);
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	adop_ID	cust_name	pet_ID	pet_name	pet_breed	org_name	adop_date
▶	701	Aisha Khan	401	Mickey	Persian	Paws Rescue	2024-01-05
	702	Omar Ali	501	Milo	Husky	Paws Rescue	2024-01-12
	703	Sara Noor	402	Milo	Siamese	Paws Rescue	2024-01-20
	704	Hassan Raza	502	Mochi	Labrador	Paws Rescue	2024-02-01
	705	Maya Patel	403	Leo	Siamese	Paws Rescue	2024-02-10
	706	Zain Ahmed	503	Astro	Golden Retriever	Hope Shelter	2024-02-18
	707	Lina Yusuf	404	Doremi	Bengal	Hope Shelter	2024-02-25
	708	Bilal Khan	504	Edgar	Pug	Hope Shelter	2024-03-02
	709	Nour Ali	405	Oreo	Siamese	Hope Shelter	2024-03-08
	710	Fatima Saleh	505	Ollie	Beagle	Hope Shelter	2024-03-15

Figure 2 Adoption Tracking Analysis

Insights

This SQL query retrieves a comprehensive view of pet adoptions by combining data from multiple tables — customers, cats, dogs, and shelter organizations. The use of the COALESCE function ensures that both cat and dog records are unified under common columns (pet_ID, pet_name, pet_breed), allowing a single query to handle different pet

types seamlessly. It effectively displays each adoption's details, including adopter name, pet information, shelter name, and adoption date.

2. Vaccination Pattern Analysis

Objective

Identify cats that received multiple vaccinations.

SQL Concepts Used

- GROUP BY
- HAVING
- Subqueries

```
19 • SELECT cat_ID, cat_name, cat_breed
20 FROM cat
21 WHERE cat_ID IN (
22     SELECT cat_ID
23     FROM cat_vaccination
24     GROUP BY cat_ID
25     HAVING COUNT(cat_vaccination_ID) > 1
26 );
```

Result Grid

	cat_ID	cat_name	cat_breed
▶	401	Mickey	Persian
*	NULL	NULL	NULL

Figure 3 Vaccination Pattern Analysis

Insight

This SQL query identifies cats that have received more than one vaccination by using a subquery with GROUP BY and HAVING COUNT(cat_vaccination_ID) > 1. It filters the main cat table to return only those cats whose IDs appear multiple times in the cat_vaccination table. The result highlights cats with multiple vaccination records — in this case, **Mickey**, a **Persian** cat.

3. Pet Availability Report

Objective

Identify pets currently available for adoption.

SQL Concepts Used

- NOT EXISTS
- UNION

```
SELECT d.dog_ID AS pet_ID,  
       'Dog' AS pet_type,  
       d.dog_breed AS pet_breed,  
       d.dog_name AS pet_name  
FROM dog d  
WHERE NOT EXISTS(SELECT *  
                  FROM adoption_record a  
                  WHERE a.dog_ID = d.dog_ID  
                  )  
UNION  
SELECT c.cat_ID AS pet_ID,  
       'Cat' AS pet_type,  
       c.cat_breed AS pet_breed,  
       c.cat_name AS pet_name  
FROM cat c  
WHERE NOT EXISTS(SELECT *  
                  FROM adoption_record a  
                  WHERE a.cat_ID = c.cat_ID  
                  );
```

	pet_ID	pet_type	pet_breed	pet_name
▶	506	Dog	Pug	Maya
	507	Dog	German Shepherd	Cooper
	508	Dog	Labrador	Max
	509	Dog	Beagle	Max
	510	Dog	Poodle	Luna
	511	Dog	Rottweiler	Capri
	512	Dog	Poodle	Lola
	513	Dog	Shih Tzu	Bailey
	514	Dog	Doberman	Coco
	406	Cat	British Shorthair	Luna
	407	Cat	Maine Coon	Max
	408	Cat	Maine Coon	Oliver
	409	Cat	Bengal	Lily
	410	Cat	British Shorthair	Ivy
	411	Cat	Bengal	Toby
	412	Cat	Ragdoll	Bella
	413	Cat	Ragdoll	Daisy
	414	Cat	British Shorthair	Charlie
	415	Cat	Scottish Fold	Hazel
	416	Cat	Abyssinian	Sam
	417	Cat	Sphynx	Lucy
	418	Cat	Norwegian Forest	Cleo

Figure 4 Pet Availability Monitoring

Insights

This SQL query identifies pets that are currently available for adoption by selecting dogs and cats that do not exist in the adoption_record table. It uses two SELECT statements combined with a UNION to merge results from both species. The NOT EXISTS condition ensures only pets without adoption records are included. The output lists each pet's ID, type, breed, and name — providing a unified view of all unadopted animals across shelters.

4. Shelter Performance Analysis

Objective

Calculate the number of rescued pets managed by each shelter organization.

SQL Concepts Used

- COUNT
- GROUP BY
- UNION ALL




Figure 5 Shelter Performance Analysis

Insights

This SQL query calculates the number of rescued pets managed by each shelter organization by combining cat and dog data using a UNION ALL. It joins both cat and dog tables with the shelter_organisation table to gather all pets under each shelter. The COUNT(pet_ID) function aggregates the total pets per organization, and the HAVING COUNT(pet_ID) > 1 clause filters shelters managing more than one pet. The result provides a clear overview of shelter capacity — for example, Hope Shelter manages the most pets (7), followed by Paws Rescue

5. Unified Pet Vaccination Report

Objective

Generate a combined vaccination report for all cats and dogs.

SQL Concepts Used

- LEFT JOIN
- UNION ALL
- relational consolidation

```

SELECT d.dog_ID AS pet_ID,
       d.dog_name AS pet_name,
       d.DOB,
       d.dog_breed AS breed,
       'Dog' AS pet_type,
       dv.vaccine_name,
       dogv.date AS vacc_date
FROM dog d
LEFT JOIN dog_vaccination dogv ON d.dog_ID = dogv.dog_ID
LEFT JOIN dog_vaccine dv ON dogv.dog_vaccine_ID = dv.dog_vaccine_ID

```

UNION ALL

```

SELECT c.cat_ID AS pet_ID,
       c.cat_name AS pet_name,
       c.DOB,
       c.cat_breed AS breed,
       'Cat' AS pet_type,
       cv.vaccine_name,
       catv.date AS vacc_date
FROM cat c
LEFT JOIN cat_vaccination catv ON c.cat_ID = catv.cat_ID
LEFT JOIN cat_vaccine cv ON catv.cat_vaccine_ID = cv.cat_vaccine_ID
ORDER BY breed, pet_type;

```

	pet_ID	pet_name	DOB	breed	pet_type	vaccine_name	vacc_date
▶	416	Sam	2022-05-22	Abyssinian	Cat	NULL	NULL
	505	Ollie	2020-02-14	Beagle	Dog	Lyme	2023-04-02
	509	Max	2020-02-17	Beagle	Dog	Coronavirus	2023-06-02
	404	Doremi	2021-06-15	Bengal	Cat	Chlamydia	2023-03-20
	411	Toby	2020-07-11	Bengal	Cat	NULL	NULL
	409	Lily	2021-09-20	Bengal	Cat	Panleukopenia	2023-06-01
	406	Luna	2022-02-18	British Shorthair	Cat	FIP	2023-04-10
	414	Charlie	2020-07-11	British Shorthair	Cat	NULL	NULL
	410	Ivy	2022-02-18	British Shorthair	Cat	NULL	NULL
	514	Coco	2020-10-09	Doberman	Dog	NULL	NULL
	507	Cooper	2019-11-18	German Sheph...	Dog	Parvovirus	2023-05-06
	503	Astro	2020-05-30	Golden Retriever	Dog	Leptospirosis	2023-03-08
	501	Milo	2021-01-12	Husky	Dog	Rabies	2023-02-12
	501	Milo	2021-01-12	Husky	Dog	DHPP	2023-01-12
	502	Mochi	2021-07-25	Labrador	Dog	DHPP	2023-01-20
	508	Max	2021-07-25	Labrador	Dog	Distemper	2023-05-19
	407	Max	2020-07-11	Maine Coon	Cat	Giardia	2023-05-05
	408	Oliver	2020-11-02	Maine Coon	Cat	Ringworm	2023-05-18
	418	Cleo	2019-12-12	Norwegian Forest	Cat	NULL	NULL
	401	Mickey	2022-01-10	Persian	Cat	Ringworm	2023-05-05
	401	Mickey	2022-01-10	Persian	Cat	Panleukopenia	2023-05-18
	401	Mickey	2022-01-10	Persian	Cat	Calicivirus	2023-06-01
	401	Mickey	2022-01-10	Persian	Cat	FIP	2023-04-01
	401	Mickey	2022-01-10	Persian	Cat	Bordetella	2023-03-20
	401	Mickey	2022-01-10	Persian	Cat	Chlamydia	2023-03-09
	401	Mickey	2022-01-10	Persian	Cat	FeLV	2023-01-15
	401	Mickey	2022-01-10	Persian	Cat	Rabies	2023-02-15
	401	Mickey	2022-01-10	Persian	Cat	FVRCP	2023-01-10
	401	Mickey	2022-01-10	Persian	Cat	Giardia	2023-04-10
	510	Luna	2022-06-01	Poodle	Dog	NULL	NULL
	512	Lola	2022-06-01	Poodle	Dog	NULL	NULL
	504	Edgar	2022-03-10	Pug	Dog	Bordetella	2023-03-22
	506	Maya	2022-03-10	Pug	Dog	Canine Influe...	2023-04-12
	412	Bella	2021-09-20	Ragdoll	Cat	NULL	NULL
	413	Daisy	2022-02-18	Ragdoll	Cat	NULL	NULL
	511	Capri	2019-09-05	Rottweiler	Dog	NULL	NULL
	415	Hazel	2021-03-05	Scottish Fold	Cat	NULL	NULL
	513	Bailey	2021-04-19	Shih Tzu	Dog	NULL	NULL
	402	Milo	2021-06-15	Siamese	Cat	FVRCP	2023-01-15
	403	Leo	2020-11-02	Siamese	Cat	FeLV	2023-03-05
	405	Oreo	2021-09-20	Siamese	Cat	Bordetella	2023-04-01
	417	Lucy	2020-08-30	Sphynx	Cat	NULL	NULL

Figure 6 Unified Pet Vaccination Report

Insights

This SQL query generates a combined vaccination report for all cats and dogs, merging their details into a unified dataset. It uses UNION ALL to consolidate records from both species, pulling each pet's ID, name, date of birth, breed, vaccine name, and vaccination date. The LEFT JOIN ensures that even pets without vaccination records are included, providing a complete overview of vaccination coverage. The final ORDER BY breed, pet_type neatly organizes the output for easy comparison across breeds and species.

APPENDIX

```
create table customer(  
  cust_ID int not null,  
  cust_name varchar(50),  
  cust_email varchar(100),  
  phone_no varchar(20),  
  city varchar(125),  
  username varchar(20),  
  password varchar(20),  
  primary key(cust_ID)  
);
```

```
create table shelter_organisation(  
  org_ID int not null,  
  org_name varchar(50),  
  org_email varchar(100),  
  org_contact_person varchar(50),  
  org_phone_no varchar(20),  
  primary key(org_ID)
```

```
);
```

```
create table cat(  
  cat_ID int not null,  
  org_ID int,  
  cat_name varchar(50),  
  cat_breed varchar(50),  
  liter_training boolean,  
  DOB date,  
  gender varchar(10),  
  weight float,  
  primary key(cat_ID),  
  foreign key(org_ID) references shelter_organisation(org_ID)  
);
```

```
create table dog(  
  dog_ID int not null,  
  org_ID int,  
  dog_name varchar(50),  
  dog_breed varchar(50),  
  DOB date,  
  gender varchar(10),  
  weight float,  
  primary key(dog_ID),  
  foreign key(org_ID) references shelter_organisation(org_ID)  
);
```

```
create table staff(  
  staff_ID int not null,  
  staff_name varchar(50),  
  role_name varchar(20),  
  salary float,  
  phone_no varchar(20),  
  primary key(staff_ID)  
);
```

```
create table training(  
  training_ID int not null,  
  dog_ID int,  
  staff_ID int,  
  training_name varchar(50),  
  date date,  
  comments varchar(100),  
  primary key(training_ID),  
  foreign key(dog_ID) references dog(dog_ID),  
  foreign key(staff_ID) references staff(staff_ID)  
);
```

```
create table cat_vaccine(  
  cat_vaccine_ID int not null,  
  vaccine_name varchar(125),  
  description varchar(100),
```



```
after_effects varchar(50),  
primary key(cat_vaccine_ID)  
);
```

```
create table dog_vaccine(  
dog_vaccine_ID int not null,  
vaccine_name varchar(125),  
description varchar(100),  
after_effects varchar(50),  
primary key(dog_vaccine_ID)  
);
```

```
create table cat_vaccination(  
cat_vaccination_ID int not null,  
cat_ID int,  
cat_vaccine_ID int,  
date date,  
time time,  
primary key(cat_vaccination_ID),  
foreign key(cat_ID) references cat(cat_ID),  
foreign key(cat_vaccine_ID) references cat_vaccine(cat_vaccine_ID)  
);
```

```
create table dog_vaccination(  
dog_vaccination_ID int not null,  
dog_ID int,
```

```
dog_vaccine_ID int,  
date date,  
time time,  
primary key(dog_vaccination_ID),  
foreign key(dog_ID) references dog(dog_ID),  
foreign key(dog_vaccine_ID) references dog_vaccine(dog_vaccine_ID)  
);
```

```
create table cat_sitting(  
cat_sitting_ID int not null,  
staff_ID int,  
cat_ID int,  
date date,  
time time,  
primary key(cat_sitting_ID),  
foreign key(staff_ID) references staff(staff_ID),  
foreign key(cat_ID) references cat(cat_ID)  
);
```

```
create table dog_sitting(  
dog_sitting_ID int not null,  
staff_ID int,  
dog_ID int,  
date date,  
time time,  
primary key(dog_sitting_ID),
```

```
foreign key(staff_ID) references staff(staff_ID),  
foreign key(dog_ID) references dog(dog_ID)  
);
```

```
create table adoption_record(  
adop_ID int not null,  
cust_ID int,  
cat_ID int,  
dog_ID int,  
adop_date date,  
primary key(adop_ID),  
foreign key(cust_ID) references customer(cust_ID),  
foreign key(cat_ID) references cat(cat_ID),  
foreign key(dog_ID) references dog(dog_ID)  
);
```

INSERT INTO customer VALUES

```
(101, 'Aisha Khan', 'aisha@email.com', '0501111111', 'Dubai', 'aisha_k', 'pass101'),  
(102, 'Omar Ali', 'omar@email.com', '0502222222', 'Ajman', 'omar_a', 'pass102'),  
(103, 'Sara Noor', 'sara@email.com', '0503333333', 'Ajman', 'sara_n', 'pass103'),  
(104, 'Hassan Raza', 'hassan@email.com', '0504444444', 'Sharjah', 'hassan_r', 'pass104'),  
(105, 'Maya Patel', 'maya@email.com', '0505555555', 'Dubai', 'maya_p', 'pass105'),  
(106, 'Zain Ahmed', 'zain@email.com', '0506666666', 'Dubai', 'zain_a', 'pass106'),  
(107, 'Lina Yusuf', 'lina@email.com', '0507777777', 'Sharjah', 'lina_y', 'pass107'),  
(108, 'Bilal Khan', 'bilal@email.com', '0508888888', 'Abu Dhabi', 'bilal_k', 'pass108'),  
(109, 'Nour Ali', 'nour@email.com', '0509999999', 'Ajman', 'nour_a', 'pass109'),
```

(110, 'Fatima Saleh', 'fatima@email.com', '0510000000', 'Sharjah', 'fatima_s', 'pass110');

INSERT INTO shelter_organisation VALUES

(201, 'Paws Rescue', 'paws@rescue.com', 'Ali Hassan', '0551000001'),

(202, 'Hope Shelter', 'hope@shelter.com', 'Mona Adel', '0551000002'),

(203, 'Safe Tails', 'safe@tails.com', 'Rami Noor', '0551000003'),

(204, 'Happy Pets', 'happy@pets.com', 'Sara Khan', '0551000004'),

(205, 'Care Paws', 'care@paws.com', 'Omar Zaid', '0551000005'),

(206, 'Rescue Me', 'rescue@me.com', 'Lina Omar', '0551000006'),

(207, 'Pet Haven', 'haven@pets.com', 'Hassan Ali', '0551000007'),

(208, 'Animal Aid', 'aid@animals.com', 'Fatima Noor', '0551000008'),

(209, 'Furry Friends', 'furry@friends.com', 'Zain Malik', '0551000009'),

(210, 'Second Chance', 'second@chance.com', 'Noura Salem', '0551000010');

INSERT INTO staff VALUES

(301, 'Ahmed Saeed', 'Sitter', 5000, '0521000001'),

(302, 'Laila Noor', 'Trainer', 6500, '0521000002'),

(303, 'Huda Ali', 'Caretaker', 4800, '0521000003'),

(304, 'Khalid Omar', 'Trainer', 7000, '0521000004'),

(305, 'Nina Patel', 'Sitter', 5200, '0521000005'),

(306, 'Samir Khan', 'Trainer', 6800, '0521000006'),

(307, 'Rasha Adel', 'Caretaker', 4600, '0521000007'),

(308, 'Yusuf Malik', 'Sitter', 5100, '0521000008'),

(309, 'Dana Noor', 'Trainer', 6900, '0521000009'),

(310, 'Imran Sheikh', 'Caretaker', 4700, '0521000010');

INSERT INTO cat VALUES

(401, 201, 'Mickey', 'Persian', TRUE, '2022-01-10', 'Female', 4.2),
(402, 201, 'Milo', 'Siamese', FALSE, '2021-06-15', 'Male', 3.8),
(403, 201, 'Leo', 'Siamese', TRUE, '2020-11-02', 'Male', 6.1),
(404, 202, 'Doremi', 'Bengal', FALSE, '2021-06-15', 'Male', 3.8),
(405, 202, 'Oreo', 'Siamese', TRUE, '2021-09-20', 'Female', 4.5),
(406, 202, 'Luna', 'British Shorthair', FALSE, '2022-02-18', 'Female', 3.9),
(407, 202, 'Max', 'Maine Coon', TRUE, '2020-07-11', 'Male', 5.0),
(408, 203, 'Oliver', 'Maine Coon', TRUE, '2020-11-02', 'Male', 6.1),
(409, 203, 'Lily', 'Bengal', TRUE, '2021-09-20', 'Female', 4.5),
(410, 203, 'Ivy', 'British Shorthair', FALSE, '2022-02-18', 'Female', 3.9),
(411, 204, 'Toby', 'Bengal', TRUE, '2020-07-11', 'Male', 5.0),
(412, 204, 'Bella', 'Ragdoll', TRUE, '2021-09-20', 'Female', 4.5),
(413, 205, 'Daisy', 'Ragdoll', FALSE, '2022-02-18', 'Female', 3.9),
(414, 206, 'Charlie', 'British Shorthair', TRUE, '2020-07-11', 'Male', 5.0),
(415, 207, 'Hazel', 'Scottish Fold', FALSE, '2021-03-05', 'Female', 4.0),
(416, 208, 'Sam', 'Abyssinian', TRUE, '2022-05-22', 'Male', 3.7),
(417, 209, 'Lucy', 'Sphynx', FALSE, '2020-08-30', 'Female', 3.2),
(418, 210, 'Cleo', 'Norwegian Forest', TRUE, '2019-12-12', 'Male', 6.5);

INSERT INTO dog VALUES

(501, 201, 'Milo', 'Husky', '2021-01-12', 'Male', 22.5),
(502, 201, 'Mochi', 'Labrador', '2021-07-25', 'Female', 28.4),
(503, 202, 'Astro', 'Golden Retriever', '2020-05-30', 'Female', 25.0),
(504, 202, 'Edgar', 'Pug', '2022-03-10', 'Male', 8.2),
(505, 202, 'Ollie', 'Beagle', '2020-02-14', 'Male', 10.5),

(506, 203, 'Maya', 'Pug', '2022-03-10', 'Female', 8.4),
(507, 204, 'Cooper', 'German Shepherd', '2019-11-18', 'Male', 30.1),
(508, 205, 'Max', 'Labrador', '2021-07-25', 'Male', 28.4),
(509, 206, 'Max', 'Beagle', '2020-02-17', 'Male', 10.5),
(510, 206, 'Luna', 'Poodle', '2022-06-01', 'Female', 12.0),
(511, 207, 'Capri', 'Rottweiler', '2019-09-05', 'Male', 35.0),
(512, 208, 'Lola', 'Poodle', '2022-06-01', 'Female', 12.0),
(513, 209, 'Bailey', 'Shih Tzu', '2021-04-19', 'Female', 6.8),
(514, 210, 'Coco', 'Doberman', '2020-10-09', 'Male', 32.0);

INSERT INTO training VALUES

(601, 501, 302, 'Obedience', '2024-01-10', 'Responds well'),
(602, 501, 304, 'Socialization', '2024-02-05', 'Improved interaction'),
(603, 502, 306, 'Hygiene', '2024-01-15', 'Good progress'),
(604, 503, 309, 'Behavioral', '2024-02-20', 'Needs patience'),
(605, 504, 302, 'Obedience', '2024-03-01', 'Very responsive'),
(606, 505, 304, 'Socialization', '2024-03-10', 'Friendly'),
(607, 506, 306, 'Hygiene', '2024-01-25', 'Acceptable'),
(608, 507, 309, 'Behavioral', '2024-02-28', 'Strong personality'),
(609, 508, 302, 'Obedience', '2024-03-15', 'Excellent'),
(610, 509, 304, 'Socialization', '2024-03-20', 'Calm behavior');

INSERT INTO cat_vaccine VALUES

(801, 'FVRCP', 'Core vaccine for cats', 'Mild fever'),
(802, 'Rabies', 'Rabies prevention', 'Sleepiness'),
(803, 'FeLV', 'Feline leukemia vaccine', 'Loss of appetite'),

(804, 'Chlamydia', 'Respiratory infection prevention', 'Sneezing'),
(805, 'Bordetella', 'Upper respiratory protection', 'Coughing'),
(806, 'FIP', 'Feline infectious peritonitis', 'Fatigue'),
(807, 'Giardia', 'Parasite protection', 'Mild diarrhea'),
(808, 'Ringworm', 'Fungal infection prevention', 'Skin irritation'),
(809, 'Panleukopenia', 'Viral disease prevention', 'Vomiting'),
(810, 'Calicivirus', 'Oral disease prevention', 'Drooling');

INSERT INTO dog_vaccine VALUES

(811, 'DHPP', 'Core canine vaccine', 'Lethargy'),
(812, 'Rabies', 'Rabies prevention', 'Mild swelling'),
(813, 'Leptospirosis', 'Bacterial infection prevention', 'Fever'),
(814, 'Bordetella', 'Kennel cough prevention', 'Coughing'),
(815, 'Lyme', 'Tick-borne disease vaccine', 'Joint pain'),
(816, 'Canine Influenza', 'Flu prevention', 'Sneezing'),
(817, 'Parvovirus', 'Severe viral disease prevention', 'Vomiting'),
(818, 'Distemper', 'Neurological disease prevention', 'Fatigue'),
(819, 'Coronavirus', 'Digestive disease prevention', 'Diarrhea'),
(820, 'Hepatitis', 'Liver infection prevention', 'Loss of appetite');

INSERT INTO cat_vaccination VALUES

(901, 401, 801, '2023-01-10', '10:00'),
(902, 401, 802, '2023-02-15', '11:00'),
(903, 401, 803, '2023-01-15', '10:30'),
(904, 401, 804, '2023-03-09', '12:00'),
(905, 401, 805, '2023-03-20', '09:45'),

(906, 401, 806, '2023-04-01', '11:15'),
(907, 401, 807, '2023-04-10', '10:00'),
(908, 401, 808, '2023-05-05', '09:30'),
(909, 401, 809, '2023-05-18', '11:45'),
(910, 401, 810, '2023-06-01', '10:15'),

(911, 402, 801, '2023-01-15', '10:30'),
(912, 403, 803, '2023-03-05', '12:00'),
(913, 404, 804, '2023-03-20', '09:45'),
(914, 405, 805, '2023-04-01', '11:15'),
(915, 406, 806, '2023-04-10', '10:00'),
(916, 407, 807, '2023-05-05', '09:30'),
(917, 408, 808, '2023-05-18', '11:45'),
(918, 409, 809, '2023-06-01', '10:15');

INSERT INTO dog_vaccination VALUES

(919, 501, 811, '2023-01-12', '10:00'),
(920, 501, 812, '2023-02-12', '11:00'),
(921, 502, 811, '2023-01-20', '10:30'),
(922, 503, 813, '2023-03-08', '12:00'),
(923, 504, 814, '2023-03-22', '09:45'),
(924, 505, 815, '2023-04-02', '11:15'),
(925, 506, 816, '2023-04-12', '10:00'),
(926, 507, 817, '2023-05-06', '09:30'),
(927, 508, 818, '2023-05-19', '11:45'),
(928, 509, 819, '2023-06-02', '10:15');

INSERT INTO cat_sitting VALUES

(1001, 301, 401, '2024-01-05', '09:00'),
(1002, 305, 402, '2024-01-06', '10:00'),
(1003, 308, 403, '2024-01-07', '11:00'),
(1004, 301, 404, '2024-01-08', '09:30'),
(1005, 305, 405, '2024-01-09', '10:30'),
(1006, 308, 406, '2024-01-10', '11:30'),
(1007, 301, 407, '2024-01-11', '09:00'),
(1008, 305, 408, '2024-01-12', '10:00'),
(1009, 308, 409, '2024-01-13', '11:00'),
(1010, 301, 410, '2024-01-14', '09:30');

INSERT INTO dog_sitting VALUES

(1011, 301, 501, '2024-01-05', '14:00'),
(1012, 305, 502, '2024-01-06', '15:00'),
(1013, 308, 503, '2024-01-07', '16:00'),
(1014, 301, 504, '2024-01-08', '14:30'),
(1015, 305, 505, '2024-01-09', '15:30'),
(1016, 308, 506, '2024-01-10', '16:30'),
(1017, 301, 507, '2024-01-11', '14:00'),
(1018, 305, 508, '2024-01-12', '15:00'),
(1019, 308, 509, '2024-01-13', '16:00'),
(1020, 301, 510, '2024-01-14', '14:30');

INSERT INTO adoption_record VALUES

(701, 101, 401, NULL, '2024-01-05'),
(702, 102, NULL, 501, '2024-01-12'),
(703, 103, 402, NULL, '2024-01-20'),
(704, 104, NULL, 502, '2024-02-01'),
(705, 105, 403, NULL, '2024-02-10'),
(706, 106, NULL, 503, '2024-02-18'),
(707, 107, 404, NULL, '2024-02-25'),
(708, 108, NULL, 504, '2024-03-02'),
(709, 109, 405, NULL, '2024-03-08'),
(710, 110, NULL, 505, '2024-03-15');