

ASSESSMENT CO-1 AT-3

C programming output prediction

Done by:

Amalraj P

(192524089)

Q1 Reverse a list

1 mark

Write a C program that takes an array as input and returns it reversed.

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int a[100], n, i, temp;
4     scanf("%d", &n);
5     for(i=0; i<n; i++)
6         scanf("%d", &a[i]);
7     for(i=0; i<n; i++) {
8         temp=a[i];
9         a[i]=a[n-i-1];
10        a[n-i-1]=temp;
11    }
12    for(i=0; i<n; i++)
13        printf("%d", a[i]);
14    return 0;
15 }
```

Input

4
1 2 3 4 5

Output

1234

Q2 Reverse a string

1 mark

Write a C program for palindrom

Your Code

```
1 #include <stdio.h>
2 int main(){
3     int n, rev=0, rem, temp;
4     scanf("%d", &n);
5     temp=n;
6     while(n>0){
7         rem=n%10;
8         rev=rev*10+rem;
9         n=n/10;
10    }
11    if(temp==rev)
12        printf("palindrome");
13    else
14        printf("not palindrome");
15    return 0;
16 }
```

Input

121

Output

palindrome

Q3 Searching

1 mark

Write a C program for Searching an Element in a Sorted Array

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int a[]={10,20,30,40,50};
4     int key=30,low=0,high=4,mid;
5     while(low<=high) {
6         mid=(low+high)/2;
7         if(a[mid]==key) {
8             printf("found");
9             return 0;
10        }
11        if (a[mid]<key)
12            low=mid+1;
13        else
14            high=mid-1;
15    }
16    printf("not found");
17    return 0;
18 }
```

Input

stdin input

Output

