NETWORKING & SYSTEM ADMINISTRATION LAB

Name: Amalu Jaison

Roll No:22

Batch:A

Date:18/03/2022

Experiment No.: 1

<u>Aim</u>

Identify the major components of a computer system such as Motherboard ,RAM modules, Daughter Cards, Bus slots, SMPS, Internal storage devices and Interfacing ports.

Procedure

The Hardware components are familiarized.

Motherboard

The motherboard is a single platform which connects all the parts of a computer together. It connects the CPU, memory, hard drives, optical drives, video card, sound card, and other ports and expansion cards directly or via cables. It can be considered as the backbone of a computer.

The motherboard is mounted inside the case and is securely attached via small screws through pre-drilled holes. Motherboard contains ports to connect all of the internal components. It provides a single socket for CPU. Motherboards provide ports to attach the floppy drive, hard drive, and optical drives via ribbon cables. Motherboard carries fans and a special port designed for power supply.

There is a peripheral card slot in front of the motherboard using which video cards, sound cards, and other expansion cards can be connected to the motherboard. On the left side, motherboards carry a number of ports to connect the monitor, printer, mouse, keyboard, speaker, and network cables. Motherboards also provide USB ports, which allow compatible devices to be connected in plug-in/plug-out fashion. For example, pen drive, digital camera etc.



RAM modules

RAM stands for random-access memory, which temporarily stores data while the CPU is executing other tasks. With more RAM on the computer, the less the CPU has to read data from the external or secondary memory, allowing the computer to run faster. RAM is fast but it is volatile, which means it will not retain data if there is no power. It is therefore important to save data to the storage device before the system is turned off.

There are two main types of RAM: Dynamic RAM (DRAM) and Static RAM (SRAM).

- DRAM (pronounced DEE-RAM), is widely used as a computer's main memory.
 Each DRAM memory cell is made up of a transistor and a capacitor within an integrated circuit, and a data bit is stored in the capacitor. Since transistors always leak a small amount, the capacitors will slowly discharge, causing information stored in it to drain; hence, DRAM has to be refreshed (given a new electronic charge) every few milliseconds to retain data.
- SRAM (pronounced ES-RAM) is made up of four to six transistors. It keeps data in the memory as long as power is supplied to the system unlike DRAM, which has to be refreshed periodically. As such, SRAM is faster but also more expensive, making DRAM the more prevalent memory in computer systems.





Daughtercards

A daughtercard or <u>daughterboard</u> is a type of <u>circuit board</u> that gets added to an existing one. Its name is appropriate for its use, since it is connected to a <u>motherboard</u>. A daughtercard or daughterboard is a type of circuit board that gets added to an existing one. A daughterboard is also known as daughter card, piggyback board, riser card or mezzanine board.

A daughterboard is connected directly to the motherboard. Unlike expansion cards, which connect with the motherboard using bus and other serial interfaces, daughterboards are usually directly embedded through soldering. Like a motherboard, a daughterboard has sockets, pins, plugs and connectors to be attached to other boards.

Typically, daughterboards are released as a post-launch update to a motherboard or expansion card. For example, a MIDI daughterboard is used to add on the functionality of the sound card.



Bus Slots

An expansion slot is a socket on the motherboard that is used to insert an expansion card (or circuit board), which provides additional features to a computer such as video, sound, advanced graphics, Ethernet or memory.

The expansion card has an edge connector that fits precisely into the expansion slot as well as a row of contacts that is designed to establish an electrical connection between the motherboard and the electronics on the card, which are mostly integrated circuits. Depending on the form factor of the case and motherboard, a computer system generally can have anywhere from one to seven expansion slots. With a backplane system, up to 19 expansion cards can be installed.



SMPS

A switched-mode power supply (SMPS) is an electronic circuit that converts power using switching devices that are turned on and off at high frequencies, and storage components such as inductors or capacitors to supply power when the switching device is in its non-conduction state.

Switching power supplies have high efficiency and are widely used in a variety of electronic equipment, including computers and other sensitive equipment requiring stable and efficient power supply.

A switched-mode power supply is also known as a switch-mode power supply or switching-mode power supply.

Switched-mode power supplies are used to power a wide variety of equipment such as computers, sensitive electronics, battery-operated devices and other equipment requiring high efficiency.



Internal Storage Devices

Devices which are inside the computer case are called internal storage devics. Most computers have some form of internal storage. The most common type of internal storage is the hard disk. At the most basic level, internal storage is needed to hold the operating system so that the computer is able to access the input and output devices.

It will also be used to store the applications software that you use and more than likely, the original copies of your data files. Internal storage allows the data and applications to be loaded very rapidly into memory, ready for use. The data can be accessed much faster than data which is stored on an external storage device. This is because internal storage devices are connected directly to the motherboard and its data bus whereas external devices are connected through a hardware interface such as USB, which means they are considerably slower to access.

Examples of Internal storage devices are RAM, BIOS chipset, CPU memory register, any chipset on the mainboard that store any data in it.



Interfacing ports

A Computer Port is an interface or a point of connection between the computer and its peripheral devices. Some of the common peripherals are mouse, keyboard, monitor or display unit, printer, speaker, flash drive etc.

The main function of a computer port is to act as a point of attachment, where the cable from the peripheral can be plugged in and allows data to flow from and to the device.

A computer port is also called as a Communication Port as it is responsible for communication between the computer and its peripheral device. Generally, the female end of the connector is referred to as a port and it usually sits on the motherboard.

In Computers, communication ports can be divided into two types based on the type or protocol used for communication. They are Serial Ports and Parallel Ports.

A serial port is an interface through which peripherals can be connected using a serial protocol which involves the transmission of data one bit at a time over a single communication line. The most common type of serial port is a D-Subminiature or a D-sub connector that carry RS-232 signals.

A parallel port, on the other hand, is an interface through which the communication between a computer and its peripheral device is in a parallel manner i.e. data is transferred in or out in parallel using more than one communication line or wire. Printer port is an example of parallel port.

