
◆ **AI Hat** 0.1.0 · ~/projects/fabric-mod new chat



AI Hat
Chat with any model, on your terms
qwen3-32b · Home vLLM · system prompt: Rust Systems Mentor

Tips
· Type a message and press enter. / shows commands, @ attaches a file, ! runs a shell command
· ctrl+p switches model, ctrl+s switches system prompt, ? shows every key
· Same providers, prompts, skills and chats as the phone app (synced 2 min ago)

Recent chats ctrl+r for all
› Fabric API changes this month 2 min ago
  QEMU wrapper leaking fds 1 hour ago
  Mod design doc review 3 days ago

› Ask anything · / commands · @ attach a file · ! run a shell command

enter send · shift+enter line · esc stop · ctrl+p model · ? keys 9.8k / 128k · 38 ms

◆ **AI Hat** 0.1.0 · ~/projects/fabric-mod qwen3-32b · Home vLLM

› what changed in the Fabric API this month? check the web

• web_search "fabric api changes october 2026"
  └ 8 results · read 6 pages · 1.8s

• Two releases landed this month.

  1. Networking now uses payload records. Register each payload once, then send it from the server or the client. [1]
  2. Two render hooks are deprecated in favour of the new render events. [2]

  For your QEMU mod, check the payload that carries screen frames before you update.

  Sources [1] fabricmc.net · [release notes title] [2] github.com · [changelog title]
  412 tokens · 182 tok/s · 2.3s


› show me the new way to register the frame payload


◇ Thinking… 3s · ctrl+o to show
• Register it once at startup, on both sides:


```
1 | PayloadTypeRegistry.playS2C().register(FramePayload.ID, FramePayload.CODEC);
```


› Streaming… esc to stop


enter send · shift+enter line · esc stop · ctrl+p model · ? keys • streaming · 10.4k / 128k



aihat — ~/projects/fabric-mod · 112×34
AI Hat 0.1.0 · ~/projects/fabric-mod
qwen3-32b · Home vLLM
› what changed in the Fabric API this month? check the web
• web_search "fabric api changes october 2026"
└ 8 results · read 6 pages · 1.8s
• Two releases landed this month.
1. Networking now uses payload records. Register each payload once, then send it from the server or the client. [1]
2. Two render hooks are deprecated in favour of the new render events. [2]
commands
↑↓ move · tab complete · esc close
/model switch model ctrl+p
/prompt pick a system prompt ctrl+s
/providers list, add, test endpoints
/tools web search, image, MCP tools for this chat
/mcp MCP servers and sign-in
/skills turn skills on or off
/new start a new chat ctrl+n
/resume open a past chat ctrl+r
/compact summarise to free context
/export save as Markdown or JSON
/image improve a prompt, then draw
› /
enter send · shift+enter line · esc stop · ctrl+p model · ? keys
9.8k / 128k · 38 ms


aihat — ~/projects/fabric-mod · 112×34
AI Hat 0.1.0 · ~/projects/fabric-mod
qwen3-32b · Home vLLM
› what changed in the Fabric API this month? check the web
• web_search "fabric ap
└ 8 results · read 6
• Two releases landed t
1. Networking now use
the server or the
2. Two render hooks a
For your QEMU mod, ch
Sources [1] fabricmc
412 tokens · 182 tok/
Switch model
› qw
337 models
Home vLLM · 38 ms
• qwen3-32b tools · 128k default
qwen3-vl-32b vision · 32k
Groq · 112 ms
qwen3-32b tools · 128k
OpenRouter · key rejected
qwen/qwen3-235b fix the key: /providers
On this device
qwen3-1.7b-q4 offline · 8k
↑↓ move · enter pick · tab this chat / default · ctrl+e edit
› Ask anything · / commands · @ attach a file · ! run a shell command
enter send · shift+enter line · esc stop · ctrl+p model · ? keys
9.8k / 128k · 38 ms



aihat — ~/projects/fabric-mod · 112×34
AI Hat 0.1.0 · ~/projects/fabric-mod
qwen3-32b · Home vLLM
› open an issue for the crash I described above
• I'll open it in aman-mohammed-max/aihat with the steps you gave.
Allow this tool?
MCP · writes data
github wants to run create_issue
repo aman-mohammed-max/aihat
title Crash on launch after restoring a backup
body Steps: restore from Drive, open the app, it closes. Logs attached.
labels bug
› Allow once enter
Always for github a
Edit the arguments e
Deny esc
› Waiting for your answer…
enter send · shift+enter line · esc stop · ctrl+p model · ? keys
9.8k / 128k · 38 ms


aihat — ~/projects/fabric-mod · 112×34
AI Hat 0.1.0 · ~/projects/fabric-mod
qwen3-32b · Home vLLM
Providers
• Home vLLM ✓ 38 ms
OpenRouter ✗ 401
Groq ✓ 112 ms
LM Studio (laptop) ! offline
On this device ✓ ready
a add · t test · d default
e edit · k key · x remove
Details
r refresh models
Home vLLM default
http://192.168.1.40:8000/v1 · key in keychain
Models in the picker
space toggles
■ qwen3-32b chat · tools · 128k
■ qwen3-vl-32b chat · vision · 32k
■ whisper-1 transcription
□ nomic-embed-text embeddings
Defaults for this provider
temperature 0.7 max tokens 4096 timeout 60s
headers none
enter to edit
› /providers · esc back to chat
↑↓ move · tab switch pane · a add · t test · d default · esc back
5 providers · 337 models


aihat — ~/projects/fabric-mod · 112×34
AI Hat 0.1.0 · ~/projects/fabric-mod
qwen3-32b · Home vLLM
Providers
• Home vLLM ✓ 38 ms
OpenRouter ✗ 401
Groq
LM Studio (lap
On this device
a add · t te
e edit · k ke
Details
r refresh models
Home vLLM default
http://192.168.1.40:8000/v1 · key in keychain
Add an OpenAI-compatible endpoint
Preset Custom OpenRouter Groq Ollama LM Studio vLLM
Name Home vLLM
Base URL http://192.168.1.40:8000/v1
API key ••••••••••••••• saved in your keychain
Headers none · enter to add
✓ Connected · 38 ms · 4 models found
Save Test again (ctrl+t) Cancel (esc)
toggles
nter to edit
› /providers · esc back to chat
enter send · shift+enter line · esc stop · ctrl+p model · ? keys
9.8k / 128k · 38 ms


aihat — ~/projects/fabric-mod · 112×34
AI Hat 0.1.0 · ~/projects/fabric-mod
qwen3-32b · Home vLLM
› what changed in the Fabric API this month? check the web
• web_search "fabric api changes october 2026"
└ 8 results · read 6 pages · 1.8s
• Two releases landed this month.
1. Networking now uses payload records. Register each payload once, then send it from the server or the client. [1]
@vm
tab add · enter add and keep typing
src/vm.rs 412 lines · 2 hours ago
src/monitor.rs 188 lines · yesterday
src/vm_screen.rs 240 lines · yesterday
docs/design-doc.pdf 12 pages · 3 days ago
also: a URL, an image (shown inline where the terminal supports it)
› does @vm
enter send · shift+enter line · esc stop · ctrl+p model · ? keys
9.8k / 128k · 38 ms


aihat — ~/projects/fabric-mod · 112×34
AI Hat 0.1.0 · ~/projects/fabric-mod
new chat
AI Hat
Chat with any model, on your terms
qwen3-32b · Home vLLM · system prompt: Rust Systems Mentor
Tips
· Type a message a
· ctrl+p switches
· Same providers,
Recent chats
› Fabric API chang
QEMU wrapper lea
Mod design doc r
Chats
› qemu
43 chats
QEMU wrapper leaking fds qwen3-32b 1 hour ago
QEMU display over VNC, first try qwen3-32b 2 weeks ago
QEMU args for a Win98 guest llama-3.3 last month
enter open · ctrl+d delete · ctrl+e export · ctrl+n new
› Ask anything · / commands · @ attach a file · ! run a shell command
enter send · shift+enter line · esc stop · ctrl+p model · ? keys
9.8k / 128k · 38 ms


aihat — ~/projects/fabric-mod · 112×34
AI Hat 0.1.0 · ~/projects/fabric-mod
qwen3-32b · Home vLLM
› what changed in the Fabric API this month? check the web
• web_search
└ 8 results
• Two release
1. Networki
the serv
2. Two rend
For your QE
Sources [1]
412 tokens
Keys
esc close
Chat
enter send
shift+enter new line
esc stop the reply
↑ edit your last message
ctrl+o show or hide reasoning
ctrl+y copy the last reply
Anywhere
ctrl+p switch model
ctrl+s switch system prompt
ctrl+r past chats
ctrl+n new chat
ctrl+l clear the screen
ctrl+c twice to quit
Typing
/ commands
@ attach a file or URL
! run a shell command, add its output to the message
save a note to the system prompt
Lists and dialogs
↑ ↓ move
tab complete or switch pane
Change keys in ~/.config/aihat/keys.toml · works in 80×24 and wider
› Ask anything · / commands · @ attach a file · ! run a shell command
enter send · shift+enter line · esc stop · ctrl+p model · ? keys
9.8k / 128k · 38 ms


aihat — ~/projects/fabric-mod · 80×24
AI Hat
qwen3-32b
› what changed in the Fabric API this month?
• web_search · 8 results · 1.8s
• Two releases landed this month.
1. Networking now uses payload records. Register each payload once, then send it from either side. [1]
2. Two render hooks are deprecated. [2]
[1] fabricmc.net [2] github.com
› Ask anything · / commands
? keys · ctrl+p model
9.8k/128k