# CCTV Exam Monitoring – Client API v1

GET endpoints · SSC Combined Graduate Level Examination 2026 · Provided by CDIS · 30 Sep 2026


- Overview
- Authentication
- Endpoints
- GET /api/v1/cameras
- GET /api/v1/master/camera-types
- GET /api/v1/master/event-types
- GET /api/v1/master/current-schedule
- Errors


## Overview

Four read-only GET endpoints give you the cameras, camera types, detection event types and current schedule for **SSC Combined Graduate Level Examination 2026**. All responses are JSON.

| Item | Value |
|---|---|
| Base URL | `http://examscctvmonitoring.com/cctv_analytics` |
| Method | `GET` (all endpoints) |
| Response format | `application/json` |
| Scope | One exam only: SSC Combined Graduate Level Examination 2026 |
| Vendor | `vendor_name` = `CDIS` in every response |

Data is live: camera types and statuses change as cameras are classified and come online during the exam.

## Authentication

Every request must send the API key in the `Authorization` header as a Bearer token. Requests without it, or with a wrong key, get `401 Unauthorized`.

### Header

```
Authorization: Bearer <API_KEY>
```

### API key

The API key is provided separately by CDIS. Keep it confidential and use it only from your servers. It does not expire; contact CDIS if it needs to be rotated.

### Example request

```
curl -H "Authorization: Bearer <API_KEY>" \
  http://examscctvmonitoring.com/cctv_analytics/api/v1/master/camera-types
```

## Endpoints

All paths are relative to the base URL. None take query parameters.

| Method | Path | Returns |
|---|---|---|
| GET | `/api/v1/cameras` | Every camera of the exam, with its centre, type and status |
| GET | `/api/v1/master/camera-types` | Camera types used by the exam's cameras |
| GET | `/api/v1/master/event-types` | Detection scripts scheduled for the exam (the event types) |
| GET | `/api/v1/master/current-schedule` | The exam's client and schedule name |

### GET `/api/v1/cameras`

Returns one entry per physical camera of the exam (about 3,100 for this exam).

#### Example response


```
{
  "cameras": [
    {
      "cam_id": "1000831$14",
      "cam_type": 1,
      "cam_type_name": "InsideLabs",
      "tc_code": "350713",
      "center_name": "ALLEN INFORMATICS CENTER",
      "city": "KANPUR",
      "state": "UTTAR PRADESH",
      "status": 1,
      "status_name": "AnalyticsLive",
      "vendor_name": "CDIS"
    }
  ]
}
```


| Field | Type | Description |
|---|---|---|
| `cam_id` | string | Unique camera identifier, in the format `<device_id>$<camera_no>` |
| `cam_type` | integer | Camera type id; see `/api/v1/master/camera-types` |
| `cam_type_name` | string | Camera type name |
| `tc_code` | string | Test centre code |
| `center_name` | string | Test centre name |
| `city` | string | City of the test centre |
| `state` | string | State of the test centre |
| `status` | integer | Camera status id; see Status values |
| `status_name` | string | Camera status name |
| `vendor_name` | string | Always `CDIS` |

**Status values**

| id | name | Meaning |
|---|---|---|
| 0 | Idle/Ready | Camera is working, but today is not an exam day |
| 1 | AnalyticsLive | Camera is working and AI analytics is running |
| 100 | ClassificationPending | Camera is not classified yet |
| 200 | Excluded | Camera is inactive or its view is Invalid |
| 9999 | Other | Camera is not accessible (offline) |

## GET /api/v1/master/camera-types

Returns only the camera types that this exam's cameras actually have. The type comes from AI scene classification of each camera.


```
{
  "camera_types": [
    { "id": 1, "name": "InsideLabs", "vendor_name": "CDIS" },
    { "id": 2, "name": "ServerRoom", "vendor_name": "CDIS" },
    { "id": 3, "name": "BiometricArea", "vendor_name": "CDIS" },
    { "id": 4, "name": "Outside", "vendor_name": "CDIS" },
    { "id": 5, "name": "EntryExit", "vendor_name": "CDIS" },
    { "id": 9, "name": "Invalid", "vendor_name": "CDIS" },
    { "id": 0, "name": "Other", "vendor_name": "CDIS" }
  ]
}
```


| id | name | Meaning |
|---|---|---|
| 1 | InsideLabs | Inside an exam lab or classroom |
| 2 | ServerRoom | Server room |
| 3 | BiometricArea | Biometric verification area |
| 4 | Outside | Outside area, corridor or parking |
| 5 | EntryExit | Entry or exit gate |
| 9 | Invalid | View unclear or obstructed |
| 0 | Other | Any other area, or type not yet known |

## GET /api/v1/master/event-types

Returns the AI detection scripts scheduled for this exam. Each `id` identifies one event type; the list grows if more scripts are scheduled.


```
{
  "event_types": [
    { "id": 1, "name": "Server Room Detection", "vendor_name": "CDIS" },
    { "id": 6, "name": "Phone Detection", "vendor_name": "CDIS" }
  ]
}
```


Event types currently scheduled for this exam:

| id | name |
|---|---|
| 1 | Server Room Detection |
| 2 | Crowd Detection (Entry/Exit) |
| 4 | Entry Exit Detection |
| 5 | Proximity Detection |
| 6 | Phone Detection |
| 7 | Invigilator Detection |
| 16 | Camera Inversion Detection |
| 1389 | Zero Person Detection |
| 1390 | Crowd < 5 |
| 108207 | Monitor Tampering Detection |
| 110069 | Crowd < 5 + Invigilator Static |

### GET `/api/v1/master/current-schedule`

Returns the exam's client and schedule name.

```
{
  "schedules": [
    {
      "client_name": "SSC",
      "schedule_name": "SSC Combined Graduate Level Examination 2026",
      "vendor_name": "CDIS"
    }
  ]
}
```

## Errors

Errors return a JSON body with a single `error` message.

```
{ "error": "Invalid API key" }
```

| Status | When | Example `error` |
|---|---|---|
| 200 | Request succeeded | — |
| 401 | `Authorization` header missing | `Missing Authorization: Bearer <API_KEY> header` |
| 401 | API key is wrong | `Invalid API key` |
| 404 | Path does not exist | — |
| 500 | Unexpected server error; retry later | `Internal server error` |