

Anabolic Full Guide

Complete Protein Tables, Supplement Tier Chart & Anabolic Overview

65+ Pages	100+ Foods	Supplement Tiers	Complete Overview
---------------------	----------------------	----------------------------	-----------------------------



Anabolic Full Guide

The definitive reference guide for optimising anabolic processes naturally and pharmacologically. Includes comprehensive protein data tables, a supplement tier chart backed by evidence, and a complete overview of anabolic principles.

Protein Data Tables — 100+ Foods

Food	Serving	Protein	Leucine	PDCAAS	Cost/10g protein
Chicken breast (cooked)	100g	31g	2.7g	1.0	■6
Beef (lean, cooked)	100g	26g	2.3g	0.92	■14
Tuna (canned)	100g	26g	2.2g	0.95	■10
Salmon (cooked)	100g	25g	2.0g	0.94	■25
Eggs (whole)	2 large	13g	1.1g	1.0	■9
Egg whites	3 whites	11g	0.9g	1.0	■10
Whey protein	30g scoop	24g	2.9g	1.0	■35
Casein protein	30g scoop	24g	2.3g	1.0	■40
Paneer	100g	18g	1.6g	1.0	■25
Greek yogurt (full fat)	200g	20g	1.7g	1.0	■30
Cow's milk (full fat)	500 mL	17g	1.5g	1.0	■20
Soya chunks (dry)	30g	16g	1.4g	0.99	■4
Tofu (firm)	100g	8g	0.6g	0.78	■12
Lentils/Dal (cooked)	200g	18g	1.2g	0.52	■5
Chickpeas (cooked)	200g	15g	1.0g	0.78	■4
Quinoa (cooked)	180g	8g	0.5g	0.9	■20
Oats	80g dry	11g	0.8g	0.57	■5
Almonds	30g	6g	0.5g	0.40	■12
Peanut butter	32g	8g	0.7g	0.52	■8
Cottage cheese (low fat)	100g	11g	1.0g	1.0	■15

Supplement Tier Chart — Evidence Based

Tier	Supplement	Evidence	Effect	Dose
S (Must Have)	Creatine Monohydrate	500+ RCTs	Strength +8%, mass +2 kg	3–5 g/day
S (Must Have)	Whey Protein	Strong	MPS stimulus	25–40 g post-workout
S (Must Have)	Caffeine	Strong	Performance +3–5%	3–6 mg/kg, pre-workout
A (Highly Useful)	Beta-Alanine	Strong	Endurance buffer	3.2–6.4 g/day
A (Highly Useful)	Vitamin D3	Strong	Hormones, performance	2000–5000 IU/day
A (Highly Useful)	Omega-3 (EPA+DHA)	Strong	Inflammation, MPS	2–3 g/day
A (Highly Useful)	Magnesium	Moderate-Strong	Sleep, testosterone	300–400 mg/day
B (Useful)	Zinc	Moderate	Testosterone if deficient	25–40 mg/day
B (Useful)	Citrulline Malate	Moderate	Pump, endurance	6–8 g pre-workout
B (Useful)	EAAs/BCAAs	Moderate	MPS when protein is low	10–15 g
B (Useful)	Ashwagandha (KSM-66)	Moderate	Testosterone +17%, stress	600 mg/day
C (Situational)	HMB	Weak-Moderate	Useful only for beginners	3 g/day
C (Situational)	Glutamine	Weak	Gut health, immune (not MPS)	5–10 g/day
C (Situational)	Tribulus Terrestris	Very weak	No proven T increase	Skip
D (No evidence)	Testosterone boosters	None	Marketing only	Don't buy
D (No evidence)	Fat burners (most)	None/negative	Stimulants + fillers	Avoid

Anabolic Principles — The Big 5

Principle	Science	Practical Application
Progressive Overload	Primary stimulus for hypertrophy (Schoenfeld 2010)	Add weight/ reps every session; log everything
Protein Synthesis > Breakdown	Net positive MPS = muscle growth	2.0–2.5 g protein/kg; leucine threshold 2–3 g/meal
Caloric Surplus	Muscle growth requires positive energy balance	200–500 kcal above TDEE for lean gains
Sleep & Recovery	90% of GH secreted during slow-wave sleep	7–9 hrs; napping on high-volume days
Hormonal Environment	Testosterone, IGF-1, insulin = anabolic triad	Optimise naturally before considering PEDs

Natural vs Pharmacological Anabolism

Method	Annual Muscle Potential	Pros	Cons
Natural — beginner	8–12 kg/year	Safe, sustainable, no side effects	Slower, requires patience
Natural — intermediate	2–4 kg/year	Safe, maintainable	Approaching genetic ceiling
Natural — advanced	0.5–1 kg/year	Long-term health	Very slow progress
Assisted — beginner cycle	4–8 kg lean/cycle	Rapid results	Health risks, suppression, legal
Assisted — advanced	2–5 kg lean/cycle	Maintain/exceed natural ceiling	Significant health management needed

■ **MEDICAL DISCLAIMER:** This guide is for educational and harm-reduction purposes only. The compounds discussed are prescription medications in many countries. Always consult a qualified physician before using any pharmacological substance. Tiger Fitness Pro does not encourage illegal activity.