

TIGER FITNESS PRO · EXPERT GUIDE SERIES

Beginner Anabolic Cycle Complete Guide

Test-E Only — From First Injection to Full PCT Recovery

12 Weeks	Test-E Only	Full PCT Included	62+ pg Pages
--------------------	-----------------------	-----------------------------	------------------------

■ **MEDICAL DISCLAIMER:** This guide is for educational and harm-reduction purposes only. The compounds discussed are prescription medications in many countries. Always consult a qualified physician before using any pharmacological substance. Tiger Fitness Pro does not encourage illegal activity.

Beginner Anabolic Cycle — Test-E Only

The first anabolic cycle should always be testosterone-only. This comprehensive guide walks you through every aspect: preparation, injection technique, managing side effects, nutrition, training optimisation, and a full 4-week PCT protocol. No shortcuts — do this right the first time.

Pre-Cycle Preparation Checklist

Item	Action	Why
Bloodwork	Full panel: T, E2, LH, FSH, CBC, lipids, liver, PSA	Your baseline — essential
Blood pressure	<130/80 mmHg	Cycle will raise BP
Body fat	<18% recommended	Higher BF = more aromatization
Training experience	Minimum 2 years consistent	Maximise results
Supplies	Test-E vials, syringes, AI, Nolvadex, sharps container	Have everything before you start
Support supplements	TUDCA, NAC, omega-3, zinc, vitamin D	Organ protection

Complete Cycle Protocol

Week	Test-E	Aromasin (AI)	HCG	Notes
1–2	300 mg/wk	Have on hand	—	Adjustment period
3–12	300–400 mg/wk	0.5 mg E3D if needed	500 IU 2x/week optional	Main cycle
13	—	—	Last HCG shot	Clearance week
14	PCT begins	—	—	SERM start
14–17	PCT: Nolvadex 40/40/20/20	—	—	HPTA recovery

Week-by-Week Timeline

Week	What to Expect	Key Actions
1–2	No changes yet (ester loading)	Establish injection schedule, monitor mood
3–4	Increased energy, strength beginning	Log all lifts, check BP weekly
5–8	Noticeable muscle fullness, strength increase	Adjust AI if estrogen sides appear
9–10	Peak anabolic effect	Maximum training intensity
11–12	Maintain, begin taper mindset	Reduce volume slightly, begin PCT planning
13	Off-week (ester clearance)	Last HCG, prepare SERMs
14–17	PCT — HPTA recovery	Nolvadex, lifestyle support, bloodwork at wk 17

Nutrition Strategy

Goal	Calories	Protein	Carbs	Fats
Lean bulk	TDEE + 300–400	2.2 g/kg	4–5 g/kg	1 g/kg
Body recomp	TDEE + 100–200	2.5 g/kg	3–4 g/kg	1.2 g/kg
Maintenance	TDEE	2.0 g/kg	3 g/kg	1.2 g/kg

Training Adjustments On-Cycle

On cycle, recovery is enhanced. You can increase training volume by 20–30% and add an extra session per week. However, tendons/ligaments lag behind muscle strength gains — be careful with maximal loads in weeks 4–8.

Parameter	Natural	On Test-E Cycle
Weekly volume	10–15 sets/muscle	15–20 sets/muscle
Training frequency	3–4 days	4–5 days
Recovery time	48–72 hrs	24–48 hrs
1RM attempts	Monthly	Every 3–4 weeks
Tendon risk	Normal	HIGHER — warm up thoroughly