

ROYAL FITNESS CLUB

RFC PREMIUM GUIDE #01

ADVANCED CUTTING CYCLE

12-Week Protocol for Maximum Definition

12 Weeks · 6 Chapters · Advanced Level · Competition Ready

© Royal Fitness Club — For Members Only

TABLE OF CONTENTS

Chapter 1 — Cycle Architecture & Goals	3
Chapter 2 — Week 1–4: Foundation Phase	4
Chapter 3 — Week 5–8: Peak Intensity Phase	5
Chapter 4 — Week 9–12: Hardening & Finish	6
Chapter 5 — Nutrition Protocol	7
Chapter 6 — Side Effect Management	8

DISCLAIMER

This guide is for educational purposes only and does not constitute medical or professional advice. Always consult a qualified healthcare provider before starting any supplementation, pharmaceutical, or training protocol. All information is provided for harm-reduction and educational purposes. Individual results vary.

CHAPTER 1 — CYCLE ARCHITECTURE & GOALS

"A cutting cycle is not about losing weight — it is about revealing the muscle you have already built."

This 12-week advanced cutting cycle is designed for experienced users who have completed at least two previous anabolic cycles. The primary objective is maximal fat loss while preserving lean muscle tissue. Caloric deficit, high-protein nutrition, and precise compound selection work together to achieve a hard, vascular, competition-ready physique.

Compounds Used

Compound	Dose	Frequency	Purpose
Testosterone Propionate	100mg EOD	Every other day	Muscle preservation base
Trenbolone Acetate	75–100mg EOD	Every other day	Fat oxidation, hardening
Masteron Propionate	100mg EOD	Every other day	Anti-estrogen, density
Anavar (Oxandrolone)	50mg/day	Oral daily	Strength preservation
Winstrol (Stanozolol)	25–50mg/day (wk 9-12)	Oral/injectable	Final hardening effect

■ **Stacking Masteron eliminates the need for an AI in most users — its DHT derivative nature suppresses aromatisation naturally.**

CHAPTER 2 — WEEK 1–4: FOUNDATION PHASE

The first four weeks establish the hormonal environment for fat loss. Begin with a 500 kcal daily deficit and introduce compounds at the lower end of dosing ranges to assess individual response.

Week	Test P	Tren A	Masteron P	Calories	Key Focus
1	100mg EOD	75mg EOD	100mg EOD	Deficit 400	Acclimatisation
2	100mg EOD	75mg EOD	100mg EOD	Deficit 500	Cardio 4×/wk
3	100mg EOD	100mg EOD	100mg EOD	Deficit 550	Training intensity ↑
4	100mg EOD	100mg EOD	100mg EOD	Deficit 550	Assess body composition

- Morning fasted cardio 30 min (LISS) 4 days/week from Week 1
- Training: Push/Pull/Legs split, 5 days/week, RPE 8–9
- Protein: minimum 2.5g per kg bodyweight daily
- Water intake: 4–5 litres per day; electrolytes critical with Tren
- Sleep: 7–8 hours; Tren suppresses deep sleep in some users — melatonin 1mg helps

CHAPTER 3 — WEEK 5–8: PEAK INTENSITY

Weeks 5–8 represent the peak of both training intensity and caloric restriction. The physique should begin showing visible enhancement. Cardio volume increases and water manipulation techniques are introduced.

Week	Tren A	Cardio	Deficit	Water (L)	Addition
5	100mg EOD	5×30min LISS	600 kcal	5L	Anavar 50mg/day
6	100mg EOD	5×30min LISS	600 kcal	5L	Continue Anavar
7	100mg EOD	3 LISS + 2 HIIT	600 kcal	4.5L	Monitor bloods
8	100mg EOD	3 LISS + 2 HIIT	700 kcal	4L	Progress photos

■ **HIIT sessions: 20 minutes, 30s all-out / 90s recovery × 10 rounds. Do NOT do HIIT the day after heavy leg training.**

- Add T3 (Liothyronine) 25–50mcg if fat loss stalls for more than 10 days
- Clenbuterol 40–120mcg/day (2-weeks-on / 2-weeks-off protocol optional)
- Reduce training volume by 10% to compensate for caloric deficit — intensity stays high
- Check hematocrit at Week 8 blood panel — Tren increases RBC significantly

CHAPTER 4 — WEEK 9–12: HARDENING & FINISH

"The final four weeks separate the committed from the casual. This phase demands discipline that most will not match."

The final phase introduces Winstrol for a finishing effect — increased vascularity, joint tightness, and an extremely hard, dry look. Carbohydrate cycling is implemented for final conditioning.

Day Type	Carbs (g)	Protein (g)	Fat (g)	Total Kcal	Training
High Carb	250	280	50	2580	Legs / Back
Moderate Carb	150	280	60	2220	Chest / Shoulders
Low Carb	60	300	70	2050	Arms / Cardio
Zero Carb	20	320	80	2080	Rest / Cardio only

■ **Winstrol dries joints significantly. Use Glucosamine 1500mg + Chondroitin 1200mg + Fish Oil 4g daily throughout this phase.**

CHAPTER 5 — NUTRITION PROTOCOL

Advanced Macro Blueprint

Macronutrient	Target	Best Sources	Timing
Protein	2.5–3g/kg BW	Chicken, eggs, whey, paneer	Every 3–4 hours
Carbohydrates	1.5–2g/kg BW	Rice, sweet potato, oats	Pre/post training only
Fats	0.8–1g/kg BW	Almonds, olive oil, avocado	Morning and evening
Fibre	30–40g/day	Vegetables, flaxseed	With every meal
Water	4–5L/day	Plain water, electrolytes	Consistent throughout

Key Supplements

- Whey Isolate: 30–40g post-workout and between meals
- Creatine Monohydrate: 5g daily (maintain strength during cut)
- BCAA: 10g intra-workout
- Multivitamin + Vitamin D3 5000IU + Zinc 25mg
- Liv52 or TUDCA 500mg/day for hepatoprotection (oral compounds)
- N-Acetyl Cysteine (NAC) 600mg twice daily — antioxidant, liver support

CHAPTER 6 — SIDE EFFECT MANAGEMENT

Side Effect	Compound	Management	When to Seek Help
Night sweats	Trenbolone	Cool room, moisture-wicking sheets	If fever > 38°C
Hair thinning	All DHT compounds	Nizoral shampoo, finasteride (off-cycle)	If rapid shedding
Acne	Tren, Mast, Var	Salicylic acid wash, doxycycline	If cystic, see dermatologist
Aggression	Trenbolone	Mindfulness, reduce dose	If affects relationships
Cardiovascular	All compounds	Cardio, omega-3 4g, CoQ10 200mg	Chest pain — ER immediately
Insomnia	Trenbolone	Melatonin 1mg, no stimulants after 2pm	If persists > 2 weeks

■ **Run bloods at Week 0, Week 8, and 4 weeks post-cycle PCT. Minimum panel: CBC, CMP, lipids, PSA, testosterone (total + free), LH, FSH, estradiol.**

"Blood work is not optional — it is the feedback system that keeps you safe and progressing."