

ROYAL FITNESS CLUB

RFC PREMIUM GUIDE #04

30-DAY KETO INDIAN VEGETARIAN PLAN

Ketogenic Diet Protocol Adapted for Indian Cuisine

30 Days · 6 Chapters · All Levels · Vegetarian Friendly

© Royal Fitness Club — For Members Only

TABLE OF CONTENTS

Chapter 1 — Ketogenic Diet Fundamentals	3
Chapter 2 — Indian Vegetarian Keto Food List	4
Chapter 3 — Week 1–2 Meal Plans	5
Chapter 4 — Week 3–4 Meal Plans	6
Chapter 5 — Keto Flu & Electrolyte Management	7
Chapter 6 — Progress Tracking & Adjustments	8

DISCLAIMER

This guide is for educational purposes only and does not constitute medical or professional advice. Always consult a qualified healthcare provider before starting any supplementation, pharmaceutical, or training protocol. All information is provided for harm-reduction and educational purposes. Individual results vary.

CHAPTER 1 — KETOGENIC DIET FUNDAMENTALS

"Ketosis is a metabolic state, not a diet trend. It is how your body has operated for the majority of human history."

The ketogenic diet shifts the body from carbohydrate-based energy production to fat-based. When carbohydrate intake falls below approximately 20–50g of net carbs per day, the liver converts fatty acids into ketone bodies (primarily beta-hydroxybutyrate) which serve as an efficient fuel for the brain and muscles. This state — nutritional ketosis — typically takes 2–7 days to achieve and results in accelerated fat oxidation.

Macronutrient	Standard Diet	Ketogenic Diet	Indian Vegetarian Keto
Fat	25–35%	65–75%	70% (paneer, ghee, nuts, coconut)
Protein	15–25%	20–25%	22% (paneer, daal, Greek yoghurt, eggs)
Carbohydrates	45–60%	5–10%	8% (20–30g net carbs/day)
Fibre	25g/day	25g/day	From keto vegetables only

■ **For vegetarians: Paneer, full-fat Greek yoghurt, heavy cream, ghee, coconut oil, nuts, seeds, and low-carb vegetables are your foundation foods.**

CHAPTER 2 — INDIAN VEGETARIAN KETO FOOD LIST

EAT FREELY — High Fat, Low Carb

Category	Foods	Typical Net Carbs
Dairy & Eggs	Paneer, full-fat yoghurt, ghee, heavy cream, butter, eggs	1–3g per serving
Oils & Fats	Coconut oil, mustard oil, olive oil, sesame oil	0g
Nuts & Seeds	Almonds, walnuts, macadamia, flaxseed, chia, pumpkin seeds	2–5g per 30g
Vegetables	Spinach, cauliflower, broccoli, cabbage, zucchini, cucumber, mushrooms	2–6g per cup
Condiments	Turmeric, cumin, coriander, ginger, garlic, coconut cream	<3g per serving

AVOID — High Carb Foods

Food Group	Examples	Why Avoid
Grains	Rice, wheat, roti, bread, pasta, oats, poha, upma	Immediate glucose spike, exits ketosis
Legumes	All daal, chana, rajma, moong (high-carb)	Despite protein content, too many carbs
Fruit	Mango, banana, grapes, apple, papaya	High fructose — anti-ketogenic
Root Vegetables	Potato, sweet potato, carrot, beetroot	Starchy carbohydrates

CHAPTER 3 — WEEK 1–2 MEAL PLANS

Week 1: Keto Adaptation

Day	Breakfast	Lunch	Dinner	Net Carbs
Mon	Paneer bhurji (3 eggs) + tea with cream	Palak paneer + salad	Cauliflower rice + stir-fry	18g
Tue	Avocado + 2 boiled eggs + coffee with coconut oil	Paneer tikka + cucumber raita	Broccoli paneer curry	20g
Wed	Coconut flour pancakes + ghee	Tofu stir-fry with spinach	Egg curry (no potato)	22g
Thu	Full-fat yoghurt + chia seeds + walnuts	Paneer salad + olive oil dressing	Zucchini with paneer	19g
Fri	Scrambled eggs (4) + mushrooms in butter	Cauliflower soup + paneer	Mixed vegetable curry (keto)	21g

■ *Week 1 keto flu is real — see Chapter 5. Increase salt, potassium, and magnesium aggressively during days 3–7.*

CHAPTER 4 — WEEK 3–4 MEAL PLANS

By Week 3, you should be fully keto-adapted: energy stable, cravings minimal, mental clarity improved. This phase targets deeper fat burning.

Meal	Options	Approx Kcal	Net Carbs
Breakfast	Paneer omelette (150g paneer + 3 eggs)	520	4g
Lunch	Keto thali: palak paneer + cauliflower sabzi + raita	580	12g
Snack	30g walnuts + 1 tbsp peanut butter (no sugar)	260	4g
Dinner	Grilled paneer + sautéed spinach + coconut chutney	490	8g
Night	200ml coconut milk + 1 tbsp chia seeds	170	4g

Total: ~2020 kcal, ~32g net carbs

CHAPTER 5 — KETO FLU & ELECTROLYTE MANAGEMENT

"Keto flu is not your body rejecting ketosis — it is your kidneys adjusting to insulin reduction. The fix is electrolytes, not carbohydrates."

Electrolyte	Keto Daily Target	Best Sources	Deficiency Symptoms
Sodium	3000–5000mg	Salt, salted nuts, pickle	Headache, fatigue, brain fog
Potassium	3000–4000mg	Avocado, spinach, mushrooms	Muscle cramps, palpitations
Magnesium	300–500mg	Almonds, dark chocolate (90%+), supplement	Insomnia, cramps, anxiety
Phosphorus	700mg	Paneer, nuts, seeds	Bone ache, weakness

■ **Keto electrolyte drink recipe: 500ml water + $\frac{1}{4}$ tsp salt + $\frac{1}{4}$ tsp No Salt (potassium) + 200mg magnesium powder. Drink twice daily during Week 1–2.**

CHAPTER 6 — PROGRESS TRACKING

Week	Expected Fat Loss	Expected Adaptation	Measurement Method
1	1–3kg (mostly water)	Entering ketosis	Scale daily, average weekly
2	0.5–1kg true fat	Keto-adapted	Scale + waist measurement
3	0.5–1kg true fat	Full adaptation	Scale + body fat % (calipers)
4	0.5–1kg true fat	Optimised fat burning	Full measurements + photos

- Take measurements on the same morning, same conditions, same day of week
- Progress photos: same pose, same lighting, same time of day (morning, fasted)
- Energy levels are the most reliable real-time indicator of ketosis quality
- If fat loss stalls: check for hidden carbs in condiments and sauces
- Test ketones: urine strips (cheap, less accurate) or blood meter (gold standard, target 0.5–3 mmol/L)