

ROYAL FITNESS CLUB

RFC PREMIUM GUIDE #05

FEMALE VEGETARIAN WEIGHT LOSS PLAN

12-Week Protocol Designed for Women's Physiology

12 Weeks · 6 Chapters · Female Specific · Hormone Optimised

© Royal Fitness Club — For Members Only

TABLE OF CONTENTS

Chapter 1 — Female Physiology & Fat Loss Differences	3
Chapter 2 — Caloric & Macro Blueprint for Women	4
Chapter 3 — 12-Week Training Programme	5
Chapter 4 — Hormonal Health & Cycle Syncing	6
Chapter 5 — Vegetarian Meal Plan (4 Weeks)	7
Chapter 6 — Mindset, Plateaus & Long-Term Strategy	8

DISCLAIMER

This guide is for educational purposes only and does not constitute medical or professional advice. Always consult a qualified healthcare provider before starting any supplementation, pharmaceutical, or training protocol. All information is provided for harm-reduction and educational purposes. Individual results vary.

CHAPTER 1 — FEMALE PHYSIOLOGY & FAT LOSS

"Fat loss for women is a hormonal event as much as a caloric one. Treat it that way and the results become dramatically more predictable."

Female fat loss differs from male fat loss in several key ways. Women have approximately 40–60% lower testosterone, meaning muscle building and fat loss from resistance training occurs more slowly. Women carry proportionally more alpha-2 adrenergic receptors in hip, thigh, and gluteal fat — these receptors resist fat mobilisation, creating the stubborn lower-body fat that characterises female physiology. Understanding these differences prevents frustration and informs strategy.

Variable	Female Physiology	Strategy Implication
Testosterone	15–70 ng/dL (vs 300–1000 male)	Resistance training essential — more critical than for men
Oestrogen	Cyclical, protective of muscle	Leverage follicular phase for high intensity
Cortisol sensitivity	Higher, especially under restriction	Avoid extreme deficits; 300–400 kcal max
Fat distribution	Gluteofemoral > visceral	Lower body fat mobilises last — patience required
Metabolic rate	5–10% lower than male at same weight	Accurate TDEE calculation critical

CHAPTER 2 — CALORIC & MACRO BLUEPRINT

Weight	Est. TDEE (Moderate)	Deficit	Protein	Carbs	Fats
55kg	1900 kcal	−350 = 1550	130g	160g	55g
65kg	2100 kcal	−400 = 1700	150g	180g	60g
75kg	2300 kcal	−400 = 1900	170g	200g	65g
85kg	2500 kcal	−450 = 2050	185g	215g	70g

■ ***Never go below 1200 kcal for women. Below this threshold, metabolic adaptation, hormonal disruption, and muscle loss become significant. A 300–400 kcal deficit is both sustainable and effective.***

Top Vegetarian Protein Sources for Women

- Paneer: 18g protein per 100g — best single vegetarian protein source
- Greek yoghurt (full-fat): 10g per 100g — probiotic benefits for gut and hormone health
- Tofu (firm): 8g per 100g — complete amino acid profile
- Lentils (cooked daal): 9g per 100g — also high in iron critical for women
- Quinoa: 4g per 100g cooked — complete protein, all essential amino acids
- Chickpeas: 9g per 100g cooked — versatile, high satiety

CHAPTER 3 — 12-WEEK TRAINING PROGRAMME

Phase 1: Foundation (Weeks 1–4)

Day	Workout	Duration	Focus
Mon	Full body resistance	45 min	Compound movements, form
Tue	Cardio (walking/cycling)	30 min	Zone 2 fat burning
Wed	Lower body resistance	40 min	Glutes, hamstrings, quads
Thu	Yoga / mobility	30 min	Recovery, flexibility
Fri	Upper body + core	40 min	Shoulders, back, abs
Sat	HIIT or dance cardio	25 min	Calorie burn, fun
Sun	Rest / light walk	20 min	Recovery

■ **Weeks 5–8: Increase resistance training to 4 days/week. Add a second HIIT session. Focus compound lifts: squats, Romanian deadlifts, hip thrusts, rows.**

■ **Weeks 9–12: Peak intensity. 4 resistance days + 2 cardio sessions. Progressive overload on every lift. Advanced HIIT 2× per week.**

CHAPTER 4 — HORMONAL HEALTH & CYCLE SYNCING

"Your menstrual cycle is a performance asset, not a limitation — when you train and eat in sync with it."

Cycle Phase	Days	Hormones	Recommended Training	Nutrition Tip
Menstruation	1–5	Low E + P	Light yoga, walking	Iron-rich foods, reduce salt
Follicular	6–13	Rising E	High intensity, heavy lifting	Moderate carbs, high protein
Ovulation	14	Peak E	Maximum performance week	Pre-workout carbs, push hard
Luteal	15–28	Rising P, falling E	Moderate intensity, pilates	Increase calories slightly, complex carbs

- Iron supplementation for women who menstruate: 18mg/day (food-based preferred)
- Omega-3 (EPA/DHA): 2–3g/day reduces menstrual cramping and inflammation
- Magnesium glycinate 300mg: reduces PMS symptoms and improves sleep quality
- Calcium 500mg + Vitamin D3: critical for female bone density protection

CHAPTER 5 — VEGETARIAN MEAL PLAN

Meal	Example	Protein	Carbs	Fat	Kcal
Breakfast	Moong dal chilla × 3 + curd	22g	40g	8g	320
Mid-morning	Greek yoghurt + berries + flaxseed	12g	18g	6g	172
Lunch	Rajma brown rice (small) + salad	18g	55g	4g	330
Pre-workout	1 banana + 10g peanut butter	5g	30g	5g	185
Dinner	Palak tofu + 1 roti + cucumber raita	20g	35g	10g	310
Night snack	150ml warm milk + 1 tsp ashwagandha	5g	8g	4g	88

Total: ~1405 kcal — adjust portions to meet individual caloric target

CHAPTER 6 — MINDSET & LONG-TERM STRATEGY

"The scale is one data point. Progress photos, strength numbers, energy levels, and how your clothes fit are four more. Use all five."

- Expect 0.4–0.7kg fat loss per week — anything more is likely muscle + water + fat
- Strength gains in the gym confirm muscle preservation during fat loss — track your lifts
- Take a diet break at Week 8 (eat at maintenance for 7–10 days) to reset leptin and reduce adaptation
- Social eating: budget 300–400 kcal for eating out by reducing carbs at other meals that day
- Sleep 7–9 hours — this is as important as the diet and training. Seriously.
- Progress photos every 4 weeks, same conditions — comparison over 12 weeks reveals transformation

■ ***The 12-week programme is a starting point, not a destination. Women who see the best long-term results treat fitness as a permanent lifestyle, not a temporary project.***