

12–16 WEEKS

ADVANCED

PEPTIDE PROTOCOL

MASS BUILDER

# ADVANCED STEROID CYCLE FOR BULKING WITH PEPTIDES

12–16 Week Mass Protocol — Compounds · Peptides · AI · PCT

AMAN TRAINING CLUB • Professional Series • 2024 Edition

AMAN TRAINING CLUB

■ **MEDICAL DISCLAIMER:** For educational purposes only. Always consult a licensed physician. Anabolic steroids and peptides are regulated substances. Misuse carries serious health risks.

## ■ TABLE OF CONTENTS

---

1. Overview — Mass Building Philosophy
2. Core Compound Stack
3. 12–16 Week Dosage Protocol
4. Peptide Protocol (IGF-1 LR3 · GHRP-6 · CJC-1295 DAC)
5. Optional HGH Addition
6. Aromatase Inhibitor & Prolactin Control
7. Post Cycle Therapy (PCT)
8. Essential Supplement Stack
9. Mass-Building Nutrition Plan
10. Training Programming

## 1. OVERVIEW — MASS BUILDING PHILOSOPHY

This advanced bulking protocol is engineered to produce **maximum lean muscle mass gains** over 12–16 weeks. By combining a potent anabolic base with cutting-edge peptide technology, this protocol stimulates natural GH release alongside exogenous hormones, creating an **anabolic environment** unlike any single-compound approach.

- Target lean mass gain: 15–20 lbs over 16 weeks
- Strength increase: 20–40 lbs on major compound lifts
- Minimize fat accumulation during bulk phase
- Maximize recovery speed with peptide GH pulse
- Maintain health markers within safe ranges throughout

## 2. CORE COMPOUND STACK

| Compound                      | Name   | Dose         | Frequency       | Duration  | Role                       |
|-------------------------------|--------|--------------|-----------------|-----------|----------------------------|
| Testosterone Enanthate        | Test E | 500–750 mg   | Weekly (2 pins) | 12–16 wks | Anabolic base              |
| Nandrolone Decanoate          | Deca   | 400–600 mg   | Weekly          | 12–16 wks | Mass + joint lubrication   |
| Dianabol (Methandrostenolone) | Dbol   | 30–50 mg/day | Daily (oral)    | Wks 1–6   | Kick-start strength + size |
| Testosterone Cypionate*       | Test C | 500–750 mg   | Weekly (alt.)   | 12–16 wks | Alternative to Test E      |

*\* Test C and Test E are interchangeable. Choose one based on availability.*

## 3. 12–16 WEEK DOSAGE PROTOCOL

| Weeks  | Test E/C | Deca   | Dbol      | Notes                     |
|--------|----------|--------|-----------|---------------------------|
| 1–2    | 500 mg   | 400 mg | 30 mg/day | Ramp up — establish base  |
| 3–4    | 500 mg   | 400 mg | 40 mg/day | Building momentum         |
| 5–6    | 750 mg   | 600 mg | 50 mg/day | Peak loading phase        |
| 7–8    | 750 mg   | 600 mg | —         | Mid-cycle — assess gains  |
| 9–10   | 750 mg   | 600 mg | —         | Continued mass building   |
| 11–12  | 750 mg   | 600 mg | —         | Peak anabolic phase       |
| 13–14* | 500 mg   | 400 mg | —         | Taper down (16-wk option) |
| 15–16* | 500 mg   | —      | —         | Pre-PCT clearance         |

*\* Weeks 13–16 are optional extension — only if running 16-week protocol.*

## 4. PEPTIDE PROTOCOL

Peptides work synergistically with the anabolic stack by stimulating **natural GH release** from the pituitary gland. They enhance recovery, increase GH pulsatility, and improve body composition beyond what steroids alone can achieve.

| Peptide      | Dose            | Route             | Timing                | Function                                         |
|--------------|-----------------|-------------------|-----------------------|--------------------------------------------------|
| IGF-1 LR3    | 40–60 mcg/day   | Post-workout (IM) | 4–6 wks on, 4 wks off | Muscle cell proliferation, nutrient partitioning |
| GHRP-6       | 100 mcg × 3/day | SC injection      | Throughout cycle      | GH pulse trigger, appetite stimulation           |
| CJC-1295 DAC | 2 mg/week       | SC (once weekly)  | Weeks 1–12            | Sustained GH elevation (GHRP amplifier)          |

### GHRP-6 injection timing:

- Injection 1: Morning (fasted, 30 min before breakfast)
- Injection 2: Pre-workout (60 min before training)
- Injection 3: Before bed (2+ hours after last meal for max GH pulse)
- Always inject GHRP-6 + CJC-1295 together for synergistic effect

## ■ 5. OPTIONAL HGH ADDITION

Human Growth Hormone (HGH) can be added for elite-level results. It significantly enhances the peptide stack and adds recovery, fat loss, and anti-aging benefits.

- **Dose:** 2–4 IU/day (beginners start at 2 IU; advanced users 4 IU)
- **Timing:** Morning injection (fasted) OR split into 2 × daily doses
- **Duration:** 12–24 weeks (HGH benefits compound over time)
- **Cost consideration:** Pharmaceutical-grade HGH is expensive — budget accordingly
- **Monitoring:** Check IGF-1 levels every 6 weeks; target 250–350 ng/mL

## ■ 6. AI & PROLACTIN CONTROL

- **Arimidex (Anastrozole):** 0.5 mg twice weekly (adjust based on E2 blood work)
- **Cabergoline (Caber):** 0.25 mg twice weekly — critical with Deca due to high prolactin risk
- Deca/Nandrolone is a 19-nor compound — prolactin control is NON-NEGOTIABLE
- Target E2 for bulking: 35–50 pg/mL (slightly higher than cutting for IGF-1/GH synergy)
- Do NOT over-suppress estrogen — it impairs muscle growth and joint health

## ■ 7. POST CYCLE THERAPY (PCT)

**IMPORTANT:** Due to Deca's long half-life, begin PCT **3–4 weeks** after your last Deca injection. Test E/C requires 2 weeks clearance.

| Compound  | Dose               | Frequency    | Duration       | Role                    |
|-----------|--------------------|--------------|----------------|-------------------------|
| HCG       | 1000 IU            | Every 3 days | Wks 1–3 of PCT | Testicular restart      |
| Clomid    | 100 mg/day → 50 mg | Daily        | Wks 1–4 of PCT | LH stimulation          |
| Nolvadex  | 40 mg/day → 20 mg  | Daily        | Wks 1–6 of PCT | Anti-estrogen SERM      |
| Vitamin E | 400 IU/day         | Daily        | Throughout PCT | Antioxidant + fertility |

## ■ 8. ESSENTIAL SUPPLEMENT STACK

### Liver Protection:

- TUDCA — 500 mg/day
- Milk Thistle (Silymarin) — 600 mg/day
- NAC (N-Acetyl Cysteine) — 600 mg/day

### Cardiovascular:

- Omega-3 Fish Oil — 4–6 g/day
- CoQ10 — 200 mg/day
- Red Yeast Rice — 1200 mg/day
- Hawthorn Berry — 500 mg 2×/day

### Performance & Recovery:

- Creatine Monohydrate — 5 g/day
- Beta-Alanine — 3.2 g/day
- Whey/Casein Protein — 50–80 g/day
- BCAAs — 10 g intra-workout

### Hormonal & General:

- ZMA — nightly
- Vitamin D3 5000 IU + K2 100 mcg
- High-potency Multivitamin
- Glucosamine + Chondroitin (joint health)

## ■ 9. MASS-BUILDING NUTRITION PLAN

- **Caloric surplus:** +400–600 kcal above TDEE (calculated individually)
- **Protein:** 1.8–2.2 g/lb body weight (minimum 250 g/day for 180 lb athlete)
- **Carbohydrates:** 3–4 g/lb body weight — prioritize around training
- **Fats:** 0.5–0.8 g/lb body weight (essential fatty acids focus)
- **Meal frequency:** 5–7 meals per day for sustained anabolic environment
- **Pre-workout meal:** Complex carbs + protein 2 hours before training
- **Post-workout:** Fast protein + simple carbs within 30 minutes of training
- **Night meal:** Slow-digesting protein (casein) + healthy fats

## ■ 10. TRAINING PROGRAMMING

- **Frequency:** 5–6 days/week (Upper/Lower or PPL split)
- **Volume:** 15–20 sets per muscle group per week
- **Rep ranges:** 6–12 for hypertrophy; include heavy 3–5 rep sets for strength
- **Progressive overload:** Aim to add weight or reps every week
- **Cardio:** Limit to 20–30 min LISS 3×/week during mass phase
- **Sleep:** CRITICAL — minimum 8–9 hours for maximum GH release and recovery

■ *This guide is for educational purposes only. AMAN TRAINING CLUB does not endorse illegal activity. Consult a licensed physician before beginning any hormonal protocol.*