

ALL CYCLE PHASES

MACROS

INDIAN MEALS

FULL SUPP STACK

ANABOLIC CYCLE NUTRITION & SUPPLEMENTATION BIBLE

Science-Based Diet, Macro Strategy & Supplement Stack for Every Cycle Phase

Bulking • Cutting • Recomp • Indian Meal Plans • On-Cycle Supplements

ROYAL FITNESS CLUB — ANABOLIC SERIES

Anabolic Series Vol. 5 • Nutrition Edition • 2024

DISCLAIMER: Educational purposes only. This guide covers nutritional strategies to support muscle gain and fat loss. All supplementation decisions should be made in consultation with a qualified physician or registered dietitian.

■ The Anabolic Macro Framework

On an anabolic cycle, the body's capacity for protein synthesis, glycogen storage, and caloric partitioning is significantly enhanced. Your diet must be structured to maximise these enhanced physiological capabilities.

Phase	Calorie Target	Protein	Carbohydrates	Fats	Water	Key Priority
Bulking (high dose AAS)	TDEE + 500–700	2.5–3.5 g/kg	5–8 g/kg	0.8–1.0 g/kg	5–6 L/day	Caloric surplus — progressive overload
Lean Bulk (moderate AAS)	TDEE + 300–400	2.5–3.0 g/kg	4–6 g/kg	0.8–1.0 g/kg	4–5 L/day	Quality calories — minimise fat gain
Recomp (Test + Tren)	TDEE ± 100	3.0–3.5 g/kg	2–4 g/kg	0.8–1.0 g/kg	5–6 L/day	High protein, carb cycling, training split
Cutting (Test only)	TDEE – 300–500	3.0–3.5 g/kg	1.5–3 g/kg	0.7–0.9 g/kg	4–5 L/day	Protect muscle at all costs — protein first
Competition prep (peak)	TDEE – 500–800	3.5–4.0 g/kg	1–2 g/kg	0.5–0.7 g/kg	4+ L/day	Extreme deficit — AAS preserves mass
PCT (recovery)	TDEE + 100	2.5–3.0 g/kg	4–5 g/kg	1.0–1.2 g/kg	4 L/day	Caloric surplus supports T recovery

■ Calorie Calculation — Step by Step

Step	Formula	Example (80kg, 25yr male, 178cm)	Result
1. Calculate BMR	$BMR = 10 \times \text{weight} + 6.25 \times \text{height} - 5 \times \text{age} + 5$	$10 \times 80 + 6.25 \times 178 - 5 \times 25 + 5$	= 1817 kcal
2. Activity Multiplier	Sedentary $\times 1.2$ / Light $\times 1.375$ / Moderate $\times 1.55$ / Very active $\times 1.725$	Training 5–6x/week = $\times 1.725$	TDEE = 3134 kcal
3. AAS Adjustment	Add 10–15% to TDEE on cycle (enhanced partitioning)	3134×1.12	= 3510 kcal effective TDEE
4. Goal Adjustment	Bulk: +500 / Maintain: +0 / Cut: –400	$3510 + 500$ (bulk)	= 4010 kcal target
5. Protein Allocation	$2.8 \text{ g/kg} \times 80\text{kg} = 224\text{g} \times 4 \text{ kcal}$	224g protein = 896 kcal	~22% of total
6. Fats Allocation	$0.9 \text{ g/kg} \times 80\text{kg} = 72\text{g} \times 9 \text{ kcal}$	72g fat = 648 kcal	~16% of total
7. Carbohydrates (remainder)	$4010 - 896 - 648 = 2466 \text{ kcal} / 4$	$2466 \div 4 = 616\text{g carbs}$	~62% of total

■ Nutrient Timing — Maximising the Anabolic Window

Meal Timing	Macros	Food Sources	Reason
Wake-up (fasted, 6–7 AM)	30–40g protein, 10–20g carbs	Whey + banana / oats + eggs	Stop overnight catabolism — protein fast
Pre-workout (90 min before)	40–50g protein, 60–100g carbs, low fat	Chicken rice, or oats + whey, or whole meal	Glycogen loading — sustained energy
Intra-workout (during training)	0g protein, 30–50g fast carbs + EAAs	Gatorade + 10g EAAs / Karbolyn	Blood amino acid peak during training stimulus
Post-workout (within 45 min)	50g protein, 70–100g fast carbs	Whey + white rice / potato / fruit	Insulin spike + protein synthesis peak
Mid-day meal	30–50g protein, 60–80g carbs	Whole foods — chicken, rice, vegetables	Sustained amino acid availability
Evening meal	40–50g protein, 40–60g carbs	Fish / mutton / eggs + rice/roti	Anabolic support — lean protein + moderate carbs
Pre-sleep	30–40g slow protein, low carb, medium fat	Casein shake / cottage cheese / paneer + nuts	Overnight muscle protein synthesis

■ Carb Cycling — Weekly Template for Recomp

Day	Training	Carb Target	Protein	Fat	Total Calories
Monday	Heavy compound (Legs/Back)	600–700g	250g	70g	4100–4500 kcal
Tuesday	Push / Chest / Shoulders	500–600g	240g	70g	3700–4100 kcal
Wednesday	REST / light cardio	150–200g	260g	100g	2600–2900 kcal
Thursday	Heavy (Deadlift / Squat)	600–700g	250g	70g	4100–4500 kcal
Friday	Pull / Back / Biceps	450–500g	240g	75g	3600–3900 kcal
Saturday	Arms / Shoulders / Cardio	300–350g	240g	90g	3100–3400 kcal
Sunday	REST / optional LISS	100–150g	260g	110g	2500–2800 kcal

■ Indian Bodybuilder Meal Plans — On Cycle

High protein, calorie-dense Indian meals that support anabolic cycles. These plans use culturally relevant, affordable, and easy-to-prepare foods available across India.

Bulking Meal Plan — 4000+ kcal/day (80kg Athlete)

Meal	Foods	Protein	Carbs	Fats	kcal
Meal 1 (7 AM)	6 whole eggs scrambled + 4 slices whole wheat bread + 1 banana	38g	60g	30g	650
Meal 2 (10 AM)	200g chicken breast + 200g cooked basmati rice + dal (100g)	55g	85g	8g	640
Pre-WO (1 PM)	2 scoops whey + 150g oats + 1 tbsp peanut butter	50g	80g	14g	650
Intra-WO	Gatorade 500ml + 10g BCAA	2g	30g	0g	130
Post-WO (4:30 PM)	2 scoops whey + 4 rotis + 250g curd	52g	80g	10g	630
Meal 4 (7 PM)	250g mutton keema + 200g cooked rice + salad	55g	70g	20g	700
Meal 5 (9 PM)	200g paneer + 2 rotis + rajma 150g	45g	55g	20g	580
Pre-sleep (11 PM)	1 scoop casein + 50g almonds	30g	10g	28g	410
DAILY TOTAL		327g	470g	130g	4390

Cutting Meal Plan — 2600 kcal/day (Deficit)

Meal	Foods	Protein	Carbs	Fats	kcal
Meal 1 (7 AM)	5 egg whites + 1 whole egg + spinach omelette + black coffee	26g	3g	8g	190
Meal 2 (10 AM)	200g grilled chicken + 100g brown rice + cucumber salad	48g	35g	5g	380
Pre-WO (1 PM)	1.5 scoops whey + 1 apple	36g	28g	3g	280
Intra-WO	EAA's 10g in water	10g	0g	0g	40
Post-WO (4 PM)	1.5 scoops whey + 100g cooked rice	38g	38g	3g	330
Meal 4 (7 PM)	200g fish (rohu/basa) + 100g cooked dal + 2 rotis	46g	40g	6g	400
Meal 5 (9 PM)	200g low-fat paneer + sauteed vegetables (no oil)	34g	10g	8g	250
Pre-sleep (11 PM)	1 scoop casein in water	24g	3g	1g	120
DAILY TOTAL		262g	157g	34g	1990 + cardio allowance

■ Complete On-Cycle Supplement Stack

Category	Supplement	Dose	Timing	Purpose	Priority
Foundation	Whey Protein (Isolate)	2–3 scoops	Post-WO + morning	Hit protein targets	Essential
Foundation	Creatine Monohydrate	5g	Post-WO or AM	ATP, strength, cell hydration	Essential
Foundation	Omega-3 Fish Oil	4–6g EPA/DHA	With meals	Heart health, anti-inflammatory, HDL support	Essential
Foundation	Vitamin D3 + K2	5000 IU + 100mcg	With fat-containing meal	Testosterone synthesis, immune, bone	Essential
Foundation	Zinc Bisglycinate	30mg	Before bed	Test synthesis, aromatase inhibition	Essential
Foundation	Magnesium Glycinate	400mg	Before bed	Sleep quality, insulin sensitivity, muscle function	Essential
Liver Support	TUDCA / UDCA	500mg	With meal	Liver protection — essential if using oral AAS	Essential if oral
Liver Support	NAC (N-Acetyl Cysteine)	600mg	Morning	Glutathione precursor, liver + kidney antioxidant	Recommended
Cardiovascular	Coenzyme Q10	200mg	With fat meal	Mitochondrial function, BP, heart muscle	Essential (Tren/Deca)
Cardiovascular	Taurine	3–5g	Pre-workout	Reduces back pumps, cardiac support	Needed with Anavar
Cardiovascular	Garlic Extract	1200mg	With meals	Lowers LDL, raises HDL, mild BP reduction	Recommended
Joint Health	Glucosamine + Chondroitin	1500 + 1200mg	With meal	Cartilage support — rapid strength gains stress joints	Recommended
Joint Health	Collagen Peptides	10–15g	Post-WO	Connective tissue repair	Recommended
Recovery	Ashwagandha KSM-66	600mg	Evening	Cortisol reduction, better sleep, test support	Recommended
Recovery	Melatonin	0.5–1mg	30 min before bed	Sleep onset — disrupted by some AAS (Tren)	As needed
Hormonal	Vitamin B6 (P5P form)	100–200mg	Daily	Prolactin control — support with Deca/Tren	Needed with Tren
Hormonal	Selenium	200mcg	Morning	Thyroid hormone conversion, antioxidant	Recommended
Performance	Citrulline Malate	8–10g	30 min pre-WO	Nitric oxide, pump, performance, blood flow	Recommended
Performance	Beta-Alanine	3.2g	Pre-WO	Carnosine buffering, reduces fatigue	Recommended

■ Optimal Food Sources for Anabolic Cycles

Category	Best Sources	Amount/Day	Avoid
Animal Protein	Chicken breast, eggs, fish (basa/rohu/salmon), mutton (lean), egg whites	250–400g protein foods	Processed meats, high-fat sausages
Plant Protein	Paneer, curd (Greek-style), rajma, chana, moong dal, tofu, soya chunks	As needed to hit targets	Excess soy on cycle (phytoestrogens in very high amounts)
Complex Carbs	Basmati/brown rice, oats, sweet potato, whole wheat roti, quinoa	Based on carb target	Refined flour (maida), white bread, biscuits
Fast Carbs (post-WO)	White rice, banana, mango, dates, sports drink, white bread	50–100g post-WO only	Fructose-heavy sources (spike triglycerides)
Healthy Fats	Eggs (yolk), olive oil, coconut oil (cooking), ghee (moderate), nuts, avocado	60–100g fat target	Trans fats, refined vegetable oils (sunflower/canola excess)
Vegetables	Spinach, broccoli, capsicum, bottle gourd, tomato, cucumber, mushrooms	400–600g/day	Deep-fried vegetables, pickles (excess sodium)
Hydration	Water, coconut water, green tea, black coffee, lemon water	5–6 L/day	Alcohol (severely impairs testosterone and liver function), sugary drinks

■■ **IMPORTANT:** Alcohol is incompatible with anabolic cycles. It directly inhibits testosterone synthesis, impairs protein synthesis, disrupts sleep, elevates oestrogen, and puts additional strain on a liver already under stress from oral AAS. Eliminate completely.

■ Refeeds & Diet Breaks on Extended Cycles

Strategy	When to Use	Protocol	Benefits
Refeed day	Weekly during cutting cycles	Raise calories to TDEE + 20%, carbs to 6–8 g/kg, keep fat low	Restore leptin, muscle glycogen, boost training performance
Diet break (full)	Every 6–8 weeks on extended cut	Eat at TDEE for 7–14 days	Leptin recovery, hormonal reset, psychological relief
Carb loading (pre-competition)	Final 5–7 days before show	Sodium/water manipulation + high carb load after depletion	Peak muscle fullness, glycogen saturation for stage
Reverse diet (post-cycle)	After finishing a cut or prep	Increase by 50–75 kcal/week until reaching maintenance	Prevent fat regain, support metabolic recovery