

30 DAYS

VEGETARIAN

KETO SCIENCE

6 RECIPES

30-DAY WEIGHT LOSS TRANSFORMATION PLAN KETO INDIAN VEGETARIAN

4-Week Ketogenic Protocol · Week-by-Week Menus · 6 Full Recipes · Exercise Plan

Science-backed fat loss · Indian ingredients · Sustainable & delicious

ELITE FITNESS GUIDE SERIES

Research-Based · Professional Edition · 2024

■ TABLE OF CONTENTS

1. The Science of Ketogenic Dieting
2. Indian Vegetarian Keto — Adapting the Protocol
3. Week 1 — Transition Phase (Days 1–7)
4. Week 2 — Entering Ketosis (Days 8–14)
5. Week 3 — Deep Ketosis (Days 15–21)
6. Week 4 — Maintenance (Days 22–30)
7. Complete Recipe Collection (6 Recipes)
8. Exercise Protocol
9. Foods to Eat, Limit & Avoid
10. Supplement Stack for Keto Success
11. Troubleshooting — Common Problems & Solutions
12. Expected Results & Progress Tracking

■ 1. THE SCIENCE OF KETOGENIC DIETING

The ketogenic diet is a high-fat, moderate-protein, very-low-carbohydrate dietary pattern that induces a metabolic state called **ketosis**. In ketosis, the liver converts fatty acids into **ketone bodies** (primarily beta-hydroxybutyrate, acetoacetate, and acetone) which serve as an alternative fuel for the brain and muscles.

■ *Multiple meta-analyses (Johnston 2006, Bueno 2013, Gibson 2015) demonstrate ketogenic diets produce greater short-term fat loss compared to low-fat diets, with superior effects on appetite suppression via reduced ghrelin levels and increased satiety hormones.*

Why Keto Works for Fat Loss:

- **Reduced insulin levels:** Carbohydrate restriction drops insulin dramatically — insulin's primary role is fat storage. Low insulin = fat burning mode
- **Increased fat oxidation:** With glucose unavailable, cells upregulate fat-burning enzymes; mitochondrial fat oxidation increases 2–3×
- **Appetite suppression:** Ketones suppress ghrelin (hunger hormone); high fat + protein meals provide superior satiety
- **Water weight reduction:** Every gram of glycogen is stored with ~3g of water. Depleting glycogen removes 5–10 lbs of water in Week 1
- **Preserved muscle mass:** Adequate protein intake + ketones as muscle fuel prevents catabolism better than low-calorie low-carb diets

Macro	Standard Diet	Ketogenic Diet	Physiological Effect
Carbohydrates	50–55%	5% (20–25g net/day)	Glucose depleted → ketosis triggered in 2–4 days
Fats	30–35%	65–75%	Primary fuel source; supports fat-soluble vitamins
Protein	15–20%	20–25%	Preserved muscle mass; gluconeogenesis minimal

■ 2. INDIAN VEGETARIAN KETO — THE ADAPTATION

Traditional Indian vegetarian diets are naturally **high in carbohydrates** — rice, roti, dal, and lentils are staples. Adapting to keto requires strategic substitutions that preserve authentic Indian flavours using familiar spices and cooking methods.

Traditional Indian Food	Keto Substitute	Macros Comparison
White rice (1 cup = 45g carbs)	Cauliflower rice (1 cup = 5g net carbs)	90% carb reduction; same volume and texture
Wheat roti (1 = 15g carbs)	Almond flour roti (1 = 3g net carbs)	80% carb reduction; similar texture
Dal (moong, 1 cup = 38g carbs)	Paneer (100g = 1.2g carbs)	High protein, zero carbs replacement
Idli (2 = 30g carbs)	Paneer bhurji (same calories = 2g carbs)	Better protein-to-carb ratio
Potato sabzi (1 cup = 30g carbs)	Cauliflower/Broccoli sabzi (1 cup = 6g carbs)	80% carb reduction; same cooking method
Cow's milk chai (1 cup = 12g carbs)	Almond/coconut milk chai (1 cup = 2g carbs)	83% carb reduction; rich flavour maintained

■ 3. WEEK 1 — TRANSITION PHASE (DAYS 1–7)

Goal: Reduce carbohydrates to 50g/day (not immediate zero — minimizes keto flu severity). The body is adapting from glucose metabolism to fat metabolism. Expect some fatigue, headaches, and cravings on Days 3–5 — this is the **keto flu**, a temporary adaptation response.

■■ **IMPORTANT:** Keto flu symptoms (fatigue, headache, brain fog, irritability) are caused by electrolyte depletion — not carb withdrawal. They are **PREVENTED** by aggressive electrolyte supplementation from Day 1.

Day	Breakfast	Lunch	Dinner	Snack
1–2	Paneer Bhurji (200g paneer, ghee, capsicum, spices) + masala chai (almond milk)	Palak paneer (no cream gravy) + 1 small almond flour roti	Cauliflower rice + mushroom-coconut curry	10 almonds + green tea
3–4	Methi thepla (almond flour, methi, ghee, ajwain) + pickle	Tofu stir-fry with coconut oil + zucchini noodles	Egg/paneer curry (no potato) + cauliflower mash	Paneer cubes + chaat masala
5–7	Avocado + 2 eggs (if lacto-ovo) or paneer on almond bread	Broccoli + paneer sabzi with ghee tadka	Spinach soup + grilled paneer tikka + salad	Roasted pumpkin seeds (30g)

■ 4. WEEK 2 — ENTERING KETOSIS (DAYS 8–14)

Goal: Reduce net carbs to 20–25g/day. By Days 10–12, most individuals achieve measurable ketosis. **Signs of ketosis:** slightly sweet/fruity breath (acetone), reduced hunger, improved mental clarity, stable energy without blood sugar crashes, and mild diuresis.

Test ketosis with urine strips (Ketostix) or blood ketone meter. **Target: 0.5–3.0 mmol/L** (nutritional ketosis). Above 3.0 mmol/L indicates very deep ketosis — reduce fat slightly if eating too much.

Day	Breakfast	Lunch	Dinner
8–10	Keto masala omelette (3 eggs/paneer, vegetables, ghee) + chai	Palak paneer (no gravy) + cauliflower rice	Zucchini noodles + avocado-coconut sauce + grilled paneer
11–14	Chia seed pudding (coconut milk, seeds, cinnamon, stevia)	Mixed vegetable stir-fry (broccoli, capsicum, mushroom) + paneer	Paneer tikka (grilled, no cream sauce) + mint chutney + salad

■ 5. WEEK 3 — DEEP KETOSIS (DAYS 15–21)

Goal: Maintain 20g net carbs/day. By Week 3, you are **fat-adapted** — your mitochondria have upregulated fat oxidation enzymes, you experience stable energy throughout the day, exercise performance normalizes (after Week 2 dip), and hunger is significantly reduced.

Day	Breakfast	Lunch	Dinner
15–17	Almond flour paratha + ghee + paneer filling	Paneer tikka masala (low-carb coconut gravy) + broccoli	Egg drop soup / paneer soup + roasted flaxseeds
18–21	Coconut milk smoothie (spinach, protein, coconut cream, seeds)	Methi paneer bhurji + cucumber salad (olive oil dressing)	Baked stuffed capsicum (paneer, herbs, cheese)

■ 6. WEEK 4 — MAINTENANCE (DAYS 22–30)

Goal: Consolidate fat-adapted state and discover your personal carb tolerance. Slowly increase net carbs from 20g → 25–30g/day. Some people find 30g/day maintains ketosis; others need to stay below 20g. This week establishes your sustainable long-term keto baseline.

Day	Breakfast	Lunch	Dinner
22–25	Keto upma (cauliflower, mustard seeds, curry leaves, ghee)	Dal makhani (small portion, 50g black lentils) + salad	Stuffed bell peppers (paneer, herbs, cheese)
26–30	Smoothie bowl (coconut yogurt, nuts, seeds, ½ cup berries)	Paneer steak + sautéed spinach + ghee drizzle	Green vegetable soup + almond bread + nut butter

■ 7. COMPLETE RECIPE COLLECTION

■ PANEER BHURJI

Prep: 5 min Cook: 10 min Serves: 2 | Macros: ~320 kcal · 22g protein · 24g fat · 4g net carbs

Ingredients:

- 200g paneer (fresh, crumbled)
- 1 tbsp ghee
- ½ tsp cumin seeds
- 1 green chilli, chopped
- ½ cup capsicum (diced)
- Turmeric, coriander, salt to taste
- Fresh coriander to garnish

Method:

- Step 1: Heat ghee; splutter cumin seeds
- Step 2: Add chilli, capsicum; sauté 2 min
- Step 3: Add crumbled paneer; season with spices
- Step 4: Cook 5 min on medium heat; garnish with coriander

■ CAULIFLOWER RICE + MUSHROOM CURRY

Prep: 10 min Cook: 20 min Serves: 2 | Macros: ~380 kcal · 10g protein · 34g fat · 8g net carbs

Ingredients:

- 1 large cauliflower (grated)
- 250g mushrooms (sliced)
- 2 tbsp coconut oil
- 1 cup coconut cream
- 1 tsp each: cumin, coriander, turmeric, garam masala
- Garlic-ginger paste, salt, coriander

Method:

- Step 1: Sauté grated cauliflower in 1 tbsp oil 5 min; season with salt; set aside
- Step 2: Heat 1 tbsp oil; fry garlic-ginger paste 1 min
- Step 3: Add spices; stir 30 sec; add mushrooms; cook until golden (5–7 min)
- Step 4: Add coconut cream; simmer 5 min; serve over cauliflower rice

■ KETO ALMOND FLOUR PARATHA

Prep: 10 min Cook: 15 min Makes: 4 | Macros: ~210 kcal · 6g protein · 18g fat · 3g net carbs each

Ingredients:

- 1 cup almond flour (blanched)
- 2 tbsp psyllium husk
- 1 tbsp ghee + extra for cooking
- ½ tsp ajwain (carom seeds)
- Salt to taste
- 4–5 tbsp warm water

Method:

- Step 1: Mix almond flour, psyllium husk, ajwain, salt
- Step 2: Add ghee; mix until crumbly
- Step 3: Add warm water gradually; form soft pliable dough
- Step 4: Roll between parchment sheets; cook on medium tawa 2 min per side with ghee

■ ZUCCHINI NOODLES + AVOCADO SAUCE

Prep: 10 min Serves: 2 | Macros: ~280 kcal · 6g protein · 26g fat · 5g net carbs

Ingredients:

- 2 medium zucchini (spiralized)
- 1 ripe avocado
- 2 tbsp olive oil
- Juice of 1 lemon
- 2 garlic cloves
- Salt, pepper, fresh basil

Method:

- Step 1: Blend avocado, olive oil, lemon, garlic until smooth sauce
- Step 2: Lightly sauté zucchini noodles 2 min OR serve raw for crunch
- Step 3: Toss noodles with avocado sauce; season; serve immediately

■ PANEER TIKKA

Prep: 2 hrs marination Cook: 15 min Serves: 2 | Macros: ~340 kcal · 24g protein · 26g fat · 4g net carbs

Ingredients:

- 200g paneer (cubed)
- 3 tbsp thick yogurt or coconut yogurt
- 1 tsp each: cumin, coriander, garam masala, chilli powder
- Lemon juice, salt
- Capsicum + onion chunks (optional)

Method:

- Step 1: Marinate paneer in yogurt + spices for 2+ hours (overnight is best)
- Step 2: Thread on skewers with vegetables
- Step 3: Grill, air-fry (200°C, 12 min), or bake (220°C, 15 min) until charred
- Step 4: Serve with mint chutney

■ KETO UPMA

Prep: 5 min Cook: 12 min Serves: 2 | Macros: ~190 kcal · 7g protein · 15g fat · 5g net carbs

Ingredients:

- 2 cups cauliflower (grated fine)
- 1 tsp mustard seeds
- Curry leaves, green chilli, ginger
- 1 tbsp ghee
- Salt, turmeric to taste
- Fresh coriander

Method:

- Step 1: Heat ghee; splutter mustard seeds and curry leaves
- Step 2: Add green chilli, ginger; sauté 30 sec
- Step 3: Add grated cauliflower; mix well with spices
- Step 4: Cook on medium heat 8–10 min; stir regularly; garnish with coriander

■ 8. EXERCISE PROTOCOL

Type	Frequency	Duration	Protocol
Brisk Walking / LISS Cardio	4–5×/week	30–40 min	Target 60–65% max heart rate — primary fat-burning zone on keto
Strength Training	3×/week	40–50 min	Compound movements: squats, deadlifts, push-ups, rows — preserves muscle
Yoga / Flexibility	Daily	20–30 min	Morning yoga reduces cortisol — high cortisol impairs fat loss and disrupts ketosis
HIIT (optional)	1–2×/week	15–20 min	Only in Weeks 3–4 when fat-adapted; avoid in Week 1–2

■ 9–12. FOODS, SUPPLEMENTS, TROUBLESHOOTING & RESULTS

Foods to Eat Freely: Paneer, tofu, ghee, coconut oil, olive oil, butter, all leafy greens (spinach, methi, palak), broccoli, cauliflower, zucchini, capsicum, mushrooms, almonds, walnuts, chia seeds, pumpkin seeds, flaxseeds

Foods to Limit: Full-fat yogurt (count carbs), onions (use small amounts), tomatoes (limit to 2 tbsp), berries (50g max), cashews (max 10/day)

Foods to AVOID Completely: Rice, wheat flour, all bread/pasta, all dal/legumes (in large quantities), potatoes, all sugar, jaggery, honey, packaged snacks, fruit juice, sodas

Essential Supplements for Keto:

Supplement	Dose	Why Critical on Keto
Sodium (salt)	Add ½ tsp pink salt to water daily	Keto causes rapid sodium excretion; deficiency causes keto flu, headaches, cramping
Magnesium Glycinate	300–400 mg nightly	Keto depletes magnesium; deficiency causes insomnia, muscle cramps, anxiety
Potassium	1000–3500 mg from food or supplement	Heart rhythm regulation; depleted by keto diuresis
MCT Oil	1–2 tbsp/day	Instantly converts to ketones; eliminates keto flu; improves mental clarity
Vitamin D3	2000–5000 IU/day	Fat-soluble vitamin; important when reducing food variety
Fibre supplement (Psyllium Husk)	10–15 g/day in water	Gut health; prevents keto-related constipation

Expected Results by Week:

Week	Expected Weight Loss	What's Happening
1	2–4 kg	Primarily water and glycogen. Keto flu possible Days 3–5 — hydrate and supplement electrolytes
2	0.5–1.5 kg	Entering ketosis. Fat burning beginning. Energy starting to stabilize
3	0.5–1.2 kg	Deep ketosis — consistent fat burning. Body composition visibly improving. Energy excellent
4	0.3–1 kg	Fat-adapted state. Sustainable long-term fat loss established. Hunger dramatically reduced
Total (30 days)	4–8 kg	Variable based on starting weight, compliance, and exercise. All fat + some water