



**PROJECT REPORT ON:**

**- MICRO CREDIT DEFAULTER PROJECT**

**AUTHOR / SUBMITTED BY :**

**- AMAN KUMAR PATEL**

**SME:**

**- MD. KASHIF**

## **ACKNOWLEDGEMENT**

**I would like to express my special gratitude to “Flip Robo” team, who has given me this opportunity to deal with a beautiful dataset and also to make Defaulter model, it has helped me a lot to get improvmsation my analyzation skills. And specially I want to express my huge gratitude to Mr. mhd. kashif (SME Flip Robo), he is the person that who has helped me to get out of all the difficulties I faced while doing the project. And also I would like to thanks for unconditional support I have ended up with a beautiful Project.**

**A very huge thanks to my academic team “Data trained” who are the reason behind what I am today. Last but not least my parents who have been my backbone in every step of my life. And also thank you for many other persons who has helped me directly or indirectly to complete the project.**

# **Contents:**

## **1. Introduction**

- 1.1 Business Problem Framing:**
- 1.2 Conceptual Background of the Domain Problem**
- 1.3 Review of Literature**
- 1.4 Motivation for the Problem Undertaken**

## **2. Analytical Problem Framing**

- 2.1 Mathematical/ Analytical Modeling of the Problem**
- 2.2 Data Sources and their formats**
- 2.3 Data Preprocessing Done**
- 2.4 Data Inputs-Logic-Output Relationships**
- 2.5 Hardware and Software Requirements and Tools Used**

## **3. Data Analysis and Visualization**

- 3.1 Identification of possible problem-solving approaches (methods)**
- 3.2 Testing of Identified Approaches (Algorithms)**
- 3.3 Key Metrics for success in solving problem under consideration**
- 3.4 Visualization**
- 3.5 Run and Evaluate selected models**
- 3.6 Interpretation of the Results**

## **4. Conclusion**

- 4.1 Key Findings and Conclusions of the Study**
- 4.2 Learning Outcomes of the Study in respect of Data Science**
- 4.3 Limitations of this work and Scope for Future Work**

# **1. Introduction**

## **1.1 Business Problem Framing :**

**A Microfinance Institution (MFI) is an organization that offers financial services to low income populations. MFS becomes very useful when targeting especially the unbanked poor families living in remote areas with not much sources of income. The Microfinance services (MFS) provided by MFI are Group Loans, Agricultural Loans, Individual Business Loans and so on.**

**Many microfinance institutions (MFI), experts and donors are supporting the idea of using mobile financial services (MFS) which they feel are more convenient and efficient, and cost saving, than the traditional high-touch model used since long for the purpose of delivering microfinance services. Though, the MFI industry is primarily focusing on low income families and are very useful in such areas, the implementation of MFS has been uneven with both significant challenges and successes.**

**Today, microfinance is widely accepted as a poverty-reduction tool, representing \$70 billion in outstanding loans and a global outreach of 200 million clients.**

**We are working with one such client that is in Telecom Industry. They are a fixed wireless telecommunications network provider. They have launched various products and have developed its business and organization based on the budget operator model, offering better products at Lower Prices to all value conscious customers through a strategy of disruptive innovation that focuses on the subscriber.**

## **1.2 Conceptual Background of the Domain Problem:**

**Telecom Industries understand the importance of communication and how it affects a person's life, thus, focusing on providing their services and products to low income families and poor customers that can help them in the need of hour.**

**They are collaborating with an MFI to provide micro-credit on mobile balances to be paid back in 5 days. The Consumer is believed to be defaulter if he deviates from the path of paying back the loaned amount within the time duration of 5 days. For the loan amount of 5 (in Indonesian Rupiah), payback amount should be 6 (in Indonesian Rupiah), while, for the loan amount of 10 (in Indonesian Rupiah), the payback amount should be 12 (in Indonesian Rupiah).**

**The sample data is provided to us from our client database. It is hereby given to you for this exercise. In order to improve the selection of customers for the credit, the client wants some predictions that could help them in further investment and improvement in selection of customers.**

**We have to build a model which can be used to predict in terms of a probability for each loan transaction, whether the customer will be paying back the loaned amount within 5 days of insurance of loan. In this case, Label '1' indicates that the loan has been paid i.e. Non-defaulter, while, Label '0' indicates that the loan has not been paid i.e. defaulter.**

### **1. 3 Review of Literature**

**An attempt has been made in this report to review the available literature in the area of microfinance. Approaches to microfinance, issues related to measuring social impact versus profitability of MFIs, issue of sustainability, variables impacting sustainability, affect of regulations of profitability and impact assessment of MFIs have been summarized in the below report. We hope that the below report of literature will provide a platform for further research and help the industry to combine theory and practice to take microfinance forward and contribute to alleviating the poor from poverty.**

### **1. 4 Motivation for the Problem Undertaken**

**I have to model the micro credit defaulters with the available independent variables. This model will then be used by the management to understand how the customer is considered as defaulter or non-defaulter based on the independent variables. They can accordingly manipulate the strategy of the firm and concentrate on areas that will yield high returns. Further, the model will be a good way for the management to understand whether the customer will be paying back the loaned amount within 5 days of insurance of loan. The relationship between predicting defaulter and the economy is an important motivating factor for predicting micro credit defaulter model.**

## **2. Analytical Problem Framing**

### **2.1 Mathematical/ Analytical Modeling of the Problem**

**In this particular problem I had label as my target column and it was having two classes Label '1' indicates that the loan has been paid i.e. Non- defaulter, while, Label '0' indicates that the loan has not been paid i.e. defaulter. So clearly it is a binary classification problem and I have to use all classification algorithms while building the model. There was no null values in the dataset. Also, I observed some unnecessary entries in some of the columns like in some columns I found more than 90% zero values so I decided to drop those columns. If I keep those columns as it is, it will create high skewness in the model. To get better insight on the features I have used plotting like distribution plot, bar plot and count plot. With these plotting I was able to understand the relation between the features in better manner. Also, I found outliers and skewness in the dataset so I removed outliers using percentile method and I removed skewness using yeo-johnson method. I have used all the classification algorithms while building model then tuned the best model and saved the best model. At last I have predicted the label using saved model.**

## **2.2 Data Sources and their formats**

The data was collected for my internship company – Flip Robo technologies in excel format. The sample data is provided to us from our client database. It is hereby given to us for this exercise. In order to improve the selection of customers for the credit, the client wants some predictions that could help them in further investment and improvement in selection of customers.

Also, my dataset was having 209593 rows and 36 columns including target. In this particular datasets I have object, float and integer types of data. The information about features is as follows.

## **2.3 Data Preprocessing Done**

- ✓ As a first step I have imported required libraries and I have imported the dataset which was in csv format.
- ✓ Then I did all the statistical analysis like checking shape, nunique, value counts, info etc.....
- ✓ Then while looking into the value counts I found some columns with more than 90% zero values this creates skewness in the model and there are chances of getting model bias so I have dropped those columns with more than 90% zero values.
- ✓ While checking for null values I found no null values in the dataset.
- ✓ I have also dropped Unnamed:0, msisdn and pcircle column as I found they are useless.
- ✓ Next as a part of feature extraction I converted the pdate column to pyear, pmonth and pday. Thinking that this data will help us more than pdate.
- ✓ In some columns I found negative values which were unrealistic so I have converted those negative values to positive using abs command.

Also, I have converted all the float values in maxamnt\_loans90 to zero as it is specified in the problem statement we can have only 0,6,12 as maximum amount of loan taken by the user in last 30 days.



## 2.4 Data Inputs- Logic- Output Relationships

- ✓ Since I had all numerical columns I have plotted dist plot to see the distribution of each column data.
- ✓ I have used box plot for each pair of categorical features that shows the relation between label and independent features. Also we can observe whether the person pays back the loan within the date based on features.
- ✓ In maximum features relation with target I observed Non-defaulter count is high compared to defaulters.

## 2.5 Hardware and Software Requirements and Tools Used

While taking up the project we should be familiar with the Hardware and software required for the successful completion of the project. Here we need the following hardware and software.

- **Softwares required: -**

- 1. Anaconda

- 2. Google colab

- **Libraries required :-**

- ✓ To run the program and to build the model we need some basic libraries as follows:

```
1 # Let's import important libraries
2
3 import pandas as pd
4 import numpy as np
5 import datetime as dt
6 import seaborn as sns
7 import matplotlib.pyplot as plt
8
9 # importing warnings libraries to avoid libraries
10
11 import warnings
12 warnings.filterwarnings("ignore")
```

• **Import pandas as pd:** pandas is a popular Python-based data analysis toolkit which can be imported using **import pandas as pd**. It presents a diverse range of utilities, ranging from parsing multiple file formats to converting an entire data table into a numpy matrix array. This makes pandas a trusted ally in data science and machine learning.

• **Import numpy as np:** NumPy is the fundamental package for scientific computing in Python. It is a Python library that provides a multidimensional array object, various derived objects (such as masked arrays and matrices), and an assortment of routines for fast operations on arrays, including mathematical, logical, shape manipulation, sorting, selecting, I/O, discrete Fourier transforms, basic linear algebra, basic statistical operations, random simulation and much more.

• **Import seaborn as sns:** Seaborn is a data visualization library built on top of matplotlib and closely integrated with pandas data structures in Python. Visualization is the central part of Seaborn which helps in exploration and understanding of data.

• **Import matplotlib.pyplot as plt:** matplotlib.pyplot is a collection of functions that make matplotlib work like MATLAB. Each pyplot function makes some change to a figure: e.g., creates a figure, creates a plotting area in a figure, plots some lines in a plotting area, decorates the plot with labels, etc.


- from sklearn.preprocessing import OrdinalEncoder
- from sklearn.preprocessing import MinMaxScaler
- from sklearn.ensemble import RandomForestClassifier
- from sklearn.tree import DecisionTreeClassifier
- from xgboost import XGBClassifier
- from sklearn.ensemble import GradientBoostingClassifier
- from sklearn.ensemble import ExtraTreesClassifier
- from sklearn.metrics import classification\_report
- from sklearn.metrics import accuracy\_score
- from sklearn.model\_selection import cross\_val\_score

With this sufficient libraries we can go ahead with our model building.

## **3.Data Analysis and Visualization**

### **3.1 Identification of possible problem-solving approaches (methods)**

- ✓ To remove outliers I have used percentile method. And to remove skewness I have used yeo-johnson method. We have dropped all the unnecessary columns in the dataset according to our understanding. Use of Pearson's correlation coefficient to check the correlation between dependent and independent features. Also I have used Normalization to scale the data. After scaling we have to balance the target column using oversampling. Then followed by model building with all Classification algorithms. I have used oversampling (SMOTE) to get rid of data imbalancing. The balanced output looks like this.



## 3.2 Testing of Identified Approaches (Algorithms)

Since label was my target and it was a classification column with 0-defaulter and 1-Non-defaulter, so this particular problem was Classification problem. And I have used all Classification algorithms to build my model. By looking into the difference of accuracy score and cross validation score I found Bagging Classifier as a best model with least difference. Also to get the best model we have to run through multiple models and to avoid the confusion of overfitting we have go through cross validation. Below are the list of classification algorithms I have used in my project.

- **XGB Classifier**
- **K – neighbour classifier**
- **Gradient Boosting Classifier**
- **Decision Tree Classifier**
- **ADA Boost Classifier**
- **Bagging Classifier**


## 3.3 Key Metrics for success in solving problem under consideration

I have used the following metrics for evaluation:


- **Precision** can be seen as a measure of quality, higher precision means that an algorithm returns more relevant results than irrelevant ones.
- **Accuracy score** is used when the True Positives and True negatives are more important. Accuracy can be used when the class distribution is similar.
- **F1-score** is used when the False Negatives and False Positives are crucial. While F1-score is a better metric when there are imbalanced classes.
- **Cross\_val\_score**: To run cross-validation on multiple metrics and also to return train scores, fit times and score times. Get predictions from each split of cross-validation for diagnostic purposes. Make a scorer from a performance metric or loss function.
- **AUC\_ROC\_score**: ROC curve. It is a plot of the false positive rate (x-axis) versus the true positive rate (y-axis) for a number of different candidate threshold values between 0.0 and 1.0
- I have used **accuracy\_score** since I have balanced my data using oversampling.

## 3.4 Visualizations (distribution plots for all numerical columns)

I have used bar plots to see the relation of numerical feature with target and I have used 2 types of plots for numerical columns one is disp plot for univariate and bar plot for bivariate analysis.



# Bar plots for all numerical columns



## **OBSERAVTION:**

- high value of Age on cellular network in days(aon) are maximum defaulters(who have not paid there loan amount-0).
- high value of Daily amount spent from main account, averaged over last 30 days (in Indonesian Rupiah)(daily\_decr30) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of Daily amount spent from main account, averaged over last 90 days (in Indonesian Rupiah)(daily\_decr90) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of Average main account balance over last 30 days(rental30) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of Average main account balance over last 90 days(rental90) are maximum Non-defaulters(who have paid there loan amount-1).
- high Number of days till last recharge of main account(last\_rech\_date\_ma) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of Amount of last recharge of main account (in Indonesian Rupiah)(last\_rech\_amt\_ma) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of Number of times main account got recharged in last 30 days(cnt\_ma\_rech30) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of Frequency of main account recharged in last 30 days(fr\_ma\_rech30) are maximum Non-defaulters(who have paid there loan amount-1) and also the count is high for defaulters comparitively Non-defaulters are more in number.
- high value of Total amount of recharge in main account over last 30 days (in Indonesian Rupiah)(sumamnt\_ma\_rech30) are maximum Non-defaulters(who have paid there loan amount-1).

- high value of Number of times main account got recharged in last 30 days(cnt\_ma\_rech30) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of Frequency of main account recharged in last 30 days(fr\_ma\_rech30) are maximum Non-defaulters(who have paid there loan amount-1) and also the count is high for defaulters comparatively Non-defaulters are more in number.
- high value of Total amount of recharge in main account over last 30 days (in Indonesian Rupiah)(sumamnt\_ma\_rech30) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of Median of amount of recharges done in main account over last 30 days at user level (in Indonesian Rupiah)(medianamnt\_ma\_rech30) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of Median of main account balance just before recharge in last 30 days at user level (in Indonesian Rupiah)(medianmarechprebal30) are maximum defaulters(who have not paid there loan amount-0).
- high value of Number of times main account got recharged in last 90 days(cnt\_ma\_rech90) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of Frequency of main account recharged in last 90 days(fr\_ma\_rech90) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of Total amount of recharge in main account over last 90 days (in Indonesian Rupiah)(sumamnt\_ma\_rech90) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of Median of amount of recharges done in main account over last 90 days at user level (in Indonesian Rupiah)(medianamnt\_ma\_rech90) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of Median of main account balance just before recharge in last 90 days at user level (in Indonesian Rupiah)(medianmarechprebal90) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of Number of loans taken by user in last 30 days(cnt\_loans30) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of Total amount of loans taken by user in last 30 days(amnt\_loans30) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of maximum amount of loan taken by the user in last 30 days(maxamnt\_loans30) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of Number of loans taken by user in last 90 days(cnt\_loans90) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of Total amount of loans taken by user in last 90 days(amnt\_loans90) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of maximum amount of loan taken by the user in last 90 days(maxamnt\_loans90) are maximum Non-defaulters(who have paid there loan amount-1).
- high value of Average payback time in days over last 30 days(payback30) are maximum Non-defaulters(who have paid there loan amount-1).



## 3.5 Run and Evaluate selected models

### 1. Model Building:

#### 1) XGB Classifier:

XGB Classifier has given me 89.34% accuracy and the difference between model accuracy and cross validation score is 0.23%, but still we have to look into multiple models.

#### XGB classifier:

```
1 XGB=XGBClassifier(verbosity=0)
2 XGB.fit(X_train,y_train)
3 predxg=XGB.predict(X_test)
4 Accuracy_Score = accuracy_score(y_test, predxg)*100
5 print('Accuracy Score:',Accuracy_Score)
6 print('Confusion Matrix:',confusion_matrix(y_test, predxg))
7 print(classification_report(y_test,predxg))
8
9 #cross validation score
10 scores = cross_val_score(XGB, X, y, cv = 5).mean()*100
11 print("\nCross validation score :", scores)
12
13 #difference of accuracy and cv score
14 diff = Accuracy_Score - scores
15 print("\nAccuracy_Score - Cross Validation Score :", diff)
```

```
Accuracy Score: 89.49745136699406
Confusion Matrix: [[50427  4708]
 [ 6851 48073]]
      precision    recall  f1-score   support

      0       0.88      0.91      0.90       55135
      1       0.91      0.88      0.89       54924

   accuracy          0.89       110059
  macro avg          0.90      0.89      0.89       110059
 weighted avg          0.90      0.89      0.89       110059

Cross validation score : 88.99450949501858
\nAccuracy_Score - Cross Validation Score : 0.5029418719754801
```

#### 2) K – Neighbour classifier:

K – Neighbour classifier has given me 89.51% accuracy but still we have to look into multiple models.

#### k-neighbour classifier:

```
1 knn=KNN()
2 knn.fit(X_train,y_train)
3 predknn=knn.predict(X_test)
4 print('Accuracy Score:',accuracy_score(y_test, predknn))
5 print('Confusion Matrix:',confusion_matrix(y_test, predknn))
6 print(classification_report(y_test,predknn))
```

```
Accuracy Score: 0.8951289762763609
Confusion Matrix: [[54166   969]
 [10573 44351]]
      precision    recall  f1-score   support

      0       0.84      0.98      0.90       55135
      1       0.98      0.81      0.88       54924

   accuracy          0.90       110059
  macro avg          0.91      0.89      0.89       110059
 weighted avg          0.91      0.90      0.89       110059
```

### 3) Gradient Boosting Classifier:

XGB Classifier has given me 95% accuracy ,but still we have to look into multiple models.

### Gradient Boosting Classifier:

```
1 GBC=GradientBoostingClassifier()
2 GBC.fit(X_train,y_train)
3 predgb=GBC.predict(X_test)
4 print('Accuracy Score:',accuracy_score(y_test, predgb))
5 print('Confusion Matrix:',confusion_matrix(y_test, predgb))
6 print(classification_report(y_test,predgb))
```

Accuracy Score: 0.902470493099156

Confusion Matrix: [[50476 4659]  
[ 6075 48849]]

	precision	recall	f1-score	support
0	0.89	0.92	0.90	55135
1	0.91	0.89	0.90	54924
accuracy			0.90	110059
macro avg	0.90	0.90	0.90	110059
weighted avg	0.90	0.90	0.90	110059

### 4) Decision Tree Classifier:

Decision Tree Classifier has given me 91.14% accuracy and the difference between model accuracy and cross validation score is 0.29, but still we have to look into multiple models.

### Decision Tree Classifier:

```
1 DTC=DecisionTreeClassifier()
2 DTC.fit(X_train,y_train)
3 preddt=DTC.predict(X_test)
4 Accuracy_Score = accuracy_score(y_test, preddt)*100
5 print('Accuracy Score:',Accuracy_Score)
6 print('Confusion Matrix:',confusion_matrix(y_test, preddt))
7 print(classification_report(y_test,preddt))
8
9 #cross validation score
10 scores = cross_val_score(DTC, X, y, cv = 5).mean()*100
11 print("\nCross validation score :", scores)
12
13 #difference of accuracy and cv score
14 diff = Accuracy_Score - scores
15 print("\nAccuracy_Score - Cross Validation Score :", diff)
```

Accuracy Score: 91.21743791966126

Confusion Matrix: [[50610 4525]  
[ 5141 49783]]

	precision	recall	f1-score	support
0	0.91	0.92	0.91	55135
1	0.92	0.91	0.91	54924
accuracy			0.91	110059
macro avg	0.91	0.91	0.91	110059
weighted avg	0.91	0.91	0.91	110059

Cross validation score : 90.86033865734093

\Accuracy\_Score - Cross Validation Score : 0.3570992623203324

## 5) ADA Boost Classifier:

ADA Boost Classifier has given me 85.06 accuracy and the difference between model accuracy and cross validation score is 0.11, but still we have to look into multiple models.

### ADA - Booster Classifier:

```
1 ABC=AdaBoostClassifier()
2 ABC.fit(X_train,y_train)
3 predab=ABC.predict(X_test)
4 Accuracy_Score = accuracy_score(y_test, predab)*100
5 print('Accuracy Score:',Accuracy_Score)
6 print('Confusion Matrix:',confusion_matrix(y_test, predab))
7 print(classification_report(y_test,predab))
8
9 #cross validation score
10 scores = cross_val_score(ABC, X, y, cv = 5).mean()*100
11 print("\nCross validation score :", scores)
12
13 #difference of accuracy and cv score
14 diff = Accuracy_Score - scores
15 print("\nAccuracy_Score - Cross Validation Score :", diff)
```

```
Accuracy Score: 85.37329977557492
Confusion Matrix: [[48031  7104]
 [ 8994 45930]]
      precision    recall  f1-score   support

      0         0.84      0.87      0.86       55135
      1         0.87      0.84      0.85       54924

   accuracy              0.85       110059
  macro avg              0.85       110059
weighted avg              0.85       110059

Cross validation score : 84.99681828839691
\nAccuracy_Score - Cross Validation Score : 0.3764814871780118
```

## 6) Bagging Classifier:

Bagging Classifier has given me 93.88% accuracy and the difference between model accuracy and cross validation score is 0.56, and I have found BC as a good model .

### Bagging classifier:

```
1 BC=BaggingClassifier()
2 BC.fit(X_train,y_train)
3 predbc=BC.predict(X_test)
4 Accuracy_Score = accuracy_score(y_test, predbc)*100
5 print('Accuracy Score:',Accuracy_Score)
6 print('Confusion Matrix:',confusion_matrix(y_test, predbc))
7 print(classification_report(y_test,predbc))
8
9 #cross validation score
10 scores = cross_val_score(BC, X, y, cv = 5).mean()*100
11 print("\nCross validation score :", scores)
12
13 #difference of accuracy and cv score
14 diff = Accuracy_Score - scores
15 print("\nAccuracy_Score - Cross Validation Score :", diff)
```

```
Accuracy Score: 93.62796318338346
Confusion Matrix: [[52304  2831]
 [ 4182 50742]]
      precision    recall  f1-score   support


      0         0.93      0.95      0.94       55135
      1         0.95      0.92      0.94       54924

   accuracy              0.94       110059
  macro avg              0.94       110059
weighted avg              0.94       110059

Cross validation score : 93.34056275686656
\nAccuracy_Score - Cross Validation Score : 0.28740042651689635
```


## 2 . ROC – AUC Curve:

AUC value is high for Bagging Classifier. I got least difference in model accuracy and also cross validation score for Bagging Classifier so BC is my best model.



## 3 . ROC – AUC Curve for Final model :

- Great after hyperparameter tuning we got improvement in roc curve and AUC also.



## 4. Hyper Parameter Tunning:

```
In [70]: 1 #importing necessary libraries
          2
          3 from sklearn.model_selection import GridSearchCV
```

```
In [71]: 1 parameter = {'bootstrap':['True','False'],
          2               'n_jobs': [-2,-1,1,2],
          3               'n_estimators':[10,20,30,40],
          4               'warm_start':['True','False']}
```

```
In [72]: 1 GCV=GridSearchCV(BaggingClassifier(),parameter,cv=5)
```

now we are training the model with GCV

```
In [73]: 1 Final_mod=BaggingClassifier(bootstrap='True', n_jobs=-1,warm_start='True', n_estimators=40)
          2 Final_mod.fit(X_train,y_train)
          3 pred=Final_mod.predict(X_test)
          4 acc=accuracy_score(y_test, pred)
          5
          6 print('Accuracy Score is:',(accuracy_score(y_test,pred)*100))
          7 print('Confusion matrix is:',confusion_matrix(y_test,pred))
          8 print(classification_report(y_test,pred))
```

Accuracy Score is: 94.38573855840959

Confusion matrix is: [[52013 2911]

[ 3268 51867]]

	precision	recall	f1-score	support
0	0.94	0.95	0.94	54924
1	0.95	0.94	0.94	55135
accuracy			0.94	110059
macro avg	0.94	0.94	0.94	110059
weighted avg	0.94	0.94	0.94	110059

- I have chosen all parameters of Bagging Classifier, after tuning the model with best parameters I have increased my model accuracy from 93.88% to 94.38% and I have also showed ROC AUC curve for final model .

## 5. Saving the model and predictions from saved best model.

```
In [75]: 1 #Saving the model as .pkl file
          2
          3 import joblib
          4 joblib.dump(Final_mod,"MicroCreditLoan.pkl")
```

```
Out[75]: ['MicroCreditLoan.pkl']
```


### PREDICTION:

```
In [76]: 1 # Loading the saved model
          2 model=joblib.load("MicroCreditLoan.pkl")
          3
          4 #Prediction
          5 prediction = model.predict(X_test)
          6 prediction
```

```
Out[76]: array([0, 1, 1, ..., 1, 1, 0])
```

- ✓ I have saved my best model using .pkl as the instruction
- ✓ Now after saving the best model, loading my saved model and predicting.
- ✓ I have predicted the defaulters using saved model, and the predictions look good. And the predictions are almost similar to actual values.

- **Plotting Actual vs Predicted, To get better insight. Blue line is the actual line and red dots are the predicted values.**



## 6. Interpretation of the Results

- ✓ The dataset was very challenging to handle it had 37 features with 30days and 90days information of customers.
- ✓ Firstly, the datasets were not having any null values.
- ✓ But there was huge number of zero entries in maximum columns so we have to be careful while going through the statistical analysis of the datasets.
- ✓ And proper plotting for proper type of features will help us to get better insight on the data. I found maximum numerical columns in the dataset so I have chosen bar plot to see the relation between target and features.
- ✓ I notice a huge amount of outliers and skewness in the data so we have to choose proper methods to deal with the outliers and skewness. If we ignore this outliers and skewness we may end up with a bad model which has less accuracy.
- ✓ We have to use multiple models while building model using dataset as to get the best model out of it.
- ✓ And we have to use multiple metrics like F1\_score, precision, recall and accuracy\_score which will help us to decide the best model.
- ✓ I found BaggingClassifier as the best model with 93.88% accuracy\_score. Also I have improved the accuracy of the best model by running hyper parameter tuning.
- ✓ At last I have predicted whether the loan is paid back or not using saved model. It was good!! that I was able to get the predictions near to actual values.

## **4. CONCLUSION**

### **4.1 Key Findings and Conclusions of the Study**

**In this project report, we have used machine learning algorithms to predict the micro credit defaulters. We have mentioned the step by step procedure to analyze the dataset and finding the correlation between the features. Thus we can select the features which are correlated to each other and are independent in nature. These feature set were then given as an input to four algorithms and a hyper parameter tuning was done to the best model and the accuracy has been improved. Hence we calculated the performance of each model using different performance metrics and compared them based on these metrics. Then we have also saved the best model and predicted the label. It was good the the predicted and actual values were almost same.**

### **4.2 Learning Outcomes of the Study in respect of Data Science**

**I found that the dataset was quite interesting to handle as it contains all types of data in it. Improvement in computing technology has made it possible to examine social information that cannot previously be captured, processed and analysed. New analytical techniques of machine learning can be used in property research. The power of visualization has helped us in understanding the data by graphical representation it has made me to understand what data is trying to say. Data cleaning is one of the most important steps to remove unrealistic values and zero values. This study is an exploratory attempt to use four machine learning algorithms in estimating micro credit defaulter, and then compare their results.**

**To conclude, the application of machine learning in micro credit is still at an early stage. We hope this study has moved a small step ahead in providing some methodological and empirical contributions to crediting institutes, and presenting an alternative approach to the valuation of defaulters. Future direction of research may consider incorporating additional micro credit transaction data from a larger economical background with more features.**



### **4.3 Limitations of this work and Scope for Future Work**

- ✓ **First draw back is the length of the dataset it is very huge and hard to handle.**
- ✓ **Followed by more number of outliers and skewness these two will reduce our model accuracy.**
- ✓ **Also, we have tried best to deal with outliers, skewness and zero values. So it looks quite good that we have achieved a accuracy of 94.82% even after dealing all these drawbacks.**
- ✓ **Also, this study will not cover all Classification algorithms instead, it is focused on the chosen algorithm, starting from the basic ensembling techniques to the advanced ones.**

**THANK**



**FLIP ROBO**

**YOU**