

# User Manual for NPSS Mobile App & Web Portal



**Government of India**

Ministry of Agriculture and Farmers Welfare  
Department of Agriculture and Farmers Welfare  
Directorate of Plant Protection, Quarantine & Storage  
Faridabad-121001

## **Preface**

The National Pest Surveillance System (NPSS) is a groundbreaking initiative by the Department of Agriculture and Farmers Welfare (DA&FW) aimed at revolutionizing pest surveillance and management in India. By incorporating advanced technologies such as Artificial Intelligence (AI) and Machine Learning (ML), NPSS offers a robust platform for real-time pest monitoring, timely advisories, and effective pest management strategies.

This User Manual has been meticulously prepared to provide comprehensive guidance on using the NPSS mobile app and web portal. The manual covers all aspects of the system, including navigation, reporting pest incidences, accessing advisories, and utilizing AI and ML capabilities for pest/disease identification. It is designed to be a valuable resource for all stakeholders involved in pest management, including farmers, agricultural officers, and extension workers.

The NPSS is a significant step forward in our efforts to protect crops from pest attacks, reduce economic losses, and promote sustainable agricultural practices. By leveraging the power of technology, we aim to provide farmers with the tools and information they need to make informed decisions and take timely action against pests and diseases. We hope this User Manual will serve as a practical and easy-to-follow guide for effectively using the NPSS system. Your cooperation and commitment are crucial to the success of this initiative, and we are confident that, together, we can make a positive impact on the agricultural sector and the lives of farmers across the country. For any queries or further assistance regarding the use of the NPSS mobile app and web portal, please do not hesitate to contact the NPSS support team through Mail ID: [appa.ipm-ppqs@gov.in](mailto:appa.ipm-ppqs@gov.in)

## **Introduction to NPSS:**

The National Pest Surveillance System (NPSS) is an initiative of the Ministry of agriculture and farmers welfare, Government of India with the aim to provide the instantaneous solution to the farming community to overcome the destruction caused by the pest attack by use of latest AI/ML technologies for pest forecasting. It also aims to make sure that the advisory reaches all the concerned regions where the pest attack is prevalent. NPSS collaborates with experts from various organizations and provides GIS-based pest information, mobile apps, and a portal for pest-related advisories. The system aids farmers in managing pest issues through AI and ML tools, and data is stored digitally for tracking pest trends. NPSS is developed by ICAR-NCIPM with the support of DPPQ&S and IT partners from DA & FW.

## **Benefits of NPSS**

- Early detection of pest incidence and emergency action contains the pest.
- Easy and timely access to expert support for pest identification and pest surveillance-based pest management advice to the farmers
- Minimizing the crop loss due to pest by using real-time data submitted by field functionaries, trained resources & lead farmers
- This will assist in avoidance of pest epidemics
- Availability of repository of national pest scenario to various public agencies, working in the field of plant protection to identify the pest hotspots and thus to formulate effective plant protection policies
- Help in developing AI based solutions for more crop pest combinations based on large amount of data being collected.

## Key features of NPSS:

- **AI-Based Pest Identification module:** Enabling accurate and efficient pest/disease identification. Currently pest/disease identification model identifies important pests/diseases of 61 crops.
- **Surveillance module:**
  - a) **Quantitative surveillance (Scientific based):** To be used by scientific staff and need to be logged in through credentials for scientific surveillance.
  - b) **Qualitative surveillance:** For farmer/layman who need not give extensive information & to choose among 3 levels of infestation (i.e., among Severe, Moderate, and Low) and login ID & Password are not needed
  - c) **Trap based surveillance module:** To be used by scouts for taking observations from trap catch data through pheromone traps (Currently cotton based models are available)
- **Advisory module:** Subject experts would issue crop/pest/area specific advisory through web portal will be made available to farmers can be accessed through advisory module.

## Partners working for development of NPSS:

1. Directorate of Plant Protection, Quarantine and Storage (DPPQ&S) and CIPMCs
2. ICAR- National Research Centre for Integrated Pest Management (ICAR-NCIPMC), New Delhi
3. ICAR- Indian Agricultural Statistics Research Institute (ICAR-IASRI), New Delhi
4. Private IT Partners, Plantix and Wadhwani AI

## National Pest Surveillance System (NPSS) User Manual for Mobile app


**NPSS mobile app** (This app can work both in online & offline to enable to work in fields to be used by field scouts/farmers) which uses latest IT tools (Artificial Intelligence & Machine Learning technology), and data will be repositied in digital forms which gives idea on development of epidemics, pest/disease trends, identification of pest hotspots etc thus helps the farmers to get expert advisories on time for management of pest/disease, ETL based decision making *etc.*

**Mobile app:** It can be downloaded through play store (both Android and iOS)


The following is the link to open NPSS app in mobile or else users can type NPSS in Google play store/iOS play store. And can download the app.



[https://play.google.com/store/apps/details?id=com.npss&pcampaignid=web\\_share](https://play.google.com/store/apps/details?id=com.npss&pcampaignid=web_share)

Android




iOS





Open the app in the mobile, the appearance of interface is shown as above

The app is currently available in 2 languages i.e, English and Hindi




Different modules of NPSS app i.e, Pest identification module, Pest surveillance module (Quantitative & Qualitative), Trap based surveillance module and Pest advisory modules can be visible



## Features of the app accessible to all farmers/users (need not login through scout ID)

- Pest identification
- Pest data entry through Qualitative pest surveillance
- Access to advisories

**I. Pest identification module:** Currently pest identification model can identify various pests and diseases of 61 important crops.




Click on pest identification




User can directly capture photo from mobile camera or can upload from Phone Gallery

An AI-based system will analyze the uploaded image, identify the pest using the available database, and provide information on the symptoms caused by the identified pest. It will also instantly suggest Integrated Pest Management (IPM) practices for effective pest control.



Name and details of identified pest/disease




choose the crop



**II. Pest surveillance module:** It is the need of continuous pest monitoring in real time manner for surveillance.

**A) Quantitative surveillance (Scientific based):** Can be done by scouts which need registration (It is needed to avoid irrelevant data) It is for specialists of CIPMCs, State Agri/Horti Dept., KVKs etc. It involves taking of scientific observations randomly in the field which varies from pest to pest. **This module Cannot be accessed by users who doesn't have Scout ID & Password**



**Pest Data entry:** Details up to sub district will be accessed by app through GPS and user have to choose village, season, crop, Date of observation (cannot be future date), field type (fixed field/ random field), crop stage, crop condition further shows. Pest type (insect/disease), pest field (nursery/main field), pest name and one table and data to be entered in table as per given instructions which varies from pest to pest and user can upload few images below and remarks also to be submitted. Once the data is submitted the coordinates of the area also will be recorded & can be verified through expert login ID & admin login ID.

The 'Pest Data Entry' form is shown in two parts. The first part is a selection screen where users choose 'Pest Type' (Insect), 'Pest Field' (Main Field), and 'Pest' (Black thrips). The second part is the data entry screen, which includes a table for recording observations and a section for image upload.

| Spot | Black thrips<br>(No. of adults or nymphs per 3 flowers) |   |   |   |   |
|------|---------------------------------------------------------|---|---|---|---|
| 1    | 0                                                       | 0 | 0 | 0 | 0 |
| 2    | 0                                                       | 0 | 0 | 0 | 0 |
| 3    | 0                                                       | 0 | 0 | 0 | 0 |
| 4    | 0                                                       | 0 | 0 | 0 | 0 |
| 5    | 0                                                       | 0 | 0 | 0 | 0 |


The data entry screen also includes fields for 'Sub District' (Faridabad), 'Village' (Aaspur), 'Season' (Kharif), 'Crop' (Chilli), 'Date of Observation' (08-07-2024), 'Field Type' (Fixed), 'Crop Stage' (Flowering), and 'Crop Condition' (Good). There is an 'Image Upload' section with a '+ Upload' button and 'Reset' and 'Submit' buttons at the bottom.



**A) Trap based Quantitative surveillance (Scientific based):** For taking of trap observations of pheromone traps, currently it is available for Pink boll worm and American boll worm is cotton only. **This module Cannot be accessed by users who doesn't have Scout ID & Password**

The first screenshot shows the 'Quantitative' app main menu with options: 'Pest Data Entry', 'Trap Data Entry' (highlighted with a red hand icon), and 'Image Upload'. The second screenshot shows the 'Pest Data Entry' form with fields for State (Haryana), District (Faridabad), Sub District (Faridabad), Village (Aaspur), Season (Kharif), Crop (Chilli), Date of Observation (08-07-2024), and Field Type (Fixed). The third screenshot shows the 'Quantitative' app with a numeric keypad and fields for Pest Type (Insect), Pest (American bollworm), and three Pest (Trap) input fields with values 20, 35, and 15.

This can be used in the fields where traps are installed, scouts can either enter the number of insects trapped in trap (trap wise), and more number of columns can be added for trap data as per requirement



Scouts can either upload photograph showing insects trapped inside the trap, it will automatically count the number of insects and pest intensity will be reported to experts through web portal.

**Image upload:** Uploading of as many as numbers of good quality photographs of pests/diseases for pest/disease AI modelling purpose and for getting real time pest situation which can be accessed by experts through web portal. Uploaded photos are validated by expert through NPSS Web portal. Uploaded images could be basis for planning survey by experts.

The image upload process involves three steps: 1. Selecting 'Image Upload' from the 'Quantitative' section. 2. Filling out the 'Image Upload' form with location and pest details, then clicking '+ Add Image'. 3. Viewing the 'History' of uploaded images, which lists 10 images with details like Crop (Maize), Pest Type (Insect), and Pest Name (FAW).

**B) Qualitative surveillance or roving or farmer survey:** For farmer/layman who need not give extensive information & to choose among 3 levels of infestation (i.e., among Severe, Moderate, Low) and login ID & Password are not needed.

The qualitative surveillance process involves three steps: 1. Selecting 'Advisory' from the 'Qualitative' section. 2. Filling out the 'Qualitative' form with location and farmer details, then clicking 'Submit'. 3. Viewing the 'Advisory' screen, which displays the entered information and an advisory text area.

**Qualitative surveillance:** Details of state, district, block, village, farmer name & mobile number, date of observation, crop name, type of pest (insect/disease/beneficial organism), name of pest & level of infestation (i.e., among Severe, Moderate, Low). On submission of information advisory alert will be shown in the display (advisory corresponding to level of infestation i.e., Severe, Moderate, Low).

**III. Pest Advisory module:** In this module farmers and scouts can view advisory issued by expert from NPSS web portal specific to village or whole region.

The diagram illustrates the user flow for the Pest Advisory module across three screens:


- Home Screen:** Displays the 'National Pest Surveillance System' header, an 'Alert (2)' section, a 'Pest Identification' button, and a 'Pest Surveillance' section with 'Quantitative' (CIPMCs, KVKs, SDAs etc) and 'Qualitative' (Farmers) options. The 'Advisory' button is highlighted with a hand icon.
- Advisory Form:** A form titled 'Advisory' with dropdown menus for State (Meghalaya), District (East Khasi Hills), Sub District (Mawlai), Village (All Villages), Crop (Maize), Pest Type (Insect), and Pest Name (FAW). It also includes date pickers for 'from' (01-05-2024) and 'to' (02-07-2024), a 'Submit' button, and a note: 'Note: If date range is not manually selected, the advisory for the previous week will be displayed by default.'
- Advisory Results:** A screen titled 'Advisory' showing 'Showing results : 1'. It includes a 'Reset filters' button and a result card for District: East Khasi Hills, Sub District: Mawlai, Village: Mawsiat Khnam, Crop: Maize, dated 25/06/2024. A 'Show Details' button is highlighted with a hand icon.

To view the Advisory issued by expert in your location or in different region, Details of state, district, block, and Village (You can select particular village or all the village in the block), name of Crop & Pest name and date. On submission of information on advisory alert will be shown in the display.

# National Pest Surveillance System (NPSS) User Manual for Web portal

## Web portal:

Only experts could be logged in through their specific ID & Password in the NPSS web portal. The following is the link to open NPSS web portal by using expert IDs. <https://npss.dac.gov.in>



The screenshot displays the NPSS web portal interface. At the top, there is a language selector set to '\* English' and a 'Skip To Main Content' link. The header section includes the Government of India emblem, the Ministry of Agriculture & Farmers Welfare, and the Directorate of Plant Protection, Quarantine & Storage. The NPSS logo is also present. A green navigation bar contains links: Home, About Project, Objectives, User Manual, Contact Us, Disclaimer, and Old Reports. A red 'NEW' badge indicates an update for the NPSS Android app (version 2.0). The main content area features a large image of a butterfly on green leaves. To the right, the 'Sign In' section includes fields for User Name (ex-rcipmc-fbd2), Password (masked with dots), a CAPTCHA (7 h 9 t), and a 'Sign in' button with a 'Forgot password' link. Below this is the 'Advisory' section with dropdown menus for State, District, and Sub-District, and a 'Submit' button.

Web portal is meant only for expert/admin to be created by login ID and not for scouts.

- The data added by scouts can be verified by experts & advisory issued by experts could be seen in advisory module of NPSS app.
- The information on District wise/state wise/country wise pest situation (**Pest reports**) at various time intervals and about **advisories** will be submitted & traced in web portal.
- Various forms can be dynamically managed by admin and relevant master data can be integrated.

**Dashboards appearance after login through Expert ID**

Dashboard
Reports
Advisory
Scout Tracking

GOVERNMENT OF INDIA  
MINISTRY OF AGRICULTURE & FARMERS WELFARE  
DEPARTMENT OF AGRICULTURE & FARMERS WELFARE  
DIRECTORATE OF PLANT PROTECTION, QUARANTINE & STORAGE

National Pest Surveillance System

NCIPM

English
ex-rcipm-fbd2

State
Andaman And Nicobar Islands, Andhra
District
Adilabad, Agar-Malwa, Agra, Ahmadabad
Select User Category
CIPMC/RCIPMC, SDA, ICAR, Progressive
Select User
admin, sc-cipm-fbd1, sc-cipm-fbd2, s...
Select Crops
Chilli, Cotton, Maize, Mango, Rice, Wheat
Images

Select Pest Type
Insect, Disease, Beneficial
Select Pest
Alternaria Leaf Spot, American beneficial, America...
From Date\*
01/07/2024
To Date\*
12/07/2024
Show

No. of uploaded images
0

No. of Validated images
0

No. of AI input images
0

No. of AI identified images
0

Validated images
AI input images

Map
Satellite

## 1. Images Dashboard



GOVERNMENT OF INDIA  
MINISTRY OF AGRICULTURE & FARMERS WELFARE  
DEPARTMENT OF AGRICULTURE & FARMERS WELFARE  
DIRECTORATE OF PLANT PROTECTION, QUARANTINE & STORAGE



National Pest Surveillance System

English ▼ ex-rcipmc-fbd2 ▼

**NCIPM**

Dashboard

Admin

Reports

Advisory

Scout Tracking

State: Andaman And Nicobar Islands, Andhra Pradesh

Select Pest Type: Insect, Disease, Beneficial

District: Adilabad, Agar-Malwa, Agra, Ahmadabad

Select Pest: Alternaria Leaf Spot, American beneficial, America

Select User Category: CIPMC/RCIPMC, SDA, ICAR, Progressive

From Date: 01/07/2024

Select User: admin, sc-cipmc-fbd1, sc-cipmc-fbd2

To Date: 12/07/2024

Select Crops: Chilli, Cotton, Maize, Mango, Rice, Wheat




Occurrences >= ETL 8

Occurrences > traces and < ETL 3

Surveyed villages: 44

Advisories issued: 2

Map Satellite



**Active users**

|                    |    |
|--------------------|----|
| CIPMC/RCIPMC       | 13 |
| ICAR               | 0  |
| SDA                | 0  |
| Progressive Farmer | 0  |
| KVK                | 0  |
| other              | 0  |

**Today's Status**

Occurrences >= ETL: 0

Occurrences > traces and < ETL: 0

Surveyed villages: 0

Advisories issued: 0

Active CIPMC/RCIPMC users: 0

Active ICAR users: 0

Active SDA users: 0

Active Progressive Farmer users: 0

Active KVK users: 0

Active other users: 0

## 2. Surveillance Dashboard



## Admin

**User Management**

**Add New User**

Role \* User Category \* Login Name \*

Password \* User Full Name \* Organization \*

Address \* Contact No. \*

Email Id \* Major Crops \* State \*

☐ All ☐ All

Districts \* Sub-District \*

Cancel Save

| Phone Number   | Category     | Role   | Contact No | Address | Organization | Action |
|----------------|--------------|--------|------------|---------|--------------|--------|
| sc-cipmc-fbd1  | CIPMC/RCIPMC | Mobile | 9876543210 | India   | npss1        |        |
| sc-cipmc-fbd2  | CIPMC/RCIPMC | Mobile | 9876543210 | India   | npss         |        |
| sc-cipmc-fbd3  | CIPMC/RCIPMC | Mobile | 9876543210 | India   | npss         |        |
| sc-cipmc-fbd4  | CIPMC/RCIPMC | Mobile | 9876543210 | India   | npss         |        |
| sc-cipmc-fbd5  | CIPMC/RCIPMC | Mobile | 9876543210 | India   | npss         |        |
| sc-cipmc-fbd6  | CIPMC/RCIPMC | Mobile | 9876543210 | India   | npss         |        |
| sc-cipmc-fbd7  | CIPMC/RCIPMC | Mobile | 9876543210 | India   | npss         |        |
| sc-cipmc-fbd8  | CIPMC/RCIPMC | Mobile | 9876543210 | India   | npss         |        |
| sc-cipmc-fbd9  | CIPMC/RCIPMC | Mobile | 9876543210 | India   | npss         |        |
| sc-cipmc-fbd10 | CIPMC/RCIPMC | Mobile | 9876543210 | India   | npss         |        |

Items per page: 10 1 - 10 of 79

In User-management under admin expert can edit scout profile and create new scouts ID.

## Pest Report:

**ETL Based Pest Report**

Crop \* Year \*

Pest Field \*

Report Area \*

Report Type \*

From To

| Date       | District   | Block    | Village  | Reported Pest (%) | Controlled Pest (%) | Uncontrolled Pest (%) | Controlled Pest (%) | Uncontrolled Pest (%) | Controlled Pest (%) | Uncontrolled Pest (%) | Controlled Pest (%) | Uncontrolled Pest (%) | Controlled Pest (%) | Uncontrolled Pest (%) |
|------------|------------|----------|----------|-------------------|---------------------|-----------------------|---------------------|-----------------------|---------------------|-----------------------|---------------------|-----------------------|---------------------|-----------------------|
| 27/06/2024 | East Ghazi | Wazirpur | Wazirpur | 0                 | 4.2                 | 0                     | 0                   | 4                     | 0                   | 0                     | 0                   | 0                     | 0                   | 0                     |
| 26/06/2024 | East Ghazi | Wazirpur | Wazirpur | 0                 | 0                   | 0                     | 0                   | 4                     | 0                   | 0                     | 0                   | 4                     | 0                   | 0                     |
| 24/06/2024 | East Ghazi | Wazirpur | Wazirpur | 0                 | 0                   | 0                     | 4                   | 0                     | 0                   | 0                     | 0                   | 0                     | 0                   | 0                     |
| 24/06/2024 | East Ghazi | Wazirpur | Wazirpur | 0                 | 0                   | 0                     | 3.2                 | 0                     | 0                   | 0                     | 0                   | 0                     | 0                   | 0                     |

## ETL based Pest

**General Pest Report**

Surveillance Type \* Quantitative \* Qualitative

Crop \* Year \*

Pest Field \*

Report Area \*

Report Type \*

From To

| Date       | District   | Sub-District | Village  | Reported Pest (%) | Controlled Pest (%) | Uncontrolled Pest (%) | Controlled Pest (%) | Uncontrolled Pest (%) | Controlled Pest (%) | Uncontrolled Pest (%) | Controlled Pest (%) | Uncontrolled Pest (%) | Controlled Pest (%) | Uncontrolled Pest (%) |
|------------|------------|--------------|----------|-------------------|---------------------|-----------------------|---------------------|-----------------------|---------------------|-----------------------|---------------------|-----------------------|---------------------|-----------------------|
| 27/06/2024 | East Ghazi | Wazirpur     | Wazirpur | 0                 | 4.2                 | 0                     | 0                   | 4                     | 0                   | 0                     | 0                   | 0                     | 0                   | 0                     |
| 26/06/2024 | East Ghazi | Wazirpur     | Wazirpur | 0                 | 0                   | 0                     | 0                   | 4                     | 0                   | 0                     | 0                   | 4                     | 0                   | 0                     |
| 24/06/2024 | East Ghazi | Wazirpur     | Wazirpur | 0                 | 0                   | 0                     | 4                   | 0                     | 0                   | 0                     | 0                   | 0                     | 0                   | 0                     |
| 24/06/2024 | East Ghazi | Wazirpur     | Wazirpur | 0                 | 0                   | 0                     | 3.2                 | 0                     | 0                   | 0                     | 0                   | 0                     | 0                   | 0                     |

## General Pest Report

**Pest reports:** These includes can be General Pest report & ETL based pest report

**General pest report:** It separately shows Quantitative data module (based on data submitted by Govt officials) & Qualitative data module (Based on farmers data) which can be depicted through graph also.

**ETL based pest report** shows 2 kinds of severities i.e., red (above ETL), yellow (below ETL)

## Image Validation:

**Entry Image Validation**

User Category: CIPMC/RCIPMC, SDA, ICAR, Progressive Farmer User: ac-clpmc-slg1, ac-clpmc-slg2, ac-clpmc-slg... Crop: Chilli, Maize, Rice, Wheat Pest Type: Insect, Disease, Beneficial Pest Name: Bacterial leaf blight, Brown spot, FAW, Shoot fly

From Date: 01/05/2024 To Date: 02/07/2024

90 Results for User(s) ac-clpmc-slg1,ac-clpmc-slg2,ac-clpmc-slg3,ac-clpmc-slg4,meghalaya1 for Chilli, Maize, Rice, Wheat Crop(s) for Pest Type(s) (Insect, Disease, Beneficial) and Pest(s) (Bacterial leaf blight, Brown spot, FAW, Shoot fly, Maydis leaf blight, Rust, Coccinellid beetle, Egg Parasitoid, Coccinellids, Aphid, Jassid, Green leaf hopper, Bacterial leaf blight, Brown spot, FAW, Shoot fly, Maydis leaf blight, Rust, Coccinellid beetle, Egg Parasitoid, Coccinellids, Aphid, Jassid, Green leaf hopper) for 62 days

Correct Incorrect

| Date of Entry | Image Preview | Crop  | Pest Type | Pest Name | Latitude           | Longitude         | Uploaded By   | Validate | Select All               |
|---------------|---------------|-------|-----------|-----------|--------------------|-------------------|---------------|----------|--------------------------|
| 01-07-2024    |               | Maize | Insect    | FAW       | 25.561527007228552 | 91.90264091514743 | ac-clpmc-slg1 |          | <input type="checkbox"/> |
| 01-07-2024    |               | Maize | Insect    | FAW       | 25.561527007228552 | 91.90264091514743 | ac-clpmc-slg1 |          | <input type="checkbox"/> |
| 01-07-2024    |               | Maize | Insect    | FAW       | 25.561527007228552 | 91.90264091514743 | ac-clpmc-slg1 |          | <input type="checkbox"/> |
| 01-07-2024    |               | Maize | Insect    | FAW       | 25.561527007228552 | 91.90264091514743 | ac-clpmc-slg1 |          | <input type="checkbox"/> |
| 01-07-2024    |               | Maize | Insect    | FAW       | 25.561527007228552 | 91.90264091514743 | ac-clpmc-slg1 |          | <input type="checkbox"/> |
| 01-07-2024    |               | Maize | Insect    | FAW       | 25.561527007228552 | 91.90264091514743 | ac-clpmc-slg1 |          | <input type="checkbox"/> |

Image uploaded by scout through NPSS mobile app is validated

## Advisory:

**GOVERNMENT OF INDIA**  
MINISTRY OF AGRICULTURE & FARMERS WELFARE  
DEPARTMENT OF AGRICULTURE & FARMERS WELFARE  
DIRECTORATE OF PLANT PROTECTION, QUARANTINE & STORAGE

**National Pest Surveillance System**

**NCIPM**

**View Advisory**

**Advisory Search Option**

State: Meghalaya District: Ri Bhoi Sub-District: Bhoiymbong Village: Umden Umbathiang Crop: Maize Pest Type: Insect

Pest: FAW From Date: 26/06/2024 To Date: 03/07/2024

Export Submit

| District Name | Sub District | Village Name     | Crop  | Pest | Advisory Date | Brief Advisory                                                                                     | Detail Advisory                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|---------------|--------------|------------------|-------|------|---------------|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ri Bhoi       | Bhoiymbong   | Umden Umbathiang | Maize | FAW  | 26/06/2024    | spray with 5% NSKE or azadirachtin, Install pheromone traps @15/acre. and Spray Metathiazum @ 5g/L | 1.spray with 5% NSKE or azadirachtin 1500 ppm as soon as the trap crop shows symptom of FAW damage.<br>2.Hand picking and destruction of egg masses and neonate larvae in mass by crushing or immersing in kerosene water.<br>3.Mass trapping of male moths using pheromone traps @15/acre.<br>4.Augmentative release of Trichogramma pretiosum Or Telenomus remus @ 50,000 per acre at weekly intervals or based on trap catch of 3 moths/trap.<br>5.Application of Metathiazum anisopliae talc formulation (1x108cfu/g) @ 5g/liter whorl application at 15-25 days after sowing. Another 1-2 sprays may also be given at an interval of 10 days depending on pest damage. |

**Advisory issuance module:** After seeing the pest situation based on general & ETL based reports, experts will upload advisory for single village or block or multiple no's of blocks or district or many districts.





GOVERNMENT OF INDIA  
MINISTRY OF AGRICULTURE & FARMERS WELFARE  
DEPARTMENT OF AGRICULTURE & FARMERS WELFARE  
DIRECTORATE OF PLANT PROTECTION, QUARANTINE & STORAGE



National Pest Surveillance System

English

ex-rcipmc-fbd2

Dashboard

Admin

User-Management

Reports

General Pest Report

ETL Based Pest Report

Trap Surveillance Report

Image Validation

Image Download

All Images

Old Reports

Advisory

View Advisory

Scout Testing

### Entry Data Search Option

Scout#

bollivenu, sc-cipmc-fbd1, sc-cipmc-fbd10, sc-cipmc-fbd3, sc-cipmc-fbd4, sc-cipmc-f...

Year#

2024

Month#

May, June, July

☒ All Districts

District#

Sub-District#

Village#

From #

01/06/2024

To #

12/07/2024

Search

EXPORT

| Date Of Observation | District Name | Sub-District | Village           | Crop   | Pest Type  | Pest                         | Field Type | Latitude    | Longitude   |
|---------------------|---------------|--------------|-------------------|--------|------------|------------------------------|------------|-------------|-------------|
| 11/07/2024          | Faridabad     | Faridabad    | Aaspur            | Chilli | Insect     | Black thrips                 | Fixed      | 28.4070091  | 77.2594602  |
| 11/07/2024          | Faridabad     | Faridabad    | Aaspur            | Chilli | Insect     | Gram Caterpillar/Fruit borer | Fixed      | 28.4070091  | 77.2594602  |
| 10/07/2024          | Faridabad     | Faridabad    | Aakera (252) [Ct] | Rice   | Insect     | Yellow stem borer            | Random     | 28.406994   | 77.2594384  |
| 10/07/2024          | Faridabad     | Faridabad    | Aasrevali (226)   | Rice   | Beneficial | Dragon fly                   | Random     | 28.4069993  | 77.2594391  |
| 10/07/2024          | Faridabad     | Faridabad    | Aasrevali (226)   | Rice   | Beneficial | Coccinellid beetle           | Random     | 28.4069993  | 77.2594391  |
| 04/07/2024          | Faridabad     | Faridabad    | Aaspur            | Cotton | Insect     | Leaf hopper/Jassids          | Random     | 28.4127453  | 77.2974397  |
| 04/07/2024          | Faridabad     | Faridabad    | Aasrevali (226)   | Cotton | Beneficial | Assassin bugs                | Random     | 28.4127322  | 77.2974392  |
| 20/06/2024          | Faridabad     | Ballaigarh   | Sagarpur(55)      | Cotton | Insect     | Whitefly                     | Random     | 28.27658960 | 77.32870290 |

For any queries and suggestions

In Charge

**Dr. Niranjana Singh**

**Twitter (X) Handle for NPSS: @npssipm**