Practical 10

Write a program to construct a Bayesian network considering medical data. Use this model to demonstrate the diagnosis of heart patients using standard Heart Disease Data Set.

In [2]:

```
import numpy as np
import pandas as pd
import csv
from pgmpy.estimators import MaximumLikelihoodEstimator
from pgmpy.models import BayesianModel
from pgmpy.inference import VariableElimination
```

In [4]:

```
df = pd.read_csv('dataset.csv')
df = df.replace('?',np.nan)
df
```

Out[4]:

	age	sex	cp	trestbps	chol	fbs	restecg	thalach	exang	oldpeak	slope	ca	thal	heartdisease
0	63	1	1	145	233	1	2	150	0	2.3	3	0	6	0
1	67	1	4	160	286	0	2	108	1	1.5	2	3	3	2
2	67	1	4	120	229	0	2	129	1	2.6	2	2	7	1
3	37	1	3	130	250	0	0	187	0	3.5	3	0	3	0
4	41	0	2	130	204	0	2	172	0	1.4	1	0	3	0
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
298	45	1	1	110	264	0	0	132	0	1.2	2	0	7	1
299	68	1	4	144	193	1	0	141	0	3.4	2	2	7	2
300	57	1	4	130	131	0	0	115	1	1.2	2	1	7	3
301	57	0	2	130	236	0	2	174	0	0.0	2	1	3	1
302	38	1	3	138	175	0	0	173	0	0.0	1	NaN	3	0

303 rows × 14 columns

In [5]:

```
print('\n Attributes and datatypes')
print(df.dtypes)
```

```
 Attributes and datatypes
age               int64
sex               int64
cp                int64
trestbps          int64
chol              int64
fbs               int64
restecg           int64
thalach           int64
exang             int64
oldpeak         float64
slope             int64
ca               object
thal             object
heartdisease      int64
dtype: object
```

In [ ]:

```
model =  BayesianModel([('age','heartdisease'),('sex','heartdisease'),('exang','heartdisease'),('cp
','heartdisease'),('heartdisease','restecg'),('heartdisease','chol')])
```

In [ ]:

```
print('\n Learning CPD using Maximum likelihood estimators')
model.fit(df,estimator=MaximumLikelihoodEstimator)
print('\n Inferencing with Bayesian Network:')
HeartDiseasetest_infer = VariableElimination(model)
print('\n 1.Probability of HeartDisease given evidence= restecg :1')
q1=HeartDiseasetest_infer.query(variables=['heartdisease'],evidence={'restecg':1})
print(q1)
print('\n 2.Probability of HeartDisease given evidence= cp:2 ')
q2=HeartDiseasetest_infer.query(variables=['heartdisease'],evidence={'cp':2})
print(q2)
```