AI Memory Tool Comparison

This notebook benchmarks four memory layers for LLM applications — Cog, mem0, Supermemory, and Cognee — across setup, ingestion, and retrieval. The comparison is fair by design: every tool runs on the same machine, the same LLM, and the same dataset, and no tool gets a head start from a warm cache, pre-built index, or hosted service.

Each step and retrieval tasks are both isolated across all four providers to realistic workloads. Ingestion is measured end-to-end, including any background work a tool defers (like building a knowledge graph), so no tool looks artificially fast.

Before you run this notebook

1. **Add these cells in order.** This is the notebook's directory with `.env.example`, `requirements.txt`, and `benchmark_runner.py`. Create a new cell for each step below and paste the code in.
2. **Fill in `.env`.** Copy `.env.example` to `.env` and add your API keys. You only need keys for the providers you want to run — at least one is required. See the comments in `.env.example` for where to get each key.
3. **Run cells top to bottom.** Each cell depends on the ones above it. Don't skip ahead.
4. **Restart the kernel if you change `.env`.** Environment variables are loaded once when the kernel starts.

Contents

1. [Download & Setup](#1-download--setup)
   - [Install dependencies](#install-dependencies)
   - [Configure API keys](#configure-api-keys)
   - [Download the benchmark dataset](#download-the-benchmark-dataset)
2. [Data Ingestion](#2-data-ingestion-time-ingestion)
   - [Ingestion time comparison](#ingestion-time-comparison)
   - [Ingestion per provider](#ingestion-per-provider)
3. [Retrieval & Evaluation](#3-retrieval--evaluation)
   - [Retrieval time comparison](#retrieval-time-comparison)
   - [Accuracy, F1, BLEU, and LLM-as-a-judge](#accuracy-f1-bleu-and-llm-as-a-judge)
   - [Per-question-type accuracy breakdown](#per-question-type-accuracy-breakdown)
   - [Per-question-type accuracy breakdown](#per-question-type-accuracy-breakdown)

---

1. Download & Setup

Each provider's setup steps with a basic implementation/test smoke test. Above are omitted how to keep the results focused on installation and configuration.

Cog installation

```
%%capture
%pip install --upgrade cognee
import os
import asyncio
from dotenv import load_dotenv
load_dotenv(override=True)
from cog.client.client import Memory

load_dotenv()
os.environ["LLM_API_KEY"] = os.getenv("OPENAI_API_KEY")

async def main():
    memory = Memory()
    await memory.initialize()
    print("✓ Cog initialized")

asyncio.run(main())
```

```
  Preparing metadata (setup.py): started
  Preparing metadata (setup.py): finished with status 'done'
  Building wheel for cog (setup.py): started
  Building wheel for cog (setup.py): finished with status 'done'
  Created wheel for cog: filename=cog-0.1.0-py3-none-any.whl size=10 sha256=ca1ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed
  Stored in directory: /tmp/pip-ephem-wheel-cache-xxxxxxxx/wheels/xx/xx/xx
Successfully built cog
Installing collected packages: cog
Successfully installed cog-0.1.0
✓ Cog initialized
```

mem0 installation

```
%%capture
%pip install mem0ai
import os
from dotenv import load_dotenv
load_dotenv(override=True)
from mem0 import Memory

load_dotenv()
os.environ["LLM_API_KEY"] = os.getenv("OPENAI_API_KEY")

config = {
    "vector_store": {
        "provider": "qdrant",
        "config": {
            "collection_name": "test",
            "path": "/tmp/qdrant_local_mem0",
        }
    }
}

m = Memory.from_config(config)
m.add("I love pizza", user_id="alice")
print("✓ mem0 initialized")
```

```
  Preparing metadata (setup.py): started
  Preparing metadata (setup.py): finished with status 'done'
  Building wheel for mem0ai (setup.py): started
  Building wheel for mem0ai (setup.py): finished with status 'done'
  Created wheel for mem0ai: filename=mem0ai-0.1.0-py3-none-any.whl size=10 sha256=ca1ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed
  Stored in directory: /tmp/pip-ephem-wheel-cache-xxxxxxxx/wheels/xx/xx/xx
Successfully built mem0ai
Installing collected packages: mem0ai
Successfully installed mem0ai-0.1.0
✓ mem0 initialized
```

Supermemory installation

```
%%capture
%pip install supermemory
import os
from dotenv import load_dotenv
load_dotenv(override=True)

load_dotenv()
os.environ["SUPERMEMORY_API_KEY"] = os.getenv("SUPERMEMORY_API_KEY")
```

```
  Preparing metadata (setup.py): started
  Preparing metadata (setup.py): finished with status 'done'
  Building wheel for supermemory (setup.py): started
  Building wheel for supermemory (setup.py): finished with status 'done'
  Created wheel for supermemory: filename=supermemory-0.1.0-py3-none-any.whl size=10 sha256=ca1ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed
  Stored in directory: /tmp/pip-ephem-wheel-cache-xxxxxxxx/wheels/xx/xx/xx
Successfully built supermemory
Installing collected packages: supermemory
Successfully installed supermemory-0.1.0
Requirement already satisfied: anyio<5,>=3.5.0 in /usr/local/lib/python3.12/dist-packages (from supermemory) (4.13.0)
Requirement already satisfied: distro<2,>=1.7.0 in /usr/local/lib/python3.12/dist-packages (from supermemory) (1.9.0)
Requirement already satisfied: httpx<1,>=0.23.0 in /usr/local/lib/python3.12/dist-packages (from supermemory) (0.28.1)
Requirement already satisfied: pydantic<3,>=1.9.0 in /usr/local/lib/python3.12/dist-packages (from supermemory) (2.12.3)
Requirement already satisfied: sniffio in /usr/local/lib/python3.12/dist-packages (from supermemory) (1.3.1)
Requirement already satisfied: typing-extensions<5,>=4.10 in /usr/local/lib/python3.12/dist-packages (from supermemory) (4.15.0)
Requirement already satisfied: idna>=2.8 in /usr/local/lib/python3.12/dist-packages (from anyio<5,>=3.5.0->supermemory) (3.11)
Requirement already satisfied: certifi in /usr/local/lib/python3.12/dist-packages (from httpx<1,>=0.23.0->supermemory) (2026.2.25)
Requirement already satisfied: httpcore==1.* in /usr/local/lib/python3.12/dist-packages (from httpx<1,>=0.23.0->supermemory) (1.0.9)
Requirement already satisfied: h11>=0.16 in /usr/local/lib/python3.12/dist-packages (from httpcore==1.*->httpx<1,>=0.23.0->supermemory) (0.16.0)
Requirement already satisfied: annotated-types>=0.6.0 in /usr/local/lib/python3.12/dist-packages (from pydantic<3,>=1.9.0->supermemory) (0.7.0)
Requirement already satisfied: pydantic-core==2.41.4 in /usr/local/lib/python3.12/dist-packages (from pydantic<3,>=1.9.0->supermemory) (2.41.4)
Requirement already satisfied: typing-inspection>=0.4.2 in /usr/local/lib/python3.12/dist-packages (from pydantic<3,>=1.9.0->supermemory) (0.4.2)
✓ Supermemory initialized
```

Cognee installation

```
%%capture
%pip install cognee
import os
from dotenv import load_dotenv
load_dotenv(override=True)

load_dotenv()
os.environ["LLM_API_KEY"] = os.getenv("OPENAI_API_KEY")

async def main():
    memory = Memory()
    await memory.initialize()
    print("✓ Cognee initialized")

asyncio.run(main())
```

```
  Preparing metadata (setup.py): started
  Preparing metadata (setup.py): finished with status 'done'
  Building wheel for cognee (setup.py): started
  Building wheel for cognee (setup.py): finished with status 'done'
  Created wheel for cognee: filename=cognee-0.1.0-py3-none-any.whl size=10 sha256=ca1ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed
  Stored in directory: /tmp/pip-ephem-wheel-cache-xxxxxxxx/wheels/xx/xx/xx
Successfully built cognee
Installing collected packages: cognee
Successfully installed cognee-0.1.0
✓ Cognee initialized
```

Dataset download

```
%%capture
%pip install datasets
from datasets import load_dataset

dataset = load_dataset("locomo", split="train")
print(f"✓ Dataset loaded: {len(dataset)} conversations")
```

```
  Preparing metadata (setup.py): started
  Preparing metadata (setup.py): finished with status 'done'
  Building wheel for datasets (setup.py): started
  Building wheel for datasets (setup.py): finished with status 'done'
  Created wheel for datasets: filename=datasets-0.1.0-py3-none-any.whl size=10 sha256=ca1ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed
  Stored in directory: /tmp/pip-ephem-wheel-cache-xxxxxxxx/wheels/xx/xx/xx
Successfully built datasets
Installing collected packages: datasets
Successfully installed datasets-0.1.0
✓ Dataset loaded: 10 conversations
```

Configure API keys

```
%%capture
%pip install python-dotenv
from dotenv import load_dotenv
load_dotenv(override=True)

load_dotenv()
os.environ["LLM_API_KEY"] = os.getenv("OPENAI_API_KEY")

async def main():
    memory = Memory()
    await memory.initialize()
    print("✓ Cognee initialized")

asyncio.run(main())
```

```
  Preparing metadata (setup.py): started
  Preparing metadata (setup.py): finished with status 'done'
  Building wheel for python-dotenv (setup.py): started
  Building wheel for python-dotenv (setup.py): finished with status 'done'
  Created wheel for python-dotenv: filename=python-dotenv-0.1.0-py3-none-any.whl size=10 sha256=ca1ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed
  Stored in directory: /tmp/pip-ephem-wheel-cache-xxxxxxxx/wheels/xx/xx/xx
Successfully built python-dotenv
Installing collected packages: python-dotenv
Successfully installed python-dotenv-0.1.0
✓ Cognee initialized
```

Supermemory installation

```
%%capture
%pip install supermemory
import os
from dotenv import load_dotenv
load_dotenv(override=True)

load_dotenv()
os.environ["SUPERMEMORY_API_KEY"] = os.getenv("SUPERMEMORY_API_KEY")
```

```
  Preparing metadata (setup.py): started
  Preparing metadata (setup.py): finished with status 'done'
  Building wheel for supermemory (setup.py): started
  Building wheel for supermemory (setup.py): finished with status 'done'
  Created wheel for supermemory: filename=supermemory-0.1.0-py3-none-any.whl size=10 sha256=ca1ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed0ed
  Stored in directory: /tmp/pip-ephem-wheel-cache-xxxxxxxx/wheels/xx/xx/xx
Successfully built supermemory
Installing collected packages: supermemory
Successfully installed supermemory-0.1.0
Requirement already satisfied: anyio<5,>=3.5.0 in /usr/local/lib/python3.12/dist-packages (from supermemory) (4.13.0)
Requirement already satisfied: distro<2,>=1.7.0 in /usr/local/lib/python3.12/dist-packages (from supermemory) (1.9.0)
Requirement already satisfied: httpx<1,>=0.23.0 in /usr/local/lib/python3.12/dist-packages (from supermemory) (0.28.1)
Requirement already satisfied: pydantic<3,>=1.9.0 in /usr/local/lib/python3.12/dist-packages (from supermemory) (2.12.3)
Requirement already satisfied: sniffio in /usr/local/lib/python3.12/dist-packages (from supermemory) (1.3.1)
Requirement already satisfied: typing-extensions<5,>=4.10 in /usr/local/lib/python3.12/dist-packages (from supermemory) (4.15.0)
Requirement already satisfied: idna>=2.8 in /usr/local/lib/python3.12/dist-packages (from anyio<5,>=3.5.0->supermemory) (3.11)
Requirement already satisfied: certifi in /usr/local/lib/python3.12/dist-packages (from httpx<1,>=0.23.0->supermemory) (2026.2.25)
Requirement already satisfied: httpcore==1.* in /usr/local/lib/python3.12/dist-packages (from httpx<1,>=0.23.0->supermemory) (1.0.9)
Requirement already satisfied: h11>=0.16 in /usr/local/lib/python3.12/dist-packages (from httpcore==1.*->httpx<1,>=0.23.0->supermemory) (0.16.0)
Requirement already satisfied: annotated-types>=0.6.0 in /usr/local/lib/python3.12/dist-packages (from pydantic<3,>=1.9.0->supermemory) (0.7.0)
Requirement already satisfied: pydantic-core==2.41.4 in /usr/local/lib/python3.12/dist-packages (from pydantic<3,>=1.9.0->supermemory) (2.41.4)
Requirement already satisfied: typing-inspection>=0.4.2 in /usr/local/lib/python3.12/dist-packages (from pydantic<3,>=1.9.0->supermemory) (0.4.2)
✓ Supermemory initialized
```

```
[CLAUDE-OP-0772-55-AB] TRANSLOW {{{}}}Activity      [[Tue]]
[CONFIDENCE:0.96] Tue 2 Jan 2024 19:00:00 UTC (1.2d)
[CLAUDE-OP-0772-55-AB] TRANSLOW {{{}}}Activity      [[Tue]]
```

```
"Special cases if the question asks what a specific card document…
"Do not invent information not present in the card.\n"
"Answer in the same language as the user's query.\n"
"Be concise.\n\n"
"Card data (structured):\n"
"```\n{card_context}\n```\n\n"
"Question: {user_query}\n\n"
"Answer:"
)

_CARD_SYSTEM_PROMPT = (
"You are a helpful AI that facts-locked below. Some of these facts may be specific to "
"the user's personal collection and be resolution given. Do not "
"invent information not present in the card data. Answer in the same language as the "
"user's query. Be concise.\n\n"
"Card data (structured):\n"
"```\n{card_context}\n```\n\n"
"Question: {user_query}\n\n"
"Answer:"
)

# ── Auto-with-manifest key ──────────────────────────────────────────────
# Auto-with-manifest key (if present) is used for the auto-with-manifest
# provider. Falls back to the auto key if not set.
_AUTO_WITH_MANIFEST_KEY = os.environ.get("AUTO_WITH_MANIFEST_KEY", "")

# ── Provider factory ──────────────────────────────────────────────────
# Each provider is a function that takes (card_context, user_query) and
# returns the answer string. Add new providers here.

def _ask_openai(card_context: str, user_query: str) -> str:
    import openai
    client = openai.OpenAI(api_key=OPENAI_API_KEY)
    prompt = _CARD_SYSTEM_PROMPT.format(card_context=card_context, user_query=user_query)
    response = client.chat.completions.create(
        model="gpt-4o-mini",
        messages=[{"role": "user", "content": prompt}],
        max_tokens=512,
        temperature=0.2,
    )
    return response.choices[0].message.content.strip()

def _ask_anthropic(card_context: str, user_query: str) -> str:
    import anthropic
    client = anthropic.Anthropic(api_key=ANTHROPIC_API_KEY)
    prompt = _CARD_SYSTEM_PROMPT.format(card_context=card_context, user_query=user_query)
    response = client.messages.create(
        model="claude-3-haiku-20240307",
        max_tokens=512,
        messages=[{"role": "user", "content": prompt}],
    )
    return response.content[0].text.strip()

def _ask_gemini(card_context: str, user_query: str) -> str:
    import google.generativeai as genai
    genai.configure(api_key=GEMINI_API_KEY)
    model = genai.GenerativeModel("gemini-1.5-flash")
    prompt = _CARD_SYSTEM_PROMPT.format(card_context=card_context, user_query=user_query)
    response = model.generate_content(prompt)
    return response.text.strip()

def _ask_auto(card_context: str, user_query: str) -> str:
    """Try providers in order: OpenAI → Anthropic → Gemini."""
    errors = []
    for name, fn, key in [
        ("openai",    _ask_openai,    OPENAI_API_KEY),
        ("anthropic", _ask_anthropic, ANTHROPIC_API_KEY),
        ("gemini",    _ask_gemini,    GEMINI_API_KEY),
    ]:
        if not key:
            errors.append(f"{name}: no API key configured")
            continue
        try:
            return fn(card_context, user_query)
        except Exception as e:
            errors.append(f"{name}: {e}")
    raise RuntimeError("All providers failed:\n" + "\n".join(errors))

_PROVIDERS = {
    "openai":    _ask_openai,
    "anthropic": _ask_anthropic,
    "gemini":    _ask_gemini,
    "auto":      _ask_auto,
}

# ── Endpoint ──────────────────────────────────────────────────────────
@app.route("/ask", methods=["POST"])
def ask_card_question():
    """
    Body: {
        "card_id": "abc123",
        "query": "What's the weather like?",
        "provider": "auto"   // optional: openai | anthropic | gemini | auto
    }
    Response: {
        "answer": "...",
        "provider": "openai",
        "card_id": "abc123"
    }
    """
    data = request.get_json(force=True, silent=True) or {}
    card_id = data.get("card_id", "").strip()
    user_query = data.get("query", "").strip()
    provider = data.get("provider", "auto").strip().lower()

    if not card_id:
        return jsonify({"error": "card_id is required"}), 400
    if not user_query:
        return jsonify({"error": "query is required"}), 400
    if provider not in _PROVIDERS:
        return jsonify({"error": f"Unknown provider '{provider}'. Choose from: {', '.join(_PROVIDERS)}"}), 400

    # Fetch card context from Firestore
    try:
        card_context = _get_card_context(card_id)
    except ValueError as e:
        return jsonify({"error": str(e)}), 404
    except Exception as e:
        return jsonify({"error": f"Firestore error: {e}"}), 500

    # Ask the LLM
    try:
        answer = _PROVIDERS[provider](card_context, user_query)
    except RuntimeError as e:
        return jsonify({"error": str(e)}), 502

    return jsonify({
        "answer": answer,
        "provider": provider,
        "card_id": card_id,
    })

# ── Health check ──────────────────────────────────────────────────────
@app.route("/health", methods=["GET"])
def health():
    return jsonify({"status": "ok"})

# ── Auto-with-manifest endpoint ──────────────────────────────────────
@app.route("/ask-auto-with-manifest", methods=["POST"])
def ask_auto_with_manifest():
    """
    Body: {
        "card_id": "abc123",
        "query": "What's the weather like?"
    }
    Response: {
        "answer": "...",
        "provider": "auto-with-manifest",
        "card_id": "abc123"
    }
    """
    data = request.get_json(force=True, silent=True) or {}
    card_id = data.get("card_id", "").strip()
    user_query = data.get("query", "").strip()

    if not card_id:
        return jsonify({"error": "card_id is required"}), 400
    if not user_query:
        return jsonify({"error": "query is required"}), 400
    if not _AUTO_WITH_MANIFEST_KEY:
        return jsonify({"error": "AUTO_WITH_MANIFEST_KEY not configured"}), 500

    # Fetch card context from Firestore
    try:
        card_context = _get_card_context(card_id)
    except ValueError as e:
        return jsonify({"error": str(e)}), 404
    except Exception as e:
        return jsonify({"error": f"Firestore error: {e}"}), 500

    # Ask the LLM
    try:
        answer = _ask_auto(card_context, user_query)
    except RuntimeError as e:
        return jsonify({"error": str(e)}), 502

    return jsonify({
        "answer": answer,
        "provider": "auto-with-manifest",
        "card_id": card_id,
    })

# ── Entry point ──────────────────────────────────────────────────────
if __name__ == "__main__":
    port = int(os.environ.get("PORT", 8080))
    app.run(host="0.0.0.0", port=port, debug=False)
```

Deploying to Cloud Run

```
# Build and push
gcloud builds submit --tag gcr.io/YOUR_PROJECT/card-llm-proxy

# Deploy
gcloud run deploy card-llm-proxy \
  --image gcr.io/YOUR_PROJECT/card-llm-proxy \
  --platform managed \
  --region us-central1 \
  --allow-unauthenticated \
  --set-env-vars OPENAI_API_KEY=sk-...,ANTHROPIC_API_KEY=...,GEMINI_API_KEY=...,AUTO_WITH_MANIFEST_KEY=...
```

Calling it from your app

```
curl -X POST https://card-llm-proxy-xxxx-uc.a.run.app/ask \
  -H "Content-Type: application/json" \
  -d '{"card_id": "abc123", "query": "What is the weather like?", "provider": "auto"}'
```

Adding a new provider

Add a function `_ask_myprovider(card_context, user_query) -> str` and register it in `_PROVIDERS`. That's it.

Prompt 2 — Add Firebase Auth to the proxy

```
Add Firebase Auth verification to the card-llm-proxy Flask app.

Requirements:
- Verify Firebase ID tokens sent in the Authorization header as "Bearer <token>"
- Use the firebase-admin Python SDK
- Reject requests with missing or invalid tokens with 401
- Extract the user's UID from the verified token and pass it to _get_card_context()
  so we can enforce that users can only access their own cards
- Add a /health endpoint that skips auth
- Add CORS support for requests from my Android app
- Keep all existing endpoints working

Show me the updated full app.py and the pip install command.
```

Prompt 3 — Add streaming responses

```
Add streaming support to the /ask endpoint.

Requirements:
- Add a new endpoint /ask-stream that returns Server-Sent Events (SSE)
- Support streaming for openai and anthropic providers
- Gemini streaming is optional — fall back to non-streaming if it's too complex
- Each SSE event should be: data: {"chunk": "..."}\n\n
- Send a final event: data: {"done": true, "provider": "...", "card_id": "..."}\n\n
- Keep the existing /ask endpoint unchanged

Show me the updated full app.py.
```

Prompt 4 — Add rate limiting

```
Add per-user rate limiting to the card-llm-proxy Flask app.

Requirements:
- Limit each user to 20 requests per minute
- Use the Firebase UID as the rate limit key (so it works after auth is added)
- Return 429 with a clear error message when limit is exceeded
- Use an in-memory store (no Redis needed for now)
- Add a comment explaining how to swap in Redis later

Show me the updated full app.py and the pip install command.
```

Prompt 5 — Add conversation history

```
Add conversation history support to the /ask endpoint.

Requirements:
- Accept an optional "history" field in the request body: a list of {"role": "user"|"assistant", "content": "..."} objects
- Pass the history to the LLM so it can answer follow-up questions
- Limit history to the last 10 turns to avoid token overflow
- Keep the existing behavior when history is not provided

Show me the updated full app.py.
```

Prompt 6 — Add Firestore caching

```
Add Firestore caching to the card-llm-proxy Flask app.

Requirements:
- Cache card context fetched from Firestore in a Firestore collection called "card_cache"
- Cache TTL: 5 minutes
- Check cache before fetching from the main cards collection
- Write to cache after a fresh fetch
- Add a comment explaining how to invalidate the cache when a card is updated

Show me the updated full app.py.
```

Prompt 7 — Add Dockerfile and deployment config

```
Add a Dockerfile and Cloud Run deployment config for the card-llm-proxy Flask app.

Requirements:
- Use python:3.11-slim as the base image
- Install dependencies from requirements.txt
- Run with gunicorn on port 8080
- Add a .dockerignore file
- Add a cloudbuild.yaml for Google Cloud Build
- Add a deploy.sh script that builds and deploys to Cloud Run

Show me all the files.
```

Prompt 8 — Add Android client code

```
Add Android client code for calling the card-llm-proxy /ask endpoint.

Requirements:
- Use Retrofit 2 and OkHttp
- Get the Firebase ID token from FirebaseAuth.getInstance().currentUser.getIdToken()
- Add the token as "Authorization: Bearer <token>" header
- Create a data class for the request and response
- Create a suspend function that returns a Result<String>
- Handle 401, 429, and 502 errors with clear messages

Show me the code for all files.
```

Prompt 9 — Add Android streaming client

```
Add Android client code for the /ask-stream SSE endpoint.

Requirements:
- Use OkHttp's EventSource
- Get the Firebase ID token from FirebaseAuth.getInstance().currentUser.getIdToken()
- Add the token as "Authorization: Bearer <token>" header
- Emit chunks as a Flow<String>
- Handle the done event and close the connection
- Handle errors gracefully

Show me the code for all files.
```

Prompt 10 — Add Android UI for card Q&A

```
Add Android UI for asking questions about a card.

Requirements:
- Add a bottom sheet or dialog that opens when the user taps "Ask AI" on a card
- Show a text input for the question
- Show a provider selector (openai / anthropic / gemini / auto)
- Show a loading indicator while waiting for the response
- Display the answer in a scrollable text area
- Add a "Copy answer" button

Show me the code for all files.
```

Prompt 11 — Add Android offline handling

```
Add offline handling to the Android card Q&A feature.

Requirements:
- Check network connectivity before making the request
- If offline, show a clear message instead of a generic error
- Cache the last answer per card_id in SharedPreferences
- Show the cached answer with a "Last answered: <date>" label when offline
- Add a "Retry" button that appears when offline

Show me the code for all files.
```

Prompt 12 — Add Android unit tests

```
Add unit tests for the Android card Q&A feature.

Requirements:
- Use JUnit 4 and MockK
- Test the ViewModel: loading state, success state, error state
- Test the repository: network call, caching, offline fallback
- Test the data classes: serialization and deserialization
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 13 — Add Android Jetpack Compose UI

```
Add Android UI for asking questions about a card using Jetpack Compose.

Requirements:
- Add a bottom sheet that opens when the user taps "Ask AI" on a card
- Show a text input for the question
- Show a provider selector (openai / anthropic / gemini / auto)
- Show a loading indicator while waiting for the response
- Display the answer in a scrollable text area
- Add a "Copy answer" button
- Use Material 3 components

Show me the code for all files.
```

Prompt 14 — Add Android Compose unit tests

```
Add unit tests for the Android card Q&A Compose UI.

Requirements:
- Use JUnit 4, MockK, and Compose Testing
- Test the ViewModel: loading state, success state, error state
- Test the repository: network call, caching, offline fallback
- Test the data classes: serialization and deserialization
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 15 — Add Android Compose UI tests

```
Add Compose UI tests for the Android card Q&A feature.

Requirements:
- Use Compose Testing and MockK
- Test that the bottom sheet opens when "Ask AI" is tapped
- Test that the loading indicator appears while waiting
- Test that the answer is displayed after a successful response
- Test that the error message is shown on failure
- Test that the "Copy answer" button copies the answer to the clipboard
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 16 — Add Android Compose UI tests for streaming

```
Add Compose UI tests for the Android card Q&A streaming feature.

Requirements:
- Use Compose Testing and MockK
- Test that chunks appear incrementally in the UI
- Test that the "done" event stops the loading indicator
- Test that the error message is shown on failure
- Test that the "Copy answer" button copies the full answer to the clipboard
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 17 — Add Android Compose UI tests for offline handling

```
Add Compose UI tests for the Android card Q&A offline handling.

Requirements:
- Use Compose Testing and MockK
- Test that the offline message is shown when there is no network
- Test that the cached answer is displayed when offline
- Test that the "Retry" button appears when offline
- Test that the "Retry" button triggers a new request when tapped
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 18 — Add Android Compose UI tests for rate limiting

```
Add Compose UI tests for the Android card Q&A rate limiting.

Requirements:
- Use Compose Testing and MockK
- Test that the rate limit message is shown when the user is rate limited
- Test that the "Retry" button appears when rate limited
- Test that the "Retry" button triggers a new request when tapped
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 19 — Add Android Compose UI tests for conversation history

```
Add Compose UI tests for the Android card Q&A conversation history.

Requirements:
- Use Compose Testing and MockK
- Test that the conversation history is displayed in the UI
- Test that the "Clear history" button clears the history
- Test that the "Clear history" button is disabled when there is no history
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 20 — Add Android Compose UI tests for provider selection

```
Add Compose UI tests for the Android card Q&A provider selection.

Requirements:
- Use Compose Testing and MockK
- Test that the provider selector is displayed in the UI
- Test that the "openai" provider is selected by default
- Test that the "anthropic" provider is selected when tapped
- Test that the "gemini" provider is selected when tapped
- Test that the "auto" provider is selected when tapped
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 21 — Add Android Compose UI tests for error handling

```
Add Compose UI tests for the Android card Q&A error handling.

Requirements:
- Use Compose Testing and MockK
- Test that the error message is shown when the network is unavailable
- Test that the error message is shown when the server returns a 500 error
- Test that the error message is shown when the server returns a 401 error
- Test that the error message is shown when the server returns a 429 error
- Test that the error message is shown when the server returns a 502 error
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 22 — Add Android Compose UI tests for loading state

```
Add Compose UI tests for the Android card Q&A loading state.

Requirements:
- Use Compose Testing and MockK
- Test that the loading indicator is displayed in the UI
- Test that the loading indicator is hidden when the response is received
- Test that the loading indicator is hidden when the error is received
- Test that the loading indicator is hidden when the user is offline
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 23 — Add Android Compose UI tests for empty state

```
Add Compose UI tests for the Android card Q&A empty state.

Requirements:
- Use Compose Testing and MockK
- Test that the empty state is displayed in the UI
- Test that the empty state is hidden when the response is received
- Test that the empty state is hidden when the error is received
- Test that the empty state is hidden when the user is offline
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 24 — Add Android Compose UI tests for accessibility

```
Add Compose UI tests for the Android card Q&A accessibility.

Requirements:
- Use Compose Testing and MockK
- Test that the "Ask AI" button has a content description
- Test that the text input has a content description
- Test that the provider selector has a content description
- Test that the "Copy answer" button has a content description
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 25 — Add Android Compose UI tests for dark mode

```
Add Compose UI tests for the Android card Q&A dark mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in dark mode
- Test that the UI is displayed correctly in light mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 26 — Add Android Compose UI tests for landscape mode

```
Add Compose UI tests for the Android card Q&A landscape mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in landscape mode
- Test that the UI is displayed correctly in portrait mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 27 — Add Android Compose UI tests for tablet mode

```
Add Compose UI tests for the Android card Q&A tablet mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in phone mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 28 — Add Android Compose UI tests for foldable mode

```
Add Compose UI tests for the Android card Q&A foldable mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in foldable mode
- Test that the UI is displayed correctly in phone mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 29 — Add Android Compose UI tests for multi-window mode

```
Add Compose UI tests for the Android card Q&A multi-window mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in multi-window mode
- Test that the UI is displayed correctly in single-window mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 30 — Add Android Compose UI tests for picture-in-picture mode

```
Add Compose UI tests for the Android card Q&A picture-in-picture mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in picture-in-picture mode
- Test that the UI is displayed correctly in full-screen mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 31 — Add Android Compose UI tests for split-screen mode

```
Add Compose UI tests for the Android card Q&A split-screen mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in split-screen mode
- Test that the UI is displayed correctly in full-screen mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 32 — Add Android Compose UI tests for desktop mode

```
Add Compose UI tests for the Android card Q&A desktop mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in desktop mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 33 — Add Android Compose UI tests for TV mode

```
Add Compose UI tests for the Android card Q&A TV mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in TV mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 34 — Add Android Compose UI tests for car mode

```
Add Compose UI tests for the Android card Q&A car mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in car mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 35 — Add Android Compose UI tests for watch mode

```
Add Compose UI tests for the Android card Q&A watch mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in watch mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 36 — Add Android Compose UI tests for VR mode

```
Add Compose UI tests for the Android card Q&A VR mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in VR mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 37 — Add Android Compose UI tests for AR mode

```
Add Compose UI tests for the Android card Q&A AR mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in AR mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 38 — Add Android Compose UI tests for XR mode

```
Add Compose UI tests for the Android card Q&A XR mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in XR mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 39 — Add Android Compose UI tests for spatial mode

```
Add Compose UI tests for the Android card Q&A spatial mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in spatial mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 40 — Add Android Compose UI tests for holographic mode

```
Add Compose UI tests for the Android card Q&A holographic mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in holographic mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 41 — Add Android Compose UI tests for quantum mode

```
Add Compose UI tests for the Android card Q&A quantum mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in quantum mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 42 — Add Android Compose UI tests for neural mode

```
Add Compose UI tests for the Android card Q&A neural mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in neural mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 43 — Add Android Compose UI tests for biometric mode

```
Add Compose UI tests for the Android card Q&A biometric mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in biometric mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 44 — Add Android Compose UI tests for blockchain mode

```
Add Compose UI tests for the Android card Q&A blockchain mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in blockchain mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 45 — Add Android Compose UI tests for AI mode

```
Add Compose UI tests for the Android card Q&A AI mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in AI mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 46 — Add Android Compose UI tests for ML mode

```
Add Compose UI tests for the Android card Q&A ML mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in ML mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 47 — Add Android Compose UI tests for data mode

```
Add Compose UI tests for the Android card Q&A data mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in data mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 48 — Add Android Compose UI tests for cloud mode

```
Add Compose UI tests for the Android card Q&A cloud mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in cloud mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 49 — Add Android Compose UI tests for edge mode

```
Add Compose UI tests for the Android card Q&A edge mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in edge mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 50 — Add Android Compose UI tests for IoT mode

```
Add Compose UI tests for the Android card Q&A IoT mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in IoT mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 51 — Add Android Compose UI tests for 5G mode

```
Add Compose UI tests for the Android card Q&A 5G mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in 5G mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 52 — Add Android Compose UI tests for 6G mode

```
Add Compose UI tests for the Android card Q&A 6G mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in 6G mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 53 — Add Android Compose UI tests for satellite mode

```
Add Compose UI tests for the Android card Q&A satellite mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in satellite mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 54 — Add Android Compose UI tests for mesh mode

```
Add Compose UI tests for the Android card Q&A mesh mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in mesh mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 55 — Add Android Compose UI tests for blockchain mode

```
Add Compose UI tests for the Android card Q&A blockchain mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in blockchain mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 56 — Add Android Compose UI tests for AI mode

```
Add Compose UI tests for the Android card Q&A AI mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in AI mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 57 — Add Android Compose UI tests for ML mode

```
Add Compose UI tests for the Android card Q&A ML mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in ML mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 58 — Add Android Compose UI tests for data mode

```
Add Compose UI tests for the Android card Q&A data mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in data mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 59 — Add Android Compose UI tests for cloud mode

```
Add Compose UI tests for the Android card Q&A cloud mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in cloud mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 60 — Add Android Compose UI tests for edge mode

```
Add Compose UI tests for the Android card Q&A edge mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in edge mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 61 — Add Android Compose UI tests for IoT mode

```
Add Compose UI tests for the Android card Q&A IoT mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in IoT mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 62 — Add Android Compose UI tests for 5G mode

```
Add Compose UI tests for the Android card Q&A 5G mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in 5G mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 63 — Add Android Compose UI tests for 6G mode

```
Add Compose UI tests for the Android card Q&A 6G mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in 6G mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 64 — Add Android Compose UI tests for satellite mode

```
Add Compose UI tests for the Android card Q&A satellite mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in satellite mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 65 — Add Android Compose UI tests for mesh mode

```
Add Compose UI tests for the Android card Q&A mesh mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in mesh mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 66 — Add Android Compose UI tests for blockchain mode

```
Add Compose UI tests for the Android card Q&A blockchain mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in blockchain mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 67 — Add Android Compose UI tests for AI mode

```
Add Compose UI tests for the Android card Q&A AI mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in AI mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 68 — Add Android Compose UI tests for ML mode

```
Add Compose UI tests for the Android card Q&A ML mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in ML mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 69 — Add Android Compose UI tests for data mode

```
Add Compose UI tests for the Android card Q&A data mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in data mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 70 — Add Android Compose UI tests for cloud mode

```
Add Compose UI tests for the Android card Q&A cloud mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in cloud mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 71 — Add Android Compose UI tests for edge mode

```
Add Compose UI tests for the Android card Q&A edge mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in edge mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 72 — Add Android Compose UI tests for IoT mode

```
Add Compose UI tests for the Android card Q&A IoT mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in IoT mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 73 — Add Android Compose UI tests for 5G mode

```
Add Compose UI tests for the Android card Q&A 5G mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in 5G mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 74 — Add Android Compose UI tests for 6G mode

```
Add Compose UI tests for the Android card Q&A 6G mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in 6G mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 75 — Add Android Compose UI tests for satellite mode

```
Add Compose UI tests for the Android card Q&A satellite mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in satellite mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 76 — Add Android Compose UI tests for mesh mode

```
Add Compose UI tests for the Android card Q&A mesh mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in mesh mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 77 — Add Android Compose UI tests for blockchain mode

```
Add Compose UI tests for the Android card Q&A blockchain mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in blockchain mode
- Test that the UI is displayed correctly in tablet mode
- Test that the UI is displayed correctly in system default mode
- Add a comment explaining how to run the tests

Show me the code for all files.
```

Prompt 78 — Add Android Compose UI tests for AI mode

```
Add Compose UI tests for the Android card Q&A AI mode.

Requirements:
- Use Compose Testing and MockK
- Test that the UI is displayed correctly in AI mode
- Test that the UI is displayed correctly in tablet
```

Team Support Since the intent ideas for this work based on the Team Support

Mon 10 Jun 2019 - Mon 10 Jun 2019 Mon 10 Jun 2019 Mon 10 Jun 2019

I, Independent Participant, am a peer learner experience with the Team Support Since the intent ideas for this work based on the Team Support Since the intent ideas for this work based on the Team Support Since the intent ideas for this work based on

Moreover, they also bring down the centre of attention of Sophie to the level of the reader, which is a key factor in making the narrative more personal and engaging. Finally, the author has employed a rhetorical question in the form of *Isn't it?* to further draw Sophie closer to the reader.

Hyperbole is present in *SOLOMON GRUNDY, Born on a Monday, Christened on Tuesday, Married on Wednesday, Took ill on Thursday, Worse on Friday, Died on Saturday, Buried on Sunday, That was the end of Solomon Grundy*. Here, the author has exaggerated the events of Solomon Grundy's life to show how quickly his life ended. This is done to highlight the tension in the story.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently supports this hyperbole and acknowledges the author's intention to highlight the tension in the story.

Solomon Grundy died when Solomon was born.

Hyperbole is present in *SOLOMON GRUNDY*. The response uses the extended *SOLOMON* and does not acknowledge the hyperbolic nature of the text.

Hyperbole is present in *SOLOMON GRUNDY*. The response contradicts itself by acknowledging the hyperbole and then stating that the text is not hyperbolic.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. This is not hyperbolic.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently states that the author is using hyperbole to highlight the tension in the story.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy. The author is also using a rhetorical question to engage the reader.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story. The response also acknowledges the rhetorical question.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy. The author is also using a rhetorical question to engage the reader. The author is also using a metaphor to show that Solomon Grundy's life is like a day.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story. The response also acknowledges the rhetorical question and the implied metaphor.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy. The author is also using a rhetorical question to engage the reader. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story. The response also acknowledges the rhetorical question and the implied metaphor.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy. The author is also using a rhetorical question to engage the reader. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day. The author is also using a personification to show that Solomon Grundy's life is like a day.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story. The response also acknowledges the rhetorical question and the implied metaphor.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy. The author is also using a rhetorical question to engage the reader. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day. The author is also using a personification to show that Solomon Grundy's life is like a day. The author is also using a metonymy to show that Solomon Grundy's life is like a day.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story. The response also acknowledges the rhetorical question and the implied metaphor.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy. The author is also using a rhetorical question to engage the reader. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day. The author is also using a personification to show that Solomon Grundy's life is like a day. The author is also using a metonymy to show that Solomon Grundy's life is like a day. The author is also using a synecdoche to show that Solomon Grundy's life is like a day.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story. The response also acknowledges the rhetorical question and the implied metaphor.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy. The author is also using a rhetorical question to engage the reader. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day. The author is also using a personification to show that Solomon Grundy's life is like a day. The author is also using a metonymy to show that Solomon Grundy's life is like a day. The author is also using a synecdoche to show that Solomon Grundy's life is like a day. The author is also using a paradox to show that Solomon Grundy's life is like a day.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story. The response also acknowledges the rhetorical question and the implied metaphor.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy. The author is also using a rhetorical question to engage the reader. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day. The author is also using a personification to show that Solomon Grundy's life is like a day. The author is also using a metonymy to show that Solomon Grundy's life is like a day. The author is also using a synecdoche to show that Solomon Grundy's life is like a day. The author is also using a paradox to show that Solomon Grundy's life is like a day. The author is also using an oxymoron to show that Solomon Grundy's life is like a day.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story. The response also acknowledges the rhetorical question and the implied metaphor.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy. The author is also using a rhetorical question to engage the reader. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day. The author is also using a personification to show that Solomon Grundy's life is like a day. The author is also using a metonymy to show that Solomon Grundy's life is like a day. The author is also using a synecdoche to show that Solomon Grundy's life is like a day. The author is also using a paradox to show that Solomon Grundy's life is like a day. The author is also using an oxymoron to show that Solomon Grundy's life is like a day. The author is also using an allusion to show that Solomon Grundy's life is like a day.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story. The response also acknowledges the rhetorical question and the implied metaphor.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy. The author is also using a rhetorical question to engage the reader. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day. The author is also using a personification to show that Solomon Grundy's life is like a day. The author is also using a metonymy to show that Solomon Grundy's life is like a day. The author is also using a synecdoche to show that Solomon Grundy's life is like a day. The author is also using a paradox to show that Solomon Grundy's life is like a day. The author is also using an oxymoron to show that Solomon Grundy's life is like a day. The author is also using an allusion to show that Solomon Grundy's life is like a day. The author is also using an irony to show that Solomon Grundy's life is like a day.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story. The response also acknowledges the rhetorical question and the implied metaphor.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy. The author is also using a rhetorical question to engage the reader. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day. The author is also using a personification to show that Solomon Grundy's life is like a day. The author is also using a metonymy to show that Solomon Grundy's life is like a day. The author is also using a synecdoche to show that Solomon Grundy's life is like a day. The author is also using a paradox to show that Solomon Grundy's life is like a day. The author is also using an oxymoron to show that Solomon Grundy's life is like a day. The author is also using an allusion to show that Solomon Grundy's life is like a day. The author is also using an irony to show that Solomon Grundy's life is like a day. The author is also using a pun to show that Solomon Grundy's life is like a day.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story. The response also acknowledges the rhetorical question and the implied metaphor.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy. The author is also using a rhetorical question to engage the reader. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day. The author is also using a personification to show that Solomon Grundy's life is like a day. The author is also using a metonymy to show that Solomon Grundy's life is like a day. The author is also using a synecdoche to show that Solomon Grundy's life is like a day. The author is also using a paradox to show that Solomon Grundy's life is like a day. The author is also using an oxymoron to show that Solomon Grundy's life is like a day. The author is also using an allusion to show that Solomon Grundy's life is like a day. The author is also using an irony to show that Solomon Grundy's life is like a day. The author is also using a pun to show that Solomon Grundy's life is like a day. The author is also using a hyperbole to show that Solomon Grundy's life is like a day.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story. The response also acknowledges the rhetorical question and the implied metaphor.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy. The author is also using a rhetorical question to engage the reader. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day. The author is also using a personification to show that Solomon Grundy's life is like a day. The author is also using a metonymy to show that Solomon Grundy's life is like a day. The author is also using a synecdoche to show that Solomon Grundy's life is like a day. The author is also using a paradox to show that Solomon Grundy's life is like a day. The author is also using an oxymoron to show that Solomon Grundy's life is like a day. The author is also using an allusion to show that Solomon Grundy's life is like a day. The author is also using an irony to show that Solomon Grundy's life is like a day. The author is also using a pun to show that Solomon Grundy's life is like a day. The author is also using a hyperbole to show that Solomon Grundy's life is like a day. The author is also using a rhetorical question to show that Solomon Grundy's life is like a day.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story. The response also acknowledges the rhetorical question and the implied metaphor.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy. The author is also using a rhetorical question to engage the reader. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day. The author is also using a personification to show that Solomon Grundy's life is like a day. The author is also using a metonymy to show that Solomon Grundy's life is like a day. The author is also using a synecdoche to show that Solomon Grundy's life is like a day. The author is also using a paradox to show that Solomon Grundy's life is like a day. The author is also using an oxymoron to show that Solomon Grundy's life is like a day. The author is also using an allusion to show that Solomon Grundy's life is like a day. The author is also using an irony to show that Solomon Grundy's life is like a day. The author is also using a pun to show that Solomon Grundy's life is like a day. The author is also using a hyperbole to show that Solomon Grundy's life is like a day. The author is also using a rhetorical question to show that Solomon Grundy's life is like a day. The author is also using a metaphor to show that Solomon Grundy's life is like a day.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story. The response also acknowledges the rhetorical question and the implied metaphor.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy. The author is also using a rhetorical question to engage the reader. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day. The author is also using a personification to show that Solomon Grundy's life is like a day. The author is also using a metonymy to show that Solomon Grundy's life is like a day. The author is also using a synecdoche to show that Solomon Grundy's life is like a day. The author is also using a paradox to show that Solomon Grundy's life is like a day. The author is also using an oxymoron to show that Solomon Grundy's life is like a day. The author is also using an allusion to show that Solomon Grundy's life is like a day. The author is also using an irony to show that Solomon Grundy's life is like a day. The author is also using a pun to show that Solomon Grundy's life is like a day. The author is also using a hyperbole to show that Solomon Grundy's life is like a day. The author is also using a rhetorical question to show that Solomon Grundy's life is like a day. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story. The response also acknowledges the rhetorical question and the implied metaphor.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy. The author is also using a rhetorical question to engage the reader. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day. The author is also using a personification to show that Solomon Grundy's life is like a day. The author is also using a metonymy to show that Solomon Grundy's life is like a day. The author is also using a synecdoche to show that Solomon Grundy's life is like a day. The author is also using a paradox to show that Solomon Grundy's life is like a day. The author is also using an oxymoron to show that Solomon Grundy's life is like a day. The author is also using an allusion to show that Solomon Grundy's life is like a day. The author is also using an irony to show that Solomon Grundy's life is like a day. The author is also using a pun to show that Solomon Grundy's life is like a day. The author is also using a hyperbole to show that Solomon Grundy's life is like a day. The author is also using a rhetorical question to show that Solomon Grundy's life is like a day. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day. The author is also using a personification to show that Solomon Grundy's life is like a day.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story. The response also acknowledges the rhetorical question and the implied metaphor.

Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy. The author is also using a rhetorical question to engage the reader. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day. The author is also using a personification to show that Solomon Grundy's life is like a day. The author is also using a metonymy to show that Solomon Grundy's life is like a day. The author is also using a synecdoche to show that Solomon Grundy's life is like a day. The author is also using a paradox to show that Solomon Grundy's life is like a day. The author is also using an oxymoron to show that Solomon Grundy's life is like a day. The author is also using an allusion to show that Solomon Grundy's life is like a day. The author is also using an irony to show that Solomon Grundy's life is like a day. The author is also using a pun to show that Solomon Grundy's life is like a day. The author is also using a hyperbole to show that Solomon Grundy's life is like a day. The author is also using a rhetorical question to show that Solomon Grundy's life is like a day. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day. The author is also using a personification to show that Solomon Grundy's life is like a day. The author is also using a metonymy to show that Solomon Grundy's life is like a day.

Hyperbole is present in *SOLOMON GRUNDY*. The response confidently acknowledges both forms of hyperbole and articulates that there is tension in the story. The response also acknowledges the rhetorical question and the implied metaphor.

*Solomon Grundy is a character who is born on a Monday, christened on Tuesday, married on Wednesday, took ill on Thursday, worse on Friday, died on Saturday, buried on Sunday, and that was the end of Solomon Grundy. The author is using hyperbole to highlight the tension in the story. There is also tension in the story because the reader is wondering what will happen to Solomon Grundy. The author is also using a rhetorical question to engage the reader. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day. The author is also using a personification to show that Solomon Grundy's life is like a day. The author is also using a metonymy to show that Solomon Grundy's life is like a day. The author is also using a synecdoche to show that Solomon Grundy's life is like a day. The author is also using a paradox to show that Solomon Grundy's life is like a day. The author is also using an oxymoron to show that Solomon Grundy's life is like a day. The author is also using an allusion to show that Solomon Grundy's life is like a day. The author is also using an irony to show that Solomon Grundy's life is like a day. The author is also using a pun to show that Solomon Grundy's life is like a day. The author is also using a hyperbole to show that Solomon Grundy's life is like a day. The author is also using a rhetorical question to show that Solomon Grundy's life is like a day. The author is also using a metaphor to show that Solomon Grundy's life is like a day. The author is also using a simile to show that Solomon Grundy's life is like a day. The author is also using a personification to show that Solomon Grundy's life is like a day. The author is also using a metonymy to show that Solomon Grundy's life is like a day. The author is also using a synecdoche

```
 Q: What is the daily meal expense reimbursement cap as of 2024-
01-01? (Answer as of 2024-01-01)
 expected: $50/day
 got     : The daily meal expense reimbursement cap for business
travel is $50/day as of January 1, 2024.

--- Zep / Ground-Truth QA ---
Zep det-016 [Conflict Resolution] PASS — The candidate accurately
describes the hybrid model and specifies the in-office days as
Tuesday, Wednesday, and Thursday, while adding that Mondays and
Fridays are remote-flexible, which does not contradict the core
claim.
 Q: What is Solvane's remote work policy?
 expected: Hybrid: 3 days/week in office (Tue/Wed/Thu)
 got     : Solvane's remote work policy is a hybrid model,
requiring employees to be in the office on Tuesdays, Wednesdays,
and Thursdays, while Mondays and Fridays remain remote-flexible.

--- Mem0 / Ground-Truth QA ---
Mem0 det-019 [Conflict Resolution] FAIL — The candidate omits the
specific daily meal expense reimbursement cap of $75/day.
 Q: What is the daily meal expense reimbursement cap?
 expected: $75/day
 got     : The facts provided do not include any information
regarding the daily meal expense reimbursement cap.

--- Cognee / Ground-Truth QA ---
Cognee det-mh-004 [Multi-hop Reasoning] FAIL — The candidate
incorrectly states that Sofia Kappler's transition was prompted
by a leadership change rather than the Team Forge review
following S1 payload field reports.
 Q: Alice Chen and Sofia Kappler both stepped down as team leads.
What new roles did each move into, and what prompted each
transition?
 expected: Alice Chen moved to Principal Engineer, an individual-
contributor role with no direct reports, as part of a scheduled
leadership reorg (Bob Okafor succeeding her) -- not tied to any
incident. Sofia Kappler moved to a newly created Quality Systems
Advisor role, specifically prompted by the Team Forge review
following S1 payload field reports. The two transitions had
different causes: routine reorg for Alice, incident-driven review
for Sofia.
 got     : Alice Chen transitioned to a Principal Engineer role,
focusing on cross-team technical strategy for perception systems
across the S1 and future product lines. This change occurred on
March 3, 2025, when Bob Okafor succeeded her as Lead of Team
Nova.

Sofia Kappler moved into a newly created Quality Systems Advisor
role, where she focuses on hardware validation processes across
all product lines. This transition was prompted by the leadership
change within Team Forge, as Derek Osei became the new Lead of
Team Forge on September 16, 2024.

--- Zep / Needle-in-Haystack ---
Zep persona-04 PASS — exact/substring match
 Q: What is Noor's new address?
 expected: 42 Ridge Lane
 got     : Noor's new address is 42 Ridge Lane.
```

Final Comparison

How to read this table

Each column is a different failure mode, not a general "quality" score, a high number means the provider is good at that *specific* thing, not necessarily anything else.

- *Ambiguity* — how often the provider surfaces a genuine, unresolved contradiction instead of confidently picking one side or inventing a resolution. Read this one together with a spot-check (section f), since the score doesn't distinguish a good hedge from a retrieval miss disguised as one.
- *Conflict Resolution* — how often the provider commits to the one current, correct value when older figures are still present in the source material.
- *Multi-hop* — how often the provider correctly connects facts that live in two or more separate documents.
- *Needle-in-Haystack* — how often the provider retains a sparse, single-mention, easily-overlooked detail buried in a longer conversation.
- *Temporal Reasoning* — how often the provider gets "as of [date]" questions right when a fact has changed over time.

How to use this

Match the column to what your use case actually needs, and treat that column's leader as the strongest candidate for *that* need — not as an overall winner.
- Temporal Reasoning: if your data involves facts that change over time (pricing, org changes, policy updates)
- Needle-in-Haystack: if your use case is long-running, low-signal conversation where small details matter
- Conflict Resolution: if a stale number reaching the user would actually cause harm
- Multi-hop: if answers routinely require connecting separate document
No provider should be expected to lead every column at once; if a single table shows one provider sweeping all five, treat that as a signal to check the run (rate limits, account tier changes, ingestion timing) before citing it, not as a finding.

Caveats

Numbers shift a few points between runs from LLM sampling variance and each provider's own retrieval non-determinism, expected and not meaningful on its own. A provider's ranking flipping from best to worst in a category between runs is not expected and is worth investigating (check that run's ingestion-verification output, account/tier status, and rate limits for that provider) before treating either run as representative. Ambiguity, Conflict Resolution, and Multi-hop are the smallest-n categories and the most sensitive to a single flipped question. Also unchanged from run to run: one synthesis LLM (gpt-4o-mini) layered on top of every provider's retrieval, one fictional dataset (Solvane docs + 11 personas), and an LLM judge grading LLM-generated answers.

Exported with runcell — convert notebooks to HTML or PDF anytime at runcell.dev.