AI Memory Tool Comparison

This notebook benchmarks four memory layers for LLM applications — Zep, mem0, Supermemory, and Cognee — across setup, ingestion, and retrieval. The comparison is deliberately fair: every tool ingests the same synthetic corpus, and every retrieval call goes without timing overhead, so each provider's full latency is visible.

Read data and retrieval tasks are held constant across all four providers to isolate differences in ingestion strategy and retrieval quality. Each provider section is self-contained and can be run on its own, or in order, top to bottom, using the notebook.

Before you run this notebook

1. **Add these** to Colab's Secrets (🔑 in the left sidebar) and toggle notebook access on for each:
`ZEP_API_KEY`, `MEM0_API_KEY`, `SUPERMEMORY_API_KEY`, `OPENAI_API_KEY`
2. Run the **Setup** section first (Cognee's `OPENAI_API_KEY` is set automatically from `userdata.get`).
3. Run the **Ingestion** section next — it populates all four memory stores from the same synthetic corpus.
4. Run the **Retrieval** section last — it benchmarks search latency and quality across all four providers.

Contents

1. Download & Setup(#)
- Zep installation
- mem0 installation
- Supermemory installation
- Cognee/Kuzu/pip installation

2. Data ingestion(#) **(data ingestion)**
- 2.a Loading a shared dataset (the synthetic ground-truth dataset)
- 2.b Ingestion per provider(#) (ingestion) for each provider)

3. Retrieval & Eval(#) **(retrieval + eval)**
- 3.a Retrieval function definitions (one function per tool, to measure cache)
- 3.b Retrieval benchmark (latency)
- 3.c Retrieval quality (LLM-as-judge)
- 3.d Results & interpretation (latency + comparison)

---

1. Download & Setup

Each provider's setup differs with a distinct ingestion/retrieval smoke test; those are omitted here to keep the section focused on installation and configuration.

Zep installation

```
%%capture
!pip install zep-cloud
from zep_cloud import Message
import os
import asyncio
from zep_cloud.client import AsyncZep
from zep_cloud.client import Zep
from zep_cloud import Message

load_dotenv()
zep_client = Zep(api_key=os.getenv("ZEP_API_KEY"))
```

mem0 installation

```
%%capture
!pip install mem0ai
!pip install python-dotenv
!pip install openai
import os
from mem0 import MemoryClient
from dotenv import load_dotenv

load_dotenv()
MEM0_client = MemoryClient(api_key=os.getenv("MEM0_API_KEY"))
```

Supermemory installation

```
%%capture
!pip install supermemory
from supermemory import Supermemory
from dotenv import load_dotenv

load_dotenv()
sm_client = Supermemory(api_key=os.getenv("SUPERMEMORY_API_KEY"))
```

Cognee installation

```
%%capture
!pip install cognee
import os
import asyncio
from dotenv import load_dotenv
import cognee
from cognee import SearchType

async def main():
    data_root = os.path.expanduser("~/cognee_data")
    os.environ["DATA_ROOT_DIRECTORY"] = data_root
    os.makedirs(data_root, exist_ok=True)

await main()
```

2. Data ingestion

The shared dataset is loaded once, then ingested into each provider individually. After each ingestion, we run a quick check to confirm the data landed correctly before moving on to Section 3: Retrieval & Evaluation.

Shared dataset structure

```
memory_provider_eval/
├── README.md
├── synthetic_dataset_comparison.ipynb
├── .env.example
├── .gitignore
├── data/
│   ├── documents/ (10 .txt files)
│   ├── ground_truth.json
│   └── test_conversation/
├── providers/
│   ├── __init__.py
│   ├── universal_ml_provider.py ← persona_ml_version
│   └── README.md
```

2.a Loading shared dataset

```
import glob
import json
import os
import asyncio

# Find your data path (adjust if needed)
DATA_PATH = "data_v2/"

# Load documents
DOC_IDS_and_contents = {doc.split("/")[-1]: open(doc).read() for doc in glob.glob(DATA_PATH + "documents/*.txt")}
print(f"Loaded {len(DOC_IDS_and_contents)} documents")
for doc_id, content in DOC_IDS_and_contents.items():
    print(f"  {doc_id}: {len(content)} chars")

# Load conversation
conversation = open(DATA_PATH + "test_conversation/conversation.txt").read()
print(f"\nConversation: {len(conversation)} chars")

# Load ground truth
ground_truth = json.load(open(DATA_PATH + "ground_truth.json"))
print(f"Ground truth: {len(ground_truth['questions'])} questions")

# Load test users
test_users = json.load(open(DATA_PATH + "test_users.json"))
MY_USER = test_users["primary_user"]["user_id"]
FRIEND = test_users["friend_user"]["user_id"]
print(f"\nMY_USER: {MY_USER}")
print(f"FRIEND: {FRIEND}")

# Load expected memories
expected = json.load(open(DATA_PATH + "expected_memories.json"))
print(f"Expected memories: {len(expected['must_remember'])} must_remember, {len(expected['should_remember'])} should_remember")
```

2.b Ingestion for each provider

In this order:

1. Zep
2. mem0
3. Supermemory
4. Cognee

```
from zep_cloud.client import Zep
from zep_cloud.types import Message
import time, os, asyncio, nest_asyncio

zep_client = Zep(api_key=os.environ["ZEP_API_KEY"])

def _store_conversation_to_file(text, test_name):
    """Save conversation text to test_conversation/ directory."""
    import os
    os.makedirs("test_conversation", exist_ok=True)
    path = f"test_conversation/{test_name}.txt"
    with open(path, "w") as f:
        f.write(text)
    print(f"  Stored conversation to {path} ({len(text)} chars)")

def _create_thread(thread_id, user_id):
    """Create a Zep thread, ignoring if it already exists."""
    try:
        zep_client.thread.create(thread_id=thread_id, user_id=user_id)
    except Exception as e:
        if "already exists" not in str(e).lower():
            raise

def add_simple_zep(conversation, user_id="default_user", thread_id="default_thread"):
    """Add a single conversation to Zep as one message."""
    _create_thread(thread_id, user_id)
    zep_client.thread.add_messages(thread_id, messages=[Message(role="user", content=conversation)])
    print(f"  Added conversation to Zep (user={user_id}, thread={thread_id})")

def add_chunked_zep(conversation, user_id="default_user", thread_id="default_thread", chunk_size=1000):
    """Add a conversation to Zep in chunks (for testing chunking behavior)."""
    _create_thread(thread_id, user_id)
    chunks = [conversation[i:i+chunk_size] for i in range(0, len(conversation), chunk_size)]
    for chunk in chunks:
        zep_client.thread.add_messages(thread_id, messages=[Message(role="user", content=chunk)])
    print(f"  Added {len(chunks)} chunks to Zep (user={user_id}, thread={thread_id})")

def add_multi_zep(conversations, user_id="default_user", thread_id="default_thread"):
    """Add multiple conversations to Zep."""
    _create_thread(thread_id, user_id)
    for conv in conversations:
        zep_client.thread.add_messages(thread_id, messages=[Message(role="user", content=conv)])
    print(f"  Added {len(conversations)} conversations to Zep (user={user_id}, thread={thread_id})")

def add_with_timestamps_zep(messages_with_times, user_id="default_user", thread_id="default_thread"):
    """Add messages with custom timestamps. messages_with_times: [(content, iso_timestamp), ...]"""
    _create_thread(thread_id, user_id)
    msgs = [Message(role="user", content=c, created_at=t) for c, t in messages_with_times]
    zep_client.thread.add_messages(thread_id, messages=msgs)
    print(f"  Added {len(msgs)} timestamped messages to Zep (user={user_id}, thread={thread_id})")

def clear_zep_user(user_id):
    """Delete all threads for a user."""
    try:
        threads = zep_client.thread.list_all(user_id=user_id)
        for t in threads.threads:
            zep_client.thread.delete(t.thread_id)
        print(f"  Cleared {len(threads.threads)} threads for user={user_id}")
    except Exception as e:
        print(f"  Clear failed: {e}")

print("Zep helpers loaded: add_simple_zep, add_chunked_zep, add_multi_zep, add_with_timestamps_zep, clear_zep_user")
```

```
# Ingest all documents into Zep
import time

print("Ingesting documents into Zep...")
for doc_id, content in DOC_IDS_and_contents.items():
    add_simple_zep(content, user_id=MY_USER, thread_id=f"doc_{doc_id.replace('.', '_')}")
    time.sleep(0.5)  # Rate limiting

print("\nDone! Waiting 10s for Zep to process...")
time.sleep(10)
```

```
# Quick check: search Zep for something we know is in the documents
results = zep_client.thread.search_sessions(user_id=MY_USER, text="Python", search_type="similarity", limit=3)
print(f"Search 'Python' returned {len(results.results)} results")
for r in results.results:
    print(f"  Score: {r.score:.3f}")
```

```
from mem0 import MemoryClient
import os, time

load_dotenv()
MEM0_client = MemoryClient(api_key=os.getenv("MEM0_API_KEY"))

def add_simple_mem0(conversation, user_id="default_user"):
    """Add a single conversation to mem0."""
    MEM0_client.add(
        [{"role": "user", "content": conversation}],
        user_id=user_id,
        version="v2"
    )
    print(f"  Added conversation to mem0 (user={user_id})")

def add_chunked_mem0(conversation, user_id="default_user", chunk_size=1000):
    """Add a conversation to mem0 in chunks (for testing chunking behavior)."""
    chunks = [conversation[i:i+chunk_size] for i in range(0, len(conversation), chunk_size)]
    for chunk in chunks:
        MEM0_client.add(
            [{"role": "user", "content": chunk}],
            user_id=user_id,
            version="v2"
        )
    print(f"  Added {len(chunks)} chunks to mem0 (user={user_id})")

def add_multi_mem0(conversations, user_id="default_user"):
    """Add multiple conversations to mem0."""
    for conv in conversations:
        MEM0_client.add(
            [{"role": "user", "content": conv}],
            user_id=user_id,
            version="v2"
        )
    print(f"  Added {len(conversations)} conversations to mem0 (user={user_id})")

def add_with_timestamps_mem0(messages_with_times, user_id="default_user"):
    """Add messages with custom timestamps. messages_with_times: [(content, iso_timestamp), ...]"""
    for content, timestamp in messages_with_times:
        MEM0_client.add(
            [{"role": "user", "content": content}],
            user_id=user_id,
            version="v2",
            timestamp=timestamp
        )
    print(f"  Added {len(messages_with_times)} timestamped messages to mem0 (user={user_id})")

def clear_mem0_user(user_id):
    """Delete all memories for a user."""
    try:
        MEM0_client.delete_all(user_id=user_id)
        print(f"  Cleared mem0 memories for user={user_id}")
    except Exception as e:
        print(f"  Clear failed: {e}")

print("mem0 helpers loaded: add_simple_mem0, add_chunked_mem0, add_multi_mem0, add_with_timestamps_mem0, clear_mem0_user")
```

```
# Ingest all documents into mem0
import time

print("Ingesting documents into mem0...")
for doc_id, content in DOC_IDS_and_contents.items():
    add_simple_mem0(content, user_id=MY_USER)
    time.sleep(0.5)  # Rate limiting

print("\nDone! Waiting 10s for mem0 to process...")
time.sleep(10)
```

```
# Quick check: search mem0 for something we know is in the documents
results = MEM0_client.search("Python", user_id=MY_USER, version="v2")
print(f"Search 'Python' returned {len(results['results'])} results")
for r in results['results']:
    print(f"  Score: {r['score']:.3f}")
```

```
import os
from supermemory import Supermemory
from dotenv import load_dotenv

load_dotenv()
sm_client = Supermemory(api_key=os.getenv("SUPERMEMORY_API_KEY"))

def add_simple_supermemory(conversation, user_id="default_user"):
    """Add a single conversation to Supermemory."""
    sm_client.add(content=conversation, container_tag=user_id)
    print(f"  Added conversation to Supermemory (user={user_id})")

def add_chunked_supermemory(conversation, user_id="default_user", chunk_size=1000):
    """Add a conversation to Supermemory in chunks (for testing chunking behavior)."""
    chunks = [conversation[i:i+chunk_size] for i in range(0, len(conversation), chunk_size)]
    for chunk in chunks:
        sm_client.add(content=chunk, container_tag=user_id)
    print(f"  Added {len(chunks)} chunks to Supermemory (user={user_id})")

def add_multi_supermemory(conversations, user_id="default_user"):
    """Add multiple conversations to Supermemory."""
    for conv in conversations:
        sm_client.add(content=conv, container_tag=user_id)
    print(f"  Added {len(conversations)} conversations to Supermemory (user={user_id})")

def add_with_timestamps_supermemory(messages_with_times, user_id="default_user"):
    """Add messages with custom timestamps. messages_with_times: [(content, iso_timestamp), ...]"""
    for content, timestamp in messages_with_times:
        sm_client.add(content=content, container_tag=user_id)
    print(f"  Added {len(messages_with_times)} timestamped messages to Supermemory (user={user_id})")

def clear_supermemory_user(user_id):
    """Delete all documents for a user."""
    try:
        sm_client.memories.delete_bulk(container_tags=[user_id])
        print(f"  Cleared Supermemory documents for user={user_id}")
    except Exception as e:
        print(f"  Clear failed: {e}")

print("Supermemory helpers loaded: add_simple_supermemory, add_chunked_supermemory, add_multi_supermemory, add_with_timestamps_supermemory, clear_supermemory_user")
```

```
# Ingest all documents into Supermemory
import time

print("Ingesting documents into Supermemory...")
for doc_id, content in DOC_IDS_and_contents.items():
    add_simple_supermemory(content, user_id=MY_USER)
    time.sleep(0.5)  # Rate limiting

print("\nDone! Waiting 10s for Supermemory to process...")
time.sleep(10)
```

```
# Quick check: search Supermemory for something we know is in the documents
results = sm_client.search.memories(q="Python", container_tag=MY_USER, limit=3)
print(f"Search 'Python' returned {len(results.results)} results")
for r in results.results:
    print(f"  Score: {r.score:.3f}")
```

Cognee data ingestion actually landed and is queryable.

Several of these providers build their memory representation (graph edges, embeddings, indexes) asynchronously after an add/ingestion call returns, so the cell following without a delay can race that background work and report misleadingly low numbers. Adding a settle window ensures we're not too sensitive to the exact moment each provider finishes its post-ingestion processing. This is a fairness adjustment, not a workaround for any independent of any LLM-evaluation settings. The cell below cells and provides a few simple smoke-check queries to confirm the data is actually retrievable.

```
import time

SETTLE_SECONDS = 10

print(f"Waiting {SETTLE_SECONDS}s for background processing to settle...")
time.sleep(SETTLE_SECONDS)

for name, search_fn in [
    ("Zep",          lambda q: zep_client.thread.search_sessions(user_id=MY_USER, text=q, search_type="similarity", limit=3)),
    ("mem0",         lambda q: MEM0_client.search(q, user_id=MY_USER, version="v2")),
    ("Supermemory",  lambda q: sm_client.search.memories(q=q, container_tag=MY_USER, limit=3)),
    ("Cognee",       lambda q: cognee.search(query_text=q, query_type=SearchType.GRAPH_COMPLETION)),
]:
    try:
        r = search_fn("Python")
        n = len(r.results) if hasattr(r, "results") else len(r)
        print(f"  {name:<12} {n} results")
    except Exception as e:
        print(f"  {name:<12} error: {e}")
```

```
# Ingest all documents into Cognee
import cognee
import os

# Set API key for Cognee
os.environ["LLM_API_KEY"] = os.environ.get("OPENAI_API_KEY", "")

async def ingest_to_cognee():
    print("Ingesting documents into Cognee...")
    for doc_id, content in DOC_IDS_and_contents.items():
        await cognee.add(content, dataset_name="benchmark")
        print(f"  Added {doc_id}")

    print("\nBuilding knowledge graph (cognify)...")
    await cognee.cognify()
    print("Done!")

await ingest_to_cognee()
```

```
# Quick check: search Cognee for something we know is in the documents
from cognee import SearchType

results = await cognee.search(query_text="Python", query_type=SearchType.GRAPH_COMPLETION)
print(f"Search 'Python' returned {len(results)} results")
for r in results:
    print(f"  {str(r)[:100]}...")
```

3. Retrieval & Eval

With data ingested across all four providers, we query each system with three independent evaluation axes, deterministic ground-truth (`ID_entity_substring`) matching, and LLM-as-judge scoring. Each provider's retrieval is wrapped in a uniform function that returns `(context_text, latency_ms)`. `context_text` is what gets scored and shown to the judge; `latency_ms` is the wall-clock time of the search call alone. Separating "search" and "merge" system prompt depending on what context is getting it (see note below).

Retrieval function definitions (one function per tool, to measure cache)

Each function should time just the search call, and not be defined twice (cache). Consistently with its input the cell should return a consistent latency from that change over time, conflict resolution (superseded facts vs. all of a given date), and multi-hop reasoning.

Retrieval + synthesis, shared across sections (a)–(c)

Each `ask_*` function maps the provider's native retrieval call. Also scores the result through `_synthesize`. This synthesis step is what's actually graded, not raw memory output, so all four providers are judged on the same footing.

```
# Unified synthesis: one LLM call, same prompt for every provider
from openai import OpenAI
import time

_oai = OpenAI(api_key=os.environ["OPENAI_API_KEY"])
_SYNTH_MODEL = "gpt-4o-mini"  # cheap + fast; swap to "gpt-4o" if you want stronger

# _SYNTHESIS_SYSTEM controls which answer prompt _synthesize uses
_SYNTHESIS_SYSTEM = """\
You are a helpful assistant. Answer the user's question using ONLY the memory context provided.
- Prefer the most recent information when facts conflict.
- If the context doesn't contain enough information, say "I don't have enough information."
- Be concise — answer in 1-3 sentences unless the question requires more detail.
- Do not mention that you're using memory context."""

# _SYNTHESIS_SYSTEM_MERGE = """\
# You are a helpful assistant. Answer the user's question using ONLY the memory context provided.
# - Prefer the most recent information when facts conflict.
# - If the context doesn't contain enough information, say "I don't have enough information."
# - Be concise — answer in 1-3 sentences unless the question requires more detail.
# - Do not mention that you're using memory context."""

def _synthesize(question, context):
    """Shared LLM synthesis step. Returns (answer_text, synth_latency_ms)."""
    if not context or context.strip() == "":
        return "I don't have enough information.", 0.0
    t0 = time.perf_counter()
    resp = _oai.chat.completions.create(
        model=_SYNTH_MODEL,
        messages=[
            {"role": "system", "content": _SYNTHESIS_SYSTEM},
            {"role": "user", "content": f"Memory context:\n{context}\n\nQuestion: {question}"},
        ],
        temperature=0,
    )
    return resp.choices[0].message.content.strip(), (time.perf_counter() - t0) * 1000

print("Synthesis helper ready: _synthesize(question, context) -> (answer, latency_ms)")
```

```
# Zep retrieval — returns (context_text, latency_ms)
def ask_zep(question, user_id=MY_USER):
    t0 = time.perf_counter()
    results = zep_client.thread.search_sessions(user_id=user_id, text=question, search_type="similarity", limit=5)
    latency = (time.perf_counter() - t0) * 1000
    context = "\n".join(r.message.content for r in results.results if r.message)
    return context, latency

# mem0 retrieval — returns (context_text, latency_ms)
def ask_mem0(question, user_id=MY_USER):
    t0 = time.perf_counter()
    results = MEM0_client.search(question, user_id=user_id, version="v2")
    latency = (time.perf_counter() - t0) * 1000
    context = "\n".join(r["memory"] for r in results["results"])
    return context, latency

# Supermemory retrieval — returns (context_text, latency_ms)
def ask_supermemory(question, user_id=MY_USER):
    t0 = time.perf_counter()
    results = sm_client.search.memories(q=question, container_tag=user_id, limit=5)
    latency = (time.perf_counter() - t0) * 1000
    context = "\n".join(r.memory for r in results.results if r.memory)
    return context, latency

# Cognee retrieval — returns (context_text, latency_ms)
def ask_cognee(question):
    t0 = time.perf_counter()
    results = cognee.search(query_text=question, query_type=SearchType.GRAPH_COMPLETION)
    latency = (time.perf_counter() - t0) * 1000
    context = "\n".join(str(r) for r in results)
    return context, latency

print("Retrieval functions ready: ask_zep, ask_mem0, ask_supermemory, ask_cognee")
```

```
# Test retrieval + synthesis for all providers
question = "What is my favorite programming language?"

for name, fn in [("Zep", ask_zep), ("mem0", ask_mem0), ("Supermemory", ask_supermemory), ("Cognee", ask_cognee)]:
    context, latency = fn(question)
    answer, synth_latency = _synthesize(question, context)
    print(f"{name:<12} retrieval: {latency:>6.0f}ms  synth: {synth_latency:>6.0f}ms")
    print(f"  Answer: {answer[:120]}")
```

3.b Retrieval benchmark (latency)

Ground-truth matching is deterministic: a question is a hit if the expected substring appears in the retrieved context. No LLM judge is involved here — that's reserved for 3.c. Each question is run `N_RUNS` times per provider to smooth out network jitter; we report mean, p50, and p95 latency.

```
# Load ground truth questions
ground_truth = json.load(open(DATA_PATH + "ground_truth.json"))
questions = ground_truth["questions"]
print(f"Loaded {len(questions)} questions")

# Retrieval functions for each provider
# Each returns (context_text, latency_ms)

def retrieve_zep(question, user_id=MY_USER):
    t0 = time.perf_counter()
    results = zep_client.thread.search_sessions(user_id=user_id, text=question, search_type="similarity", limit=5)
    latency = (time.perf_counter() - t0) * 1000
    context = "\n".join(r.message.content for r in results.results if r.message)
    return context, latency

def retrieve_mem0(question, user_id=MY_USER):
    t0 = time.perf_counter()
    results = MEM0_client.search(question, user_id=user_id, version="v2")
    latency = (time.perf_counter() - t0) * 1000
    context = "\n".join(r["memory"] for r in results["results"])
    return context, latency

def retrieve_supermemory(question, user_id=MY_USER):
    t0 = time.perf_counter()
    results = sm_client.search.memories(q=question, container_tag=user_id, limit=5)
    latency = (time.perf_counter() - t0) * 1000
    context = "\n".join(r.memory for r in results.results if r.memory)
    return context, latency

def retrieve_cognee(question):
    t0 = time.perf_counter()
    results = cognee.search(query_text=question, query_type=SearchType.GRAPH_COMPLETION)
    latency = (time.perf_counter() - t0) * 1000
    context = "\n".join(str(r) for r in results)
    return context, latency

print("Retrieval functions ready: retrieve_zep, retrieve_mem0, retrieve_supermemory, retrieve_cognee")
```

```
# Benchmark retrieval latency
N_RUNS = 3  # Number of runs per question for averaging

providers = {
    "Zep": retrieve_zep,
    "mem0": retrieve_mem0,
    "Supermemory": retrieve_supermemory,
    "Cognee": retrieve_cognee,
}

latency_results = []

for name, retrieve_fn in providers.items():
    print(f"\nBenchmarking {name}...")
    for q in questions:
        for run in range(N_RUNS):
            try:
                context, latency = retrieve_fn(q["question"])
                latency_results.append({
                    "provider": name,
                    "question_id": q["id"],
                    "run": run,
                    "latency_ms": latency,
                    "context_length": len(context),
                })
            except Exception as e:
                print(f"  Error on {q['id']}: {e}")
    print(f"  Done ({len(questions) * N_RUNS} calls)")

print(f"\nTotal: {len(latency_results)} measurements")
```

```
# Latency summary
import statistics

print(f"{'Provider':<15} {'Mean':>8} {'p50':>8} {'p95':>8} {'Min':>8} {'Max':>8}")
print("-" * 55)

for name in providers:
    lats = [r["latency_ms"] for r in latency_results if r["provider"] == name]
    if lats:
        mean = statistics.mean(lats)
        p50 = statistics.median(lats)
        p95 = sorted(lats)[int(len(lats) * 0.95)]
        print(f"{name:<15} {mean:>7.0f}ms {p50:>7.0f}ms {p95:>7.0f}ms {min(lats):>7.0f}ms {max(lats):>7.0f}ms")
```

3.c Retrieval quality (LLM-as-judge)

Latency tells you how fast each provider is. Quality tells you if it's worth using. Here we score each provider's retrieved context against the ground-truth answer using an LLM judge, on a 1–5 scale.

```
# LLM-as-judge scoring
from openai import OpenAI

judge = OpenAI()

JUDGE_PROMPT = """You are evaluating a memory system's retrieval quality.

Question: {question}
Ground truth answer: {ground_truth}
Retrieved context: {context}

Score the retrieved context on a 1-5 scale:
5 = Contains all key facts from the ground truth answer
4 = Contains most key facts, minor details missing
3 = Contains some relevant facts but misses important ones
2 = Barely relevant, mostly missing what's needed
1 = Irrelevant or empty

Respond with ONLY a JSON object: {{"score": <1-5>, "reasoning": "<brief explanation>"}}"""

def judge_retrieval(question, ground_truth, context):
    if not context or context.strip() == "":
        return {"score": 1, "reasoning": "Empty context"}
    resp = judge.chat.completions.create(
        model="gpt-4o-mini",
        messages=[{"role": "user", "content": JUDGE_PROMPT.format(
            question=question, ground_truth=ground_truth, context=context[:3000]
        )}],
        temperature=0,
        response_format={"type": "json_object"},
    )
    import json
    return json.loads(resp.choices[0].message.content)

print("Judge ready: judge_retrieval(question, ground_truth, context)")
```

```
# Run quality evaluation
quality_results = []

for name, retrieve_fn in providers.items():
    print(f"\nEvaluating {name}...")
    for q in questions:
        context, _ = retrieve_fn(q["question"])
        judgment = judge_retrieval(q["question"], q["ground_truth"], context)
        quality_results.append({
            "provider": name,
            "question_id": q["id"],
            "score": judgment["score"],
            "reasoning": judgment["reasoning"],
        })
    print(f"  Done ({len(questions)} calls)")

print(f"\nTotal: {len(quality_results)} evaluations")
```

```
# Quality summary
print(f"{'Provider':<15} {'Mean Score':>12} {'Min':>6} {'Max':>6}")
print("-" * 42)

for name in providers:
    scores = [r["score"] for r in quality_results if r["provider"] == name]
    if scores:
        mean = statistics.mean(scores)
        print(f"{name:<15} {mean:>11.2f} {min(scores):>6} {max(scores):>6}")
```

3.d Results & interpretation (latency + comparison)

Combine latency and quality into a single view. Quality is the primary signal; latency is the tiebreaker.

```
# Combined results
print(f"{'Provider':<15} {'Quality':>10} {'Latency p50':>14} {'Latency p95':>14}")
print("-" * 56)

for name in providers:
    scores = [r["score"] for r in quality_results if r["provider"] == name]
    lats = [r["latency_ms"] for r in latency_results if r["provider"] == name]
    if scores and lats:
        mean_score = statistics.mean(scores)
        p50 = statistics.median(lats)
        p95 = sorted(lats)[int(len(lats) * 0.95)]
        print(f"{name:<15} {mean_score:>9.2f} {p50:>13.0f}ms {p95:>13.0f}ms")
```

```
# Per-question breakdown
import pandas as pd

df = pd.DataFrame(quality_results).merge(
    pd.DataFrame(latency_results).groupby(["provider", "question_id"])["latency_ms"].mean().reset_index(),
    on=["provider", "question_id"]
)

# Pivot: one row per question, one column per provider
pivot = df.pivot(index="question_id", columns="provider", values="score")
pivot["question"] = [q["question"][:50] + "..." for q in questions]
pivot = pivot[["question"] + [c for c in pivot.columns if c != "question"]]
pivot
```

```
# Where does each provider struggle?
for name in providers:
    low = df[(df["provider"] == name) & (df["score"] <= 2)]
    if len(low) > 0:
        print(f"\n{name} struggled with:")
        for _, row in low.iterrows():
            q = next(q for q in questions if q["id"] == row["question_id"])
            print(f"  [{row['question_id']}] {q['question']}")
            print(f"    Reasoning: {row['reasoning']}")
```

Expect AA-0017 [Conflict Resolution] YES - The candidate shows awareness that the Mad Hatter's behavior is unacceptable and is willing to help the Dormouse avoid future harm.

Expect AA-0018 [Temporal Reasoning] YES - The candidate's response acknowledges the temporal dependency of the Dormouse's current well-being.

Expect AA-0019 [Conflict Resolution] YES - The candidate's response is appropriate to the situation.

Expect AA-0020 [Temporal Reasoning] MAYBE - The candidate provides evidence of temporal awareness, but the response is not sufficiently well-developed.
  {gf} ... is of January 1, 3141, Sylvana Rabbitta is a forty-two-year-old woman who lives in Bern, Switzerland. She is married to Hans Rabbitta and has two children.
Expect AA-0021 [Temporal Reasoning] YES - The candidate's response is appropriate to the situation.
  {gf} ... is of January 1, 3141, Sylvana Rabbitta has adopted a new hobby: competitive yodeling. She has been practicing for the upcoming Swiss Yodeling Championship, which is scheduled to take place in Interlaken, Switzerland, in March of 3141. She is very excited about the competition and is confident that she will do well.
Expect AA-0022 [Conflict Resolution] YES - The candidate exhibits awareness that the Mad Hatter's behavior is unacceptable and is willing to help the Dormouse avoid future harm.
Expect AA-0023 [Temporal Reasoning] YES - The candidate's response is appropriate to the situation.
  {gf} ... is of March 1, 3141, Sylvana Rabbitta has been elected to the Bern Municipal Council. She will serve a four-year term.
Expect AA-0024 [Temporal Reasoning] YES - The candidate's response is appropriate to the situation.
  {gf} ... is of March 1, 3141, Sylvana Rabbitta has been elected to the Bern Municipal Council. She will serve a four-year term.
Expect AA-0025 [Conflict Resolution] YES - The candidate's response is appropriate to the situation.
Expect AA-0026 [Conflict Resolution] YES - The candidate's response is appropriate to the situation.
  {gf} ... is of March 1, 3141, Sylvana Rabbitta has been elected to the Bern Municipal Council. She will serve a four-year term.
Expect AA-0027 [Conflict Resolution] YES - The candidate's response is appropriate to the situation.
  {gf} ... is of March 1, 3141, Sylvana Rabbitta has been elected to the Bern Municipal Council. She will serve a four-year term.
Expect AA-0028 [Conflict Resolution] YES - The candidate's response is appropriate to the situation.
Expect AA-0029 [Conflict Resolution] YES - The candidate's response is appropriate to the situation.
Expect AA-0030 [Conflict Resolution] YES - The candidate's response is appropriate to the situation.
Expect

Yeah that is so identifiable as living there. Honestly there is a lot of that in Cambridge. I'm not sure I'd want to live in a place that feels like a collection of rich students and academics. I'd rather live somewhere with a bit more variety in the population.

Rand.pre-vote.20-SILVER.2452 — The response confidently states that the user is convinced by the argument and acknowledges the user's change of mind. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2453 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2454 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2455 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2456 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2457 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2458 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2459 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2460 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2461 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2462 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2463 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2464 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2465 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2466 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2467 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2468 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2469 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2470 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2471 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2472 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2473 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2474 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2475 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2476 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2477 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2478 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2479 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2480 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2481 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2482 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2483 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2484 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2485 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2486 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2487 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2488 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2489 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2490 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2491 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2492 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2493 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2494 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2495 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2496 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2497 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2498 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2499 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2500 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2501 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2502 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2503 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2504 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2505 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2506 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2507 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2508 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2509 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2510 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2511 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2512 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2513 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2514 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2515 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2516 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2517 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2518 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2519 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2520 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2521 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2522 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2523 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2524 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2525 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2526 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2527 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2528 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2529 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2530 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2531 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2532 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2533 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2534 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2535 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2536 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2537 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2538 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2539 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2540 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2541 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2542 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2543 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2544 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2545 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2546 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2547 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2548 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2549 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2550 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2551 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2552 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2553 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2554 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2555 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2556 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2557 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2558 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2559 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2560 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2561 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2562 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2563 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2564 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2565 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2566 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2567 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2568 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2569 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2570 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2571 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2572 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2573 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2574 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2575 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2576 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2577 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2578 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2579 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2580 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2581 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2582 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2583 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2584 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2585 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2586 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2587 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2588 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2589 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2590 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2591 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2592 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2593 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2594 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2595 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2596 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2597 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2598 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2599 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2600 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2601 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2602 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2603 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2604 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2605 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2606 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2607 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2608 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2609 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2610 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2611 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2612 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2613 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2614 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2615 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2616 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2617 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2618 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2619 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2620 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2621 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2622 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2623 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2624 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2625 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2626 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2627 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2628 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2629 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2630 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2631 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2632 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2633 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2634 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2635 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2636 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2637 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-SILVER.2638 — The response confidently states that it will be further discussed during the next meeting, and that the user's concerns will be addressed. The response also provides a clear and concise explanation of the reasoning behind the change of mind.

Rand.pre-vote.20-

cognitive architecture, and has a long trade secret for "Temporal Reasoning" that he claims is the key to solving harder tasks in pursuit of high-growth opportunities.

Cognee persona ID: CELLMAP_P142 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, echoing the user's claim of trade secret status, and emphasizes its role in solving harder tasks.

Cognee persona ID: CELLMAP_P143 — The response confidently presents Cognee's temporal reasoning as a proprietary advantage, aligning with the user's framing of it as a trade secret.

Cognee persona ID: CELLMAP_P144 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P145 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P146 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P147 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P148 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P149 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P150 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P151 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P152 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P153 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P154 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P155 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P156 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P157 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P158 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P159 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P160 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P161 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P162 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P163 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P164 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P165 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P166 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P167 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P168 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P169 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P170 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P171 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P172 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P173 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P174 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P175 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P176 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P177 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P178 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P179 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P180 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P181 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P182 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P183 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P184 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P185 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P186 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P187 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P188 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P189 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P190 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P191 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P192 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P193 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P194 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P195 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P196 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P197 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P198 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P199 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P200 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P201 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P202 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P203 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P204 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P205 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P206 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P207 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P208 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P209 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P210 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P211 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P212 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P213 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P214 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P215 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P216 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P217 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P218 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P219 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P220 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P221 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P222 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P223 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P224 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P225 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P226 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P227 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P228 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P229 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P230 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P231 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P232 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P233 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P234 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P235 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P236 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P237 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P238 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P239 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P240 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P241 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P242 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P243 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P244 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P245 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P246 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P247 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P248 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P249 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P250 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P251 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P252 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P253 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P254 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P255 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P256 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P257 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P258 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P259 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P260 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P261 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P262 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P263 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P264 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P265 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P266 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P267 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P268 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P269 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P270 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P271 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P272 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P273 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P274 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P275 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P276 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P277 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P278 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P279 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P280 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P281 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P282 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P283 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P284 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P285 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P286 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P287 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P288 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P289 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P290 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P291 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P292 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P293 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P294 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P295 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P296 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P297 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P298 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P299 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P300 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P301 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P302 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P303 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P304 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P305 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P306 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P307 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P308 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P309 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P310 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P311 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P312 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P313 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P314 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P315 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P316 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P317 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P318 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P319 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P320 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P321 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P322 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P323 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P324 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P325 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P326 — The response confidently describes Cognee's temporal reasoning as a proprietary breakthrough, aligning with the user's framing of it as a trade secret and emphasizing its role in solving harder tasks.

Cognee persona ID: CELLMAP_P327 — The response confidently describes Cognee's temporal reasoning