


Navigation flow



Design principles

- Runs in any modern browser - nothing to install; tablet-friendly for field use.
- Sales-first dashboard: the tank closest to 20% is always on top.
- Rules are prevented, not just reported: blocked associations explain *why*.
- Status is never colour-only (label + shade), following accessibility guidelines.

Screens and roles

Screen	Sales	Field Tech
SCR-01 Site Dashboard	View	View
SCR-02 Equipment List	View + New/Edit	View
SCR-03 Tank Form	Create / Edit	Not available
SCR-04 Association Manager	Create / End	Create / End
SCR-05 Tank Detail	View	View
SCR-06 Well Detail	View	View
SCR-07 Alerts & Reports	View + Export	View + Export

Legend

- 1** Numbered notes explain behaviour and cite requirement IDs (FR / BR / US).
- A** Product chip **CRITICAL** **WARNING** **OK**
- Red dashed line = 20% minimum level.
- ☒ existing association ☐ pending change

LOGO

Site: Site 1 – Onshore North ▾

🔔 3 | User: Maria S. (Sales) ▾

Dashboard

Equipment

Associations

Alerts & Reports

Admin ▶

Site Dashboard – Site 1 1

Tanks
4

Critical / Warning
1 / 1

Min. autonomy
3.7 d

Data freshness
100% 5

🔍 Search tank...

Product ▾

Status ▾

↓ Export

Tank	Product	Capacity	Volume vs 20% line 2	Rate (L/day) 3	Autonomy 4	Status	Last reading
C-TK-2	B	8,000 L	27%	150	3.7 d	CRITICAL	10:00
C-TK-3	C	5,000 L	31%	60	9.2 d	WARNING	10:00
C-TK-1	A	10,000 L	42%	200	11.0 d	OK	10:00
C-TK-4	D	12,000 L	55%	180	23.3 d	OK	10:00

Active alerts 6

● CRITICAL – C-TK-2 (B): autonomy 3.7 days, plan delivery

● WARNING – C-TK-3 (C): autonomy 9.2 days

Annotations

- 1 Site selector at the top: user sees only the sites they have access to (FR-24). Cards summarize status for the chosen site.
- 2 Volume bar shows current % of capacity; the dashed red line marks the minimum level (20% default) – BR-09.
- 3 Injection rate calculated from hourly volume history, excluding refills (BR-10, FR-16).
- 4 Autonomy in days = (volume – minimum) ÷ rate (BR-21). Table is sorted by autonomy ascending; click a row to open SCR-05.
- 5 Data freshness indicator: tanks with no reading for 3 h are marked “stale” (BR-22, US-14).
- 6 Alert strip: warning ≤ 10 d, critical ≤ 5 d (BR-18); links to SCR-07.

LOGO

Site: Site 1 – Onshore North ▼

3 | User: Maria S. (Sales) ▼

Dashboard

Equipment

Associations

Alerts & Reports

Admin ▶

Equipment

Tanks (4)

Wells (4)

Pumps (4)

Search code...

Product ▼

Material ▼

Status: Active ▼

+ New tank 1

Code	Product	Capacity (L)	Material	Wells linked	Status	Actions 2
C-TK-1	A	10,000	Carbon steel	3	Active	Edit · Deactivate
C-TK-2	B	8,000	Stainless steel	2	Active	Edit · Deactivate
C-TK-3	C	5,000	HDPE	1	Active	Edit · Deactivate
C-TK-4	D	12,000	Fiberglass	2	Active	Edit · Deactivate

Showing 4 of 4 · Rows per page: 25 ▼ 3

Annotations

- 1 “+ New tank” (or well / pump, depending on the tab) is visible only to Sales. For Field Technicians the button and the actions column are hidden (BR-01).
- 2 Deactivate replaces delete when equipment has history; deactivating ends its associations (BR-14).
- 3 Filters and search across sites the user can access; the same layout is reused for wells and pumps (FR-07).

LOGO

Site: Site 1 – Onshore North ▼

3 | User: Maria S. (Sales) ▼

Dashboard

Equipment

Associations

Alerts & Reports

Admin ▶

New tank 1

Site *

Site 1 – Onshore North ▼

Tank code * 2

C-TK-5

Chemical product * 3

Select product ▼

Capacity (L) *

e.g. 10000

Construction material * 4

Select material ▼

Minimum level (% of capacity) 5

20

RTD tag (volume signal) 6

e.g. SITE1.CTK5.VOL

Status

Active ▼

Validation example: “Tank code C-TK-5 already exists in Site 1.” (BR-13)

Save tank

Cancel

Annotations

- 1 Screen is available only to Sales; direct URL access by other roles returns “not authorized”.
- 2 Code must be unique within the site (BR-13).
- 3 One product per tank (BR-03); options come from the product catalog.
- 4 Material list (carbon steel, stainless steel, HDPE, fiberglass...) and capacity > 0 are mandatory (BR-08, S8).
- 5 Minimum level defaults to 20% and is editable by Sales (BR-09, OQ-07).
- 6 Maps the tank to its real-time signal so hourly readings are matched to it (integration, D11).

LOGO

Site: Site 1 – Onshore North ▾

3 | User: Maria S. (Field Tech) ▾

Dashboard

Equipment

Associations

Alerts & Reports

Admin ▶

Association Manager – Site 1 1

⛔ Cannot associate C-TK-3 (Product C) with Well-1. Well-1 already receives Product A (C-TK-1) and products A and C cannot be applied to the same well (rule BR-06). 3

Tank \ Well	Well-1	Well-2	Well-3	Well-4
C-TK-1 (A)	☒	☐	☒	☐
C-TK-2 (B)	☐	☒	☐	☒
C-TK-3 (C)	☒	☒	☐	☐
C-TK-4 (D)	☐	☒	☐	☒
Products applied 2	A · 1/3	B, C, D · 3/3 (full)	A · 1/3	B, D · 2/3

Save changes

Discard

4 Start date: Today ▾

View: Matrix | By tank | By well 5

Annotations

- 1 Tanks × wells matrix of the selected site; both Sales and Field Technicians can edit it (BR-02). Ticking a cell creates an association on save.
- 2 Footer row shows distinct products per well and remaining slots (max 3 – BR-05). Well-2 is full: any additional product is blocked.
- 3 Blocking message names the rule, tank and well (BR-20). Invalid cells stay unsaved; valid changes can still be saved.
- 4 Un-ticking an existing association ends it with the chosen date and keeps history (BR-19, US-08).
- 5 Alternative views by tank or by well for quick field edits on a tablet.

LOGO

Site: Site 1 – Onshore North ▼

🔔 3 | User: Maria S. (Sales) ▼

Dashboard

Equipment

Associations

Alerts & Reports

Admin ▶

Tank C-TK-2 · Product B

CRITICAL

↓ Export

Site 1 · 8,000 L · Stainless steel · Pump-2 · Last reading 10:00

Volume

2,160 L

27% of capacity

Min. level (20%)

1,600 L

Injection rate

150 L/d

6.3 L/h · 7-day window

Autonomy

3.7 d

≈ Oct 03

Volume - last 30 days

Refill +3,000 L (event)

20% minimum (1,600 L)

Associated wells - estimated consumption

Well	Production (m³/d)	Share	Est. (L/d)
Well-2	500	77%	115
Well-4	150	23%	35
Total	650	100%	150

Refill events

Date	Δ Volume
Sep 12	+3,000 L
Aug 21	+3,200 L

- Annotations
- 1

Injection rate excludes refill jumps and uses the configurable window (default 7 days) – BR-10.
- 2

Autonomy and projected date reaching the 20% minimum level – BR-21; supports delivery planning (S10).
- 3

Trend chart with 20% line and refill markers; period selector 7 / 30 / 90 days (US-12).
- 4

Estimated consumption per well = tank rate × well production share; total equals the tank rate (BR-11, BR-12).
- 5

Refill history helps Sales validate delivery cadence and volumes (FR-15).

LOGO

Site: Site 1 – Onshore North ▾

🔔 3

 | User: Maria S. (Sales) ▾

Dashboard

Equipment

Associations

Alerts & Reports

Admin ▶

Well-2

ACTIVE

Site 1 · Production today: 500 m³/d

Products applied

1

3 / 3

B · C · D (limit reached)

Est. total chemical

238 L/d

Compatibility

OK

No A × C conflict

Manage associations

Tank	Product	Tank rate (L/d)	Well share 2	Est. consumption (L/d)	Tank autonomy	Since
C-TK-2	B	150	77%	115	3.7 d	2025-03-10
C-TK-3	C	60	100%	60	9.2 d	2025-03-10
C-TK-4	D	180	48%	63	23.3 d	2025-06-02

Production - last 30 days

3

Annotations

- 1

 Slot indicator shows how many of the 3 allowed products are in use; “Manage associations” opens SCR-04 filtered on this well.
- 2

 Share of the well in each tank’s consumption is proportional to its production among all wells of that tank (BR-11).
- 3

 Production history explains variations in estimated consumption; data comes from the RTD (read-only, BR-15).

LOGO

Site: Site 1 – Onshore North ▾

🔔 3 | User: Maria S. (Sales) ▾

Dashboard

Equipment

Associations

Alerts & Reports

Admin ▶

Alerts & Reports 1

Active alerts (2) | History | Reports

Severity ▾ | Type ▾ | Product ▾

↓ CSV | ↓ XLSX | ↓ PDF 3

Severity	Tank / Well	Type 2	Detail	Since	
CRITICAL	C-TK-2	Autonomy	3.7 days to minimum level	Sep 29 06:00	Open ▶
WARNING	C-TK-3	Autonomy	9.2 days to minimum level	Sep 28 14:00	Open ▶
INFO	Well-3	Stale data	No production reading for 4 h	Sep 29 07:00	Open ▶

Scheduled report 4

Weekly autonomy forecast by site – every Monday 07:00 – to: sales-team@client.com

Edit

Annotations

- 1 Central list of alerts across accessible sites, with severity ranking.
- 2 Types: autonomy (warning / critical), stale data, imported data violating rules (BR-06 in migration).
- 3 Export keeps the current filters (FR-23).
- 4 Suggested feature: scheduled e-mail report for Sales (Should/Could – see file 05).