RADIOCHEMICAL AGE VERIFICATION FOR TWO SPECIES OF DEEP-SEA ROCKFISH

(Sebastolobus altivelis and S. alascanus)

LOAN COPY ONLY

A Thesis

Presented to

The Faculty of the Moss Landing Marine Laboratories

San Jose State University

In Partial Fulfillment

of the Requirements for the Degree

Master of Science in

Marine Science

By DONNA E. KLINE

29 January 1996

ABSTRACT

Radiochemical Age Verification for Two Deep-Sea Rockfishes (Sebastolobus altivelis and S. alascanus)

by

Donna E. Kline

Thornyhead rockfishes (*Sebastolobus altivelis* and *S. alascanus*) have been commercially harvested at an increasing rate off the west coast of the United States. Age estimates suggest that both species are long-lived, making the populations vulnerable to heavy fishing pressure. The purpose of this study was to verify longevity by quantitatively comparing growth patterns found in otoliths with radiochemical age of the CaCO₃ material of which they are made. Growth increment patterns visible in transverse otolith sections from the two were narrow, often irregular, and difficult to interpret, resulting in poor ageing precision. A technique that measures the disequilibria between natural ²¹⁰Pb and ²²⁶Ra in the otoliths was used independently to determine longevity radiochemically. Levels of (²¹⁰Pb:²²⁶Ra) disequilibria in otolith cores confirmed ages to at least 45 years for *S. altivelis* and 80 years for *S. alascanus*. This technique, however, is very sensitive to small variation or errors in ²²⁶Ra measurements when ²¹⁰Pb levels reach approximately 75% of the equilibrium value. Ages over 80 years, estimated for *S. alascanus*, could not be confirmed due to variation in ²²⁶Ra assays.

ACKNOWLEDGEMENTS

Though a thesis is authored by a single person, it is rarely accomplished alone. Many people contributed to the completion of this study. First, and foremost, I would like to thank my two primary thesis advisors, Dr. Gregor Cailliet and Dr. Kenneth Coale, without whom it never would have happened. Their endless patience and constant support are very much appreciated. Dr. Jim Harvey took on another thesis. Dr. John Butler, National Marine Fisheries Service, Southwest Fisheries Science Center, offered support and encouragement, provided otoliths, sections, age readings, cores, and advice, and even volunteered to be on the committee. Dr. Cynthia Jones aroused my interest in otoliths and fisheries and has encouraged me regularly.

Mary Yoklavich, who really should have been a member of my committee, acted as a reader for otolith sections and an advisor throughout. Guillermo Moreno took photos, monitored samples, and recorded alpha data. Allen Andrews provided TIMS analyses. Dr. Ken Johnson and his students kindly allowed me free access to their lab to use equipment. Finally, all of the staff and students of Moss Landing Marine Labs were supportive, encouraging, and fun. I don't think there was a lab that I did not invade, or disrupt, at one time or another. I thank you all for your tolerance.

I would also like to thank Dr. Ken Bruland and Rob Franks of the University of California Santa Cruz for allowing me to use their analytical and counting equipment and facilities. Dr. Ross Williams contributed invaluable advice for using the radon

gas emanation system and provided the Bateman equation computer program for ²²⁶Ra analysis. Jim Gill and Peter Ritzen were understanding and helpful in sharing and monitoring counting equipment.

Finally, I would like to thank Diana Watters, who shared my frustrations and my triumphs, and who always made me laugh when I really needed to.

This research was funded in part by a grant from the National Sea Grant College Program, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, under grant number NA89AA-D-SG138, project number R/ND-1-20D through the California Sea Grant College. The views expressed herein are those of the author and do not necessarily reflect the views of NOAA or any of its subagencies. The U.S. Government is authorized to reproduce and distribute for governmental purposes.

